

Exam: Exploratory Data Analysis

Multiple Choice (Single Select) - 4 Answer Options

1. Who coined the term EDA?

- A) Jacob Cohen
- B) Karl Popper
- C) Ronald Fisher
- D) John Tukey

2. What is the main goal of EDA?

- A) Discovering data patterns
- B) Testing hypotheses
- C) Confirming models
- D) Estimating causal effects

3. Which measure is robust to outliers?

- A) Standard deviation
- B) Variance
- C) Median
- D) Mean

4. What does a boxplot show?

- A) Median, IQR, outliers
- B) Correlation
- C) Normal distribution
- D) Mean and SD

5. What does a Q-Q plot test?

- A) Deviation from normality
- B) Correlation
- C) Independence
- D) Homoscedasticity

6. What is an outlier?

- A) A normal value
- B) A value far from the center of the distribution
- C) A missing value
- D) A measurement error

7. What is Cook's distance?

- A) A measure of a case's influence on regression
- B) A measure of variance
- C) A correlation measure
- D) A distance measure in cluster analysis

8. What does MCAR mean for missing data?

- A) Missing systematically
- B) Missing completely at random
- C) Missing not at random
- D) Missing at random

Solutions

1: D

2: A

3: C

4: A

5: A

6: B

7: A

8: B