

Exam: Non-parametric Tests

Multiple Choice (Single Select) - 4 Answer Options

1. When are nonparametric tests indicated?

- A) With variance homogeneity
- B) With metric data
- C) With large samples
- D) When normality assumption is violated

2. Which test is the nonparametric equivalent of the t-test?

- A) Mann-Whitney U test
- B) Chi-square
- C) ANOVA
- D) Pearson correlation

3. What does the Wilcoxon signed-rank test assess?

- A) Differences in two paired samples
- B) Differences in independent groups
- C) Normality
- D) Relationship between two variables

4. Which test compares 3+ independent groups nonparametrically?

- A) Kruskal-Wallis test
- B) Friedman test
- C) Wilcoxon test
- D) Mann-Whitney U

5. Which test compares 3+ paired groups nonparametrically?

- A) Kruskal-Wallis
- B) Mann-Whitney U
- C) Chi-square
- D) Friedman test

6. What is the disadvantage of nonparametric tests?

- A) They can only test dichotomies
- B) They require larger samples
- C) Lower power when parametric assumptions are met
- D) They assume normality

7. What information does the Mann-Whitney U test use?

- A) Actual measured values
- B) Group means
- C) Rank positions of values
- D) Group variances

8. The Friedman test is the equivalent of which parametric test?

- A) Repeated measures ANOVA
- B) t-test
- C) Multiple regression
- D) Pearson correlation

Solutions

1: D

2: A

3: A

4: A

5: D

6: C

7: C

8: A