

Visoka škola za informacione i komunikacione tehnologije



PHP-2 sajt

Dokumentacija Sajta

Nemanja Glogovac 293/18

Table of Contents

1.Uvod.....	3
1.1 Korišćeni programski jezici:.....	3
1.2 Opis funkcionalnosti.....	4
2. Organizacija	6
2.1 Dizajn baze	6
2.2 Struktura foldera	8
3. Slike i kodovi	12

1.Uvod

1.1 Korišćeni programski jezici:

Jezici korišćeni za izradu sajta:

- HTML 5
- CSS 3
- JavaScript
- Objektni PHP

Biblioteke i dodatni kodovi

- JQuery
- Bootstrap
- Korišćen je gotov template preuzet sa sajta www.colorlib.com
- Fontawsome
- Integracija PHP+AJAX+JSON

- MySQL
- Laravel

1.2 Opis funkcionalnosti


-Azenta je sajt namenjen za iznajmljivanje nekretnina. Sajt koriste neautorizovani i autorizovani korisnici (administratori, agenti i obični korisnici).

- Neautorizovani korisnici mogu da kontaktiraju administratore sajta putem kontakt stranice.
- Obični korisnici mogu da kontaktiraju administratore sajta putem kontakt stranice, mogu da ostavljaju komentare na postove, mogu kontaktiraju agenta koji izdaje odredjenu nekretninu.
- Agenti imaju iste privilegije kao i autorizovani obični korisnici. Pored toga mogu da dodaju nekretnine, da menjaju i brišu postojeće (samo one koje pripadaju njima). Takođe mogu da dodaju postove, brišu i menjaju postojeće (samo one koje pripadaju njima).
- Administratori imaju sve privilegije kao i agenti osim što ne mogu da dodaju nove nekretnine. Pored toga imaju sve privilegije nad korisnicima (insert, update, delete). Takođe imaju pristup log stranici gde se nalaze sve aktivnosti korisnika.


- Na svim stranicama je omogućen pristup formama za logovanje i registraciju korisnika.
- U zaglavlju sajta je navigacioni meni koje se menja u zavisnosti od prijave korisnika i njegove uloge.
- Na properties stranici je omogućena kompletna pretraga nekretnina sa paginacijom.
- U control panel delu sajta na stranici notifications se prikazuju poruke u zavisnosti od uloge ulogovanog korisnika.


2. Organizacija


2.1 Dizajn baze



2.2 Struktura foldera







3. Slike i kodovi

Web.php

```
<?php

use Illuminate\Support\Facades\Route;

/*
|-----
| Web Routes
|-----
|
| Here is where you can register web routes for your application. These
| routes are loaded by the RouteServiceProvider within a group which
| contains the "web" middleware group. Now create something great!
|
*/

Route::pattern('id', '[0-9]+');

Route::get('/', "FrontController@index")->name("home");
Route::get('/home', "FrontController@index")->name("home");
Route::get('/properties', "PropertiesController@index");
Route::get('/blog', "BlogController@blog");
Route::get('/contact', "FrontController@contact");
Route::get('/about-us', "FrontController@aboutUs");

Route::get('/property-single/{id}', "PropertiesController@showOne");
Route::get('/post-single/{id}', "BlogController@showOne");

Route::post("/login", "AuthController@login")->name("login");
Route::post("/sign-up", "AuthController@signUp")->name("signUp");
Route::get("/logout", "AuthController@logout")->name("logout");

Route::get("/filterProperties", "PropertiesController@filterProperties");

Route::post('/property-single/contact-agent',
"Admin\NotificationsController@insertAgentMessage")->name("contact-agent");
Route::post('/contact/contact-admin',
"Admin\NotificationsController@insertAdminMessage");

Route::get("/getPostsPaginate/{page}", "BlogController@getPostPaginate");
Route::post("/insertComment", "BlogController@insertComment");
```

```
Route::prefix("admin")->middleware(["isLoggedIn","controlPanel"])->group(function(){
    Route::resource("users","Admin\UsersController");
    Route::resource("properties","Admin\PropertiesController");
    Route::resource("posts","Admin\PostsController");

    Route::get("/notifications","Admin\NotificationsController@notifications");
    Route::get("/logs","Admin\BackController@logs")->middleware(["adminMiddleware"]);
});
```

Api.php

```
<?php
use Illuminate\Http\Request;
use Illuminate\Support\Facades\Route;

/*
|-----
| API Routes
|-----
|
| Here is where you can register API routes for your application. These
| routes are loaded by the RouteServiceProvider within a group which
| is assigned the "api" middleware group. Enjoy building your API!
|
*/

Route::middleware('auth:api')->get('/user', function (Request $request) {
    return $request->user();
});

Route::get("/users","ApiController@getAllUsers");
Route::get("/properties","ApiController@getAllProperties");
Route::get("/posts","ApiController@getAllPosts");
```

Controllers

Admin/BackController

```
<?php

namespace App\Http\Controllers\Admin;

use App\Http\Controllers\Controller;
use App\Models\NotificationsModel;
use App\Models\UserModel;
use Illuminate\Http\Request;

class BackController extends Controller
{
    protected $data;
    private $notificationModel;

    public function __construct()
    {
        $this->notificationModel = new NotificationsModel();

        $this->middleware(function ($request, $next){
            $user = session('user');
            if($user->role_id == 3) {
                $this->data["messagesNumber"] = $this->notificationModel-
>getNumberOfAgentMessages($user->user_id);
                return $next($request);
            }
            if($user->role_id == 1) {
                $this->data["messagesNumber"] = $this->notificationModel-
>getNumberOfAdminMessages();
                return $next($request);
            }
        });
    }

    protected function deleteImage($src)
    {
        if(\File::exists($src)) {
            \File::delete($src);
        }
    }

    private function getMessageNumber($user_id)
    {
        return $this->data["messagesNumber"] = $this->notificationModel-
>getNumberOfAgentMessages($user_id);
    }

    public function logs(){
        $this->data['logs'] = \LogActivity::getLogs();
        return view("admin/pages/activityLog",$this->data);
    }
}
```

```
}  
}
```

Admin/NotificationsController

```
<?php  
  
namespace App\Http\Controllers\Admin;  
  
use App\Http\Controllers\Controller;  
use App\Http\Requests\ContactMessageRequest;  
use Illuminate\Http\Request;  
use App\Models\NotificationsModel;  
  
class NotificationsController extends BackController  
{  
    private $notificationsModel;  
  
    public function __construct()  
    {  
        $this->notificationsModel = new NotificationsModel();  
        parent::__construct();  
    }  
  
    public function notifications()  
    {  
        $user = session("user");  
  
        if($user->role_id == 3) {  
            $this->data["messages"] = $this->notificationsModel->getAllAgentMessages($user);  
            $this->data["messagesNumber"] = $this->notificationsModel->getNumberOfAgentMessages($user);  
            $this->notificationsModel->setSeenAllAgentMessages($user);  
        }  
        if($user->role_id == 1) {  
            $this->data["messages"] = $this->notificationsModel->getAllAdminMessages();  
            $this->data["messagesNumber"] = $this->notificationsModel->getNumberOfAdminMessages();  
            $this->notificationsModel->setSeenAllAdminMessages();  
        }  
  
        return view("/admin/pages/notifications",$this->data);  
    }  
  
    public function insertAgentMessage(Request $request){  
  
        $agent = $request->input("Agent");
```

```

        $user = $request->input("User");
        $message = $request->input("Message");
        $property = $request->input("Property");

        try{
            $insertMessage = $this->notificationsModel->insertAgentMessage($message,$agent,$user,$property);

            return response(["insertMessageSuccess" => "Message successfully sent to agent!"], 200);

        }catch (\Exception $e){
            dd($e);
            \Log::error($e->getMessage());
            return response(["insertMessageError" => "Server error on sending message, try again later."], 500);
        }
    }

    public function insertAdminMessage(ContactMessageRequest $request){

        $name = $request->input("Name");
        $email = $request->input("Email");
        $text = $request->input("Text");

        try{
            $insertMessage = $this->notificationsModel->insertAdminMessage($name,$email,$text);

            return response(["insertMessageSuccess" => "Message successfully sent to agent!"], 200);

        }catch (\Exception $e){
            \Log::error($e->getMessage());
            return response(["insertMessageError" => "Server error on sending message, try again later."], 500);
        }
    }
}

```

Admin/PostsController

```

<?php
namespace App\Http\Controllers\Admin;

```



```

use App\Http\Controllers\Controller;
use App\Http\Requests\PostRequest;
use App\Models\PostsModel;
use Illuminate\Http\Request;

class PostsController extends BackController
{
    private $postModel;

    public function __construct()
    {
        $this->postModel = new PostsModel();
        parent::__construct();
    }
    /**
     * Display a listing of the resource.
     *
     * @return \Illuminate\Http\Response
     */
    public function index()
    {
        if(session("user")->role_id == 3){
            $this->data['posts'] = $this->postModel-
>getAllPostsByUser(session("user")->user_id);
        }else{
            $this->data['posts'] = $this->postModel->getAllPosts();
        }
        return view("admin/pages/posts",$this->data);
    }

    /**
     * Show the form for creating a new resource.
     *
     * @return \Illuminate\Http\Response
     */
    public function create()
    {
        $this->data['form'] = "insert";

        return view("admin/pages/posts", $this->data);
    }

    /**
     * Store a newly created resource in storage.
     *
     * @param \Illuminate\Http\Request $request
     * @return \Illuminate\Http\Response
     */
    public function store(PostRequest $request)
    {
        $title = $request->input("Title");
        $text = $request->input("Text");
        $id = $request->input("idUser");
    }
}

```

```

        \DB::beginTransaction();
        try {
            $image = $request->file("Image");
            $image_name = $image->getClientOriginalName()."_".time();
            $directory = \public_path()."/img/posts";
            $image->move($directory,$image_name);

            $path = "img/posts/".$image_name;

            $insertPostId = $this->postModel->insertPost($title,$text,$id);
            $insertImage = $this->postModel->insertPostImage($path,
            $image_name,$insertPostId);

        }
        catch (\Exception $e){

            \Log::error($e->getMessage());
            \DB::rollBack();
            \LogActivity::addToLog($request,"User failed adding post!");
            return redirect()->back()->with("insertPostError" , "Server error, try
again later.");
        }
        if($insertImage && $insertPostId){

            \DB::commit();
            \LogActivity::addToLog($request,"User successfully added post!");
            return redirect()->back()->with("insertPostSuccess","Post added
successfully!");
        }else{
            \DB::rollBack();
            \LogActivity::addToLog($request,"User failed adding post!");
            return redirect()->back()->with("insertPostError" , "Server error, try
again later.");
        }

    }

    /**
     * Display the specified resource.
     *
     * @param int $id
     * @return \Illuminate\Http\Response
     */
    public function show($id)
    {
        //
    }

    /**
     * Show the form for editing the specified resource.
     *
     * @param int $id
     * @return \Illuminate\Http\Response
     */
    public function edit($id)

```

```

{
    $this->data["post"] = $this->postModel->getOne($id);
    $this->data['form'] = "edit";
    return view("admin/pages/posts",$this->data);
}

/**
 * Update the specified resource in storage.
 *
 * @param \Illuminate\Http\Request $request
 * @param int $id
 * @return \Illuminate\Http\Response
 */
public function update(Request $request, $id)
{
    $title = $request->input("Title");
    $text = $request->input("Text");
    $updated_at = time();

    \DB::beginTransaction();
    try {
        $image = $request->file("Image");
        if($image) {
            $image_name = $image->getClientOriginalName() . "_" . time();
            $directory = \public_path() . "/img/posts";
            $image->move($directory, $image_name);

            $user = $this->postModel->getOneWithImage($id);
            $this->deleteImage($user->src);

            $path = "img/posts/" . $image_name;
            $Image = $this->postModel->updatePostImage($path, $image_name, $id);
        }

        $Post = $this->postModel->updatePost($title,$text,$updated_at,$id);

    }
    catch (\Exception $e){
        \Log::error($e->getMessage());
        \LogActivity::addToLog($request,"User failed updating post!");
        return redirect()->back()->with("editError" , "Server error on edit post,
try again later.");
    }
    if($Post){
        \DB::commit();
        \LogActivity::addToLog($request,"User successfully updated post!");
        return redirect()->back()->with("editSuccess","Post changed
successfully!");
    }else{
        \DB::rollBack();
    }
}

```

```

        \LogActivity::addToLog($request,"User failed updating post!");
        return redirect()->back()->with("editError" , "Server error on edit post,
try again later.");
    }
}

/**
 * Remove the specified resource from storage.
 *
 * @param int $id
 * @return \Illuminate\Http\Response
 */
public function destroy(Request $request,$id)
{
    try{

        $delete = $this->postModel->deletePost($id);
        if(!$delete){
            return response(["deleteError", "Error on deleting post, post not
found!"],404);
        }
        \LogActivity::addToLog($request,"User failed deleting post!");
        \LogActivity::addToLog($request,"User successfully deleted post!");
        return response(["deleteSuccess","Post successfully deleted"],200);
    }
    catch (\Exception $e){
        \Log::error($e->getMessage());
        \LogActivity::addToLog($request,"User failed deleting post!");
        return response(["deleteError", "Error on deleting post, try again
later!"],500);
    }
}
}

```

Admin/PropertiesController

```

<?php

namespace App\Http\Controllers\Admin;

use App\Http\Controllers\Controller;
use App\Http\Requests\PropertyRequest;
use App\Models\PropertiesModel;
use Illuminate\Http\Request;

class PropertiesController extends BackController
{
    private $propertiesModel;

    public function __construct()
    {

```

```

        $this->propertiesModel = new PropertiesModel();
        parent::__construct();
    }

    /**
     * Display a listing of the resource.
     *
     * @return \Illuminate\Http\Response
     */
    public function index()
    {
        if(session("user")->role_id == 3){
            $this->data['properties'] = $this->propertiesModel->getAllPropertiesByUser(session("user")->user_id);
        }else {
            $this->data['properties'] = $this->propertiesModel->getAllProperties();
        }

        return view("admin/pages/properties", $this->data);
    }

    /**
     * Show the form for creating a new resource.
     *
     * @return \Illuminate\Http\Response
     */
    public function create()
    {
        $this->data['form'] = "insert";
        $this->data['cities'] = $this->propertiesModel->getAllCities();
        $this->data['types'] = $this->propertiesModel->getAllTypes();
        return view("admin/pages/properties",$this->data);
    }

    /**
     * Store a newly created resource in storage.
     *
     * @param \Illuminate\Http\Request $request
     * @return \Illuminate\Http\Response
     */
    public function store(PropertyRequest $request)
    {
        $name = $request->input("Name");
        $price = $request->input("Price");
        $address = $request->input("Address");
        $status = $request->input("Status");
        $description = $request->input("Description");
        $datePost = time();
        $dateExpire = strtotime($request->input("DateExpire"));
        $surface = $request->input("Surface");
        $rooms = $request->input("Rooms");
        $bathrooms = $request->input("Bathrooms");
        $garages = $request->input("Garages");
        $featured = $request->input("Featured");
        $main = $request->input("Main");
    }

```

```

$typeId = $request->input("Type");
$cityId = $request->input("City");
$userId = $request->input("User");

\DB::beginTransaction();
try {
    $image = $request->file("Image");
    $image_name = $image->getClientOriginalName()."_".time();
    $directory = \public_path()."/img/properties";
    $image->move($directory,$image_name);

    $path = "img/properties/".$image_name;

    $insertPropertyId = $this->propertiesModel->insertProperty($name,$price,$address,$status,$description,$datePost,$dateExpire,$surface,$rooms,$bathrooms,$garages,$featured,$main,$userId,$cityId,$typeId);
    $insertImage = $this->propertiesModel->insertImage($path,$image_name,$insertPropertyId);
}
catch (QueryException $e){

    \Log::error($e->getMessage());
    \DB::rollBack();
    \LogActivity::addToLog($request,"User failed adding property!");
    return redirect()->back()->with("insertPropertyError" , "Server error, try again later.");
}
if($insertPropertyId && $insertImage){

    \DB::commit();
    \LogActivity::addToLog($request,"User successfully added property!");
    return redirect()->back()->with("insertPropertySuccess","Property added successfully!");
}else{
    \DB::rollBack();
    \LogActivity::addToLog($request,"User failed adding property!");
    return redirect()->back()->with("insertPropertyError" , "Server error, try again later.");
}
}

/**
 * Display the specified resource.
 *
 * @param int $id
 * @return \Illuminate\Http\Response
 */
public function show($id)
{
}

```

```

/**
 * Show the form for editing the specified resource.
 *
 * @param int $id
 * @return \Illuminate\Http\Response
 */
public function edit($id)
{
    $this->data['p'] = $this->propertiesModel->getOne($id);
    $this->data['cities'] = $this->propertiesModel->getAllCities();
    $this->data['types'] = $this->propertiesModel->getAllTypes();
    $this->data['form'] = "edit";
    return view("admin/pages/properties",$this->data);
}

/**
 * Update the specified resource in storage.
 *
 * @param \Illuminate\Http\Request $request
 * @param int $id
 * @return \Illuminate\Http\Response
 */
public function update(Request $request, $id)
{
    $name = $request->input("Name");
    $price = $request->input("Price");
    $address = $request->input("Address");
    $status = $request->input("Status");
    $description = $request->input("Description");
    $dateExpire = strtotime($request->input("DateExpire"));
    $surface = $request->input("Surface");
    $rooms = $request->input("Rooms");
    $bathrooms = $request->input("Bathrooms");
    $garages = $request->input("Garages");
    $featured = $request->input("Featured");
    $main = $request->input("Main");
    $updatedAt = time();

    $userId = $request->input("User");
    $typeId = $request->input("Type");
    $cityId = $request->input("City");

    \DB::beginTransaction();
    try {
        $image = $request->file("Image");
        if($image) {
            $image_name = $image->getClientOriginalName() . "_" . time();
            $directory = \public_path() . "/img/properties";
            $image->move($directory, $image_name);

```

```

        $path = "img/properties/" . $image_name;

        $property = $this->propertiesModel->getOneImage($id);
        $this->deleteImage($property->src);

        $updateImage = $this->propertiesModel->updateImage($path,
$image_name, $id);
    }

    $updatePropertyId = $this->propertiesModel-
>updateProperty($name,$price,$address,$status,$description,$dateExpire,$surface,$room
s,$bathrooms,$garages,$featured,$main,$userId,$cityId,$typeId,$id);

    }
    catch (QueryException $e){
        \Log::error($e->getMessage());
        \DB::rollBack();
        return redirect()->back()->with("updatePropertyError" , "Server error,
try again later.");
    }
    if($updatePropertyId){
        \DB::commit();
        \LogActivity::addToLog($request,"User successfully updated property!");
        return redirect()->back()->with("updatePropertySuccess","Property edited
successfully!");
    }else{
        \DB::rollBack();
        \LogActivity::addToLog($request,"User failed updating property!");
        return redirect()->back()->with("updatePropertyError" , "Server error,
try again later.");
    }
}

/**
 * Remove the specified resource from storage.
 *
 * @param int $id
 * @return \Illuminate\Http\Response
 */
public function destroy(Request $request ,$id)
{
    try{
        $delete = $this->propertiesModel->deleteProperties($id);
        if(!$delete){
            \LogActivity::addToLog($request,"User failed deleting property!");
            return response(["deleteError", "Error on deleting property, property
not found!"],404);
        }
        \LogActivity::addToLog($request,"User successfully deleted property!");
        return response(["deleteSuccess","Properties successfully deleted"],200);
    }
}

```



```

    }
    catch (\Exception $e){
        \Log::error($e->getMessage());
        \LogActivity::addToLog($request,"User failed deleting property!");
        return response(["deleteError", "Error on deleting properties, try again
later!"],500);
    }
}
}
}

```

Admin/UsersController

```

<?php

namespace App\Http\Controllers\Admin;

use App\Http\Controllers\Controller;
use App\Http\Requests\EditUserRequest;
use App\Http\Requests\SignUpRequest;
use App\Models\RoleModel;
use App\Models\UserModel;
use Illuminate\Http\Request;

class UsersController extends BackController
{
    private $userModel;
    private $roleModel;

    public function __construct()
    {
        $this->userModel = new UserModel();
        $this->roleModel = new RoleModel();
        parent::__construct();
    }
    /**
     * Display a listing of the resource.
     *
     * @return \Illuminate\Http\Response
     */
    public function index()
    {
        $this->data['users'] = $this->userModel->getAllUsersWithRoles();

        return view("admin/pages/users",$this->data);
    }
    /**
     * Show the form for creating a new resource.

```

```

*
* @return \Illuminate\Http\Response
*/
public function create()
{
    $this->data['form'] = "insert";

    $this->data['roles'] = $this->roleModel->getAll();
    return view("admin/pages/users",$this->data);
}

/**
 * Store a newly created resource in storage.
 *
 * @param \Illuminate\Http\Request $request
 * @return \Illuminate\Http\Response
 */
public function store(SignUpRequest $request)
{
    $firstName = $request->input("FirstName");
    $lastName = $request->input("LastName");
    $email = $request->input("Email");
    $password = $request->input("Password");
    $roleId = $request->input("Roles");

    \DB::beginTransaction();
    try {
        $image = $request->file("userImage");
        $image_name = $image->getClientOriginalName()."_".time();
        $directory = \public_path()."/img/users";
        $image->move($directory,$image_name);

        $path = "img/users/".$image_name;

        $insertUserId = $this->userModel->insertUser($firstName, $lastName,
$email, $password, $roleId);
        $insertImage = $this->userModel->insertUserImage($path,
$image_name,$insertUserId);
    }
    catch (QueryException $e){

        \Log::error($e->getMessage());
        \LogActivity::addLog($request,"User failed adding new user!");
        \DB::rollBack();
        return redirect()->back()->with("signUpError" , "Server error on sign up,
try again later.");
    }
    if($insertUserId && $insertImage){

        \DB::commit();
        \LogActivity::addLog($request,"User successfully added new user!");
        return redirect()->back()->with("signUpSuccess","User added

```

```

successfully!");
    }else{
        \DB::rollback();
        \LogActivity::addToLog($request,"User failed adding new user!");
        return redirect()->back()->with("signUpError" , "Server error on sign up,
try again later.");
    }
}

/**
 * Display the specified resource.
 *
 * @param int $id
 * @return \Illuminate\Http\Response
 */
public function show($id)
{
    //
}

/**
 * Show the form for editing the specified resource.
 *
 * @param int $id
 * @return \Illuminate\Http\Response
 */
public function edit($id)
{
    $this->data['form'] = "edit";
    $this->data['user'] = $this->userModel->getOneWithImage($id);
    $this->data['roles'] = $this->roleModel->getAll();
    return view("admin/pages/users",$this->data);
}

/**
 * Update the specified resource in storage.
 *
 * @param \Illuminate\Http\Request $request
 * @param int $id
 * @return \Illuminate\Http\Response
 */
public function update(EditUserRequest $request, $id)
{
    $firstName = $request->input("FirstName");
    $lastName = $request->input("LastName");
    $email = $request->input("Email");
    $password = $request->input("Password");
    $roleId = $request->input("Roles");
    $updated_at = time();

    \DB::beginTransaction();
    try {
        $image = $request->file("userImage");
        if($image) {

```

```

        $image_name = $image->getClientOriginalName() . "_" . time();
        $directory = \public_path() . "/img/users";
        $image->move($directory, $image_name);

        $user = $this->userModel->getOneWithImage($id);
        $this->deleteImage($user->src);

        $path = "img/users/" . $image_name;
        $Image = $this->userModel->updateUserImage($path, $image_name, $id,
$updated_at);
    }

    $User = $this->userModel->updateUser($firstName, $lastName, $email,
$password, $updated_at, $roleId,$id);

    }
    catch (QueryException $e){
        \Log::error($e->getMessage());
        \LogActivity::addToLog($request,"User failed update on users!");
        return redirect()->back()->with("editError" , "Server error on edit user,
try again later.");
    }
    if($User){
        \DB::commit();
        \LogActivity::addToLog($request,"User successfully updated user!");
        return redirect()->back()->with("editSuccess","User changed
successfully!");
    }else{
        \DB::rollBack();
        \LogActivity::addToLog($request,"User failed update on users!");
        return redirect()->back()->with("editError" , "Server error on edit user,
try again later.");
    }
}

/**
 * Remove the specified resource from storage.
 *
 * @param int $id
 * @return \Illuminate\Http\Response
 */
public function destroy(Request $request,$id)
{
    try{

        $delete = $this->userModel->deleteUser($id);
        if(!$delete){
            \LogActivity::addToLog($request,"User failed delete on users!");
            return response(["deleteError", "Error on deleting user, user not
found!"],404);
        }
    }

```

```

        \LogActivity::addToLog($request,"User successfully deleted user!");
        return response(["deleteSuccess","User successfully deleted"],200);
    }
    catch (\Exception $e){
        \Log::error($e->getMessage());
        \LogActivity::addToLog($request,"User failed delete on users!");
        return response(["deleteError", "Error on deleting user, try again
later!"],500 );
    }
}
}

```

ApiController

```

<?php

namespace App\Http\Controllers;

use App\Models\PostsModel;
use App\Models\PropertiesModel;
use App\Models\UserModel;
use Illuminate\Http\Request;

class ApiController extends Controller
{
    private $userModel;
    private $propertyModel;
    private $postModel;

    public function __construct()
    {
        $this->userModel = new UserModel();
        $this->propertyModel = new PropertiesModel();
        $this->postModel = new PostsModel();
    }

    public function getAllUsers(){
        try {

            $users = $this->userModel->getAllUsersWithRoles();
            $data['users'] = $users;
            return view("admin/partials/formUsers",$data);
        }
        catch (\Exception $e){
            \Log::error($e->getMessage());
            return response(["getUsersError","Error refreshing users!"],"500");
        }
    }
}

```

```

    public function getAllProperties(){
        try {

            $properties = $this->propertyModel->getAllProperties();
            $data['properties'] = $properties;
            return view("admin/partials/formProperties",$data);
        }
        catch (\Exception $e){
            \Log::error($e->getMessage());
            return response(["getPropertiesError","Error refreshing
properties!"],"500");
        }
    }

    public function getAllPosts(){
        try {

            $posts = $this->postModel->getAllPosts();
            $data['posts'] = $posts;
            return view("admin/partials/formPosts",$data);

        }
        catch (\Exception $e){
            \Log::error($e->getMessage());
            return response(["getPostError","Error refreshing properties!"],"500");
        }
    }
}

```

AuthController

```

<?php

namespace App\Http\Controllers;

use App\Http\Requests\LoginRequest;
use App\Http\Requests\SignUpRequest;
use App\Models\UserModel;
use Illuminate\Http\Request;

class AuthController extends Controller
{

```

```

private $userModel;

public function __construct()
{
    $this->userModel = new UserModel();
}

public function login(LoginRequest $request){
    $email = $request->input("tbEmail");
    $password = $request->input("tbPassword");

    $user = $this->userModel->getByEmailAndPassword($email,$password);

    if($user){

        session()->put("user",$user);
        \LogActivity::addLog($request,"User logged in successfully");
        return $user->role_id == "1" ? redirect("/admin/users") : redirect()-
>back();
    }else{
        \LogActivity::addLog($request,"User failed log in");
        return redirect()->back()->with("errorLogin", "Wrong email or
password!");
    }
}

public function signUp(SignUpRequest $request){
    $firstName = $request->input("FirstName");
    $lastName = $request->input("LastName");
    $email = $request->input("Email");
    $password = $request->input("Password");

    $roleId = 2;

    \DB::beginTransaction();
    try {
        $image = $request->file("userImage");
        $image_name = $image->getClientOriginalName()."_".time();
        $directory = \public_path()."/img/users";
        $image->move($directory,$image_name);

        $path = "img/users/".$image_name;

        $insertUserId = $this->userModel->insertUser($firstName, $lastName,
$email, $password, $roleId);
        $insertImage = $this->userModel->insertUserImage($path,
$image_name,$insertUserId);
    }
    catch (QueryException $e){
        \Log::error($e->getMessage());
        \LogActivity::addLog($request,"New user failed signed up");
        return redirect()->back()->with("signUpError" , "Server error on sign

```

```

up, try again later.");
    }
    if($insertUserId && $insertImage){
        \DB::commit();
        \LogActivity::addToLog($request,"New user successfully signed up");
        return redirect()->back()->with("signUpSuccess","Successful sign up, u
can login now!");
    }else{
        \DB::rollBack();
        \LogActivity::addToLog($request,"New user failed signed up");
        return redirect()->back()->with("signUpError" , "Server error on sign up,
try again later.");
    }
}

}

public function logout(Request $request){
    \LogActivity::addToLog($request,"User logged out successfully");
    session()->forget("user");
    return redirect("/home");
}
}

```

BlogController

```

<?php

namespace App\Http\Controllers;

use App\Models\PostsModel;
use Illuminate\Http\Request;

class BlogController extends FrontController
{
    private $postModel;

    public function __construct()
    {
        $this->postModel = new PostsModel();
    }

    public function blog(){
        session()->put("offset",0);
        $this->data['posts'] = $this->postModel-

```



```

>getAllPostsPaginate(session("offset"));
    $this->activeLink();
    return view("pages/blog",$this->data);
}

public function showOne($id){
    $this->data['post'] = $this->postModel->getOne($id);
    $this->data['comments'] = $this->postModel->getAllComments($id);
    $this->data["commentsNumber"] = $this->postModel->getNumberOfComments($id);

    $this->activeLink();
    return view("pages/post-single",$this->data);
}

public function getPostPaginate($page){

    $offset = session("offset") + $page;

    session()->put("offset",$offset);

    $data['posts'] = $this->postModel->getAllPostsPaginate(session("offset"));
    if($data['posts']) {
        return view("partials/postsBlog",$data);
    }
    else{
        return response("",500);
    }
}

public function insertComment(Request $request){
    $text = $request->input("Text");
    $post = $request->input("Post");
    $user = $request->input("User");

    try{
        $insertMessage = $this->postModel->insertMessage($text,$user,$post);

        return response(["insertCommentSuccess" => "Message successfully sent to agent!"],200);

    }catch (\Exception $e){
        \Log::error($e->getMessage());
        return response(["insertCommentError" => "Server error on sending comment, try again later."], 500);
    }
}
}

```

FrontController

```
<?php

namespace App\Http\Controllers;

use App\Models\PostsModel;
use App\Models\PropertiesModel;
use App\Models\UserModel;
use Illuminate\Http\Request;

class FrontController extends Controller
{
    protected $data;
    private $propertiesModel;
    private $userModel;
    private $postModel;

    public function __construct()
    {
        $this->propertiesModel = new PropertiesModel();
        $this->userModel = new UserModel();
        $this->postModel = new PostsModel();
    }

    public function index(){

        $this->data['properties'] = $this->propertiesModel->getAllProperties();
        $properties = $this->propertiesModel->getTop3();
        foreach ($properties as $key=>$p) {
            $description = explode(".", $p->description);
            $properties[$key]->descriptionShort = $description[0] . ".";
        }
        $this->data['top3Properties'] = $properties;
        $this->data['latest3Posts'] = $this->postModel->getLatest3();
        $this->data["currentDate"] = time();
        $this->data["agents"] = $this->userModel->getAllAgents();

        $this->activeLink();
        return view("pages/home",$this->data);
    }

    public function contact(){
        $this->activeLink();
        return view("pages/contact",$this->data);
    }
}
```

```

    }

    public function aboutUs(){
        $this->data["agents"] = $this->userModel->getAllAgents();

        $this->activeLink();
        return view("pages/about-us",$this->data);
    }

    public function activeLink(){

        $url = url()->current();
        $explodeUrl = explode("/", $url);
        $route = end($explodeUrl);

        if($route == "home" || $route == "properties" || $route == "about-us" ||
$route == "blog" || $route == "contact"){
            $page = end($explodeUrl);
        }else{
            $page = "home";
        }

        $activeH = ($page == "home") ? "active" : "";
        $activeP = ($page == "properties") ? "active" : "";
        $activeA = ($page == "about-us") ? "active" : "";
        $activeB = ($page == "blog") ? "active" : "";
        $activeC = ($page == "contact") ? "active" : "";

        $this->data['links'] = [
            "activeH" => $activeH,
            "activeP" => $activeP,
            "activeA" => $activeA,
            "activeB" => $activeB,
            "activeC" => $activeC
        ];
    }
}

```

PropertiesController

```

<?php

namespace App\Http\Controllers;

use App\Models\PropertiesModel;
use Illuminate\Http\Request;

class PropertiesController extends FrontController
{
    protected $data;
    private $propertiesModel;

    public function __construct()
    {
        $this->propertiesModel = new PropertiesModel();
    }

    public function index()
    {
        $properties = $this->propertiesModel->getAllPropertiesPaginate();

        foreach ($properties as $key=>$p) {
            $description = explode(".", $p->description);
            $properties[$key]->descriptionShort = $description[0] . ".";
        }

        $this->data['properties'] = $properties;
        $this->data['cities'] = $this->propertiesModel->getAllCities();
        $this->data["currentDate"] = time();
        $this->data['bestAgents'] = $this->propertiesModel->getBestAgents();
        $this->activeLink();
        return view("pages/properties",$this->data);
    }

    public function filterProperties(Request $request){
        if($request->ajax()) {
            $searchText = $request->input("searchText");
            $status = $request->input("status");
            $location = $request->input("location");
            $rooms = explode("-", $request->input("rooms"));
            $bathrooms = explode("-", $request->input("bathrooms"));
            $garages = explode("-", $request->input("garages"));

            $smallSize = $request->input("smallSize");
            $bigSize = $request->input("bigSize");
            $smallPrice = $request->input("smallPrice");
            $bigPrice = $request->input("bigPrice");

            if($rooms[0] != "null"){
                $smallRoom = $rooms[0];
                $bigRoom = $rooms[1];
            }
        }
    }
}

```

```

        }else{
            $smallRoom[0] = null;
            $bigRoom = null;
        }

        if($bathrooms[0] != "null"){
            $smallBathroom = $bathrooms[0];
            $bigBathroom = $bathrooms[1];
        }else{
            $smallBathroom = null;
            $bigBathroom = null;
        }

        if($garages[0] != "null"){
            $smallGarage = $garages[0];
            $bigGarage = $garages[1];
        }else{
            $smallGarage = null;
            $bigGarage = null;
        }

        try{
            $properties = $this->propertiesModel->
>filterProperties($searchText,$status,$location,$smallRoom,$bigRoom,$smallBathroom,$bigBathroom,$smallGarage,$bigGarage,$smallSize,$bigSize,$smallPrice,$bigPrice);
            foreach ($properties as $key=>$p) {
                $description = explode(".", $p->description);
                $properties[$key]->descriptionShort = $description[0] . ".";
            }

            $this->data['properties'] = $properties;
            $this->data["currentDate"] = time();

            $this->activeLink();
            return view("partials.properties",$this->data);
        }
        catch (\Exception $e){
            \Log::error($e->getMessage());
            return response("",500);
        }
    }

}

public function showOne($id){
    try{
        $this->data['property'] = $this->propertiesModel->getOne($id);
        $this->data['bestAgents'] = $this->propertiesModel->getBestAgents();
        $this->activeLink();
        return view("pages/property-single",$this->data);
    }
    catch (\Exception $e){
        \Log::error($e->getMessage());
    }
}

```

```

        return redirect()->back();
    }
}
}

```

Middleware

AdminMiddleware

```

<?php
namespace App\Http\Middleware;
use Closure;
class AdminMiddleware
{
    /**
     * Handle an incoming request.
     *
     * @param \Illuminate\Http\Request $request
     * @param \Closure $next
     * @return mixed
     */
    public function handle($request, Closure $next)
    {
        if(session("user")->role_id == 1) {
            return $next($request);
        }else
        {
            \LogActivity::addToLog($request,"User tried to gain unauthorized access to log page");
            return redirect()->back();
        }
    }
}

```

ControlPanelMiddleware

```
<?php
namespace App\Http\Middleware;
use Closure;
class ControlPanelMiddleware
{
    /**
     * Handle an incoming request.
     *
     * @param \Illuminate\Http\Request $request
     * @param \Closure $next
     * @return mixed
     */
    public function handle($request, Closure $next)
    {
        $user = $request->session()->get("user");

        if($user->role_id == 1 || $user->role_id == 3){
            return $next($request);
        }else{
            \LogActivity::addToLog($request,"User tried to gain unauthorized access to control panel");
            return redirect()->back();
        }
    }
}
```

IsLoggedMiddleware

```
<?php
namespace App\Http\Middleware;
use Closure;
class IsLogged
{
    /**
     * Handle an incoming request.
     *
```

```

* @param \Illuminate\Http\Request $request
* @param \Closure $next
* @return mixed
*/
public function handle($request, Closure $next)
{
    if($request->session()->has("user")) {
        return $next($request);
    }else{
        \LogActivity::addToLog($request,"Unauthorized user tried to gain access
to control panel");
        return redirect()->back();
    }
}
}

```

Requests

ContactMessageRequest

```

<?php
namespace App\Http\Requests;

use Illuminate\Foundation\Http\FormRequest;

class ContactMessageRequest extends FormRequest
{
    /**
     * Determine if the user is authorized to make this request.
     *
     * @return bool
     */
    public function authorize()
    {
        return true;
    }

    /**
     * Get the validation rules that apply to the request.
     *
     * @return array
     */
    public function rules()
    {
    }
}

```



```

{
    return [
        "Email" => "required|email",
        "Name" => ["required", "regex:/^[\\w\\s]{2,30}$/" ]
    ];
}
}

```

EditUserRequest

```

<?php

namespace App\Http\Requests;

use Illuminate\Foundation\Http\FormRequest;

class EditUserRequest extends FormRequest
{
    /**
     * Determine if the user is authorized to make this request.
     *
     * @return bool
     */
    public function authorize()
    {
        return true;
    }

    /**
     * Get the validation rules that apply to the request.
     *
     * @return array
     */
    public function rules()
    {
        return [
            "FirstName" => ["required", "regex:/^[A-z]{1,20}$/" ],
            "LastName" => ["required", "regex:/^[A-z]{1,20}$/" ],
            "Email" => ["required", "email"],
            "Password" => ["required", "regex:/^[A-z\d_-|\\\/!]{4,30}$/" ],
            "userImage" => "mimes:jpeg,jpg,png|max:5000"
        ];
    }
}

```

PostRequest

```
<?php
namespace App\Http\Requests;

use Illuminate\Foundation\Http\FormRequest;

class PostRequest extends FormRequest
{
    /**
     * Determine if the user is authorized to make this request.
     *
     * @return bool
     */
    public function authorize()
    {
        return true;
    }

    /**
     * Get the validation rules that apply to the request.
     *
     * @return array
     */
    public function rules()
    {
        return [
            "Title" => ["required", "regex:/^[A-Za-z0-9 .'?! ,@${#-}_\n\r\s]{3,120}$/" ],
            "Text" => "required",
            "Image" => "required|mimes:jpeg,jpg,png|max:10000"
        ];
    }
}
```

PropertyRequest

```
<?php
namespace App\Http\Requests;

use Illuminate\Foundation\Http\FormRequest;

class PropertyRequest extends FormRequest
```

```

{
    /**
     * Determine if the user is authorized to make this request.
     *
     * @return bool
     */
    public function authorize()
    {
        return true;
    }

    /**
     * Get the validation rules that apply to the request.
     *
     * @return array
     */
    public function rules()
    {
        return [
            "Name" => ["required", "regex:/^[A-Za-z0-9 .'?!,@#$%&_'\n\r\s]{3,35}$/"],
            "Price" => "required|gt:100",
            "Address" => ["required", "regex:/^[A-Za-z0-9 .'?!,@#$%&_'\n\r\s]{3,35}$/"],
            "Description" => ["required", "regex:/^[A-Za-z0-9 .'?!,@#$%&_'\n\r\s]{10,1850}$/"],
            "DateExpire" => "required|after:today",
            "Image" => "required|mimes:jpeg,jpg,png|max:10000"
        ];
    }
}

```

SignUpRequest

```

<?php

namespace App\Http\Requests;

use Illuminate\Foundation\Http\FormRequest;

class SignUpRequest extends FormRequest
{
    /**
     * Determine if the user is authorized to make this request.
     *
     * @return bool
     */
    public function authorize()
    {
        return true;
    }
}

```

```

    }

    /**
     * Get the validation rules that apply to the request.
     *
     * @return array
     */
    public function rules()
    {
        return [
            "FirstName" => ["required","regex:/^[A-z]{1,20}$/"],
            "LastName" => ["required","regex:/^[A-z]{1,20}$/"],
            "Email" => ["required","email", "unique:users,email"],
            "Password" => ["required","regex:/^[A-z\d_-|\\!]{4,30}$/"],
            "userImage" => "required|mimes:jpeg,jpg,png|max:5000"
        ];
    }
}

```

Models

LogModel

```

<?php

namespace App\Models;

class LogModel
{
    private $tableActivityLog = "activity_log";

    public function addToLog($subject,$url,$method,$ip,$user_agent,$user_id){
        return \DB::table($this->tableActivityLog)
            ->insert([
                "subject" => $subject,
                "url" => $url,
                "method" => $method,
                "ip" => $ip,
                "user_agent" => $user_agent,
            ]);
    }
}

```

```

        "user_id" => $user_id,
        "time" => time()
    ]);
}

public function getLogs(){
    return \DB::table($this->tableActivityLog)
        ->get();
}
}

```

NotificationsModel

```

<?php

namespace App\Models;

class NotificationsModel
{
    private $tableAgentMessages = "agent_messages";
    private $tableProperties = "properties";
    private $tableUserImages = "images_user";
    private $tableUsers = "users";
    private $tableAgentMessage = "agent_messages";
    private $tableAdminMessage = "admin_messages";

    public function getAllAgentMessages($agentId){
        return \DB::table($this->tableAgentMessages. " AS am")
            ->join($this->tableUsers. " AS u", "u.user_id", "=", "am.user_id")
            ->join($this->tableProperties. " AS
p", "p.property_id", "=", "am.property_id")
            ->join($this->tableUserImages. " AS ui", "u.user_id", "=", "ui.user_id")
            ->select("*", "am.datePost as dateNotifyPost")
            ->where("am.agent_id", $agentId)
            ->get();
    }

    public function getNumberOfAgentMessages($agentId){
        return \DB::table($this->tableAgentMessages)
            ->select(\DB::raw("count(*) as messageNumber"))
            ->where([
                ["agent_id", "=", $agentId],
                ["seen", "=", 0]
            ])
    }
}

```

```

    })
    ->first();
}

public function setSeenAllAgentMessages($agentId){
    return \DB::table($this->tableAgentMessages)
        ->where("agent_id",$agentId)
        ->update(["seen" => 1]);
}

public function insertAgentMessage($message,$agent,$user,$property){
    return \DB::table($this->tableAgentMessage)
        ->insert([
            "text" => $message,
            "datePost" => time(),
            "agent_id" => $agent,
            "property_id" => $property,
            "user_id" => $user
        ]);
}

public function insertAdminMessage($name,$email,$text){
    return \DB::table($this->tableAdminMessage)
        ->insert([
            "name" => $name,
            "datePost" => time(),
            "email" => $email,
            "text" => $text
        ]);
}

public function getNumberOfAdminMessages(){
    return \DB::table($this->tableAdminMessage)
        ->select(\DB::raw("count(*) as messageNumber"))
        ->where("seen",0)
        ->first();
}

public function setSeenAllAdminMessages(){
    return \DB::table($this->tableAdminMessage)
        ->update(["seen" => 1]);
}

public function getAllAdminMessages(){
    return \DB::table($this->tableAdminMessage)
        ->get();
}
}

```

PostsModel

```

<?php

namespace App\Models;

class PostsModel
{
    private $tablePosts = "posts";
    private $tableImagesPosts = "images_post";
    private $tableUsers = "users";
    private $tableComments = "comments";
    private $tableUserImages = "images_user";

    public function insertPost($title,$text,$id){
        return \DB::table($this->tablePosts)
            ->insertGetId([
                "title" => $title,
                "text" => $text,
                "user_id" => $id,
                "created_at" => time()
            ]);
    }

    public function insertPostImage($path, $image_name,$postId){
        return \DB::table($this->tableImagesPosts)
            ->insertGetId([
                "src" => $path,
                "alt" => $image_name,
                "post_id" => $postId
            ]);
    }

    public function getAllPosts(){
        return \DB::table($this->tablePosts. " AS p")
            ->join($this->tableImagesPosts. " AS ip","ip.post_id","=", "p.post_id")
            ->join($this->tableUsers. " AS u","u.user_id","=", "p.user_id")
            ->where("p.isDeleted",0)
            ->get();
    }

    public function getLatest3(){
        return \DB::table($this->tablePosts. " AS p")
            ->join($this->tableImagesPosts. " AS ip","ip.post_id","=", "p.post_id")
            ->join($this->tableUsers. " AS u","u.user_id","=", "p.user_id")
            ->where("p.isDeleted",0)
            ->orderBy("created_at","desc")
            ->limit(3)
            ->get();
    }
}

```

```

public function getAllPostsByUser($id){
    return \DB::table($this->tablePosts. " AS p")
        ->join($this->tableImagesPosts. " AS ip","ip.post_id","=", "p.post_id")
        ->join($this->tableUsers. " AS u","u.user_id","=", "p.user_id")
        ->where([
            ["p.user_id","=", $id],
            ["p.isDeleted","=", 0]
        ])
        ->get();
}

public function getOne($id){
    return \DB::table($this->tablePosts. " AS p")
        ->join($this->tableImagesPosts. " AS ip","ip.post_id","=", "p.post_id")
        ->join($this->tableUsers. " AS u","u.user_id","=", "p.user_id")
        ->where([
            ["p.post_id","=", $id],
            ["p.isDeleted","=", 0]
        ])
        ->first();
}

public function getOneWithImage($id){
    return \DB::table($this->tablePosts. " AS p")
        ->join($this->tableImagesPosts. " AS pi","p.post_id","=", "pi.post_id")
        ->where([
            ["pi.post_id","=", $id],
            ["p.isDeleted","=", 0]
        ])
        ->first();
}

public function updatePostImage($path, $image_name, $id){
    return \DB::table($this->tableImagesPosts)
        ->where("post_id", $id)
        ->update([
            "src" => $path,
            "alt" => $image_name
        ]);
}

public function updatePost($title, $text, $updated_at, $idPost){
    return \DB::table($this->tablePosts)
        ->where("post_id", $idPost)
        ->update([
            "title" => $title,
            "text" => $text,
            "updated_at" => $updated_at
        ]);
}

public function deletePost($id){
    return \DB::table($this->tablePosts)
        ->where("post_id", $id)

```



```

        ->update([
            "isDeleted" => 1
        ]);
    }

    public function getAllPostsPaginate($offset){
        return \DB::table($this->tablePosts. " AS p")
            ->join($this->tableImagesPosts. " AS ip","ip.post_id","=", "p.post_id")
            ->join($this->tableUsers. " AS u","u.user_id","=", "p.user_id")
            ->where("p.isDeleted",0)
            ->offset($offset)
            ->limit(6)
            ->get();
    }

    public function insertMessage($text,$user,$post){
        return \DB::table($this->tableComments)
            ->insert([
                "text" => $text,
                "user_id" => $user,
                "post_id" => $post,
                "postTime" => time()
            ]);
    }

    public function getAllComments($postId){
        return \DB::table($this->tableComments. " AS cm")
            ->join($this->tableUsers. " AS u","u.user_id","=", "cm.user_id")
            ->join($this->tableUserImages. " AS ui","u.user_id","=", "ui.user_id")
            ->where("cm.post_id",$postId)
            ->orderBy("postTime","desc")
            ->get();
    }

    public function getNumberOfComments($postId){
        return \DB::table($this->tableComments)
            ->select(\DB::raw("count(*) as commentsNumber"))
            ->where("post_id",$postId)
            ->first();
    }
}

```

PropertiesModel

```
<?php
```

```

namespace App\Models;

class PropertiesModel
{
    private $tableProperties = "properties";
    private $tableTypes = "property_type";
    private $tableCity = "cities";
    private $tablePropertyImages = "images_property";
    private $tableUsers = "users";
    private $tableUserImages = "images_user";

    public function getAllCities(){
        return \DB::table($this->tableCity)
            ->get();
    }

    public function getAllTypes(){
        return \DB::table($this->tableTypes)
            ->get();
    }

    public function insertImage($path, $image_name, $propertyId){
        return \DB::table($this->tablePropertyImages)
            ->insertGetId([
                "src" => $path,
                "alt" => $image_name,
                "property_id" => $propertyId
            ]);
    }

    public function
insertProperty($name, $price, $address, $status, $description, $datePost, $dateExpire, $surface, $rooms, $bathrooms, $garages, $featured, $main, $userId, $cityId, $typeId){
        return \DB::table($this->tableProperties)
            ->insertGetId([
                "name" => $name,
                "price" => $price,
                "address" => $address,
                "status" => $status,
                "description" => $description,
                "datePost" => $datePost,
                "dateExpired" => $dateExpire,
                "surfaceArea" => $surface,
                "numRooms" => $rooms,
                "numBathrooms" => $bathrooms,
                "numGarage" => $garages,
                "featured" => $featured,
                "main" => $main,
                "user_id" => $userId,
                "city_id" => $cityId,
                "type_id" => $typeId
            ]);
    }
}

```

```

}

public function getAllProperties(){
    return \DB::table($this->tableProperties. " AS p")
        ->join($this->tableTypes. " AS t","t.type_id","=", "p.type_id")
        ->join($this->tableCity. " AS c","c.city_id","=", "p.city_id")
        ->join($this->tableUsers. " AS u","u.user_id","=", "p.user_id")
        ->join($this->tablePropertyImages. " AS
pi","pi.property_id","=", "p.property_id")
        ->join($this->tableUserImages. " AS ui","ui.user_id","=", "p.user_id")
        ->select("","p.name AS propertyName", "c.name AS cityName","t.name AS
typeName","ui.src AS srcUser","ui.alt AS altUser","pi.src AS srcProperty","pi.alt AS
altProperty","p.updated_at AS updatedProperty")
        ->where("p.isDeleted",0)
        ->get();
}

public function getBestAgents(){
    return \DB::table($this->tableUsers. " AS u")
        ->join($this->tableProperties. " AS p","u.user_id","=", "p.user_id")
        ->join($this->tableUserImages. " AS ui","ui.user_id","=", "p.user_id")
        ->selectRaw("DISTINCT u.user_id, u.firstName, u.lastName,(select count(*)
from properties pu where pu.user_id = u.user_id) as propertiesNumber, ui.src AS
srcUser, ui.alt AS altUser")
        ->where("p.isDeleted",0)
        ->orderBy("propertiesNumber","desc")
        ->limit(3)
        ->get();
}

public function getAllPropertiesByUser($id){
    return \DB::table($this->tableProperties. " AS p")
        ->join($this->tableTypes. " AS t","t.type_id","=", "p.type_id")
        ->join($this->tableCity. " AS c","c.city_id","=", "p.city_id")
        ->join($this->tableUsers. " AS u","u.user_id","=", "p.user_id")
        ->join($this->tablePropertyImages. " AS
pi","pi.property_id","=", "p.property_id")
        ->join($this->tableUserImages. " AS ui","ui.user_id","=", "p.user_id")
        ->select("","p.name AS propertyName", "c.name AS cityName","t.name AS
typeName","ui.src AS srcUser","ui.alt AS altUser","pi.src AS srcProperty","pi.alt AS
altProperty","p.updated_at AS updatedProperty")
        ->where([
            ["p.user_id","=", $id],
            ["p.isDeleted","=", 0]
        ])
        ->get();
}

public function getOne($id){
    return \DB::table($this->tableProperties. " AS p")
        ->join($this->tableTypes. " AS t","t.type_id","=", "p.type_id")
        ->join($this->tableCity. " AS c","c.city_id","=", "p.city_id")
        ->join($this->tableUsers. " AS u","u.user_id","=", "p.user_id")

```

```

        ->join($this->tablePropertyImages. " AS
pi", "pi.property_id", "=", "p.property_id")
        ->join($this->tableUserImages. " AS ui", "ui.user_id", "=", "p.user_id")
        ->select("*, "p.name AS propertyName", "c.name AS cityName", "t.name AS
typeName", "ui.src AS srcUser", "ui.alt AS altUser", "pi.src AS srcProperty", "pi.alt AS
altProperty")
        ->where([
            ["p.property_id", "=", $id],
            ["p.isDeleted", "=", 0]
        ])
        ->first();
    }

    public function
updateProperty($name, $price, $address, $status, $description, $dateExpire, $surface, $rooms
, $bathrooms, $garages, $featured, $main, $userId, $cityId, $typeId, $id){
        return \DB::table($this->tableProperties)
        ->where("property_id", "=", $id)
        ->update([
            "name" => $name,
            "price" => $price,
            "address" => $address,
            "status" => $status,
            "description" => $description,
            "dateExpired" => $dateExpire,
            "surfaceArea" => $surface,
            "numRooms" => $rooms,
            "numBathrooms" => $bathrooms,
            "numGarage" => $garages,
            "featured" => $featured,
            "main" => $main,
            "user_id" => $userId,
            "city_id" => $cityId,
            "type_id" => $typeId,
            "updated_at" => time()
        ]);
    }

    public function updateImage($path, $image_name, $id){
        return \DB::table($this->tablePropertyImages)
        ->where("property_id", $id)
        ->update([
            "src" => $path,
            "alt" => $image_name,
        ]);
    }

    public function getOneImage($id){
        return \DB::table($this->tablePropertyImages)
        ->where("property_id", $id)
        ->first();
    }

    public function deleteProperties($id){

```

```

        return \DB::table($this->tableProperties)
            ->where("property_id",$id)
            ->update([
                "isDeleted" => 1
            ]);
    }

    public function getTop3(){
        return \DB::table($this->tableProperties. " AS p")
            ->join($this->tableTypes. " AS t","t.type_id","=", "p.type_id")
            ->join($this->tableCity. " AS c","c.city_id","=", "p.city_id")
            ->join($this->tableUsers. " AS u","u.user_id","=", "p.user_id")
            ->join($this->tablePropertyImages. " AS
pi","pi.property_id","=", "p.property_id")
            ->select("","p.name AS propertyName", "c.name AS cityName","t.name AS
typeName")
            ->orderBy("price","desc")
            ->limit(3)
            ->get();
    }

    public function getAllPropertiesPaginate(){
        return \DB::table($this->tableProperties. " AS p")
            ->join($this->tableTypes. " AS t","t.type_id","=", "p.type_id")
            ->join($this->tableCity. " AS c","c.city_id","=", "p.city_id")
            ->join($this->tableUsers. " AS u","u.user_id","=", "p.user_id")
            ->join($this->tablePropertyImages. " AS
pi","pi.property_id","=", "p.property_id")
            ->join($this->tableUserImages. " AS ui","ui.user_id","=", "p.user_id")
            ->select("","p.name AS propertyName", "c.name AS cityName","t.name AS
typeName","ui.src AS srcUser","ui.alt AS altUser","pi.src AS srcProperty","pi.alt AS
altProperty")
            ->paginate(4);
    }

    public function
filterProperties($searchText,$status,$location,$smallRoom,$bigRoom,$smallBathroom,$bi
gBathroom,$smallGarage,$bigGarage,$smallSize,$bigSize,$smallPrice,$bigPrice){
        $query = \DB::table($this->tableProperties. " AS p")
            ->join($this->tableTypes. " AS t","t.type_id","=", "p.type_id")
            ->join($this->tableCity. " AS c","c.city_id","=", "p.city_id")
            ->join($this->tableUsers. " AS u","u.user_id","=", "p.user_id")
            ->join($this->tablePropertyImages. " AS
pi","pi.property_id","=", "p.property_id")
            ->join($this->tableUserImages. " AS ui","ui.user_id","=", "p.user_id")
            ->select("","p.name AS propertyName", "c.name AS cityName","t.name AS
typeName","ui.src AS srcUser","ui.alt AS altUser","pi.src AS srcProperty","pi.alt AS
altProperty");
        if($searchText){
            $query->where("p.name","like","%".$searchText."%")
                ->orWhere("p.address","like","%".$searchText."%");
        }
        if($status){
            $query->where("p.status","=", $status);
        }
    }

```

```

        if($location){
            $query->where("p.city_id","=",$location);
        }
        if($bigRoom){
            $query->whereBetween("p.numRooms",[$smallRoom,$bigRoom]);
        }
        if($bigBathroom){
            $query->WhereBetween("p.numBathrooms",[$smallBathroom,$bigBathroom]);
        }
        if($bigGarage){
            $query->WhereBetween("p.numGarage",[$smallGarage,$bigGarage]);
        }
        if($bigSize){
            $query->WhereBetween("p.surfaceArea",[$smallSize,$bigSize]);
        }
        if($bigPrice){
            $query->WhereBetween("p.price",[$smallPrice,$bigPrice]);
        }

        return $query->paginate(4);
    }
}

```

RoleModel

```

<?php

namespace App\Models;

class RoleModel
{
    private $table = "roles";

    public function getAll(){
        return \DB::table($this->table)
            ->get();
    }
}

```

UserModel

```
<?php

namespace App\Models;

class UserModel
{
    private $tableUsers = "users";
    private $tableImagesUsers = "images_user";
    private $tableRoles = "roles";

    public function getByEmailAndPassword($email,$password){
        return \DB::table($this->tableUsers. " AS u")
            ->join($this->tableRoles. " AS r","u.role_id","=", "r.role_id")
            ->where([
                ["email" ,"=",$email],
                ["password","=",md5($password)],
                ["isDeleted","=",0]
            ])->first();
    }

    public function insertUser($firstName, $lastName, $email, $password, $roleId){
        return \DB::table($this->tableUsers)
            ->insertGetId([
                "firstName" => $firstName,
                "lastName" => $lastName,
                "email" => $email,
                "password" => md5($password),
                "role_id" => $roleId
            ]);
    }

    public function insertUserImage($path, $image_name,$userId){
        return \DB::table($this->tableImagesUsers)
            ->insertGetId([
                "src" => $path,
                "alt" => $image_name,
                "user_id" => $userId
            ]);
    }

    public function getAllUsersWithRoles(){
        return \DB::table($this->tableUsers." AS u")
            ->join($this->tableRoles." AS r","u.role_id","=", "r.role_id")
            ->where("isDeleted","=",0)
            ->get();
    }
}
```

```

public function getOneWithImage($id){
    return \DB::table($this->tableUsers. " AS u")
        ->join($this->tableImagesUsers. " AS ui","u.user_id","=", "ui.user_id")
        ->where([
            ['ui.user_id',"=",$id],
            ["isDeleted","=",0]
        ])
        ->first();
}

public function updateUser($firstName, $lastName, $email, $password, $updated_at,
$roleId,$id){
    return \DB::table($this->tableUsers)
        ->where("user_id",$id)
        ->update([
            "firstName" => $firstName,
            "lastName" => $lastName,
            "email" => $email,
            "password" => md5($password),
            "updated_at" => $updated_at,
            "role_id" => $roleId
        ]);
}

public function updateUserImage($path, $image_name,$id,$updated_at){
    return \DB::table($this->tableImagesUsers)
        ->where("user_id",$id)
        ->update([
            "src" => $path,
            "alt" => $image_name,
            "updated_at" => $updated_at
        ]);
}

public function deleteUser($id){
    return \DB::table($this->tableUsers)
        ->where("user_id",$id)
        ->update([
            "isDeleted" => 1
        ]);
}

public function getAllAgents(){
    return \DB::table($this->tableUsers. " AS u")
        ->join($this->tableImagesUsers. " AS ui","u.user_id","=", "ui.user_id")
        ->where([
            ["role_id","=",3],
            ["isDeleted","=",0]
        ])
        ->get();
}
}

```


Helpers

LogActivity

```
<?php

namespace App\Helpers;

use App\Models\LogModel;
use Illuminate\Http\Request;

class LogActivity
{
    public static function addToLog(Request $request,$subject){
        $logModel = new LogModel();

        if(session()->has("user")){
            $user_id = session("user")->user_id;
        }else{
            $user_id = null;
        }

        $logModel->addToLog($subject,$request->url(),$request->method(),$request->ip(),$request->userAgent(),$user_id);
    }

    public static function getLogs(){
        $logModel = new LogModel();
        return $logModel->getLogs();
    }
}
```

mainAdmin.js

```
$(document).ready(function () {
    $(".deleteUser").on("click",function (e) {
```

```

e.preventDefault();

let id = $(this).data("id");
let token = $("input[name='_token']").val();

$.ajax({
  url : "/admin/users/"+id,
  method : "delete",
  data : {
    _token: token,
  },
  success: function () {
    demo.showNotification('top','right',2,"User successfully deleted!");
    refreshUsers();
  },
  error : function (xhr,status,error) {
    console.log(xhr.statusText);
    console.log(xhr.status);
    console.log(xhr.responseText);
    console.log(xhr);
    console.log(error)
    if(xhr.status == 404){
      demo.showNotification('top','right',4,xhr.responseJSON[1]);
    }
    if(xhr.status == 500){
      demo.showNotification('top','right',4,xhr.responseJSON[1]);
    }
  }
})
})

$(".deleteProperty").on("click",function (e) {

  e.preventDefault();

  let id = $(this).data("id");
  let token = $(this).data("token");

  console.log(token);

  $.ajax({
    url : "/admin/properties/"+id,
    method : "delete",
    data : {
      _token: token,
    },
    success: function () {
      demo.showNotification('top','right',2,"Property successfully
deleted!");
      refreshProperties();
    },
    error : function (xhr,status,error) {

```

```

        console.log(xhr.statusText);
        console.log(xhr.status);
        console.log(xhr.responseText);
        console.log(xhr);
        console.log(error)
        if(xhr.status == 404){
            demo.showNotification('top','right',4,xhr.responseJSON[1]);
        }
        if(xhr.status == 500){
            demo.showNotification('top','right',4,xhr.responseJSON[1]);
        }
    }

    })
})

$(".deletePost").on("click",function (e) {

    e.preventDefault();

    let id = $(this).data("id");
    let token = $(this).data("token");

    console.log(token);

    $.ajax({
        url : "/admin/posts/"+id,
        method : "delete",
        data : {
            _token: token,
        },
        success: function () {
            demo.showNotification('top','right',2,"Property successfully
deleted!");
            refreshPosts();
        },
        error : function (xhr,status,error) {
            console.log(xhr.statusText);
            console.log(xhr.status);
            console.log(xhr.responseText);
            console.log(xhr);
            console.log(error)
            if(xhr.status == 404){
                demo.showNotification('top','right',4,xhr.responseJSON[1]);
            }
            if(xhr.status == 500){
                demo.showNotification('top','right',4,xhr.responseJSON[1]);
            }
        }
    })
})

```

```

$("#btnSubmitSearch").on("click",function (e) {
    e.preventDefault();

    let searchText = $("#tbSearchProperty").val();
    let status = $("input[type=radio][name=status]:checked").val();
    let location = $("#ddlCities").val();
    let rooms = $("#ddlRooms").val();
    let bathrooms = $("#ddlBathrooms").val();
    let garages = $("#ddlGarages").val();
    let size = $("#roomsSizeRangeP").val();
    let price = $("#priceRangeP").val();

    let sizes = size.match(/\d+/g);
    let prises = price.match(/\d+/g);

    let smallSize = sizes[0];
    let bigSize = sizes[1];
    let smallPrice = prises[0];
    let bigPrice = prises[1];

    $.ajax({
        url : "/filterProperties",
        method : "GET",
        data : {
            searchText : searchText,
            status : status,
            location : location,
            rooms : rooms,
            bathrooms : bathrooms,
            garages : garages,
            smallSize : smallSize,
            bigSize : bigSize,
            smallPrice : smallPrice,
            bigPrice : bigPrice
        },
        success : function (data) {
            console.log(data);

            $("#properties").html(data);
        },
        error : function (xhr) {

        }
    })
})

$("#tbSearchProperty").on("keyup",function () {

    let searchText = $(this).val();
    let status = $("input[type=radio][name=status]:checked").val();
    let location = $("#ddlCities").val();

```

```

let rooms = $("#ddlRooms").val();
let bathrooms = $("#ddlBathrooms").val();
let garages = $("#ddlGarages").val();
let size = $("#roomsSizeRangeP").val();
let price = $("#priceRangeP").val();

let sizes = size.match(/\d+/g);
let prises = price.match(/\d+/g);

let smallSize = sizes[0];
let bigSize = sizes[1];
let smallPrice = prises[0];
let bigPrice = prises[1];

$.ajax({
  url : "/filterProperties",
  method : "GET",
  data : {
    searchText : searchText,
    status : status,
    location : location,
    rooms : rooms,
    bathrooms : bathrooms,
    garages : garages,
    smallSize : smallSize,
    bigSize : bigSize,
    smallPrice : smallPrice,
    bigPrice : bigPrice
  },
  success : function (data) {
    console.log(data);

    $("##properties").html(data);
  },
  error : function (xhr) {
  }
})
})

$("#btnSendMessage").on("click",function (e) {
  e.preventDefault();

  let User = $("#tbUser").val();
  let Agent = $("#tbAgent").val();
  let Message = $("#taMessage").val();
  let Property = $("#tbProperty").val();
  let token = $(this).data("token");

  console.log(token);

  $.ajax({
    url : "/property-single/contact-agent",
    method : "POST",

```

```

        data : {
            User : User,
            Agent : Agent,
            Message : Message,
            Property : Property,
            _token : token
        },
        success : function (data) {
            console.log(data);
            demo.showNotification('top','right',2,"Message successfully sent!");
        },
        error : function (xhr) {
            if(xhr.status == 500){
                demo.showNotification('top','right',4,"Server error on sending
message, try again later.");
            }
        }
    })
})

$("#loadMorePost").on("click", function (e) {

    e.preventDefault();

    let page = $(this).data("page");

    $.ajax({
        url: "/getPostsPaginate/"+page,
        method : "get",
        success : function (data) {
            console.log(data);
            $("#posts").append(data);
        },
        error : function (xhr) {
            if(xhr.status == 500){
                demo.showNotification('top','right',4,"Server error on loading
posts, try again later.");
            }
        }
    })
})

$("#btnSendComment").on("click",function () {
    let User = $("#tbUser").val();
    let Post = $("#tbPost").val();
    let Text = $("#text").val();
    let token = $("input[name='_token']").val();

    console.log(token);
    console.log(Text);

    $.ajax({
        url : "/insertComment",

```

```

        method : "POST",
        data : {
            User : User,
            Post : Post,
            Text : Text,
            _token : token
        },
        success : function (data) {
            console.log(data);
            demo.showNotification('top','right',2,"Comment successfully sent!");
        },
        error : function (xhr) {
            if(xhr.status == 500){
                demo.showNotification('top','right',4,"Server error on sending
comment, try again later.");
            }
        }
    })
})

$("#btnSendMessageContact").on("click",function () {

    let Name = $("#tbName").val();
    let Email = $("#tbEmail").val();
    let Text = $("#taText").val();
    let token = $("input[name='_token']").val();

    $.ajax({
        url : "/contact/contact-admin",
        method : "POST",
        data : {
            Name : Name,
            Email : Email,
            Text : Text,
            _token : token
        },
        success : function (data) {
            console.log(data);
            demo.showNotification('top','right',2,"Message successfully sent!");
        },
        error : function (xhr) {
            console.log(xhr.responseJSON.errors)
            if(xhr.status == 500){
                demo.showNotification('top','right',4,"Server error on sending
message, try again later.");
            }
            if(xhr.status == 422){
                demo.showNotification('top','right',4,"Wrong parameters.");
            }
        }
    })
})

```

```

    })

    })

})

$(document).on('click', '.pagination a', function(event){
    event.preventDefault();
    var page = $(this).attr('href').split('page=')[1];
    fetch_data(page);
});

function fetch_data(page) {
    let searchText = $("#tbSearchProperty").val();
    let status = $("input[type=radio][name=status]:checked").val();
    let location = $("#ddlCities").val();
    let rooms = $("#ddlRooms").val();
    let bathrooms = $("#ddlBathrooms").val();
    let garages = $("#ddlGarages").val();
    let size = $("#roomsizeRangeP").val();
    let price = $("#priceRangeP").val();

    let sizes = size.match(/\d+/g);
    let prises = price.match(/\d+/g);

    let smallSize = parseInt(sizes[0]);
    let bigSize = parseInt(sizes[1]);
    let smallPrice = parseInt(prises[0]);
    let bigPrice = parseInt(prises[1]);

    $.ajax({
        url: "/filterProperties?page="+page,
        method : "GET",
        data: {
            searchText : searchText,
            status : status,
            location : location,
            rooms : rooms,
            bathrooms : bathrooms,
            garages : garages,
            smallSize : smallSize,
            bigSize : bigSize,
            smallPrice : smallPrice,
            bigPrice : bigPrice
        },
        success:function(data)
        {
            $('#properties').html(data);
        },
        error : function (xhr) {

        }
    });
}

```



```

function refreshUsers() {
    $.ajax({
        url : "/api/users",
        method : "GET",
        success : function (data) {
            console.log(data);
            $("#tableUsers").html(data);
        },
        error : function (xhr) {
            if(xhr.status == 500){
                demo.showNotification('top','right',4,xhr.responseJSON[1]);
            }
        }
    })
}

function refreshProperties() {
    $.ajax({
        url : "/api/properties",
        method : "GET",
        success : function (data) {
            console.log(data);
            $("#tableProperties").html(data);
        },
        error : function (xhr) {
            if(xhr.status == 500){
                demo.showNotification('top','right',4,xhr.responseJSON[1]);
            }
        }
    })
}

function refreshPosts() {
    $.ajax({
        url : "/api/posts",
        method : "GET",
        success : function (data) {
            console.log(data);
            $("#tablePosts").html(data);
        },
        error : function (xhr) {
            if(xhr.status == 500){
                demo.showNotification('top','right',4,xhr.responseJSON[1]);
            }
        }
    })
}

function printUsers(data) {

```

```

let html='';
let i = 1;
for(let p of data){
  let updated_at = new Date(p.updated_at * 1000);
  html += `<tr>
    <td>${i}</td>
    <td>${p.firstName}</td>
    <td>${p.lastName}</td>
    <td>${p.email}</td>
    <td>${p.name}</td>
    <td>`;
  if(p.updated_at)
    html += `${updated_at.getDate()} - ${updated_at.getMonth() + 1} -
    ${updated_at.getFullYear()}`;
  else
    html += ` / </td>`;
  html += `
    <td><a href="{ route('users.edit', ${p.user_id}) }}"
class="btn btn-info waves-effect btn-xs"><i class="material-icons">Edit</i></a></td>
    <td><a href="#" data-id="${p.user_id}" data-token="{ csrf_token() }}" class="btn btn-danger waves-effect btn-xs deleteUser"><i
class="material-icons">Delete</i></a></td>

    </tr>`;
  i++;
}
$("#tableUsers").html(html);
}

function printPropertiesAdmin(data) {
  let html='';
  let i = 1;

  for(let p of data){
    let updated_at = new Date(p.updated_at * 1000);
    let datePost = new Date(p.datePost * 1000);
    let dateExpired = new Date(p.dateExpired * 1000);
    html += `<tr>
      <td>${i}</td>
      <td>${p.propertyName}</td>
      <td>${p.address}</td>
      <td>${p.cityName}</td>
      <td>${p.status}</td>
      <td>${p.price}</td>
      <td>`;
    if(p.updated_at)
      html += `${updated_at.getDate()} - ${updated_at.getMonth()+1} -
      ${updated_at.getFullYear()}`;
    else
      html += ` / </td>`;

    html += `<td>${p.firstName} ${p.lastName}</td>
      <td>${p.typeName}</td>
      <td>${datePost.getDate()} - ${datePost.getMonth()+1} -
      ${datePost.getFullYear()}</td>

```

```

        <td>${dateExpired.getDate()} - ${dateExpired.getMonth()+1} -
        ${dateExpired.getFullYear()}</td>
        <td><a href="{ route("properties.edit",{p.property_id}) }}"
class="btn btn-info waves-effect btn-xs"><i class="material-icons">Edit</i></a></td>
        <td><a href="" data-id="${p.property_id}" data-token="{
csrf_token() }}" class="btn btn-danger waves-effect btn-xs deleteProperty"><i
class="material-icons">Delete</i></a></td>

    </tr>`;
    i++;
}
$("#tableProperties").html(html);
}

function printProperties(data) {
    let html = ``;
    for(let p of data){
        html += `<div class="single-property-item">
            <a href="#">
                <div class="row">
                    <div class="col-md-4">
                        <div class="property-pic">
                            
                        </div>
                    </div>
                    <div class="col-md-8">
                        <div class="property-text">
                            <div class="s-text">For ${p.status}</div>
                            <h5 class="r-title">${p.propertyName}</h5>
                            <div class="room-price">
                                <span>Start From:</span>`;

                            if(p.status == "sale")
                                html += `<h5>${p.price.toLocaleString()}</h5>`;
                            else
                                html += `<h5>${p.price.toLocaleString()} <span> / month</span></h5>`;

                            html += `</div>
                                <div class="properties-location"><i
class="icon_pin"></i> ${p.address}, ${p.cityName}</div>
                                <p>${p.descriptionShort}</p>
                                <ul class="room-features">
                                    <li>
                                        <i class="fa fa-arrows"></i>
                                        <p>${p.surfaceArea} m2</p>
                                    </li>
                                    <li>
                                        <i class="fa fa-bed"></i>
                                        <p>${p.numRooms} Rooms</p>
                                    </li>
                                    <li>
                                        <i class="fa fa-bath"></i>
                                        <p>${p.numBathrooms} Bathrooms</p>
                                    </li>
                                </ul>
                            </div>
                        </div>
                    </div>
                </div>
            </a>
        `;
    }
}

```

```

        <i class="fa fa-car"></i>
        <p>${p.numGarage} Garage</p>
      </li>
    </ul>
  </div>
</div>
</div>
</div>
</a>
</div>`;
}
$("#propertiesData").html(html);
}

```

Views

Components/properties/properties

```

<div class="single-property-item">
  <a href="{{url('/property-single/'.$p->property_id)}}">
    <div class="row">
      <div class="col-md-4">
        <div class="property-pic">
          altProperty}}">
        </div>
      </div>
      <div class="col-md-8">
        <div class="property-text">
          <div class="s-text">For {{p->status}}</div>
          <h5 class="r-title">{{p->propertyName}}</h5>
          <div class="room-price">
            <span>Start From:</span>
            @if($p->status == "sale")
              <h5>${{number_format($p->price)}}</h5>
            @else
              <h5>${{number_format($p->price)}} <span> /
month</span></h5>
            @endif
          </div>
          <div class="properties-location"><i class="icon_pin"></i> {{p->
>address}}, {{p->cityName}}</div>
          <p>{{p->descriptionShort}}</p>

```

```

        <ul class="room-features">
          <li>
            <i class="fa fa-arrows"></i>
            <p>{{ $p->surfaceArea }} m2</p>
          </li>
          <li>
            <i class="fa fa-bed"></i>
            <p>{{ $p->numRooms }} Rooms</p>
          </li>
          <li>
            <i class="fa fa-bath"></i>
            <p>{{ $p->numBathrooms }} Bathrooms</p>
          </li>
          <li>
            <i class="fa fa-car"></i>
            <p>{{ $p->numGarage }} Garage</p>
          </li>
        </ul>
      </div>
    </div>
  </div>
</a>
</div>

```

Fixed/authForms

```

<div class="modal fade" id="loginForm" tabindex="-1" role="dialog" aria-
labelledby="exampleModalLabel" aria-hidden="true">
  <div class="modal-dialog" role="document">
    <div class="modal-content">
      <div class="modal-header">
        <h5 class="modal-title" id="exampleModalLabel">Login</h5>
        <button type="button" class="close" data-dismiss="modal" aria-
label="Close">
          <span aria-hidden="true">&times;</span>
        </button>
      </div>
      <form method="POST" action="{{ route('login') }}">
        <div class="modal-body">
          @csrf
          <div class="form-group">
            <label for="exampleInputEmail1">Email address</label>
            <input type="email" class="form-control" id="email"
name="tbEmail" aria-describedby="emailHelp" placeholder="Enter email">
            <small id="emailHelp" class="form-text text-muted">We'll
never share your email with anyone else.</small>
          </div>
          <div class="form-group">
            <label for="exampleInputPassword1">Password</label>
            <input type="password" class="form-control" id="password"

```

```

name="tbPassword" placeholder="Password">
    <small id="emailHelp" class="form-text text-muted">We'll
never share your email with anyone else.</small>
    </div>
    <div id="feedback">
        @if(session("errorLogin"))
        <div class="alert alert-danger">
            {{session("errorLogin")}}
        </div>
        @endif
    <ul>
        @isset($errors)
        @foreach($errors->all() as $error)
            <li>{{ $error }}</li>
        @endforeach
        @endisset
    </ul>
    </div>

    </div>
    <div class="modal-footer d-flex justify-content-center">
        <button type="button" class="btn btn-secondary " data-
dismiss="modal">Close</button>
        <input type="submit" class="btn btn-primary" name="btnLogin"
value="Login" />
    </div>
</form>
</div>
</div>
</div>
</div>

<div class="modal fade" id="signUpForm" tabindex="-1" role="dialog" aria-
labelledby="exampleModalLabel" aria-hidden="true">
    <div class="modal-dialog" role="document">
        <div class="modal-content">
            <div class="modal-header">
                <h5 class="modal-title" id="exampleModalLabel">Sign up</h5>
                <button type="button" class="close" data-dismiss="modal" aria-
label="Close">
                    <span aria-hidden="true">&times;</span>
                </button>
            </div>
            <form method="POST" action="{{ route('signUp') }}"
enctype="multipart/form-data">
                @csrf
                <div class="modal-body">

                    <div class="form-group">
                        <label for="tbFirstName">First name</label>
                        <input type="text" class="form-control" id="firstName"
name="FirstName" aria-describedby="emailHelp" placeholder="Enter first name">
                    </div>
                    <div class="form-group">
                        <label for="tbLastName">Last name</label>
                        <input type="text" class="form-control" id="lastName"

```

```

name="LastName" aria-describedby="emailHelp" placeholder="Enter last name">
    </div>
    <div class="form-group">
        <label for="tbEmail">Email address</label>
        <input type="email" class="form-control" id="emailSignUp"
name="Email" aria-describedby="emailHelp" placeholder="Enter email">
        <small id="emailHelp" class="form-text text-muted">We'll
never share your email with anyone else.</small>
    </div>
    <div class="form-group">
        <label for="tbPassword">Password</label>
        <input type="password" class="form-control" id="password"
name="Password" placeholder="Password">
    </div>
    <div class="form-group">
        <label for="userImage">Image</label>
        <input type="file" class="form-control" id="userImage"
name="userImage">
    </div>
    <div id="feedbackSignUp">
        <ul>
            @isset($errors)
                @foreach($errors->all() as $error)
                    <li>{{ $error }}</li>
                @endforeach
            @endisset
        </ul>
    </div>
</div>

    <div class="modal-footer d-flex justify-content-center">
        <button type="button" class="btn btn-secondary " data-
dismiss="modal">Close</button>
        <input type="submit" class="btn btn-primary" name="btnSignUp"
value="Sign up" />
    </div>
</form>
</div>
</div>
</div>

```

Fixed/footer

```

<!-- Footer Section Begin -->
<footer class="footer-section set-bg" data-setbg="{{asset('img/footer-bg.jpg')}}">
    <div class="container">

```

```

        <div class="footer-text">
            <div class="row">
                <div class="col-lg-3">
                    <div class="footer-logo">
                        <div class="logo">
                            <a href="#"></a>
                        </div>
                    </div>
                </div>
                <div class="col-lg-3 offset-lg-1">
                    <div class="footer-widget">
                        <h4>Property City</h4>
                        <ul>
                            <li><i class="fa fa-caret-right"></i> <a
href="#">Florida</a></li>
                            <li><i class="fa fa-caret-right"></i> <a href="#">New
York</a></li>
                            <li><i class="fa fa-caret-right"></i> <a
href="#">Washington</a></li>
                            <li><i class="fa fa-caret-right"></i> <a href="#">Los
Angeles</a></li>
                        </ul>
                        <ul>
                            <li><i class="fa fa-caret-right"></i> <a href="#">St
Louis</a></li>
                            <li><i class="fa fa-caret-right"></i> <a
href="#">Jacksonville</a></li>
                            <li><i class="fa fa-caret-right"></i> <a href="#">San
Jose</a></li>
                            <li><i class="fa fa-caret-right"></i> <a href="#">San
Diego</a></li>
                        </ul>
                    </div>
                </div>
                <div class="col-lg-2">
                    <div class="footer-widget">
                        <h4>Social</h4>
                        <ul class="social">
                            <li><i class="ti-facebook"></i> <a
href="#">Facebook</a></li>
                            <li><i class="ti-instagram"></i> <a
href="#">Instagram</a></li>
                            <li><i class="ti-twitter-alt"></i> <a
href="#">Twitter</a></li>
                            <li><i class="ti-google"></i> <a
href="#">Google+</a></li>
                        </ul>
                    </div>
                </div>
                <div class="col-lg-3">
                    <div class="footer-widget">
                        <h4>Contact Us</h4>
                        <ul class="contact-option">

```



```

<meta http-equiv="X-UA-Compatible" content="ie=edge">
<title>Azenta | @yield("title")</title>

<!-- Google Font -->
<link
href="https://fonts.googleapis.com/css?family=Poppins:300,400,500,600,700,800,900&dis
play=swap" rel="stylesheet">

<!-- Css Styles -->
<link rel="stylesheet" href="{{ asset("css/bootstrap.min.css") }}"
type="text/css">
<link rel="stylesheet" href="{{ asset("css/font-awesome.min.css") }}"
type="text/css">
<link rel="stylesheet" href="{{ asset("css/elegant-icons.css") }}"
type="text/css">
<link rel="stylesheet" href="{{ asset("css/themify-icons.css") }}"
type="text/css">
<link rel="stylesheet" href="{{ asset("css/nice-select.css") }}" type="text/css">
<link rel="stylesheet" href="{{ asset("css/jquery-ui.min.css") }}"
type="text/css">
<link rel="stylesheet" href="{{ asset("css/owl.carousel.min.css") }}"
type="text/css">
<link rel="stylesheet" href="{{ asset("css/magnific-popup.css") }}"
type="text/css">
<link rel="stylesheet" href="{{ asset("css/slicknav.min.css") }}" type="text/css">
<link rel="stylesheet" href="{{ asset("css/style.css") }}" type="text/css">
</head>

<body>
<!-- Page Preloder -->
<div id="preloader">
    <div class="loader"></div>
</div>

<!-- Offcanvas Menu Section Begin -->
<div class="offcanvas-menu-overlay"></div>
<div class="canvas-open">
    <i class="icon_menu"></i>
</div>
<div class="offcanvas-menu-wrapper">
    <div class="canvas-close">
        <i class="icon_close"></i>
    </div>
    <div class="language-bar">
        <div class="language-option">
            
            <span>English</span>
            <i class="fa fa-angle-down"></i>
            <div class="flag-dropdown">
                <ul>
                    <li><a href="#">English</a></li>
                    <li><a href="#">Germany</a></li>
                    <li><a href="#">China</a></li>
                </ul>
            </div>
        </div>
    </div>

```

```

        </div>
        <div class="property-btn">
            <a href="#" class="property-sub">Submit Property</a>
        </div>
    </div>
    <nav class="main-menu">
        <ul>
            <li><a href="./index.html">Home</a></li>
            <li><a href="./property.html">Property</a></li>
            <li><a href="./about-us.html">Agets</a></li>
            <li><a href="./blog.html">News</a></li>
            <li><a href="./property-details.html">Pages</a></li>
            <li><a href="./contact.html">Contact</a></li>
        </ul>
    </nav>
    <div class="nav-logo-right">
        <ul>
            <li>
                <i class="icon_phone"></i>
                <div class="info-text">
                    <span>Phone:</span>
                    <p>(+12) 345 6789</p>
                </div>
            </li>
            <li>
                <i class="icon_map"></i>
                <div class="info-text">
                    <span>Address:</span>
                    <p>16 Creek Ave, <span>NY</span></p>
                </div>
            </li>
            <li>
                <i class="icon_mail"></i>
                <div class="info-text">
                    <span>Email:</span>
                    <p>Info.cololib@gmail.com</p>
                </div>
            </li>
        </ul>
    </div>
</div>
<!-- Offcanvas Menu Section End -->

<!-- Header Section Begin -->
<header class="header-section">
    <div class="top-nav">
        <div class="container">
            <div class="row">
                <div class="col-lg-7">
                    <nav class="main-menu">

                        <ul>
                            <li class="{ { $links['activeH'] } }"><a href="{ {
url("/home") } }">Home</a></li>
                            <li class="{ { $links['activeP'] } }"><a href="{ {

```

```

url("/properties") }}">Properties</a></li>
        <li class="{{ $links['activeA'] }}"><a href="{{
url("/about-us") }}">About us</a></li>
        <li class="{{ $links['activeB'] }}"><a href="{{
url("/blog") }}">Blog</a></li>
        <li class="{{ $links['activeC'] }}"><a href="{{
url("/contact") }}">Contact</a></li>
        @if(session()->has("user"))
            @if(session("user")->role_id == 1)
                <li><a href="{{ route("users.index") }}">Control
panel</a></li>
            @else
                <li><a href="{{ route("properties.index")
}}">Control panel</a></li>
            @endif
        @endif
    </ul>
</nav>
</div>
<div class="col-lg-5">
    <div class="top-right">
        <nav class="main-menu">
            <ul>
                @if(session("user"))
                    <li><a href="{{route("logout")}}">Logout</a></li>
                @else
                    <li><a href="#" data-toggle="modal" data-
target="#loginForm">Login</a> <a href="#">| </a>
                    <a href="#" data-toggle="modal" data-
target="#signUpForm">Sign up</a></li>
                @endif
            </ul>
        </nav>
    </div>
</div>
</div>
</div>
<div class="nav-logo">
    <div class="container">
        <div class="row">
            <div class="col-lg-3">
                <div class="logo">
                    <a href="{{url("/home")}}"></a>
                </div>
            </div>
            <div class="col-lg-9">
                <div class="nav-logo-right">
                    <ul>
                        <li>
                            <i class="icon_phone"></i>
                            <div class="info-text">

```

```
<span>Phone:</span>  
<p>( +12) 345 6789</p>  
</div>  
</li>  
<li>  
    <i class="icon_map"></i>  
    <div class="info-text">  
        <span>Address:</span>  
        <p>16 Creek Ave, <span>NY</span></p>  
    </div>  
</li>  
<li>  
    <i class="icon_mail"></i>  
    <div class="info-text">  
        <span>Email:</span>  
        <p>azenta@gmail.com</p>  
    </div>  
</li>  
</ul>  
</div>  
</div>  
</div>  
</div>  
</header>  
  
@if(session()->has("signUpError"))  
    <div class="alert alert-danger alert-dismissible">  
        <a href="#" class="close" data-dismiss="alert" aria-label="close">&times;</a>  
        <strong>Error!</strong> {{session("signUpError")}}  
    </div>  
@endif  
  
@if(session()->has("signUpSuccess"))  
    <div class="alert alert-success alert-dismissible">  
        <a href="#" class="close" data-dismiss="alert" aria-label="close">&times;</a>  
        <strong>Success!</strong> {{session("signUpSuccess")}}  
    </div>  
@endif  
  
@if($errors->has("tbEmail") || $errors->has("tbPassword"))  
    <div class="alert alert-danger alert-dismissible">  
        <a href="#" class="close" data-dismiss="alert" aria-label="close">&times;</a>  
        <strong>Error!</strong> Error login, wrong credentials!  
    </div>  
@endisset  
@if($errors->has("tbFirstName") || $errors->has("tbLastName") || $errors-  
>has("Password") || $errors->has("Email") || $errors->has("userImage"))  
    <div class="alert alert-danger alert-dismissible">  
        <a href="#" class="close" data-dismiss="alert" aria-label="close">&times;</a>  
        <strong>Error!</strong> Error sign up, wrong parameters!  
    </div>  
@endisset  
<!-- Header End -->
```

```
@if(session()->has("signInError"))
    <div class="alert alert-danger alert-dismissible">
        <a href="#" class="close" data-dismiss="alert" aria-label="close">&times;</a>
        <strong>Error!</strong> {{session("signInError")}}
    </div>
@endif

@if(session()->has("signInSuccess"))
    <div class="alert alert-success alert-dismissible">
        <a href="#" class="close" data-dismiss="alert" aria-label="close">&times;</a>
        <strong>Success!</strong> {{session("signInSuccess")}}
    </div>
@endif

@if($errors->has("tbEmail") || $errors->has("tbPassword"))
    <div class="alert alert-danger alert-dismissible">
        <a href="#" class="close" data-dismiss="alert" aria-label="close">&times;</a>
        <strong>Error!</strong> Error login, wrong credentials!
    </div>
@endsisset

@if($errors->has("tbFirstName") || $errors->has("tbLastName") || $errors->has("Password") || $errors->has("Email") || $errors->has("userImage"))
    <div class="alert alert-danger alert-dismissible">
        <a href="#" class="close" data-dismiss="alert" aria-label="close">&times;</a>
        <strong>Error!</strong> Error sign up, wrong parameters!
    </div>
@endsisset

<!-- Header End -->
```

Fixed/partner-carousel

```
<!-- Partner Carousel Section Begin -->
<div class="partner-section">
  <div class="container">
    <div class="partner-carousel owl-carousel">
      <a href="#" class="partner-logo">
        <div class="partner-logo-tablecell">
          
        </div>
      </a>
      <a href="#" class="partner-logo">
        <div class="partner-logo-tablecell">
          
        </div>
      </a>
      <a href="#" class="partner-logo">
        <div class="partner-logo-tablecell">
          
        </div>
      </a>
      <a href="#" class="partner-logo">
        <div class="partner-logo-tablecell">
          
        </div>
      </a>
      <a href="#" class="partner-logo">
        <div class="partner-logo-tablecell">
          
        </div>
      </a>
    </div>
  </div>
</div>
<!-- Partner Carousel Section End -->
```

Layouts

Admin

```
@include("admin/fixed/head")
@include("admin/fixed/sidebar")
@include("admin/fixed/nav")
```

```
@yield("middle")
@include("admin/fixed/footer")
```

Template

```
@include("fixed/head")
@include("fixed/authForms")
@yield("middle")
@include("fixed.partner-carousel")
@include("fixed/footer")
```

Partials

postBlog

```
@foreach($posts as $p)
    <div class="col-lg-4 col-md-6">
        <div class="single-blog-item">
            <div class="sb-pic">
                alt }}">
            </div>
            <div class="sb-text">
                <ul>
                    <li><i class="fa fa-user"></i> {{ $p->firstName }} {{ $p->
lastName }}</li>
                    <li><i class="fa fa-clock-o"></i> {{ date("d, M Y", $p->
created_at) }}</li>
                </ul>
                <h4><a href="{{url('/post-single/'.$p->post_id)}}">{{ $p->
title }}</a></h4>
            </div>
        </div>
    </div>
@endforeach
```

Properties

```
<h4 class="property-title">Property</h4>
<div class="property-list" id="propertiesData">
  @foreach($properties as $p)
    @if($p->dateExpired > $currentDate)
      @component("components.properties.properties",["p" => $p])
      @endcomponent
    @endif
  @endforeach
</div>
<div class="property-pagination" id="propertyPagination">
  {{ $properties->links() }}
</div>
```

Pages


Home

Azenta.

Phone:
(+12) 345 6789

Address:
16 Creek Ave, NY

Email:
azenta@gmail.com



FIND YOUR DREAM HOUSE

How It Work



Search & Find Apartment

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore.



Find Your Room

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore.




Talk To Agent


Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore.

LISTING FROM OUR AGENTS

Featured Properties







Home

```
@extends("layouts/template")

@section("title")
```

```

    Home
@endsection

@section("middle")
    <!-- Hero Section Begin -->
    <section class="hero-section">
        <div class="hero-items owl-carousel">
            @foreach($properties as $p)
                @if($p->dateExpired > $currentDate)
                    @if($p->main == 1)
                        <div class="single-hero-item set-bg" data-setbg="{{asset($p-
>srcProperty)}}">
                            <div class="container">
                                <div class="row">
                                    <div class="col-lg-8 offset-lg-2">
                                        <a href="{{url("/property-single/".$p-
>property_id)}}">
                                            <div class="hero-text">
                                                <p class="room-location"><i
class="icon_pin"></i> {{ $p->address}}, {{ $p->cityName}}</p>
                                                <h2>{{ $p->propertyName}}</h2>
                                                <div class="room-price">
                                                    @if($p->status == "sale")
                                                        <span>Start Form:</span>
                                                        <p>${{number_format($p-
>price)}}</p>
                                                    @else
                                                        <span>Start Form:</span>
                                                        <p>${{number_format($p->price)}}
<span>/month</span></p>
                                                    @endif
                                                </div>
                                                <ul class="room-features">
                                                    <li>
                                                        <i class="fa fa-arrows"></i>
                                                        <p>{{ $p->surfaceArea}} m2</p>
                                                    </li>
                                                    <li>
                                                        <i class="fa fa-bed"></i>
                                                        <p>{{ $p->numRooms}} Rooms</p>
                                                    </li>
                                                    <li>
                                                        <i class="fa fa-bath"></i>
                                                        <p>{{ $p->numBathrooms}}
Bathrooms</p>
                                                    </li>
                                                    <li>
                                                        <i class="fa fa-car"></i>
                                                        <p>{{ $p->numGarage}} Garage</p>
                                                    </li>
                                                </ul>
                                            </div>
                                        </a>
                                    </div>
                                </div>
                            </div>
                        </div>
                    @endforeach
                @endif
            @endforeach
        </div>
    </section>

```

```

        </div>
    </div>
    @endif
@endif
@endforeach
</div>
<div class="thumbnail-pic">
    <div class="thumbs owl-carousel">
        @foreach($properties as $p)
            @if($p->dateExpired > $currentDate)
                @if($p->main == 1)
                    <div class="item">
                        
                    </div>
                @endif
            @endif
        @endforeach
    </div>
</div>
</section>
<!-- Hero Section End -->

<!-- How It Works Section Begin -->
<section class="howit-works spad">
    <div class="container">
        <div class="row">
            <div class="col-lg-12">
                <div class="section-title">
                    <span>Find Your Dream House</span>
                    <h2>How It Work</h2>
                </div>
            </div>
        </div>
        <div class="row">
            <div class="col-lg-4">
                <div class="single-howit-works">
                    
                    <h4>Search & Find Apertment</h4>
                    <p>Lorem ipsum dolor sit amet, consectetur adipiscing elit,
sed do eiusmod tempor incididunt ut labore.</p>
                </div>
            </div>
            <div class="col-lg-4">
                <div class="single-howit-works">
                    
                    <h4>Find Your Room</h4>
                    <p>Lorem ipsum dolor sit amet, consectetur adipiscing elit,
sed do eiusmod tempor incididunt ut labore.</p>
                </div>
            </div>
            <div class="col-lg-4">
                <div class="single-howit-works">
                    

```

```

        <h4>Talk To Agent</h4>
        <p>Lorem ipsum dolor sit amet, consectetur adipiscing elit,
sed do eiusmod tempor incididunt ut labore.</p>
    </div>
</div>
</div>
</section>
<!-- How It Works Section End -->

<!-- Feature Section Begin -->
<section class="feature-section spad">
    <div class="container">
        <div class="row">
            <div class="col-lg-12">
                <div class="section-title">
                    <span>Listing From Our Agents</span>
                    <h2>Featured Properties</h2>
                </div>
            </div>
        </div>
        <div class="row">
            <div class="feature-carousel owl-carousel">
                @foreach($properties as $p)
                    @if($p->dateExpired > $currentDate)
                        @if($p->featured == 1)
                            <div class="col-lg-4">
                                <div class="feature-item">
                                    <a href="{{url('/property-single/'.$p-
>property_id)}}">
                                        <div class="fi-pic set-bg" data-
setbg="{{asset($p->srcProperty)}}">
                                            <div class="pic-tag">
                                                <div class="f-
text">feature</div>
                                                @if($p->status == "sale")
                                                    <div class="s-text">For
Sale</div>
                                                @else
                                                    <div class="s-text">For
Rent</div>
                                                @endif
                                            </div>
                                            <div class="feature-author">
                                                <div class="fa-pic">
                                                    altUser)}}">
                                                </div>
                                                <div class="fa-text">
                                                    <span>{{asset($p->firstName)}} {{asset($p-
>lastName)}}</span>
                                                </div>
                                            </div>
                                        </div>
                                    </div>
                                </div>
                            </a>
                        </div>
                    </div>
                @endforeach
            </div>
        </div>
    </div>
</section>

```

```

                                <div class="fi-text">
                                    <div class="inside-text">
                                        <h4>{{ $p->propertyName }}</h4>
                                        <ul>
                                            <li><i class="fa fa-map-
marker"></i> {{ $p->address }}, {{ $p->shortName }}</li>
                                            <li><i class="fa fa-tag"></i>
{{ $p->typeName }}</li>

                                        </ul>
                                        <h5 class="price">
                                            @if($p->status == "sale")
                                                {{ number_format($p->price) }}
                                            @else
                                                {{ number_format($p->price) }}
<span>/month</span>
                                            @endif</h5>
                                    </div>
                                    <ul class="room-features">
                                        <li>
                                            <i class="fa fa-arrows"></i>
                                            <p>{{ $p->surfaceArea }} k2</p>
                                        </li>
                                        <li>
                                            <i class="fa fa-bed"></i>
                                            <p>{{ $p->numRooms }}</p>
                                        </li>
                                        <li>
                                            <i class="fa fa-bath"></i>
                                            <p>{{ $p->numBathrooms }}</p>
                                        </li>
                                        <li>
                                            <i class="fa fa-car"></i>
                                            <p>{{ $p->numGarage }}</p>
                                        </li>
                                    </ul>
                                </div>
                            </div>
                        </div>
                    @endif
                @endif
            @endforeach
        </div>
    </div>
</section>
<!-- Feature Section End -->

<!-- Video Section Begin -->
<div class="video-section set-bg" data-setbg="img/video-bg.jpg">
    <div class="container">
        <div class="row">
            <div class="col-lg-12">
                <div class="video-text">
                    <a href="#" class="play-btn video-popup"><i class="fa fa-
play"></i></a>

```

```

        <h4>Find The Perfect</h4>
        <h2>Real Estate Agent Near You</h2>
    </div>
</div>
</div>
</div>
</div>
<!-- Video Section End -->

<!-- Top Properties Section Begin -->
<div class="top-properties-section spad">
    <div class="container">
        <div class="row">
            <div class="col-lg-12">
                <div class="properties-title">
                    <div class="section-title">
                        <span>Top Property For You</span>
                        <h2>Top Properties</h2>
                    </div>
                    <a href="{{url('/properties')}}" class="top-property-
all">View All Properties</a>
                </div>
            </div>
        </div>
    </div>
<div class="container">
    <div class="top-properties-carousel owl-carousel">
        @foreach($top3Properties as $p)
            @if($p->dateExpired > $currentDate)
                <div class="single-top-properties">
                    <div class="row">
                        <div class="col-lg-6">
                            <a href="{{url('/property-single/'.$p-
>property_id)}}">
                                <div class="stp-pic">
                                    
                                </div>
                            </a>
                        </div>
                        <div class="col-lg-6">
                            <div class="stp-text">
                                <div class="s-text">For {{ $p->status }}</div>
                                <a href="{{url('/property-single/'.$p-
>property_id)}}">
                                    <h2>{{ $p->propertyName }}</h2>
                                </a>
                                <div class="room-price">
                                    <span>Start From:</span>
                                    <h4>${{number_format($p->price)}}</h4>
                                </div>
                                <div class="properties-location"><i
class="icon_pin"></i> {{ $p->address }}, {{ $p->cityName }}</div>
                                <p>{{ $p->descriptionShort }}</p>
                                <ul class="room-features">
                                    <li>

```



```

                <i class="fa fa-arrows"></i>
                <p>{{ $p->surfaceArea }} k2</p>
            </li>
            <li>
                <i class="fa fa-bed"></i>
                <p>{{ $p->numRooms }} Rooms</p>
            </li>
            <li>
                <i class="fa fa-bath"></i>
                <p>{{ $p->numBathrooms }} Bathrooms</p>
            </li>
            <li>
                <i class="fa fa-car"></i>
                <p>{{ $p->numGarage }} Garage</p>
            </li>
        </ul>
    </div>
</div>
</div>
</div>
    @endif
    @endforeach
</div>
</div>
</div>
<!-- Top Properties Section End -->

<!-- Agent Section Begin -->
<section class="agent-section spad">
    <div class="container">
        <div class="row">
            <div class="col-lg-12">
                <div class="section-title">
                    <span>We Are To Help You</span>
                    <h2>Our Agents</h2>
                </div>
            </div>
        </div>
        <div class="row">
            <div class="agent-carousel owl-carousel">
                @foreach($agents as $a)
                    <div class="col-lg-3">
                        <div class="single-agent">
                            <div class="sa-pic">
                                alt }}">
                                <div class="hover-social">
                                    <a href="#" class="twitter"><i class="fa fa-
twitter"></i></a>
                                    <a href="#" class="instagram"><i class="fa
fa-instagram"></i></a>
                                    <a href="#" class="facebook"><i class="fa fa-
facebook"></i></a>
                                </div>
                            </div>
                        </div>
                    </div>
                @endforeach
            </div>
            <div class="col-lg-3">
                <h5>{{ $a->firstName }} {{ $a->lastName }} <span>Company

```

```

Agent</span></h5>
        </div>
    </div>
    @endforeach
</div>
</div>
</div>
</section>
<!-- Agent Section End -->

<!-- Latest Blog Section Begin -->
<section class="blog-section latest-blog spad">
    <div class="container">
        <div class="row">
            <div class="col-lg-12">
                <div class="section-title">
                    <span>Blog & Events</span>
                    <h2>Latest posts</h2>
                </div>
            </div>
        </div>
        <div class="row">
            @foreach($latest3Posts as $p)
                <div class="col-lg-4">
                    <div class="single-blog-item">
                        <div class="sb-pic">
                            alt }}">
                        </div>
                        <div class="sb-text">
                            <ul>
                                <li><i class="fa fa-user"></i> {{ $p->firstName }}
                                {{ $p->lastName }}</li>
                                <li><i class="fa fa-clock-o"></i> {{ date("d M,
                                Y", $p->created_at) }}</li>
                            </ul>
                            <h4><a href="#">{{ $p->title }}</a></h4>
                        </div>
                    </div>
                </div>
            @endforeach
        </div>
    </div>
</section>
<!-- Latest Blog Section End -->
@endsection

```


Properties

Azenta.

Phone: (+12) 345 6789

Address: 18 Creek Ave, NY

Email: azenta@gmail.com



Search Property

Search by name or address

SALERENT

No. of Rooms

No. of Bathrooms


No. of Garages


Size: 50 - 2000 M2


Price: 100 - 1000000 \$

Search Properties

Best Agents


- 

Agent Agent
Company Agents
5 properties
- 


Asda Asda
Company Agents
3 properties
- 

Cristiano Ronaldo
Company Agents
3 properties


Property




FOR RENT
French Riviera House
Start From: \$700 / month
180 York Road, Paris
understanding of online gaming and how you perform while playing online.
270 m29 Rooms2 Bathrooms1 Garage



FOR SALE
The Burrow
Start From: \$800,000
72 Lilac Ave, Garland, Paris
Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua.
240 m213 Rooms8 Bathrooms2 Garage



FOR SALE
Forest Lodge
Start From: \$1,350,000
55 Taylor Lane Nanuet, Paris
Sed ut perspiciatis unde omnis iste natus error sit voluptatem accusantium doloremque laudantium, totam rem aperiam, eaque ipsa quae ab illo inventore veritatis et quasi architecto beatae vitae dicta sunt explicabo.
250 m29 Rooms3 Bathrooms2 Garage



Properties

```
@extends("layouts/template")

@section("title")
    Properties
@endsection

@section("middle")
    <!-- Map Section Begin -->
    <div class="video-section set-bg" data-setbg="img/video-bg.jpg">
        <div class="container">
            <div class="row">
                <div class="col-lg-12">
                    <div class="video-text">
                        <a href="#" class="play-btn video-popup"><i class="fa fa-
play"></i></a>

                        <h4>Find The Perfect</h4>
                        <h2>Real Estate Agent Near You</h2>
                    </div>
                </div>
            </div>
        </div>
    </div>
    <!-- Map Section End -->

    <!-- Property Section Begin -->
```

```

<section class="property-section spad">
  <div class="container">
    <div class="row">
      <div class="col-lg-3">
        <div class="property-sidebar">
          <h4>Search Property</h4>
          <form action="#" class="sidebar-search md-4 mr-auto ">
            <div class="sidebar-btn">
              <input class="form-control mr-sm-2"
name="tbSearchProperty" id="tbSearchProperty" type="text" placeholder="Search by name
or address" aria-label="Search">
            </div>
            <div class="sidebar-btn">
              <div class="bt-item">
                <input type="radio" name="status" id="st-buy"
value="sale">
                <label for="st-buy">Sale</label>
              </div>
              <div class="bt-item">
                <input type="radio" name="status" id="st-rent"
value="rent">
                <label for="st-rent">Rent</label>
              </div>
            </div>
            <select id="ddlCities" name="Cities">
              <option value="">Location</option>
              @foreach($cities as $c)
                <option value="{{ $c->city_id }}">{{ $c-
>name}}</option>
              @endforeach
            </select>
            <select id="ddlRooms" name="Rooms">
              <option value="null">No. of Rooms</option>
              <option value="0-3">0-2</option>
              <option value="2-5">2-4</option>
              <option value="4-7">4-6</option>
              <option value="6-9">6-8</option>
              <option value="8-1000">8+</option>
            </select>
            <select id="ddlBathrooms" name="Bathrooms">
              <option value="null">No. of Bathrooms</option>
              <option value="0-3">0-2</option>
              <option value="2-5">2-4</option>
              <option value="4-7">4-6</option>
              <option value="6-9">6-8</option>
              <option value="8-1000">8+</option>
            </select>
            <select id="ddlGarages" name="Garages">
              <option value="null">No. of Garages</option>
              <option value="0-3">0-2</option>
              <option value="2-5">2-4</option>
              <option value="4-7">4-6</option>
              <option value="6-9">6-8</option>
              <option value="8-1000">8+</option>
            </select>

```

```

        <div class="room-size-range">
            <div class="price-text">
                <label for="roomsizeRangeP">Size:</label>
                <input type="text" id="roomsizeRangeP"
name="Size" readonly>
            </div>
            <div id="roomsize-range-P" class="slider"></div>
        </div>
        <div class="price-range-wrap">
            <div class="price-text">
                <label for="priceRangeP">Price:</label>
                <input type="text" id="priceRangeP" name="Price"
readonly>
            </div>
            <div id="price-range-P" class="slider"></div>
        </div>
        <button type="button" id="btnSubmitSearch" class="search-
btn">Search Properties</button>
    </form>
    <div class="best-agents">
        <h4>Best Agents</h4>
        <ul class="comment-list">
            @foreach($bestAgents as $b)
                <li class="comment">
                    <a href="#" class="ba-item comment">
                        <div class="vcard bio">
                            
alt="{{{$b->altUser}}}"
                        </div>
                        <div class="ba-text">
                            <h5>{{{$b->firstName}} {{{$b->
>lastName}}}</h5>
                            <span>Company Agents</span>
                            <p class="property-items">{{{$b->
>propertiesNumber}} properties</p>
                        </div>
                    </a>
                </li>
            @endforeach
        </ul>
    </div>
</div>
<div class="col-lg-9" id="properties">
    <h4 class="property-title">Property</h4>
    <div class="property-list" id="propertiesData">
        @foreach($properties as $p)
            @if($p->dateExpired > $currentDate)
                @component("components.properties.properties", ["p" =>
$p])
            @endcomponent
            @endif
        @endforeach
    </div>
    <div class="property-pagination" id="propertyPagination">

```

```
        {{$properties->links()}}
    </div>
</div>
</div>
</div>
</section>
<!-- Property Section End -->
@endsection
```

About us

Azenta.

Phone:
(+12) 345 6789

Address:
18 Creek Ave, NY

Email:
azenta@gmail.com


About Us

[Home](#) > [About Us](#)

ABOUT US

Hello! Welcome to Azenta

There is no better advertisement campaign that is low cost and also successful at the same time. Great business ideas when utilized effectively can save lots of money. This is not only easy for those who work full-time as an advertiser, but also for those who work from home. Advertising from home is also a low cost option, which involves making and distributing fliers.



Our Story

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. Quis ipsum suspendisse ultrices gravida. Rerum commodo viverra maecenas accumsan lacus vel facilisis.


Our Vision

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. Quis ipsum suspendisse ultrices gravida. Rerum commodo viverra maecenas accumsan lacus vel facilisis.

Testimonials

Create a list with all possible keywords that fit to your product, service or business field. The more the better. So you will get also a lot of keywords which you must pay for only the minimal commandment of 5 cents

John Smith
CEO DEERCREATIVE



About-us

```
@extends("layouts/template")

@section("title")
    About us
@endsection

@section("middle")
    <!-- Breadcrumb Section Begin -->
    <section class="breadcrumb-section">
        <div class="container">
            <div class="row">
                <div class="col-lg-12">
                    <div class="breadcrumb-text">
                        <h2>About Us</h2>
                        <div class="breadcrumb-option">
                            <a href="#"><i class="fa fa-home"></i> Home</a>
                            <span>About Us</span>
                        </div>
                    </div>
                </div>
            </div>
        </div>
    </section>
    <!-- Breadcrumb Section Begin -->
```

```

<!-- About Section Begin -->
<section class="about-section spad">
  <div class="container">
    <div class="row">
      <div class="col-lg-12">
        <div class="section-title">
          <span>About Us</span>
          <h2>Hello! Welcome to Azenta<span>.</span></h2>
          <p>There is no better advertisement campaign that is low cost
and also successful at the same
time. Great business ideas when utilized effectively can
save lots of money. This is not
only easy for those who work full-time as an advertiser,
but also for those who work from
home. Advertising from home is also a low cost option,
which involves making and
distributing fliers.</p>
        </div>
        <div class="video-text set-bg" data-setbg="img/video-bg.jpg">
          <a href="https://www.youtube.com/watch?v=EzKkl64rRbM"
class="play-btn video-popup"><i
class="fa fa-play"></i></a>
          <h4>Find The Perfect</h4>
          <h2>Real Estate Agent Near You</h2>
        </div>
      <div class="row">
        <div class="col-lg-6">
          <div class="about-text">
            <h4>Our Story</h4>
            <p>Lorem ipsum dolor sit amet, consectetur adipiscing
elit, sed do eiusmod tempor
incididunt ut labore et dolore magna aliqua. Quis
ipsum suspendisse ultrices
gravida. Risus commodo viverra maecenas accumsan
lacus vel facilisis.</p>
          </div>
        </div>
        <div class="col-lg-6">
          <div class="about-text">
            <h4>Our Vision</h4>
            <p>Lorem ipsum dolor sit amet, consectetur adipiscing
elit, sed do eiusmod tempor
incididunt ut labore et dolore magna aliqua. Quis
ipsum suspendisse ultrices
gravida. Risus commodo viverra maecenas accumsan
lacus vel facilisis.</p>
          </div>
        </div>
      </div>
    </div>
  </div>
</section>
<!-- About Section End -->

```

```

<!-- Testimonial Section Begin -->
<section class="testimonial-section set-bg spad" data-setbg="img/testimonial-
bg.jpg">
  <div class="container">
    <div class="row">
      <div class="col-lg-12">
        <div class="section-title">
          <h2>Testimonials</h2>
        </div>
      </div>
    </div>
    <div class="row">
      <div class="col-lg-8 offset-lg-2">
        <div class="testimonial-slider owl-carousel">
          <div class="ts-item">
            <p>Create a list with all possible keywords that fit to
your product, service or business
            field. The more the better. So you will get also a
lot of keywords which you mus pay for
            only the minimal commandment of 5 cents</p>
            <div class="ti-author">
              <h5>John Smith</h5>
              <span>CEO deercreative</span>
            </div>
          </div>
          <div class="ts-item">
            <p>Create a list with all possible keywords that fit to
your product, service or business
            field. The more the better. So you will get also a
lot of keywords which you mus pay for
            only the minimal commandment of 5 cents</p>
            <div class="ti-author">
              <h5>John Smith</h5>
              <span>CEO deercreative</span>
            </div>
          </div>
        </div>
      </div>
    </div>
  </div>
</section>
<!-- Testimonial Section End -->

<!-- Agent Section Begin -->
<section class="agent-section about-page spad">
  <div class="container">
    <div class="row">
      <div class="col-lg-12">
        <div class="section-title">
          <span>We Are To Help You</span>
          <h2>Our Agents</h2>
        </div>
      </div>
    </div>
    <div class="row">


```

```

        <div class="agent-carousel owl-carousel">
            @foreach($agents as $a)
                <div class="col-lg-3">
                    <div class="single-agent">
                        <div class="sa-pic">
                            alt }}">
                            <div class="hover-social">
                                <a href="#" class="twitter"><i class="fa fa-
twitter"></i></a>
                                <a href="#" class="instagram"><i class="fa
fa-instagram"></i></a>
                                <a href="#" class="facebook"><i class="fa fa-
facebook"></i></a>
                            </div>
                        </div>
                        <div>
                            <h5>{{ $a->firstName }} {{ $a->lastName }} <span>Company
Agent</span></h5>
                        </div>
                    </div>
                </div>
            @endforeach
        </div>
    </div>
</section>
<!-- Agent Section End -->
@endsection

```

Blog



Blog

```
@extends("layouts/template")

@section("title")
    Blog
```

```

@endsection

@section("middle")
    <!-- Breadcrumb Section Begin -->
    <section class="breadcrumb-section">
        <div class="container">
            <div class="row">
                <div class="col-lg-12">
                    <div class="breadcrumb-text">
                        <h2>Blog List</h2>
                        <div class="breadcrumb-option">
                            <a href="#"><i class="fa fa-home"></i> Home</a>
                            <span>Blog Default</span>
                        </div>
                    </div>
                </div>
            </div>
        </div>
    </section>
    <!-- Breadcrumb Section Begin -->

    <!-- Blog Section Begin -->
    <section class="blog-section blog-page spad">
        <div class="container">
            <div class="row" id="posts">
                @foreach($posts as $p)
                    <div class="col-lg-4 col-md-6">
                        <div class="single-blog-item">
                            <div class="sb-pic">
                                alt }}">
                            </div>
                            <div class="sb-text">
                                <ul>
                                    <li><i class="fa fa-user"></i> {{ $p->firstName }}
                                    {{ $p->lastName }}</li>
                                    <li><i class="fa fa-clock-o"></i> {{ date("d, M
                                    Y", $p->created_at) }}</li>
                                </ul>
                                <h4><a href="{{url('/post-single/'.$p-
                                >post_id)}}">{{ $p->title }}</a></h4>
                            </div>
                        </div>
                    </div>
                @endforeach

                <div class="col-lg-12">
                    <div class="loadmore">
                        <a href="#" class="primary-btn" data-page="6"
                        id="loadMorePost">Load More</a>
                    </div>
                </div>
            </div>
        </div>
    </section>

```

```
<!-- Blog Section End -->
@endsection
```

Contact

Contact Us

[Home](#) > [Contact](#)

New York
Phone: +12-345-6789
Add: 16 Creek Ave. Farmingdale, NY

CONTACT

Get In Touch

Name

Email

Message

[Send Message](#)

Contact

```
@extends("layouts/template")

@section("title")
    Contact
@endsection

@section("middle")
    <!-- Breadcrumb Section Begin -->
    <section class="breadcrumb-section contact-page">
        <div class="container">
            <div class="row">
                <div class="col-lg-12">
                    <div class="breadcrumb-text">
                        <h2>Contact Us</h2>
                    <div class="breadcrumb-option">
                        <a href="#"><i class="fa fa-home"></i> Home</a>
                    </div>
                </div>
            </div>
        </div>
    </section>

```



```

        <span>Contact</span>
    </div>
</div>
</div>
</div>
</div>
</section>
<!-- Breadcrumb Section Begin -->

<!-- Contact Section Begin -->
<section class="contact-section">
    <div class="container-fluid">
        <div class="row">
            <div class="col-lg-6">
                <div class="contact-map">
                    <iframe
src="https://www.google.com/maps/embed?pb=!1m18!1m12!1m3!1d2942.5524090066037!2d-
71.10245469994108!3d42.47980730490846!2m3!1f0!2f0!3f0!3m2!1i1024!2i768!4f13.1!3m3!1m2
!1s0x89e3748250c43a43%3A0xe1b9879a5e9b6657!2sWinter%20Street%20Public%20Parking%20Lot
!5e0!3m2!1sen!2sbd!4v1577299251173!5m2!1sen!2sbd"
                    height="700" style="border:0;"
allowfullscreen=""></iframe>
                    <div class="map-inside">
                        <i class="icon_pin"></i>
                        <div class="inside-widget">
                            <h4>New York</h4>
                            <ul>
                                <li>Phone: +12-345-6789</li>
                                <li>Add: 16 Creek Ave. Farmingdale, NY</li>
                            </ul>
                        </div>
                    </div>
                </div>
            </div>
            <div class="col-lg-6">
                <div class="row">
                    <div class="col-lg-8 offset-lg-1">
                        <div class="contact-text">
                            <div class="section-title">
                                <span>Contact</span>
                                <h2>Get In Touch</h2>
                            </div>
                            <form action="#" class="contact-form">
                                @csrf
                                <input type="text" placeholder="Name" id="tbName"
name="Name">
                                <input type="email" placeholder="Email"
id="tbEmail" name="Email">
                                <textarea placeholder="Message" id="taText"
name="Text"></textarea>
                                <button type="button" class="site-btn"
id="btnSendMessageContact">Send Message</button>
                                <ul id="errorsMessage">
                                    @isset($errors)

```

```

                                @foreach($errors->all() as $error)
                                <li>{{ $error }}</li>
                                @endforeach
                                @endisset
                                </ul>
                            </form>
                        </div>
                    </div>
                </div>
            </div>
        </div>
    </div>
</section>
<!-- Contact Section End -->
@endsection

```

Property single

Azenta.

Phone:
(+12) 345 6789

Address:
16 Creek Ave, NY

Email:
azenta@gmail.com

180 York Road, Paris

French Riviera House

Start From: \$700 / month

270 m2

9 Rooms

2 Bathrooms

1 Garage



Our Best Agents

 **Agent Agent**
Company Agents
5 properties


 **Asda Asda**
Company Agents
3 properties

 **Cristiano Ronaldo**
Company Agents
3 properties

Overview	Description		
Name	French Riviera House	Agent	Asda Asda
Price	\$ 700/month	Reference	#2020
Property Type	House	Contract type	rent
Bathrooms	2	City	Paris
Rooms	9	Address	180 York Road
Surface area	270 m2	Date post	18-03-2020
Garages	1	Date expire	05-04-2020

Map





Property-single

```
@extends("layouts/template")

@section("title")
    Single property
@endsection

@section("middle")
    <section class="pd-hero-section set-bg" data-setbg="{{asset('img/feature/product-content-bg.jpg')}}">
        <div class="container">
            <div class="row">
                <div class="col-lg-8 offset-lg-2">
                    <div class="pd-hero-text">
                        <p class="room-location"><i class="icon_pin"></i>
{{ $property->address }}, {{ $property->cityName }}</p>
                        <h2>{{ $property->propertyName }}</h2>
                        <div class="room-price">
                            <span>Start Form:</span>
                            @if($property->status == "sale")
                                <p>{{ number_format($property->price) }}</p>
                            @else
                                <p>{{ number_format($property->price) }} <span>/
month</span></p>
                            @endif
                    </div>
                </div>
            </div>
        </div>
    </section>
```

```

        </div>
        <ul class="room-features">
            <li>
                <i class="fa fa-arrows"></i>
                <p>{{ $property->surfaceArea }} m2</p>
            </li>
            <li>
                <i class="fa fa-bed"></i>
                <p>{{ $property->numRooms }} Rooms</p>
            </li>
            <li>
                <i class="fa fa-bath"></i>
                <p>{{ $property->numBathrooms }} Bathrooms</p>
            </li>
            <li>
                <i class="fa fa-car"></i>
                <p>{{ $property->numGarage }} Garage</p>
            </li>
        </ul>
    </div>
</div>
</div>
</div>
</section>
<!-- Property Details Hero Section Begin -->

<!-- Property Details Section Begin -->
<section class="property-details-section spad">
    <div class="container">
        <div class="row">
            <div class="col-lg-9">
                <div class="pd-details-text">
                    <div class="pd-details-social">
                        <a href="#"><i class="fa fa-facebook"></i></a>
                        <a href="#"><i class="fa fa-send"></i></a>
                        <a href="#"><i class="fa fa-star"></i></a>
                        <a href="#"><i class="fa fa-print"></i></a>
                        <a href="#"><i class="fa fa-cloud-download"></i></a>
                    </div>
                    <div class="property-more-pic">
                        <div class="product-pic-zoom">
                            
                        </div>
                    </div>
                    <div class="pd-details-tab">
                        <div class="tab-item">
                            <ul class="nav" role="tablist">
                                <li>
                                    <a class="active" data-toggle="tab"
href="#tab-1" role="tab">Overview</a>
                                </li>
                                <li>
                                    <a data-toggle="tab" href="#tab-2"

```

```

role="tab">Description</a>
        </li>
    </ul>
</div>
<div class="tab-item-content">
    <div class="tab-content">
        <div class="tab-pane fade-in active" id="tab-1"
role="tabpanel">
            <div class="property-more-table">
                <table class="left-table">
                    <tbody>
                        <tr>
                            <td class="pt-name">Name</td>
                            <td class="p-value">{{$property->propertyName}}</td>
                        </tr>
                        <tr>
                            <td class="pt-name">Price</td>
                            <td class="p-value">
                                @if($property->status == "sale")
                                    {{$number_format($property->price)}}
                                @else
                                    {{$number_format($property->price)}}<span>/month</span>
                                @endif
                            </td>
                        </tr>
                        <tr>
                            <td class="pt-name">Property
                                Type</td>
                            <td class="p-value">{{$property->typeName}}</td>
                        </tr>
                        <tr>
                            <td class="pt-name">Bathrooms
                                </td>
                            <td class="p-value">{{$property->numBathrooms}}</td>
                        </tr>
                        <tr>
                            <td class="pt-name">Rooms
                                </td>
                            <td class="p-value">{{$property->numRooms}}</td>
                        </tr>
                        <tr>
                            <td class="pt-name">Surface
                                area</td>
                            <td class="p-value">{{$property->surfaceArea}} m2</td>
                        </tr>
                        <tr>
                            <td class="pt-name">Garages
                                </td>
                            <td class="p-value">{{$property->numGarage}}</td>
                        </tr>
                    </tbody>
                </table>
            </div>
        </div>
    </div>
</div>

```

```

</table>
<table class="right-table">
  <tbody>
    <tr>
      <td class="pt-name">Agent</td>
      <td class="p-value">{{$property->firstName}} {{$property->lastName}}</td>
    </tr>
    <tr>
      <td class="pt-name">Reference</td>
      <td class="p-value">#2020</td>
    </tr>
    <tr>
      <td class="pt-name">Contract</td>
      <td class="p-value">{{$property->status}}</td>
    </tr>
    <tr>
      <td class="pt-name">City</td>
      <td class="p-value">{{$property->cityName}}</td>
    </tr>
    <tr>
      <td class="pt-name">Address</td>
      <td class="p-value">{{$property->address}}</td>
    </tr>
    <tr>
      <td class="pt-name">Date</td>
      <td class="p-value">{{date("d-m-Y", $property->datePost)}}</td>
    </tr>
    <tr>
      <td class="pt-name">Date</td>
      <td class="p-value">{{date("d-m-Y", $property->dateExpired)}}</td>
    </tr>
  </tbody>
</table>
</div>
<div class="tab-pane fade" id="tab-2"
role="tabpanel">
  <div class="pd-table-desc">
    <p>{{$property->description}}</p>
  </div>
</div>
</div>
</div>
</div>

```

```

        <div class="property-map">
            <h4>Map</h4>
            <div class="map-inside">
                <iframe
src="https://www.google.com/maps/embed?pb=!1m18!1m12!1m3!1d2942.5524090066037!2d-
71.10245469994108!3d42.47980730490846!2m3!1f0!2f0!3f0!3m2!1i1024!2i768!4f13.1!3m3!1m2
!1s0x89e3748250c43a43%3A0xe1b9879a5e9b6657!2sWinter%20Street%20Public%20Parking%20Lot
!5e0!3m2!1sen!2sbd!4v1577299251173!5m2!1sen!2sbd"
                height="320" style="border:0;"
allowfullscreen=""></iframe>
                <div class="icon">
                    <i class="fa fa-home"></i>
                </div>
            </div>
        </div>
        <div class="property-contactus">
            <h4>Contact agent</h4>
            <div class="row">
                <div class="col-lg-5">
                    <div class="agent-desc">
                        
alt="">
                        <div class="agent-title">
                            <h5>{{ $property->firstName}} {{ $property-
>lastName}}</h5>
                            <span>Company Agent</span>
                        </div>
                        <div class="agent-social">
                            <a href="#"><i class="fa fa-
facebook"></i></a>
                            <a href="#"><i class="fa fa-
twitter"></i></a>
                            <a href="#"><i class="fa fa-google-
plus"></i></a>
                            <a href="#"><i class="fa fa-
envelope"></i></a>
                        </div>
                    </div>
                </div>
                <div class="col-lg-6 offset-lg-1">
                    @if(session()->has("user"))
                        <form action="" method="post" class="agent-
contact-form">
                            <input type="hidden" name="Property"
id="tbProperty" value="{{ $property->property_id }}">
                            <input type="hidden" name="Agent"
id="tbAgent" value="{{ $property->user_id }}">
                            <input type="hidden" name="User"
id="tbUser" value="@if(session()->has("user")) {{ $property->user_id }} @endif">
                            <label class="">Send message as
@if(session()->has("user")) {{ session("user")->firstName}} {{ session("user")-
>lastName}} @endif</label>
                            <textarea placeholder="Message"

```



```

id="taMessage" name="Message"></textarea>
<button type="button" data-
token="{{csrf_token()}}" id="btnSendMessage" class="site-btn">Send Message</button>
</form>
@else
<h3>Log in to contact agent.</h3>
@endif
</div>
</div>
</div>
</div>
</div>
<div class="col-lg-3">
<div class="property-sidebar">

<div class="best-agents">
<h4>Our Best Agents</h4>
<ul class="comment-list">
@foreach($bestAgents as $b)
<li class="comment">
<a href="#" class="ba-item comment">
<div class="vcard bio">

alt="{{{$b->altUser}}}"
</div>
<div class="ba-text">
<h5>{{{$b->firstName}} {{{$b->
lastName}}}</h5>
<span>Company Agents</span>
<p class="property-items">{{{$b->
propertiesNumber}} properties</p>
</div>
</a>
</li>
@endforeach
</ul>
</div>
</div>
</div>
</div>
</div>
</section>
@endsection

```

Post-single



Do Your Self Realizations Quickly Fade

Cristiano Ronaldo | 24. Mar 2020

Share



The standard Lorem Ipsum passage, used since the 1500s

"Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. Ut enim ad minim veniam, quis nostrud exercitation ullamco laboris nisi ut aliquip ex ea commodo consequat. Duis aute irure dolor in reprehenderit in voluptate velit esse cillum dolore eu fugiat nulla pariatur. Excepteur sint occaecat cupidatat non proident, sunt in culpa qui officia deserunt mollit anim id est laborum."

Section 1.10.32 of "de Finibus Bonorum et Malorum", written by Cicero in 45 BC

"Sed ut perspiciatis unde omnis iste natus error sit voluptatem accusantium doloremque laudantium, totam rem aperiam, eaque ipsa quae ab illo inventore veritatis et quasi architecto beatae vitae dicta sunt explicabo. Nemo enim ipsam voluptatem quia voluptas sit aspernatur aut odit aut fugit, sed quia consequuntur magni dolores eos qui ratione voluptatem sequi nesciunt. Neque porro quisquam est, qui dolorem ipsum quia dolor sit amet, consectetur, adipisci velit, sed quia non numquam eius modi tempora incidunt ut labore et dolore magnam

"But I must explain to you how all this mistaken idea of denouncing pleasure and praising pain was born and I will give you a complete account of the system, and expound the actual teachings of the great explorer of the truth, the master-builder of human happiness. No one rejects, dislikes, or avoids pleasure itself, because it is pleasure, but because those who do not know how to pursue pleasure rationally encounter consequences that are extremely painful. Nor again is there anyone who loves or pursues or desires to obtain pain of itself, because it is pain, but because occasionally circumstances occur in which toil and pain can procure him some great pleasure. To take a trivial example, which of us ever undertakes laborious physical exercise, except to obtain some advantage from it? But who has any right to find fault with a man who chooses to enjoy a pleasure that has no annoying consequences, or one who avoids a pain that produces no resultant pleasure?"

Section 1.10.33 of "de Finibus Bonorum et Malorum", written by Cicero in 45 BC

"At vero eos et accusamus et iusto odio dignissimos ducimus qui blanditiis praesentium voluptatum deleniti atque corrupti quos dolores et quas molestias excepturi sint occaecati cupiditate non provident, similique sunt in culpa qui officia deserunt mollitia animi, id est laborum et dolorum fuga. Et harum quidem rerum facilis est et expedita distinctio. Nam libero tempore, cum soluta nobis est eligendi optio cumque nihil impedit quo minus id quod maxime placeat facere possimus, omnis voluptas assumenda est, omnis dolor repellendus. Temporibus autem quibusdam et aut officiis debitis aut rerum necessitatibus saepe eveniet ut et voluptates repudiandae sint et molestiae non recusandae. Itaque earum rerum hic tenetur a sapiente delectus, ut aut reiciendis voluptatibus maiores alias consequatur aut perferendis doloribus asperiores repellat."

6 Comments



Rashon Thomas
MAR 20, 2020 AT 11:55
asdasdasdasdasdasdasdasdas osr pas rpoasrj saopjr sajp rjasor jsaopjr paos rjpoasjr poasjr paspor poasr jopaspoj jopasr joasoj
ojsa ojpsoajr jopasr jopasr ojsasr jopasr ojsorjpasor ojsasr

0 COMMENTS



Rashon Thomas

MAR 25, 2020 AT 11:35

asdasdasdasdasdasdasdas asr pas rpoasrj saopjr sajp rjasior jsaopr paos rjpoasjr poasjr paspor poasr jopaspojr jopasr joasoj
ojsa ojpsoajr jopara jopara ojpasr jopasr ojsorjpsior ojpasr



Cory Walden

MAR 25, 2020 AT 11:51

asdasdsadsad



Braian Angola

MAR 25, 2020 AT 11:35

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Vestibulum tortor felis, tempor vitae metus eget, fermentum consequat nibh. Vivamus at tempor erat. Orci varius natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Pellentesque non aliquam enim. Maecenas accumsan, libero id semper dictum, nisl mi viverra purus, ac tincidunt justo urna et odio. Ut sem ligula, elementum et dolor sed, interdum feugiat tortor.



Jaimes Mcadoo

MAR 25, 2020 AT 11:35

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Vestibulum tortor felis, tempor vitae metus eget, fermentum consequat nibh. Vivamus at tempor erat. Orci varius natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Pellentesque non aliquam enim. Maecenas accumsan, libero id semper dictum, nisl mi viverra purus, ac tincidunt justo urna et odio. Ut sem ligula, elementum et dolor sed, interdum feugiat tortor.



Dusan Kecman

MAR 25, 2020 AT 11:35

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Vestibulum tortor felis, tempor vitae metus eget, fermentum consequat nibh. Vivamus at tempor erat. Orci varius natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Pellentesque non aliquam enim. Maecenas accumsan, libero id semper dictum, nisl mi viverra purus, ac tincidunt justo urna et odio. Ut sem ligula, elementum et dolor sed, interdum feugiat tortor.



Ognjen Jaramaz

MAR 25, 2020 AT 11:34

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Vestibulum tortor felis, tempor vitae metus eget, fermentum consequat nibh.

Leave A Comment As Admin Admin

Your message

Send Message



Azenta.

AMP

Property City

► Florida
► New York

► St Louis
► Jacksonville

Social

f Facebook
Instagram

Contact Us

16 Creek Ave. Farming, NY
(+88) 000 121 4321

Post-single

```
@extends("layouts/template")
```

```
@section("title")  
Post
```

```

@endsection

@section("middle")

    <!-- Blog Details Hero Section Begin -->
    <section class="blog-details-hero set-bg" data-setbg="{{asset('img/blog/blog-
details-hero.jpg')}}">
        <div class="container">
            <div class="row">
                <div class="col-lg-12">
                    <div class="bd-hero-text">
                        <h2>{{ $post->title }}</h2>
                        <ul>
                            <li><i class="fa fa-user"></i> {{ $post->firstName }}
{{ $post->lastName }}</li>
                            <li><i class="fa fa-clock-o"></i> {{ date("d, M Y", $post-
>created_at) }}</li>
                        </ul>
                    </div>
                </div>
            </div>
        </div>
    </section>
    <!-- Blog Details Hero Section Begin -->

    <!-- Blog Details Section Begin -->
    <section class="blog-details-section">
        <div class="container">
            <div class="row">
                <div class="col-lg-1 offset-lg-1">
                    <div class="blog-details-social">
                        <h6>Share</h6>
                        <div class="social-list">
                            <a href="#"><i class="fa fa-facebook"></i></a>
                            <a href="#"><i class="fa fa-twitter"></i></a>
                            <a href="#"><i class="fa fa-google-plus"></i></a>
                            <a href="#"><i class="fa fa-instagram"></i></a>
                        </div>
                    </div>
                </div>
                <div class="col-lg-8">
                    <div class="blog-details-title">
                        {!! $post->text !!}
                    </div>
                </div>
            </div>
            <div class="row">
                <div class="col-lg-8 offset-lg-2">
                    <div class="tag-share-option">
                        <div class="tags">
                            <a href="#">Real Estate</a>
                            <a href="#">Properties</a>
                        </div>
                        <div class="social-share">

```

```

        <span>Share:</span>
        <a href="#"><i class="fa fa-facebook"></i></a>
        <a href="#"><i class="fa fa-twitter"></i></a>
        <a href="#"><i class="fa fa-google-plus"></i></a>
        <a href="#"><i class="fa fa-instagram"></i></a>
        <a href="#"><i class="fa fa-youtube-play"></i></a>
    </div>
</div>
</div>
</div>
<div class="pt-5">
    @if($comments)
    <h3 class="mb-5">{{ $commentsNumber->commentsNumber }} Comments</h3>
    <ul class="comment-list">
        @foreach($comments as $c)
        <li class="comment">
            <div class="vcard bio">
                alt }}">
            </div>
            <div class="comment-body">
                <h3>{{ $c->firstName }} {{ $c->lastName }}</h3>
                <div class="meta">{{ date("M d, Y", $c->postTime) }} at
{{ date("h:i", $c->postTime) }}</div>
                <p>{{ $c->text }}</p>
            </div>
        </li>
        @endforeach
    </ul>
    <!-- END comment-list -->
    @else
    <h3>No comments</h3>
    @endif
    <div class="row">
        <div class="col-lg-10 offset-lg-1">
            @if(session()->has("user"))
            <div class="leave-comment">
                <h4>Leave A Comment As {{ session("user")->firstName }}
{{ session("user")->lastName }}</h4>
                <form action="#" method="POST">
                    @csrf
                    <div class="row">

                        </div>
                        <textarea placeholder="Your message" id="text"
name="Text"></textarea>
                        <input type="hidden" name="User" id="tbUser"
value="{{ session("user")->user_id }}">
                        <input type="hidden" name="Post" id="tbPost"
value="{{ $post->post_id }}">
                        <button type="button" id="btnSendMessage"
class="site-btn">Send Message</button>
                    </form>
                </div>
            @else
            <h2>U must be logged in to leave comments.</h2>

```

```

        @endif
    </div>
</div>
<br /><br /><br /><br /><br /><br /><br />
</div>
</div>
</section>
<!-- Blog Details Section End -->
@endsection

```

Control panel

Admin/components/posts

Form

```

<div class="col-md-8">
    <div class="card strpied-tabled-with-hover">
        <div class="card-header ">
            <h4 class="card-title">Table users</h4>
            <p class="card-category">All active users</p>
        </div>
        <div class="card-body table-full-width table-responsive">
            <table class="table table-hover table-striped">
                <thead>
                    <th>No.</th>
                    <th>Title</th>
                    <th>Created at</th>
                    <th>Updated at</th>
                    <th>Author</th>
                    <th>Update</th>
                    <th>Delete</th>
                </thead>
                <tbody id="tablePosts">
                    @php
                        $i=1;
                    @endphp
                    @foreach($posts as $p)

                        <tr>

```

```

        <td>{{ $i }}</td>
        <td>{{ $p->title }}</td>
        <td>{{ date("d-m-Y", $p->created_at) }}</td>
        <td>@if($p->updated_at) {{ date("d-m-Y", $p->updated_at) }}
@else / @endif</td>
        <td>{{ $p->firstName }} {{ $p->lastName }}</td>
        <td><a href="{{ route('posts.edit', $p->post_id) }}"
class="btn btn-info waves-effect btn-xs"><i class="material-icons">Edit</i></a></td>
        <td><a href="#" data-id="{{ $p->post_id }}" data-token="{{
csrf_token() }}" class="btn btn-danger waves-effect btn-xs deletePost"><i
class="material-icons">Delete</i></a></td>
    </tr>
    @php
        $i++;
    @endphp
    @endforeach
</tbody>

</table>
</div>
</div>
</div>
</div>

@if(session()->has("deleteError"))
    <script>
        window.onload = function () {
            demo.showNotification('top', 'right', 4, '{{ session("deleteError") }}')
        }
    </script>
@endif

@if(session()->has("deleteSuccess"))
    <script>
        window.onload = function () {
            demo.showNotification('top', 'right', 2, '{{ session("deleteSuccess") }}')
        }
    </script>
@endif

```

formAdd

```

<div class="col-md-7">
    <div class="card">
        <div class="card-header">
            <h4 class="card-title">Add new post</h4>
        </div>
        <div class="card-body">
            <form method="POST" action="{{ route('posts.store') }}"
enctype="multipart/form-data">
                @csrf
                <div class="row">
                    <div class="col-md-12">
                        <div class="form-group">
                            <label>Title</label>

```

```

        <input type="text" class="form-control"
placeholder="Enter post title" value="" name="Title">
    </div>
</div>
</div>
<div class="row">
    <div class="col-md-12">
        <div class="form-group">
            <label>Image</label><br/>
            <input type="file" name="Image" class="form-control">
        </div>
    </div>
</div>
<div class="row">
    <div class="col-md-12">
        <div class="form-group">
            <label>Content</label><br/>
            <textarea id="summernote" class="form-control" rows="20"
name="Text"></textarea>
        </div>
    </div>
</div>
<input type="hidden" name="idUser" value="@if(session()->has("user"))
{{session("user")->user_id}} @endif">
<div id="feedback">
    <ul>
        @isset($errors)
            @foreach($errors->all() as $error)
                <li>{{ $error }}</li>
            @endforeach
        @endisset
    </ul>
</div>
<button type="submit" class="btn btn-info btn-fill pull-right"
name="btnInsertPost">Insert post</button>
<div class="clearfix"></div>
</form>
</div>
</div>
</div>

@if(session()->has("insertPostError"))
    <script>
        window.onload = function () {
            demo.showNotification('top','right',4,'{{session("insertPostError")}}')
        }
    </script>
@endif

@if(session()->has("insertPostSuccess"))
    <script>
        window.onload = function () {

```



```

        demo.showNotification('top','right',2,'{{session("insertPostSuccess")}}')
    }
</script>
@endif
@if($errors->all())
<script>
    window.onload = function () {
        demo.showNotification('top','right',4,'Error on adding post!')
    }
</script>
@endif

```

formEdit

```

<div class="col-md-7">
    <div class="card">
        <div class="card-header">
            <h4 class="card-title">Edit post</h4>
        </div>
        <div class="card-body">
            <form method="POST" action="{{ url("admin/posts/$post->post_id") }}"
enctype="multipart/form-data">
                @csrf
                <input type="hidden" name="_method" value="patch" />
                <div class="row">
                    <div class="col-md-12">
                        <div class="form-group">
                            <label>Title</label>
                            <input type="text" class="form-control"
placeholder="Enter post title" value="{{ $post->title }}" name="Title">
                        </div>
                    </div>
                </div>
                <div class="row">
                    <div class="col-md-12">
                        <div class="form-group">
                            <label>Image</label><br/>
                            <input type="file" name="Image" class="form-control">
                        </div>
                    </div>
                </div>
                <div class="row">
                    <div class="col-md-12">
                        <div class="form-group">
                            <label>Content</label><br/>
                            <textarea id="summernote" class="form-control" rows="20"
name="Text">{{ $post->text }}</textarea>
                        </div>
                    </div>
                </div>
                <input type="hidden" name="idUser" value="@if(session()->has("user"))
{{session("user")->user_id}} @endif">
            </form>
        </div>
    </div>

```

```

        <div id="feedback">
            <ul>
                @isset($errors)
                    @foreach($errors->all() as $error)
                        <li>{{ $error }}</li>
                    @endforeach
                @endisset
            </ul>
        </div>
        <button type="submit" class="btn btn-info btn-fill pull-right"
name="btnInsertPost">Edit post</button>
        <div class="clearfix"></div>
    </form>
</div>
</div>
</div>

@if(session()->has("editError"))
<script>
    window.onload = function () {
        demo.showNotification('top','right',4,'{{session("editError")}}')
    }
</script>
@endif

@if(session()->has("editSuccess"))
<script>
    window.onload = function () {
        demo.showNotification('top','right',2,'{{session("editSuccess")}}')
    }
</script>
@endif
@if($errors->all())
<script>
    window.onload = function () {
        demo.showNotification('top','right',4,'Error on changing user!')
    }
</script>
@endif

```

Admin/components/users form

```

<div class="card strpied-tabled-with-hover">
    <div class="card-header ">

```

```

        <h4 class="card-title">Table properties</h4>
        <p class="card-category">All properties</p>
    </div>
    <div class="card-body table-full-width table-responsive">
        <table class="table table-hover table-striped">
            <thead>
                <th>No.</th>
                <th>First Name</th>
                <th>Last Name</th>
                <th>Email</th>
                <th>Role</th>
                <th>Last updated</th>
                <th>Update</th>
                <th>Delete</th>
            </thead>
            <tbody id="tableUsers">
                @php
                    $i=1;
                @endphp
                @foreach($users as $u)

                    <tr>
                        <td>{{ $i }}</td>
                        <td>{{ $u->firstName }}</td>
                        <td>{{ $u->lastName }}</td>
                        <td>{{ $u->email }}</td>
                        <td>{{ $u->name }}</td>
                        <td>@if($u->updated_at) {{date("d:m:Y, G:i",$u->updated_at)}}
@else / @endif</td>
                        <td><a href="{{ route('users.edit', $u->user_id) }}" class="btn
btn-info waves-effect btn-xs"><i class="material-icons">Edit</i></a></td>
                        <td><a href="{{ route('users.destroy',$u->user_id) }}" data-
id="{{ $u->user_id }}" class="btn btn-danger waves-effect btn-xs deleteUser"><i
class="material-icons">Delete</i></a></td>
                    @csrf
                </tr>
                @php
                    $i++;
                @endphp
                @endforeach
            </tbody>
        </table>
    </div>
</div>
@if(session()->has("deleteError"))
    <script>
        window.onload = function () {
            demo.showNotification('top','right',4,'{{session("deleteError")}}')
        }
    </script>
@endif

@if(session()->has("deleteSuccess"))
    <script>

```

```

        window.onload = function () {
            demo.showNotification('top','right',2,'{{session("deleteSuccess")}}')
        }
    </script>
@endif

```

formAdd

```

<div class="col-md-8">
    <div class="card">
        <div class="card-header">
            <h4 class="card-title">Add new user</h4>
        </div>
        <div class="card-body">
            <form method="POST" action="{{route('users.store')}}"
enctype="multipart/form-data">
                @csrf
                <div class="row">
                    <div class="col-md-12">
                        <div class="form-group">
                            <label>First name</label>
                            <input type="text" class="form-control"
placeholder="Enter first name" value="" name="FirstName">
                        </div>
                    </div>
                </div>
                <div class="row">
                    <div class="col-md-12">
                        <div class="form-group">
                            <label>Last name</label>
                            <input type="text" class="form-control"
placeholder="Enter last name" value="" name="LastName">
                        </div>
                    </div>
                </div>
                <div class="row">
                    <div class="col-md-12">
                        <div class="form-group">
                            <label>Email</label>
                            <input type="email" class="form-control"
placeholder="Enter email" value="" name="Email">
                        </div>
                    </div>
                </div>
                <div class="row">
                    <div class="col-md-12">
                        <div class="form-group">
                            <label>Password</label>
                            <input type="password" class="form-control"
placeholder="Enter password" value="" name="Password">
                        </div>
                    </div>
                </div>
            </div>
        </div>
    </div>

```

```

        <div class="row">
            <div class="col-md-4 pr-1">
                <label>Roles</label>
                <select class="form-control" name="Roles">
                    @foreach($roles as $r)
                        <option value="{{ $r->role_id }}" @if($r->role_id ==
2) selected @endif >{{ $r->name }}</option>
                    @endforeach
                </select>
            </div>
        </div>
        <div class="row">
            <div class="col-md-8 pr-1">
                <div class="form-group">
                    <label>Image</label>
                    <input type="file" name="userImage" class="form-control"
value="">
                </div>
            </div>
        </div>
        <div id="feedback">
            <ul>
                @isset($errors)
                    @foreach($errors->all() as $error)
                        <li>{{ $error }}</li>
                    @endforeach
                @endisset
            </ul>
        </div>
        <button type="submit" class="btn btn-info btn-fill pull-right"
name="btnInsertUser">Insert user</button>
        <div class="clearfix"></div>
    </form>
</div>
</div>
</div>

@if(session()->has("signUpError"))
    <script>
        window.onload = function () {
            demo.showNotification('top','right',4,'{{session("signUpError")}}')
        }
    </script>
@endif

@if(session()->has("signUpSuccess"))
    <script>
        window.onload = function () {
            demo.showNotification('top','right',2,'{{session("signUpSuccess")}}')
        }
    </script>
@endif

```

```

@if($errors->all())
    <script>
        window.onload = function () {
            demo.showNotification('top','right',4,'Error on adding user!')
        }
    </script>
@endif

```

formEdit

```

<div class="col-md-8">
    <div class="card">
        <div class="card-header">
            <h4 class="card-title">Edit user</h4>
        </div>
        <div class="card-body">
            <form method="post" action="{{ url('admin/users/$user->user_id') }}"
            enctype="multipart/form-data">
                @csrf
                <input type="hidden" name="_method" value="patch" />
                <div class="row">
                    <div class="col-md-12">
                        <div class="form-group">
                            <label>First name</label>
                            <input type="text" class="form-control"
                            placeholder="Enter first name" value="{{ $user->firstName }}" name="FirstName">
                        </div>
                    </div>
                </div>
                <div class="row">
                    <div class="col-md-12">
                        <div class="form-group">
                            <label>Last name</label>
                            <input type="text" class="form-control"
                            placeholder="Enter last name" value="{{ $user->lastName }}" name="LastName">
                        </div>
                    </div>
                </div>
                <div class="row">
                    <div class="col-md-12">
                        <div class="form-group">
                            <label>Email</label>
                            <input type="email" class="form-control"
                            placeholder="Enter email" value="{{ $user->email }}" name="Email">
                        </div>
                    </div>
                </div>
                <div class="row">
                    <div class="col-md-12">
                        <div class="form-group">
                            <label>Password</label>
                            <input type="password" class="form-control"

```

```

placeholder="Enter password" value="" name="Password">
    </div>
    </div>
</div>

    <div class="row">
        <div class="col-md-4 pr-1">
            <label>Roles</label>
            <select class="form-control" name="Roles">
                @foreach($roles as $r)
                    <option value="{{ $r->role_id }}" @if($user->role_id
== $r->role_id) selected @endif >{{ $r->name }}</option>
                @endforeach
            </select>
        </div>
    </div>
    <div class="row">
        <div class="col-md-5 pr-1">
            <div class="form-group">
                <label>Image</label>
                <input type="file" name="userImage" class="form-control"
value="">
            </div>
        </div>
    </div>
    <div id="feedback">
        <ul>
            @isset($errors)
                @foreach($errors->all() as $error)
                    <li>{{ $error }}</li>
                @endforeach
            @endisset
        </ul>
    </div>
    <input type="submit" class="btn btn-info btn-fill pull-right"
name="btnEditUser" value="Edit user"/>
    <div class="clearfix"></div>
</form>
</div>
</div>
</div>

@if(session()->has("editError"))
    <script>
        window.onload = function () {
            demo.showNotification('top','right',4,'{{session("editError")}}')
        }
    </script>
@endif

@if(session()->has("editSuccess"))
    <script>

```

```

        window.onload = function () {
            demo.showNotification('top','right',2,'{{session("editSuccess")}}')
        }
    </script>
@endif
@if($errors->all())
    <script>
        window.onload = function () {
            demo.showNotification('top','right',4,'Error on changing user!')
        }
    </script>
@endif

```

Admin/components/properties

```

<div class="col-md-12">
    <div class="card striped-tabled-with-hover">
        <div class="card-header ">
            <h4 class="card-title">Table users</h4>
            <p class="card-category">All active users</p>
        </div>
        <div class="card-body table-full-width table-responsive">
            <table class="table table-hover table-striped">
                <thead>
                    <th>No.</th>
                    <th>Name</th>
                    <th>Address</th>
                    <th>City</th>
                    <th>Status</th>
                    <th>Price</th>
                    <th>Last updated</th>
                    <th>Agent</th>
                    <th>Type</th>
                    <th>Created at</th>
                    <th>Expired at</th>
                    <th>Update</th>
                    <th>Delete</th>
                </thead>
                <tbody id="tableProperties">
                    @php
                        $i=1;
                    @endphp
                    @foreach($properties as $p)

                        <tr>
                            <td>{{ $i }}</td>
                            <td>{{ $p->propertyName }}</td>
                            <td>{{ $p->address }}</td>

```



```

        <td>{{ $p->cityName }}</td>
        <td>{{ $p->status }}</td>
        <td>{{ $p->price }}</td>
        <td>@if($p->updatedProperty) {{date("d-m-Y, G:i", $p->updatedProperty)}} @else / @endif</td>
        <td>{{ $p->firstName }} {{ $p->lastName }}</td>
        <td>{{ $p->typeName }}</td>
        <td>{{date("d-m-Y", $p->datePost)}}</td>
        <td>{{date("d-m-Y", $p->dateExpired)}}</td>
        <td><a href="{{ route('properties.edit', $p->property_id) }}"
class="btn btn-info waves-effect btn-xs"><i class="material-icons">Edit</i></a></td>
        <td><a href="" data-id="{{ $p->property_id }}" data-token="{{ csrf_token() }}" class="btn btn-danger waves-effect btn-xs deleteProperty"><i
class="material-icons">Delete</i></a></td>

    </tr>
    @php
        $i++;
    @endphp
    @endforeach
</tbody>

</table>
</div>
</div>
</div>
@if(session()->has("deleteError"))
    <script>
        window.onload = function () {
            demo.showNotification('top','right',4,'{{session("deleteError")}}')
        }
    </script>
@endif

@if(session()->has("deleteSuccess"))
    <script>
        window.onload = function () {
            demo.showNotification('top','right',2,'{{session("deleteSuccess")}}')
        }
    </script>
@endif

```

formAdd

```

<div class="col-md-10">
    <div class="col-md-8">
        <div class="card">
            <div class="card-header">
                <h4 class="card-title">Add new property</h4>
            </div>
            <div class="card-body">
                <form method="POST" action="{{route('properties.store')}}"
enctype="multipart/form-data">
                    @csrf

```

```

        <div class="row">
            <div class="col-md-7">
                <div class="form-group">
                    <label>Name</label>
                    <input type="text" class="form-control"
placeholder="Enter property name" value="" name="Name">
                </div>
            </div>
            <div class="col-md-5">
                <div class="form-group">
                    <label>Price</label>
                    <input type="number" class="form-control"
placeholder="Enter price of property $" value="" name="Price">
                </div>
            </div>
        </div>
        <div class="row">
            <div class="col-md-5">
                <div class="form-group">
                    <label>Address</label><br />
                    <input type="text" class="form-control"
placeholder="Enter address" value="" name="Address">
                </div>
            </div>
            <div class="col-md-3">
                <div class="form-group">
                    <label>City</label><br />
                    <select class="form-control" name="City">
                        <option value="0">Choose...</option>
                        @foreach($cities as $c)
                            <option value="{{ $c->city_id }}">{{ $c-
>name}}</option>
                        @endforeach
                    </select>
                </div>
            </div>
            <div class="col-md-4">
                <div class="form-group">
                    <label>Status:</label><br />
                    <input type="radio" class="" value="sale"
name="Status" checked /> <label>For sale</label> &nbsp;  
                    <input type="radio" class="" value="rent"
name="Status" /> <label>For rent</label>
                </div>
            </div>
        </div>
        <div class="row">
            <div class="col-md-12">
                <div class="form-group">
                    <label>Description</label><br />
                    <textarea rows="5" cols="85"
name="Description"></textarea>
                </div>
            </div>
        </div>

```

```

        </div>
        <div class="row">
            <div class="col-md-6">
                <div class="form-group">
                    <label>Type property</label><br />
                    <select class="form-control" name="Type">
                        <option value="0">Choose...</option>
                        @foreach($types as $t)
                            <option value="{{ $t->type_id }}">{{ $t-
>name}}</option>
                        @endforeach
                    </select>
                </div>
            </div>
            <div class="col-md-6">
                <div class="form-group">
                    <label>Post expire at</label>
                    <input type="date" class="form-control"
min="{{date('Y-m-d')}}" placeholder="Enter expire date" value="" name="DateExpire">
                </div>
            </div>
        </div>

        <div class="row">
            <div class="col-md-3 pr-1">
                <label>Surface area</label>
                <input type="number" min="50" max="5000" class="form-
control" placeholder="Enter surface area" name="Surface" />
            </div>
            <div class="col-md-3 pr-1">
                <label>Rooms</label>
                <input type="number" min="0" max="15" class="form-
control" placeholder="Enter number of rooms" name="Rooms" />
            </div>
            <div class="col-md-3 pr-1">
                <label>Bathrooms</label>
                <input type="number" min="0" max="15" class="form-
control" placeholder="Enter number of bathrooms" name="Bathrooms" />
            </div>
            <div class="col-md-3 pr-1">
                <label>Garages</label>
                <input type="number" min="0" max="15" class="form-
control" placeholder="Enter number of garages" name="Garages" />
            </div>
        </div>
        <div class="row">
            <div class="col-md-6 pr-1">
                <div class="form-group">
                    <label>Image</label>
                    <input type="file" name="Image" class="form-control"
value="">
                </div>
            </div>
            <div class="col-md-6 pr-1">
                <div class="form-group">

```

```

        <label>Front page:</label><br />
        <input type="checkbox" name="Featured" class=""
value="1"><label>Featured</label> &nbsp;
        <input type="checkbox" name="Main" class=""
value="1"><label>Main</label>
    </div>
</div>
</div>
<div id="feedback">
    <ul>
        @isset($errors)
            @foreach($errors->all() as $error)
                <li>{{ $error }}</li>
            @endforeach
        @endisset
    </ul>
    </div>
    <input type="hidden" name="User" value="@if(session()-
>has("user")) {{session("user")->user_id}} @endif" />
    <button type="submit" class="btn btn-info btn-fill pull-right"
name="btnInsertUser">Insert property</button>
    <div class="clearfix"></div>
</form>
</div>
</div>
</div>
</div>

@if(session()->has("signUpError"))
    {{session("insertPropertyError")}}
    <script>
        window.onload = function () {
demo.showNotification('top','right',2,'{{session("insertPropertyError")}}')
        }
    </script>
@endif

@if(session()->has("insertPropertySuccess"))
    <script>
        window.onload = function () {
demo.showNotification('top','right',2,'{{session("insertPropertySuccess")}}')
        }
    </script>
@endif
@if($errors->all())
    <script>
        window.onload = function () {
            demo.showNotification('top','right',4,'Error on adding property!')
        }
    </script>
@endif

```

formEdit

```
<div class="col-md-10">
  <div class="col-md-8">
    <div class="card">
      <div class="card-header">
        <h4 class="card-title">Edit property</h4>
      </div>
      <div class="card-body">
        <form method="POST" action="{{route('properties.update',$p-
>property_id)}}" enctype="multipart/form-data">
          @csrf
          <input type="hidden" name="_method" value="patch" />
          <div class="row">
            <div class="col-md-7">
              <div class="form-group">
                <label>Name</label>
                <input type="text" class="form-control"
placeholder="Enter property name" value="{{ $p->propertyName }}" name="Name">
              </div>
            </div>
            <div class="col-md-5">
              <div class="form-group">
                <label>Price</label>
                <input type="number" class="form-control"
placeholder="Enter price of property $" value="{{ $p->price }}" name="Price">
              </div>
            </div>
          </div>
          <div class="row">
            <div class="col-md-5">
              <div class="form-group">
                <label>Adress</label><br />
                <input type="text" class="form-control"
placeholder="Enter address" value="{{ $p->address }}" name="Address">
              </div>
            </div>
            <div class="col-md-3">
              <div class="form-group">
                <label>City</label><br />
                <select class="form-control" name="City">
                  <option value="0">Choose...</option>
                  @foreach($cities as $c)
                    <option value="{{ $c->city_id }}" @if($p-
>city_id == $c->city_id) selected @endif>{{ $c->name }}</option>
                  @endforeach
                </select>
              </div>
            </div>
            <div class="col-md-4">
```

```

        <div class="form-group">
            <label>Status:</label><br />
            <input type="radio" class="" value="sale"
name="Status" @if($p->status == 'sale') checked @endif/> <label>For sale</label>
&nbsp;
            <input type="radio" class="" value="rent"
name="Status" @if($p->status == 'rent') checked @endif/> <label>For rent</label>
        </div>
    </div>
</div>
<div class="row">
    <div class="col-md-12">
        <div class="form-group">
            <label>Description</label><br />
            <textarea rows="5" cols="85" name="Description">{{$p-
>description}}</textarea>
        </div>
    </div>
</div>
<div class="row">
    <div class="col-md-6">
        <div class="form-group">
            <label>Type property</label><br />
            <select class="form-control" name="Type">
                <option value="0">Choose...</option>
                @foreach($types as $t)
                    <option value="{{$t->type_id}}" @if($p-
>type_id == $t->type_id) selected @endif>{{$t->name}}</option>
                @endforeach
            </select>
        </div>
    </div>
    <div class="col-md-6">
        <div class="form-group">
            <label>Post expire at</label>
            <input type="date" class="form-control"
min="{{$date('Y-m-d')}}" placeholder="Enter expire date" value="{{$date('Y-m-d' ,$p-
>dateExpired)}}" name="DateExpire">
        </div>
    </div>
</div>
<div class="row">
    <div class="col-md-3 pr-1">
        <label>Surface area</label>
        <input type="number" min="50" max="5000" class="form-
control" placeholder="Enter surface area" value="{{$p->surfaceArea}}" name="Surface"
/>
    </div>
    <div class="col-md-3 pr-1">
        <label>Rooms</label>
        <input type="number" min="0" max="15" class="form-
control" placeholder="Enter number of rooms" value="{{$p->numRooms}}" name="Rooms" />
    </div>
    <div class="col-md-3 pr-1">

```

```

        <label>Bathrooms</label>
        <input type="number" min="0" max="15" class="form-
control" placeholder="Enter number of bathrooms" value="{{ $p->numBathrooms }}"
name="Bathrooms" />
    </div>
    <div class="col-md-3 pr-1">
        <label>Garages</label>
        <input type="number" min="0" max="15" class="form-
control" placeholder="Enter number of garages" value="{{ $p->numGarage }}"
name="Garages" />
    </div>
</div>
<div class="row">
    <div class="col-md-6 pr-1">
        <div class="form-group">
            <label>Image</label>
            <input type="file" name="Image" class="form-control"
value="">
        </div>
    </div>
    <div class="col-md-6 pr-1">
        <div class="form-group">
            <label>Front page:</label><br />
            <input type="checkbox" name="Featured" class=""
value="1" @if($p->featured) checked @endif><label>Featured</label> &nbsp;
            <input type="checkbox" name="Main" class="" value="1"
@if($p->main) checked @endif><label>Main</label>
        </div>
    </div>
</div>
<div id="feedback">
    <ul>
        @isset($errors)
            @foreach($errors->all() as $error)
                <li>{{ $error }}</li>
            @endforeach
        @endisset
    </ul>
</div>
    <input type="hidden" name="User" value="@if(session()-
>has("user")) {{session("user")->user_id}} @endif" />
    <button type="submit" class="btn btn-info btn-fill pull-right"
name="btnInsertUser">Edit property </button>
    <div class="clearfix"></div>
</form>
</div>
</div>
</div>
</div>

@if(session()->has("updatePropertyError"))
    <script>
        window.onload = function () {

```

```

demo.showNotification('top','right',2,'{{session("updatePropertyError")}}')
    }
    </script>
@endif

@if(session()->has("updatePropertySuccess"))
    <script>
        window.onload = function () {

demo.showNotification('top','right',2,'{{session("updatePropertySuccess")}}')
        }
    </script>
@endif
@if($errors->all())
    <script>
        window.onload = function () {
            demo.showNotification('top','right',4,'Error on editing property!')
        }
    </script>
@endif

```

Fixed

Footer

```

<footer class="footer">
    <div class="container-fluid">
        <nav>
            <ul class="footer-menu">
                <li>
                    <a href="{{url('/home')}}">
                        Home
                    </a>
                </li>
                <li>
                    <a href="{{url('/properties')}}">
                        Properties
                    </a>
                </li>
                <li>
                    <a href="{{url('/about-us')}}">
                        About us

```



```

        </a>
    </li>
    <li>
        <a href="{{url('/blog')}}">
            Blog
        </a>
    </li>
    <li>
        <a href="{{url('/contact')}}">
            Contact
        </a>
    </li>
</ul>
<p class="copyright text-center">
    ©
    <script>
        document.write(new Date().getFullYear())
    </script>
    <a href="http://www.creative-tim.com">Creative Tim</a>, made with
love for a better web
</p>
</nav>
</div>
</footer>

</div>
</div>
<!-- -->
<!-- <div class="fixed-plugin">
<div class="dropdown show-dropdown">
    <a href="#" data-toggle="dropdown">
        <i class="fa fa-cog fa-2x"> </i>
    </a>

    <ul class="dropdown-menu">
        <li class="header-title"> Sidebar Style</li>
        <li class="adjustments-line">
            <a href="javascript:void(0)" class="switch-trigger">
                <p>Background Image</p>
                <label class="switch">
                    <input type="checkbox" data-toggle="switch" checked="" data-on-
color="primary" data-off-color="primary"><span class="toggle"></span>
                </label>
                <div class="clearfix"></div>
            </a>
        </li>
        <li class="adjustments-line">
            <a href="javascript:void(0)" class="switch-trigger background-color">
                <p>Filters</p>
                <div class="pull-right">
                    <span class="badge filter badge-black" data-color="black"></span>
                    <span class="badge filter badge-azure" data-color="azure"></span>
                    <span class="badge filter badge-green" data-color="green"></span>
                    <span class="badge filter badge-orange" data-
color="orange"></span>

```

```

        <span class="badge filter badge-red" data-color="red"></span>
        <span class="badge filter badge-purple active" data-
color="purple"></span>
    </div>
    <div class="clearfix"></div>
</a>
</li>
<li class="header-title">Sidebar Images</li>

<li class="active">
    <a class="img-holder switch-trigger" href="javascript:void(0)">
        
    </a>
</li>
<li>
    <a class="img-holder switch-trigger" href="javascript:void(0)">
        
    </a>
</li>
<li>
    <a class="img-holder switch-trigger" href="javascript:void(0)">
        
    </a>
</li>
<li>
    <a class="img-holder switch-trigger" href="javascript:void(0)">
        
    </a>
</li>

<li class="button-container">
    <div class="">
        <a href="http://www.creative-tim.com/product/light-bootstrap-
dashboard" target="_blank" class="btn btn-info btn-block btn-fill">Download, it's
free!</a>
    </div>
</li>

<li class="header-title pro-title text-center">Want more components?</li>

<li class="button-container">
    <div class="">
        <a href="http://www.creative-tim.com/product/light-bootstrap-
dashboard-pro" target="_blank" class="btn btn-warning btn-block btn-fill">Get The PRO
Version!</a>
    </div>
</li>

<li class="header-title" id="sharrreTitle">Thank you for sharing!</li>

<li class="button-container">
    <button id="twitter" class="btn btn-social btn-outline btn-twitter btn-
round sharrre"><i class="fa fa-twitter"></i> · 256</button>
    <button id="facebook" class="btn btn-social btn-outline btn-facebook btn-
round sharrre"><i class="fa fa-facebook-square"></i> · 426</button>

```

```

        </li>
    </ul>
</div>
</div>

-->

</body>

<!-- Core JS Files -->
<script src="{asset('js/core/jquery.3.2.1.min.js')}}"
type="text/javascript"></script>
<script src="https://code.jquery.com/jquery-3.4.1.min.js"></script>
<script
src="https://stackpath.bootstrapcdn.com/bootstrap/3.3.7/js/bootstrap.min.js"></script>
>
<script src="{asset('js/core/popper.min.js')}}" type="text/javascript"></script>
<!-- Plugin for Switches, full documentation here:
http://www.jque.re/plugins/version3/bootstrap.switch/ -->
<script src="{asset('js/plugins/bootstrap-switch.js')}}"></script>
<!-- Google Maps Plugin -->
<script type="text/javascript"
src="https://maps.googleapis.com/maps/api/js?key=YOUR_KEY_HERE"></script>
<!-- Chartist Plugin -->
<script src="{asset('js/plugins/chartist.min.js')}}"></script>
<!-- Notifications Plugin -->
<script src="{asset('js/plugins/bootstrap-notify.js')}}"></script>
<!-- Control Center for Light Bootstrap Dashboard: scripts for the example pages etc
-->
<script src="{asset('js/light-bootstrap-dashboard.js?v=2.0.0')}}" "
type="text/javascript"></script>
<!-- Light Bootstrap Dashboard DEMO methods, don't include it in your project! -->

<script type="text/javascript">
    $(document).ready(function() {
        // Javascript method's body can be found in assets/js/demos.js
        demo.initDashboardPageCharts();
    });
</script>

<script
src="https://cdn.jsdelivr.net/npm/summernote@0.8.16/dist/summernote.min.js"></script>
<script src="{asset('js/core/bootstrap.min.js')}}" type="text/javascript"></script>
<script>
    $(document).ready(function() {
        $('#summernote').summernote();
    });
</script>
<script src="{asset('js/demo.js')}}"></script>
<script src="{asset('js/mainAdmin.js')}}" type="text/javascript"></script>
</html>

```

Head

```
<!DOCTYPE html>

<html lang="en">

<head>
  <meta charset="utf-8" />
  <link rel="apple-touch-icon" sizes="76x76" href="../assets/img/apple-icon.png">
  <link rel="icon" type="image/png" href="../assets/img/favicon.ico">
  <meta http-equiv="X-UA-Compatible" content="IE=edge,chrome=1" />
  <title>Light Bootstrap Dashboard - Free Bootstrap 4 Admin Dashboard by Creative
Tim</title>

  <meta content='width=device-width, initial-scale=1.0, maximum-scale=1.0, user-
scalable=0, shrink-to-fit=no' name='viewport' />
  <!-- Fonts and icons -->
  <link href="https://fonts.googleapis.com/css?family=Montserrat:400,700,200"
rel="stylesheet" />
  <link rel="stylesheet" href="https://maxcdn.bootstrapcdn.com/font-
awesome/latest/css/font-awesome.min.css" />

  <!-- CSS Files -->
  <link href="{{asset("css/bootstrap.min.css")}}" rel="stylesheet" />
  <link href="{{asset("css/light-bootstrap-dashboard.css?v=2.0.0")}}"
rel="stylesheet" />
  <!-- CSS Just for demo purpose, don't include it in your project -->
  <link href="{{asset("css/demo.css")}}" rel="stylesheet" />
  <link href="{{asset("css/style.css")}}" rel="stylesheet" />

  <!-- include libraries(jQuery, bootstrap) -->
  <link
href="https://stackpath.bootstrapcdn.com/bootstrap/3.3.7/css/bootstrap.min.css"
rel="stylesheet">
  <link
href="https://cdn.jsdelivr.net/npm/summernote@0.8.16/dist/summernote.min.css"
rel="stylesheet">

</head>

<body>
<div class="wrapper">
```

Nav

```
<div class="main-panel">
  <!-- Navbar -->
  <nav class="navbar navbar-expand-lg " color-on-scroll="500">
    <div class="container-fluid">
      <a class="navbar-brand" href="#pablo"> Dashboard </a>
      <button href="" class="navbar-toggler navbar-toggler-right" type="button"
data-toggle="collapse" aria-controls="navigation-index" aria-expanded="false" aria-
label="Toggle navigation">
        <span class="navbar-toggler-bar burger-lines"></span>
        <span class="navbar-toggler-bar burger-lines"></span>
        <span class="navbar-toggler-bar burger-lines"></span>
      </button>
      <div class="collapse navbar-collapse justify-content-end"
id="navigation">
        <ul class="nav navbar-nav mr-auto">
          <li class="nav-item">
            <a href="#" class="nav-link" data-toggle="dropdown">
              <span class="d-lg-none">Dashboard</span>
            </a>
          </li>
          <li class="dropdown nav-item">
            <a href="{{url('/admin/notifications')}}" class=" nav-link" >
              <i class="nc-icon nc-email-85"></i>
              @isset($messagesNumber)
                @if($messagesNumber->messageNumber != 0)
                  <span class="notification">{{ $messagesNumber->
messageNumber}}</span>
                @endif
              @endisset
              <span class="d-lg-none">Notification</span>
            </a>
          </li>
        </ul>
        <ul class="navbar-nav ml-auto">
          <li class="nav-item">
            <a class="nav-link " href="{{route('logout')}}">
              <span class="no-icon">Log out</span>
            </a>
          </li>
        </ul>
      </div>
    </div>
  </nav>
  <!-- End Navbar -->
```

Sidebar

```
<div class="sidebar" data-image="../../assets/img/sidebar-5.jpg">
  <!--
Tip 1: You can change the color of the sidebar using: data-color="purple | blue |
green | orange | red"
Tip 2: you can also add an image using data-image tag
-->
  <div class="sidebar-wrapper">
    <div class="logo">
      <a href="http://www.creative-tim.com" class="simple-text">
        Creative Tim
      </a>
    </div>
    <ul class="nav sidenav">
      @if(session("user")->role_id == 1)
        <li>
          <div class="btn-group">
            <a class="dropdown-toggle nav-link" data-toggle="dropdown"
href="#">
              <i class="nc-icon nc-circle-09"></i>
              Users
              <span class="caret"></span>
            </a>
            <ul class="dropdown-menu">
              <a href="{{url('admin/users')}}" class="dropdown-
item">All users</a>
              <a href="{{url('admin/users/create')}}" class="dropdown-
item">Add user</a>
            </ul>
          </div>
        </li>
      @endif
      <li>
          <div class="btn-group">
            <a class="dropdown-toggle nav-link" data-toggle="dropdown"
href="#">
              <i class="nc-icon nc-istanbul"></i>
              Properties
              <span class="caret"></span>
            </a>
            <ul class="dropdown-menu">
              <a href="{{url('admin/properties')}}" class="dropdown-
item">All properties</a>
              @if(session("user")->role_id == 3)
                <a href="{{url('admin/properties/create')}}"
class="dropdown-item">Add property</a>
              @endif
            </ul>
          </div>
        </li>
      </ul>
    </div>
  </div>
```

```

        </li>
        <li>
            <div class="btn-group">
                <a class="dropdown-toggle nav-link" data-toggle="dropdown"
href="#">
                    <i class="nc-icon nc-paper-2"></i>
                    Posts
                    <span class="caret"></span>
                </a>
                <ul class="dropdown-menu">
                    <a href="{{url('admin/posts')}}" class="dropdown-item">All
posts</a>
                    <a href="{{url('admin/posts/create')}}" class="dropdown-
item">Add post</a>
                </ul>
            </div>
        </li>
        @if(session("user")->role_id == 1)
        <li>
            <div class="btn-group">
                <a class="nav-link" href="{{url('admin/logs')}}">
                    <i class="nc-icon nc-align-center"></i>
                    Logs
                </a>
            </div>
        </li>
        @endif
    </ul>
</div>
</div>

```

Partials

formPosts

```

@php
    $i=1;
@endphp
@foreach($posts as $p)

    <tr>
        <td>{{ $i }}</td>
        <td>{{ $p->title }}</td>
        <td>{{ date("d-m-Y", $p->created_at) }}</td>
        <td>@if($p->updated_at) {{ date("d-m-Y", $p->updated_at) }} @else / @endif</td>
        <td>{{ $p->firstName }} {{ $p->lastName }}</td>
    </tr>
@endforeach

```

```

        <td><a href="{{ route('posts.edit',$p->post_id) }}" class="btn btn-info
waves-effect btn-xs"><i class="material-icons">Edit</i></a></td>
        <td><a href="#" data-id="{{ $p->post_id }}" data-token="{{ csrf_token() }}"
class="btn btn-danger waves-effect btn-xs deletePost"><i class="material-
icons">Delete</i></a></td>
    </tr>
    @php
        $i++;
    @endphp
@endforeach

```

formProperties

```

@php
    $i=1;
@endphp
@foreach($properties as $p)

    <tr>
        <td>{{ $i }}</td>
        <td>{{ $p->propertyName }}</td>
        <td>{{ $p->address }}</td>
        <td>{{ $p->cityName }}</td>
        <td>{{ $p->status }}</td>
        <td>{{ $p->price }}</td>
        <td>@if($p->updated_at) {{ date("d-m-Y, G:i",$p->updated_at) }} @else /
    @endif</td>
        <td>{{ $p->firstName }} {{ $p->lastName }}</td>
        <td>{{ $p->typeName }}</td>
        <td>{{ date("d-m-Y",$p->datePost) }}</td>
        <td>{{ date("d-m-Y",$p->dateExpired) }}</td>
        <td><a href="{{ route('properties.edit',$p->property_id) }}" class="btn btn-
info waves-effect btn-xs"><i class="material-icons">Edit</i></a></td>
        <td><a href="" data-id="{{ $p->property_id }}" data-token="{{ csrf_token() }}"
class="btn btn-danger waves-effect btn-xs deleteProperty"><i class="material-
icons">Delete</i></a></td>

    </tr>
    @php
        $i++;
    @endphp
@endforeach

```

formUsers


```

@php
    $i=1;
@endphp
@foreach($users as $u)

    <tr>
        <td>{{ $i }}</td>
        <td>{{ $u->firstName }}</td>
        <td>{{ $u->lastName }}</td>
        <td>{{ $u->email }}</td>
        <td>{{ $u->name }}</td>
        <td>@if($u->updated_at) {{ date("d:m:Y, G:i", $u->updated_at) }} @else /
    @endif</td>
        <td><a href="{{ route('users.edit', $u->user_id) }}" class="btn btn-info
waves-effect btn-xs"><i class="material-icons">Edit</i></a></td>
        <td><a href="{{ route('users.destroy', $u->user_id) }}" data-id="{{ $u-
>user_id }}" class="btn btn-danger waves-effect btn-xs deleteUser"><i
class="material-icons">Delete</i></a></td>
        @csrf
    </tr>
    @php
        $i++;
    @endphp
@endforeach

```

Pages

Users

CREATIVE TIM

USERS +

PROPERTIES +

POSTS +

LOGS


Dashboard  Log out

Table properties

All properties

NO.	FIRST NAME	LAST NAME	EMAIL	ROLE	LAST UPDATED	UPDATE	DELETE
1	Nemanja	Glogovac	asda22@gmail.com	Admin	18.03.2020, 22.23	Edit	Delete
2	Admin	Admin	admin1@gmail.com	Admin	18.03.2020, 22.44	Edit	Delete
3	Rashon	Thomas	admin2@gmail.com	Admin	/	Edit	Delete
4	Cory	Walden	admin3@gmail.com	Admin	/	Edit	Delete
5	Jaimes	Mcadoo	admin4@gmail.com	Admin	/	Edit	Delete
6	Braian	Angola	admin5@gmail.com	Admin	/	Edit	Delete
7	User	User	user1@gmail.com	User	18.03.2020, 22.44	Edit	Delete
8	Ognjen	Jaramaz	user2@gmail.com	User	/	Edit	Delete
9	Marcus	Paige	user3@gmail.com	User	/	Edit	Delete
10	Dusan	Kecman	user4@gmail.com	User	27.03.2020, 16.58	Edit	Delete
11	Reggie	Reding	user5@gmail.com	User	/	Edit	Delete
12	Agent	Agent	agent1@gmail.com	Agent	20.03.2020, 23.33	Edit	Delete
13	Nemanja	Glogovac	agent2@gmail.com	Agent	20.03.2020, 23.34	Edit	Delete
14	Pera	Peric	agent3@gmail.com	Agent	/	Edit	Delete
15	Asda	Asda	agent4@gmail.com	Agent	/	Edit	Delete
16	Cristiano	Ronaldo	agent5@gmail.com	Agent	/	Edit	Delete

Home Properties About us Blog Contact

© 2020 Creative Tim, made with love for a better web


CREATIVE TIM

USERS +

PROPERTIES +

POSTS +

LOGS

Dashboard  Log out

Add new user

FIRST NAME

Enter first name

LAST NAME

Enter last name

EMAIL

Enter email

PASSWORD

Enter password

ROLES

User

IMAGE


Одабери датотеку

Илије одабрамо

Insert user

Home Properties About us Blog Contact

© 2020 Creative Tim, made with love for a better web



```
@extends("layouts/admin")
@section("middle")
    <div class="content">
        <div class="container-fluid">
            <div class="row">
                <div class="col-md-9">
                    @empty($form)
                        @include("admin/components/users/form")
                    @endempty

                    @isset($form)
                        @switch($form)
                            @case('edit')
                                @include('admin/components/users/formEdit')
                            @break
                            @case('insert')
                                @include('admin/components/users/formAdd')
                            @break
                        @endswitch
                    @endisset
                </div>
            </div>
        </div>
    </div>
@endsection
```

Properties

CREATIVE TIM

USERS

PROPERTIES

POSTS

LOGS

Dashboard

Log out

Table users

All active users

NO.	NAME	ADDRESS	CITY	STATUS	PRICE	LAST UPDATED	AGENT	TYPE	CREATED AT	EXPIRED AT	UPDATE	DELETE
1	French Riviera House	180 York Road	Paris	rent	700	26-03-2020, 22:07	Asda Asda	House	18-03-2020	05-04-2020	Edit	Delete
2	The Burrow	72 Lilac Ave. Garland	Paris	sale	800000	/	Pera Peric	Vila	27-03-2020	19-04-2020	Edit	Delete
3	Forest Lodge	55 Taylor Lane Nanuet	Paris	sale	1350000	/	Pera Peric	Apartment	27-03-2020	28-04-2020	Edit	Delete
4	Hillside Pines	767 Tunnel St. Poughkeepsie	London	rent	750	27-03-2020, 17:10	Asda Asda	House	27-03-2020	22-04-2020	Edit	Delete
5	Springfield Manor	7048 Branch Court Flint	London	sale	490000	27-03-2020, 17:09	Asda Asda	House	27-03-2020	25-04-2020	Edit	Delete
6	Gilt Hut	809 Brianwood Street Monticai	London	rent	1300	/	Agent Agent	House	27-03-2020	29-04-2020	Edit	Delete
7	Villa 9721 Glen Creek	9721 Glen Creek Ave	London	sale	250000	26-03-2020, 22:11	Nemanja Glogovac	Vila	18-03-2020	09-04-2020	Edit	Delete
8	Studio 69	999 Pacific Drive Bristol	London	rent	1500	/	Agent Agent	Apartment	27-03-2020	15-04-2020	Edit	Delete
9	The Loft	8581 San Carlos Road Homestead	London	rent	2500	/	Agent Agent	Apartment	27-03-2020	29-04-2020	Edit	Delete
10	Mill House	721 Glen Ave. Ballston	Madrid	sale	550000	27-03-2020, 17:13	Agent Agent	House	18-03-2020	18-04-2020	Edit	Delete
11	The Rectory	8497 E. Union Drive Concord	Madrid	rent	460	/	Cristiano Ronaldo	House	27-03-2020	01-05-2020	Edit	Delete
12	Green Valley Arms	63 Summerhouse St. Saint Joseph	Madrid	sale	130000	/	Pera Peric	Apartment	27-03-2020	14-04-2020	Edit	Delete
13	The Sky Palace	8497 E. Union Drive Concord	Madrid	sale	150000	/	Agent Agent	Apartment	27-03-2020	20-04-2020	Edit	Delete
14	Foxwood Place	1 La Sierra Street Nanuet,10954	Rome	sale	1250000	/	Cristiano Ronaldo	Vila	27-03-2020	16-04-2020	Edit	Delete
15	Thornfield	30 Wayne Ave. Bensalem	Rome	sale	250000	/	Cristiano Ronaldo	Vila	27-03-2020	29-04-2020	Edit	Delete

Home

Properties

About us

Blog

Contact

© 2020 Creative Tim, made with love for a better web

CREATIVE TIM

USERS

PROPERTIES

POSTS

LOGS

Dashboard

Log out

Edit property

NAME

PRICE

French Riviera House

700

ADDRESS

CITY

STATUS

180 York Road

Paris

☒ FOR SALE ☐ FOR RENT

DESCRIPTION

Learn how to improve your playing quality and even overall understanding of online gaming and how you perform while playing online. Gaming online is a huge business nowadays and that means that there are millions of people worldwide at online game sites all the time. Many are people just like you and me that like to play online and have fun doing it. Some of these people enjoy it so much, that they often do not even care about improving their skill and raising their

TYPE PROPERTY

POST EXPIRE AT

House

05.04.2020.

SURFACE AREA

ROOMS

BATHROOMS

GARAGES

270

9

2

1

IMAGE

FRONT PAGE

Одабори датотеку

Није одабрано

☒ FEATURED ☐ MAIN

Edit property

Home

Properties


About us

Blog

Contact

© 2020 Creative Tim, made with love for a better web

CREATIVE TIM

Dashboard  Log out

PROPERTIES +

POSTS +

NAME

Enter property name

PRICE

Enter price of property \$

ADDRESS

Enter address

CITY

Choose...

STATUS

☒ FOR SALE
 ☐ FOR RENT

DESCRIPTION

TYPE PROPERTY

Choose...

POST EXPIRE AT

ДД.ММ.ГГГГ.

SURFACE AREA

Enter surface area

ROOMS

Enter number of rooms

BATHROOMS

Enter number of bathroom

GARAGES

Enter number of garages

IMAGE

Одбери датотеку

Није одабрано

FRONT PAGE:

☒ FEATURED
 ☐ MAIN

Insert property

[Home](#)
[Properties](#)
[About us](#)
[Blog](#)
[Contact](#)

© 2020 Creative Tim, made with love for a better web

```

@extends("layouts/admin")
@section("middle")
    <div class="content">
        <div class="container-fluid">
            <div class="row">


                @empty($form)
                    @include("admin/components/properties/form")
                @endempty

                @isset($form)
                    @switch($form)
                        @case('edit')
                            @include('admin/components/properties/formEdit')
                        @break
                        @case('insert')
                            @include('admin/components/properties/formAdd')
                        @break
                    @endswitch
                @endisset

            </div>
        </div>
    </div>
@endsection

```

Posts



```
@extends("layouts/admin")
@section("middle")
    <div class="content">
        <div class="container-fluid">
            <div class="row">


                @empty($form)
                    @include("admin/components/posts/form")
                @endempty

                @isset($form)
                    @switch($form)
                        @case('edit')
                            @include('admin/components/posts/formEdit')
                        @break
                        @case('insert')
                            @include('admin/components/posts/formAdd')
                        @break
                    @endswitch
                @endisset

            </div>
        </div>
    </div>
@endsection
```

Activity log

CREATIVE TIM

Dashboard  Log out

USERS +

PROPERTIES +

POSTS +

LOGS

Table users

All active users

NO	SUBJECT	URL	METHOD	IP	USER AGENT	USER ID	DATE
1	User logged in successfully	http://127.0.0.1:8000/login	POST	127.0.0.1	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/80.0.3987.149 Safari/537.36	50	27-Mar-2020 at 15:41:32
2	User logged out successfully	http://127.0.0.1:8000/logout	GET	127.0.0.1	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/80.0.3987.149 Safari/537.36	50	27-Mar-2020 at 15:45:09
3	Unauthorized user tried to gain access to control panel	http://127.0.0.1:8000/admin/notifications	GET	127.0.0.1	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/80.0.3987.149 Safari/537.36	/	27-Mar-2020 at 15:52:40
4	User logged in successfully	http://127.0.0.1:8000/login	POST	127.0.0.1	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/80.0.3987.149 Safari/537.36	44	27-Mar-2020 at 15:56:29
5	User successfully deleted user1	http://127.0.0.1:8000/admin/users/49	DELETE	127.0.0.1	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/80.0.3987.149 Safari/537.36	44	27-Mar-2020 at 15:56:35
6	User failed delete on users1	http://127.0.0.1:8000/admin/users/49	DELETE	127.0.0.1	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/80.0.3987.149 Safari/537.36	44	27-Mar-2020 at 15:56:40
7	User successfully deleted user1	http://127.0.0.1:8000/admin/users/48	DELETE	127.0.0.1	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/80.0.3987.149 Safari/537.36	44	27-Mar-2020 at 15:56:46
8	User successfully deleted user1	http://127.0.0.1:8000/admin/users/50	DELETE	127.0.0.1	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/80.0.3987.149 Safari/537.36	44	27-Mar-2020 at 15:57:59
9	User successfully deleted user1	http://127.0.0.1:8000/admin/users/47	DELETE	127.0.0.1	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/80.0.3987.149 Safari/537.36	44	27-Mar-2020 at 15:58:56
10	User successfully deleted user1	http://127.0.0.1:8000/admin/users/51	DELETE	127.0.0.1	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/80.0.3987.149 Safari/537.36	44	27-Mar-2020 at 15:59:12
11	User successfully deleted user1	http://127.0.0.1:8000/admin/users/46	DELETE	127.0.0.1	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/80.0.3987.149 Safari/537.36	44	27-Mar-2020 at 16:01:30
12	User successfully deleted user1	http://127.0.0.1:8000/admin/users/52	DELETE	127.0.0.1	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/80.0.3987.149 Safari/537.36	44	27-Mar-2020 at 16:04:44
13	User failed delete on users1	http://127.0.0.1:8000/admin/users/52	DELETE	127.0.0.1	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/80.0.3987.149 Safari/537.36	44	27-Mar-2020 at 16:04:49
14	User successfully deleted user1	http://127.0.0.1:8000/admin/users/48	DELETE	127.0.0.1	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/80.0.3987.149 Safari/537.36	44	27-Mar-2020 at 16:04:49

```
@extends("layouts/admin")

@section("title")
    Notifications
@endsection

@section("middle")
    <div class="col-md-12">
        <div class="card striped-tabled-with-hover">
            <div class="card-header">
                <h4 class="card-title">Table users</h4>
                <p class="card-category">All active users</p>
            </div>
            <div class="card-body table-full-width table-responsive">
                <table class="table table-hover table-striped">
                    <thead>
                        <th>No.</th>
                        <th>Subject</th>
                        <th>URL</th>
                        <th>Method</th>
                        <th>Ip</th>
                        <th>User agent</th>
                        <th>User id</th>
                        <th>Date</th>
                    </thead>
                    <tbody id="tablePosts">
                        @php
                            $i=1;
                        @endphp
                        @foreach($logs as $l)

                            <tr>
                                <td>{{ $i }}</td>
                                <td>{{ $l->subject }}</td>
```


```

<td>{{ $1->url }}</td>
<td>{{ $1->method }}</td>
<td>{{ $1->ip }}</td>
<td>{{ $1->user_agent }}</td>
<td>@if($1->user_id) {{ $1->user_id }} @else / @endif</td>
<td>{{ date("d-M-Y", $1->time) }} at {{ date("H:i:s", $1->time) }}</td>
</tr>
@php
    $i++;
@endphp
@endforeach
</tbody>

</table>
</div>
</div>
</div>
@endsection

```

Notifications



```

@extends("layouts/admin")

@section("title")
    Notifications
@endsection

```

```

@section("middle")
  <div class="content">
    <div class="container-fluid">
      <div class="row">
        <div class="col-md-7">
          <div class="card">
            <div class="card-header">
              <h4 class="card-title">Messages</h4>
              <p class="card-category">All messages from users</p>
            </div>
            <div class="card-body">
              <ul class="comment-list">
                @if(session("user")->role_id == 3)
                  @foreach($messages as $m)
                    @if($m->seen == 0)
                      <div class="card">
                        <div class="card-header bg-info">
                          <li class="comment">
                            <div class="vcard bio">
                              alt}}}">
                            </div>
                            <div class="comment-body">
                              <h3>{{{$m->firstName}}}</h3>
                              <div class="meta">{{date("d-m-Y",$m->dateNotifyPost)}} at {{date("H:i:s",$m-
>dateNotifyPost)}}</div>
                              <br /><h5>For property:
                              <div>
                                <div class="card-body">
                                  <p>{{{$m->text}}}</p>
                                </div>
                              </div>
                            </li>
                          </div>
                        @else
                          <div class="card">
                            <div class="card-header bg-success">
                              <li class="comment">
                                <div class="vcard bio">
                                  alt}}}">
                                </div>
                                <div class="comment-body">
                                  <h3>{{{$m->firstName}}}</h3>
                                  <div class="meta">{{date("d-m-Y",$m->dateNotifyPost)}} at {{date("H:i:s",$m-
>dateNotifyPost)}}</div>
                                  <br /><h5>For property:

```

```

    </div>
  </div>
  <div class="card-body">
    <p>{{ $m->text }}</p>

  </div>
</li>

</div>
@endif
@endforeach
@endif

@if(session("user")->role_id == 1)
  @foreach($messages as $m)
    @if($m->seen == 0)
      <div class="card">
        <div class="card-header bg-info">
          <li class="comment">
            <div class="comment-body">
              <h3>Name: {{ $m-
>name }}</h3>
              <h3>Email: {{ $m-
>email }}</h3>
              <div
class="meta">{{ date("d-m-Y", $m->datePost) }} at {{ date("H:i:s", $m->datePost) }}</div>
            </div>
            <div class="card-body">
              <p>{{ $m->text }}</p>

            </div>
          </li>

        </div>
      @else
        <div class="card">
          <div class="card-header bg-
success">
            <li class="comment">
              <div class="comment-
body">
                <h3>Name: {{ $m-
>name }}</h3>
                <h3>Email: {{ $m-
>email }}</h3>
                <div
class="meta">{{ date("d-m-Y", $m->datePost) }} at {{ date("H:i:s", $m->datePost) }}</div>
              </div>
              <div class="card-body">
                <p>{{ $m->text }}</p>

```

```
                                </div>
                                </li>
                                </div>
                                @endif
                                @endforeach
                                @endif
                                </ul>
                                </div>
                                </div>
                                </div>
                                </div>
                                </div>
                                </div>
                                </div>
                                @endsection
```