

1. Create a cross join between the tables EMPLOYEES and DEPARTMENTS and display all the information from both tables.

```
SELECT *  
FROM employees CROSS JOIN departments
```

2. Create a natural join between the tables EMPLOYEES and DEPARTMENTS and display all the information from both tables.

```
SELECT *  
FROM employees NATURAL JOIN departments
```

3. Create a join between the tables EMPLOYEES and DEPARTMENTS and display all the information from both tables for employees having department_id=90.

```
SELECT *  
FROM employees e JOIN departments d ON (e.department_id =  
d.department_id)  
WHERE e.department_id=90;
```

4. Create a join between the tables EMPLOYEES and DEPARTMENTS using department_id and display all the information from both tables.

```
SELECT *  
FROM employees e JOIN departments d ON (e.department_id =  
d.department_id);
```

5. Create a join between the tables EMPLOYEES and DEPARTMENTS using manager_id and display all the information from both tables.

```
SELECT *  
FROM employees e JOIN departments d ON (e.manager_id = d.manager_id);
```

6. Create a cross join between the tables EMPLOYEES and JOB_HISTORY and display all the information from both tables.

```
SELECT *  
FROM employees CROSS JOIN job_history;
```

7. Create a natural join between the tables EMPLOYEES and JOB_HISTORY and display the first_name, last_name from employees and start_date and end_date from job_history.

```
SELECT first_name, last_name, start_date, end_date  
FROM employees NATURAL JOIN job_history;  
OR  
SELECT e.first_name, e.last_name, j.start_date, j.end_date
```

```
FROM employees e NATURAL JOIN job_history j;
```

8. Create a join between the tables EMPLOYEES and JOB_HISTORY using employee_id and display the first_name, last_name from employees and start_date and end_date from job_history.

```
SELECT e.first_name, e.last_name, j.start_date, j.end_date  
FROM employees e JOIN job_history j USING(employee_id);
```

9. Create a cross join between the tables DEPARTMENTS and JOB_HISTORY and display all the information from both tables.

```
SELECT *  
FROM Departments d CROSS JOIN job_history j;
```

10. Create a join between the tables DEPARTMENTS and JOB_HISTORY and display the department_name, location_id from departments and start_date and end_date from job_history.

```
SELECT d.department_name, d.location_id, j.start_date, j.end_date  
FROM departments d JOIN job_history j ON (d.department_id = j.department_id);
```

11. Create a join between the tables DEPARTMENTS and JOB_HISTORY using department_id and display the department_name, location_id from departments and start_date and end_date from job_history.

```
SELECT d.department_name, d.location_id, j.start_date, j.end_date  
FROM departments d JOIN job_history j ON (d.department_id = j.department_id);
```

12. Create a cross join between the tables EMPLOYEES and JOB_HISTORY and display first_name, last_name from employees and start_date and end_date from job_history.

```
SELECT e.first_name, e.last_name, j.start_date, j.end_date  
FROM employees e CROSS JOIN job_history j;
```

13. Create a join between the tables EMPLOYEES and JOB_HISTORY using department_id and display the first_name, last_name and salary from employees and start_date and end_date from job_history.

```
SELECT e.first_name, e.last_name, e.salary, j.start_date, j.end_date  
FROM employees e JOIN job_history j USING(department_id);
```

14. Create a join between the tables EMPLOYEES and DEPARTMENTS and display all the information from both tables for employees having manager_id=124.

```
SELECT *
```

```
FROM employees NATURAL JOIN departments  
WHERE manager_id=124;
```

15. Create a join between the tables EMPLOYEES, DEPARTMENTS and LOCATIONS and display all the information for employees having manager_id=124.

```
SELECT *  
FROM employees NATURAL JOIN departments, locations  
WHERE manager_id=124;
```

16. Create a join between EMPLOYEES and DEPARTMENTS using department_id, and display first_name, last_name, hire_date, department_name and department_id.

```
SELECT first_name, last_name, hire_date, department_name, department_id  
FROM employees NATURAL JOIN departments;
```

17. Create a join between EMPLOYEES and DEPARTMENTS using department_id, and display first_name, last_name, salary, hire_date, department_name and department_id for all employees departments 80 or 50.

```
SELECT first_name, last_name, salary, hire_date, department_name,  
department_id  
FROM employees NATURAL JOIN departments  
WHERE department_id IN (80, 90);
```

18. Create natural join to join the DEPARTMENTS table and the LOCATIONS table. Display all the information.

```
SELECT *  
FROM departments NATURAL JOIN locations;
```

19. Create a natural join to join the DEPARTMENTS table and the LOCATIONS table. Restrict the output to only department IT. Display the department id, department name, location id, and city.

```
SELECT department_id, department_name, location_id, city  
FROM departments NATURAL JOIN locations  
WHERE department_id=60;
```

20. Join the LOCATIONS and DEPARTMENTS table using the location_id column. Display all the information.

```
SELECT *  
FROM locations JOIN departments USING(location_id);
```

21. Create a natural join to join the departments table and the LOCATIONS table. Restrict the output to only manager ID of 124. Display the department id, department name, location id, and city.

```
SELECT department_id, department_name, location_id, city  
FROM locations NATURAL JOIN departments  
WHERE manager_id=124;
```

22. Join the LOCATIONS and DEPARTMENTS table using the location_id column. Limit the results to locations 1400 and 1700.

```
SELECT department_id, department_name, location_id, city  
FROM locations JOIN departments USING(location_id)  
WHERE location_id BETWEEN 1400 and 1700;
```

23. Create a join between the tables EMPLOYEES, DEPARTMENTS and LOCATIONS and display first_name, last_name, salary, department_name, street_address, city from employees hired after 01.01.1999.

```
SELECT first_name, last_name, salary, department_name, street_address, city  
FROM locations NATURAL JOIN departments NATURAL JOIN employees  
WHERE hire_date > '01-Jan-1999';
```

24. Create a join between the tables EMPLOYEES, DEPARTMENTS and LOCATIONS and display first_name, last_name, salary, department_name, street_address, city from employees having department_id=80.

```
SELECT first_name, last_name, salary, department_name, street_address, city  
FROM locations NATURAL JOIN departments NATURAL JOIN employees  
WHERE department_id=80;
```

25. Create a join between the tables EMPLOYEES, DEPARTMENTS and LOCATIONS and display first_name, last_name, salary, department_name, street_address, city from employees having manager_id=124

```
SELECT first_name, last_name, salary, department_name, street_address, city  
FROM locations NATURAL JOIN departments NATURAL JOIN employees  
WHERE manager_id=124;
```