

1 Display the first_name, the last_name, and the salary for employees hired after Rajs.

```
select first_name, last_name, salary
from employees
where hire_date > (select hire_date from employees where last_name = 'Rajs');
```

2 Create a join between the tables EMPLOYEES and JOB_HISTORY and display all the information from both tables for employees hired after Rajs.

```
select *
from EMPLOYEES NATURAL JOIN JOB_HISTORY
where hire_date > (select hire_date from EMPLOYEES where last_name = 'Rajs');
```

3 Create a join between the tables EMPLOYEES and JOB_HISTORY using department_id and display the first_name, the last_name, the start_date and the end_date for employees hired after Rajs.

```
select first_name, last_name, start_date, end_date
from EMPLOYEES JOIN JOB_HISTORY USING(department_id)
where hire_date > (select hire_date from EMPLOYEES where last_name = 'Rajs');
```

4 Display the first_name, the last_name, and the salary for employees who earns more than the maximum salaries for all the employees having department_id=50.

```
select first_name, last_name, SALARY
from EMPLOYEES JOIN JOB_HISTORY USING(department_id)
where SALARY > (select MAX(SALARY) from EMPLOYEES where department_id=50);
```

5 Create a join between the tables EMPLOYEES and DEPARTMENTS and display all the information from both tables for employees who earns more than the maximum salaries for all the employees having department_id=50.

```
select *
from EMPLOYEES NATURAL JOIN DEPARTMENTS
where SALARY > (select MAX(SALARY) from EMPLOYEES where department_id=50);
```

6 Create a join between the tables EMPLOYEES and DEPARTMENTS using department_id and display the last_name, the first_name, the salary, the department_id and the location_id for employees who earns more than the maximum salaries for all the employees having department_id=50.

```
select last_name, first_name, salary, department_id, location_id
from EMPLOYEES JOIN DEPARTMENTS USING(department_id)
where SALARY > (select MAX(SALARY) from EMPLOYEES where department_id=50);
```

7 Display the first_name, the last_name, the salary, the department_name and the department_id for employees having the same manager_id as Matos.

```
select last_name, first_name, salary, department_id
from EMPLOYEES
where manager_id = (select manager_id from EMPLOYEES where LAST_name = 'Matos');
```

8 Create a join between the tables EMPLOYEES and DEPARTMENTS using manager_id and display the last_name, the first_name, the salary, the manager_id and the location_id for employees having the same manager_id as Matos.

```
select last_name, first_name, salary, manager_id, location_id
from EMPLOYEES JOIN DEPARTMENTS USING(manager_id)
where manager_id = (select manager_id from EMPLOYEES where last_name = 'Matos');
```

9 Display first_name, last_name, and the salary from employees who earn more than the minimum salaries for employees hired after Matos.

```
SELECT first_name, last_name, salary
FROM EMPLOYEES
WHERE salary > (SELECT MIN(salary) FROM EMPLOYEES
WHERE hire_date > (SELECT hire_date FROM EMPLOYEES WHERE LAST_name = 'Matos'));
```

10 Create a join between the tables EMPLOYEES and DEPARTMENTS using department_id and display the last_name, the first_name, the salary, the department_id and the location_id for employees who earn more than the minimum salaries for employees hired after Matos.

```
SELECT first_name, last_name, salary, department_id, location_id
FROM EMPLOYEES JOIN DEPARTMENTS USING(department_id)
WHERE salary > (SELECT MIN(salary) FROM EMPLOYEES
WHERE hire_date > (SELECT hire_date FROM EMPLOYEES WHERE LAST_name = 'Matos'));
```

11 Display the first_name, the last_name, and the salary for employees hired before Grant.

```
SELECT first_name, last_name, salary
FROM EMPLOYEES
WHERE hire_date > (SELECT hire_date FROM EMPLOYEES WHERE LAST_name = 'Matos');
```

12 Create a join between the tables EMPLOYEES and DEPARTMENTS using department_id and display the last_name, the first_name, the salary, the hire_date, the department_id and the location_id for employees hired before Grant.

```
select last_name, first_name, salary, hire_date, department_id, location_id
from EMPLOYEES e JOIN DEPARTMENTS d USING(department_id )
WHERE hire_date > (SELECT hire_date FROM EMPLOYEES WHERE LAST_name =
'Matos');
```

13 Display the first_name, the last_name, and the salary for employees having the same manager as Davies.

```
SELECT first_name, last_name, salary
FROM EMPLOYEES
WHERE manager_id = (SELECT manager_id FROM EMPLOYEES WHERE last_name =
'Davies');
```

14 Create a join between the tables EMPLOYEES and JOB_HISTORY using department_id and display the first_name, the last_name, the salary, the start_date and the end_date for employees having the same manager as Davies.

```
SELECT first_name, last_name, salary, start_date, end_date
FROM EMPLOYEES JOIN JOB_HISTORY USING(department_id)
WHERE manager_id = (SELECT manager_id FROM EMPLOYEES WHERE last_name =
'Davies');
```

15 Display the first_name, the last_name, and the salary for employees having the same job_id as Grant.

```
SELECT first_name, last_name, salary
FROM EMPLOYEES
WHERE job_id = (SELECT job_id FROM EMPLOYEES WHERE last_name = 'Grant');
```

16 Create a join between the tables EMPLOYEES and DEPARTMENTS using department_id and display the first_name, the last_name, the location_id and the salary for employees having the same job_id as Grant.

```
SELECT first_name, last_name, salary, location_id
FROM EMPLOYEES JOIN DEPARTMENTS USING(department_id)
WHERE job_id = (SELECT job_id FROM EMPLOYEES WHERE last_name = 'Grant');
```

17 Display the first_name and the last_name in the same column "Name" for employees having the same job_id as Grant.

```
SELECT first_name || ' ' || last_name as "Name"
FROM EMPLOYEES
WHERE job_id = (SELECT job_id FROM EMPLOYEES WHERE last_name = 'Grant');
```

18 Create a join between the tables EMPLOYEES and DEPARTMENTS using department_id and display the first_name and the last_name in one new column "Name", the location_id, the department_id and the salary for employees having the same job_id as Grant.

```
SELECT first_name || ' ' || last_name as "Name", location_id, department_id, salary
FROM EMPLOYEES JOIN DEPARTMENTS USING(department_id)
WHERE job_id = (SELECT job_id FROM EMPLOYEES WHERE last_name = 'Grant');
```

19 Display the first_name, the last_name, and the salary for employees who earn more than the average salaries for all the employees having manager_id=124.

```
SELECT first_name, last_name, salary
FROM EMPLOYEES
WHERE salary > (SELECT avg(salary) FROM EMPLOYEES WHERE manager_id=124);
```

20 Create a join between the tables EMPLOYEES and DEPARTMENTS using manager_id and display the first_name and the last_name in one new column "Name", the location_id, the manager_id and the salary for employees who earn more than the average salaries for all the employees having manager_id=124.

```
SELECT first_name || ' ' || last_name as "Name", location_id, manager_id, salary
FROM EMPLOYEES JOIN DEPARTMENTS USING(manager_id)
WHERE salary > (SELECT avg(salary) FROM EMPLOYEES WHERE manager_id=124);
```

21 Display the first_name, the last_name, and the salary for employees having the same department as Matos.

```
SELECT first_name, last_name, salary
FROM EMPLOYEES
WHERE department_id= (SELECT department_id FROM EMPLOYEES WHERE last_name = 'Matos');
```

22 Create a join between the tables EMPLOYEES and JOB_HISTORY using department_id and display the first_name, the last_name, the department_id, the start_date and the end_date for employees having the same department as Matos.

```
SELECT first_name, last_name, salary, department_id, start_date, end_date
FROM EMPLOYEES JOIN JOB_HISTORY USING(department_id)
WHERE department_id= (SELECT department_id FROM EMPLOYEES WHERE last_name = 'Matos');
```

23 Create a join between the tables EMPLOYEES and JOB_HISTORY using job_id and display the first_name, the last_name, the job_id, the start_date and the end_date for employees having the same job_id as Grant.

```
SELECT first_name, last_name, job_id, department_id, start_date, end_date  
FROM EMPLOYEES JOIN JOB_HISTORY USING(job_id)  
WHERE job_id= (SELECT job_id FROM EMPLOYEES WHERE last_name = 'Grant');
```

24 Display the first_name, the last_name, and the salary for employees hired after Abel.

```
SELECT first_name, last_name, salary  
FROM EMPLOYEES  
WHERE hire_date > (SELECT hire_date FROM EMPLOYEES WHERE last_name = 'Abel');
```

25 Create a join between the tables EMPLOYEES and DEPARTMENTS using department_id and display the first_name, the last_name, the hire_date, the department_name and the location_id for employees hired after Abel.

```
SELECT first_name, last_name, hire_date, department_name, location_id  
FROM EMPLOYEES JOIN DEPARTMENTS USING(department_id)  
WHERE hire_date > (SELECT hire_date FROM EMPLOYEES WHERE last_name = 'Abel');
```

26 Display the first_name, the last_name, and the salary for employees who earns more than the minimum salaries for all the employees having department_id=80.

```
SELECT first_name, last_name, salary  
FROM EMPLOYEES  
WHERE salary > (SELECT min(salary) FROM EMPLOYEES WHERE department_id=80);
```

27 Create a join between the tables EMPLOYEES and DEPARTMENTS using department_id and display the last_name, the salary, the department_name and the location_id for employees who earns more than the minimum salaries for all the employees having department_id=80.

```
SELECT first_name, last_name, hire_date, department_name, location_id  
FROM EMPLOYEES JOIN DEPARTMENTS USING(department_id)  
WHERE salary > (SELECT min(salary) FROM EMPLOYEES WHERE department_id=80);
```

28 Create a join between the tables EMPLOYEES and JOB_HISTORY using job_id and display the first_name, the last_name, the salary, the start_date and the end_date for employees who earns more than the minimum salaries for all the employees having department_id=80.

```
SELECT first_name, last_name, salary, start_date, end_date  
FROM EMPLOYEES JOIN JOB_HISTORY USING(job_id)  
WHERE salary > (SELECT min(salary) FROM EMPLOYEES WHERE department_id=80);
```

29 Create a join between the tables EMPLOYEES, DEPARTMENTS and LOCATIONS and display all the information for employees having job_id=sa_rep or ad_vp.

```
SELECT *  
FROM EMPLOYEES NATURAL JOIN DEPARTMENTS NATURAL JOIN LOCATIONS  
WHERE job_id IN ('SA_REP', 'AD_VP');
```

30 Create a join between the tables DEPARTMENTS and LOCATIONS using location_id and display all the information for employees having location_id=1700.

```
SELECT *  
FROM DEPARTMENTS JOIN LOCATIONS USING(location_id)  
WHERE location_id=1700;
```