

1. Display the lowest salary for employees having department_id=50.

```
SELECT MIN(salary)
FROM employees
where department_id=50;
```

2. Display the first_name, the last_name and the department_id for employees having the lowest salary.

```
SELECT first_name, last_name, department_id
FROM employees
WHERE salary = (SELECT MIN(salary) FROM employees);
```

3. Display the last in the alphabetic list of names.

```
SELECT MAX(last_name)
FROM employees;
```

4. Display the first_name, the last_name and the department_id for the first employee in the alphabetic list of names

```
SELECT first_name, last_name, department_id
FROM employees
WHERE last_name = (SELECT MIN(last_name) FROM employees);
```

5. Display the first_name, the last_name and the department_id for employees who earn less than the average salary.

```
SELECT first_name, last_name, department_id
FROM employees
WHERE salary < (SELECT AVG(salary) FROM employees);
```

6. Display the maximum salary of employees in each department.

```
SELECT MAX(salary)
FROM employees
GROUP BY department_id
ORDER BY department_id;
```

7. Display the average salary of employees in each department and order by department_id. Round the average with two decimal places.

```
SELECT ROUND(AVG(salary),2)
FROM employees
GROUP BY department_id
ORDER BY department_id;
```

8. Arrange in descending order according to job_id, and display the employees' minimum salary for each job_id.

```
SELECT MIN(salary)
FROM employees
GROUP BY job_id
ORDER BY job_id DESC;
```

9. Arrange in descending order according to department_id, and display the employees' maximum salary for each department_id>60.

```
SELECT MAX(salary)
FROM employees
WHERE department_id>60
GROUP BY department_id
ORDER BY department_id DESC;
```

10. Display the average salary of employees for each job_id ≠ sa_rep and order by job_id.

```
SELECT AVG(salary)
FROM employees
WHERE job_id != 'SA_REP'
GROUP BY job_id
ORDER BY job_id;
```

11. Show how many employees are in each department.

```
SELECT COUNT(*)
FROM employees
GROUP BY department_id
ORDER BY department_id DESC;
```

12. Show how many employees work for each job_id.

```
SELECT COUNT(*)
FROM employees
GROUP BY job_id
ORDER BY job_id;
```

13. Find the average salary in each department and then only return the department with the lowest salary greater than four thousand.

```
SELECT department_id  
FROM employees  
GROUP BY department_id  
HAVING AVG(salary) > 4000  
ORDER BY department_id;
```

14. Display the biggest salary for each department!=50. Group the data using department_id.

```
SELECT MAX(salary)  
FROM employees  
Where department_id != 50  
GROUP BY department_id  
ORDER BY department_id;
```

15. Display the lowest salary for each department having a min(salary)>5000. Group the data using department_id.

```
SELECT MIN(salary)  
FROM employees  
GROUP BY department_id  
HAVING min(salary)>5000  
ORDER BY department_id;
```

16. Display the biggest salary for each department having a maximum wage of less than 9000. Group the data using department_id.

```
SELECT MAX(salary)  
FROM employees  
GROUP BY department_id  
HAVING MAX(salary) < 9000  
ORDER BY department_id;
```

17. Display the first in the alphabetic list of names name for each department. Group the data using department_id (use the last_name).

```
SELECT MIN(last_name)  
FROM employees  
GROUP BY department_id  
ORDER BY department_id;
```

18. Display the last in the alphabetic list of names name for each department. Group the data using department_id (use the last_name).

```
SELECT MAX(last_name)
FROM employees
GROUP BY department_id
ORDER BY department_id;
```

19. Display for each department the date when the first person was hired. Group the data using department_id.

```
SELECT MIN(hire_date)
FROM employees
GROUP BY department_id
ORDER BY department_id;
```

20. Display for each department the date when the last person was hired. Group the data using department_id.

```
SELECT MAX(hire_date)
FROM employees
GROUP BY department_id
ORDER BY department_id;
```