

MODON-25.04.2025

1. Create the LOC1 table with the following structure:

Column	Data Type	Key type
location_id	number(6)	pk
street	varchar2(40)	
postal_code	varchar2 (20)	
city	varchar2(20)	
state	varchar2(20)	

2. Create the DEPT1table with the following structure:

Column	Data Type	Key type
department_id	number(6)	pk
department_name	varchar2(40)	
manager_id	number(6)	
location_id	number(6)	

3. Create the EMPL1 table with the following structure:

Column	Data Type	Key type
employee_id	number(8)	pk
first_name	Varchar2(30)	
last_name	Varchar2(40)	
hire_date	date	
salary	number(8,2)	
department_id	number(6)	
manager_id	number(6)	

4. Insert rows into the tables created based on the following tables:

LOC1

LOCATION_ID	STREET	POSTAL_CODE	CITY	STATE
1400	2014 Jabberwocky Rd	26192	Southlake	Texas
1500	2011 Interiors Blvd	99236	South San Francisco	California
1700	2004 Charade Rd	98199	Seattle	Washington
1800	460 Bloor St	On M551X8	Toronto	Ontario
2500	Magdalene Center	OX9 9ZB	Oxford	Oxford

DEPT1

DEPARTMENT_ID	DEPARTMENT_NAME	MANAGER_ID	LOCATION_ID
10	Administration	200	1700
20	Marketing	201	1800
50	Shipping	124	1500
60	IT	103	1400
80	Sales	149	2500
90	Executive	100	1700
110	Accounting	205	1700
190	Contracting	-	1700

EMPL1

EMPLOYEE_ID	FIRST_NAME	LAST_NAME	HIRE_DATE	SALARY	DEPARTMENT_ID	MANAGER_ID
124	Kevin	Mourgos	16-Nov-1999	5800	50	100
141	Trenna	Rajs	17-Oct-1995	3500	50	124
142	Curtis	Davies	29-Jan-1997	3100	50	124
143	Randall	Matos	15-Mar-1998	2600	50	124
144	Peter	Vargas	09-Jul-1998	2500	50	124
103	Alexander	Hunold	03-Jan-1990	9000	60	102
104	Bruce	Ernst	21-May-1991	6000	60	103
107	Diana	Lorentz	07-Feb-1999	4200	60	103
149	Eleni	Zlotkey	29-Jan-2000	10500	80	100
174	Ellen	Abel	11-May-1996	11000	80	149
176	Jonathon	Taylor	24-Mar-1998	8600	80	149
100	Steven	King	17-Jun-1987	24000	90	-
101	Neena	Kochhar	21-Sep-1989	17000	90	100
102	Lex	De Haan	13-Jan-1993	17000	90	100

Use EMPL1, DEPT1 and LOC1 for the following:

1. Arrange all the employees using hire_date and display the first_name, the last_name and the salary.
2. Display the minimum salary for employees having department_id=60 or 50.
3. Display the first_name and the last_name in a single column for employees having department_id=50.
4. Display the first hired employee having department_id = 50.
5. Increase the salary of employees having department_id=50 by 200 euros and display the salary, the last_name, the first_name and the new salary.
6. Display the average salary for employees where department_id = 50 or 80 and round to two decimal places.
7. Arrange in descending order according to last_name and display first_name, last_name, salary and hire_date for employees having department_id=80 and salary >6500.
8. Increase the salary by 5% and display the first_name, the last_name, the salary, and the new salary.
9. Using a substitution variable for department_id, display the maximum salary for each department.
10. Display the latest hire date for department_id=80.
11. Display the last in the alphabetic list of names name for department_id=50.
12. Display the last_name, first_name and the salary for employees havind the salary greater than the average of salaries for employees having department_id=50.
13. Display the first_name, the last_name, and the salary for employees hired before Rajs.
14. Display the first_name, the last_name, and the salary for employees who earn less than the average salaries for all the employees having department_id=50 or 80.
15. Display first_name, last_name, and the salary from employees who earn more than the minimum salaries for employees hired after Vargas.
16. Display the first_name, the last_name, and the salary for employees hired before Vargas.

17. Display the first_name, the last_name, and the salary for employees who earn less than Hunold.
18. Display the first_name, the last_name, and the salary for employees having the same department_id as Matos.
19. Display all those employees who earn more than Lorentz and are in the same department as Zlotkey.
20. Display all those employees who have the same department_id as Rajs and were hired before Zlotkey.
21. Arrange all the employees having the same department as Zlotkey using salary, and display first_name, last_name and the salary.
22. Increase the salary by 500 and display the first_name, the last_name, the salary, and the new salary for employees hired after Zlotkey.
23. Display first_name, last_name, and the salary from employees who earn more than the minimum salaries for employees having department_id=50, 80 or 90.
24. Display the first_name, the last_name, and the salary for employees who earn more than the maximum salaries for all the employees having department_id=50.
25. Display first_name, last_name, and the salary from employees who earn more than the minimum salaries for employees hired after Matos.
26. Display the first_name, the last_name, and the salary for employees hired before Taylor.
27. Display all the information about employees having last_name starting with „M“.
28. Display first_name with capital letter, the last_name and the salary for employees having department_id =50 or 60
29. Display first_name, last_name, and the salary from employees who earn more than the minimum salaries for employees hired after Davies.
30. Create a join between the tables EMPL1 and DEPT1 and display all the information from both tables for employees having department_id=80.
31. Display the first_name, the last_name, and the salary for employees who earns more than the maximum salaries for all the employees having department_id=60.
32. Display the first_name, the last_name, and the salary for employees who earns more than Rajs.

33. Display the first_name, the last_name, and the salary for employees having department_name=IT
34. Display the first_name, the last_name, and the salary for employees having location_id=1500.
35. Display the first_name, the last_name, the salary, the department_name and the location_id for employees having the same department_id as Rajs.
36. Display first_name, last_name, the salary, the department_name, and the location_id for employees who earn more than Mourgos.
37. Create a join between EMPL1and DEPT1using department_id and display all the information about employees who doesn't work in the same department as Rajs. Arrange all the employees using the last_name.
38. Create a join between the tables EMPL1and DEPT1and display all the information from both tables for employees having department_id=80 or 50.
39. Create a join between the tables LOC1and DEPT1using location_id and display all the information from both tables.
40. Create a join between the tables EMPL1and DEPT1using department_id and display the first_name, last_name, department_name and location_id.
41. Create a join between the tables EMPL1, LOC1and DEPT1and display all the information for employees having department_id=80.
42. Create a join between EMPL1and DEPT1using department_id and display all the information about employees having department_name=IT.
43. Display the first_name, last_name, the street, the city and the state for employees having the same department_id as Mourgos.
44. Create a cross join between the tables EMPL1 and DEPT1 and display all the information from both tables.
45. Create a join between the tables EMPL1 and DEPT1 and display all the information from both tables for employees having department_id=90.
46. Create a join between the tables EMPL1 and DEPT1 using department_id and display all the information from both tables.
47. Create a join between the tables EMPL1 and DEPT1 using manager_id and display all the information from both tables.
48. Create a join between the tables EMPL1 and DEPT1 and display all the information from both tables for employees having manager_id=124.
49. Create a join between the tables EMPL1, DEPT1 and LOC1 and display all the information for employees having manager_id=124.

50. Create a join between EMPL1 and DEPT1 using department_id, and display first_name, last_name, hire_date, department_name and department_id.
51. Create a join between EMPL1 and DEPT1 using department_id, and display first_name, last_name, salary, hire_date, department_name and department_id for all employees departments 80 or 50.
52. Join the LOC1 and DEPT1 table using the location_id column. Display all the information.
53. Join the LOC1 and DEPT1 table using the location_id column. Limit the results to locations 1400 and 1700.
54. Create a join between the tables EMPL1, DEPT1 and LOC1 and display first_name, last_name, salary, department_name, street, city from employees hired after 01.01.1999.
55. Create a join between the tables EMPL1, DEPT1 and LOC1 and display first_name, last_name, salary, department_name, street, city from employees having department_id=80.
56. Create a join between the tables EMPL1, DEPT1 and LOC1 and display first_name, last_name, salary, department_name, street, city from employees having manager_id=124.
57. Display the first_name, the last_name and the salary for the last hired.
58. Display the first_name, the last_name, the hire_date, the department_name, and the location_id for the last hired.
59. Display the first_name, the last_name and the salary for employees having who earn less than the average of salaries for employees having department_id=50.
60. Display the first_name, the last_name, the salary, the department_name, and the location_id for employees having who earn less than the average of salaries for employees having department_id=50.
61. Display the first_name and the last_name in a single column for employees working in IT department.
62. Display the first_name, the last_name in a single column, the salary, the department_name, the location_id, and the city for employees working in IT department.
63. Increase the salary of employees having department_id=50 by 200 euros and display the old salary, the last_name, the new salary, and the department_name.
64. Arrange in descending order according to last_name and display the last_name, the salary, the department_name, and the city for employees having department_id=80 and salary >6500.

65. Increase the salary by 5% and display the first_name, the last_name, the old salary, the new salary, and the department_name
66. Display the last_name, the department_name, and the city for the last in the alphabetic list of names name for department_id=50.
67. Display the last_name, the salary, the department_name, the city, the street, the postal_code, and the state for employees having the salary greater than the average of salaries.
68. Display the last_name, the hire_date, the department_name, and the location_id for employees hired before Rajs.
69. Display the last_name, the salary, the department_name, the location_id, the street, and the city for employees hired before Rajs.
70. Display the last_name, the salary, and the department_name for employees who earn less than the average salaries for all the employees having department_id=50 or 80.
71. Display the last_name, the salary, the department_name, the city and the postal_code for employees who earn less than the average salaries for all the employees having department_id=50 or 80.
72. Display first_name, last_name, and the salary from employees who earn more than the minimum salaries for employees hired after Vargas.
73. Display the last_name, the salary, the department_name and the location_id for employees hired before Vargas.
74. Display the last_name, the salary, the department_name, the location_id, the city and the street for employees hired after Vargas.
75. Display the first_name, the last_name, and the salary for employees who earn less than Hunold.
76. Display the first_name, the last_name, the salary, the department_name, the location_id, the city, and the street for employees having the same department_id as Matos.
77. Display the department_name, the location_id, the city, the street, the postal_code, and the state for employees having the same department_id as Matos.
78. Display the last_name, the salary, and the department_name for all those employees who earn more than Matos and having the same department_name as Mourgos.
79. Display the first_name, the last_name, the salary, the department_name, the location_id, the city, and the street for all those employees who have the same department_id as Rajs and were hired before Zlotkey.
80. Arrange all the employees having the same department_name as Zlotkey using salary, and display the last_name, the salary, the department_id, and the department_name.

81. Display the last_name, the salary, the department_name, the location_id, the city, and the state for all the employees having the same department_name as Zlotkey.
82. Increase the salary by 500 and display the last_name, the salary, the old salary, the new salary, the hire_date, the department_name, the city, the street, the postal_code, and the state for employees hired after Zlotkey.
83. Display the last_name, the salary, the department_id, and the department_name for employees who earn more than the minimum salaries for employees having department_id=50 or 80.
84. Display the last_name, the salary, the department_id, the department_name, the location_id, the city, and the postal code for employees who earn more than the maximum salaries for all the employees having department_id=50.
85. Display the last_name, the salary, the department_id, the department_name, the city, and the state from employees who earn more than the minimum salaries for employees hired after Rajs.
86. Display the first_name, the last_name, the salary, the department_name, and the department_id for employees hired before Taylor.
87. Display the last_name, the salary, the department_name, the department_id, the city, the street, the postal_code, and the state for employees having last_name starting with „M“ or “T”.
88. Display last_name with capital letter and the salary in one column for employees having department_id =50 or 60. The format must be “RAJS earns 6945.23”.
89. Display the last_name , the department_id in one column from employees who earn more than the minimum salaries for employees hired after Davies. The format must be “Matos works in department_id=50”.
90. Display the first_name, the last_name, the salary, the department_name, the city, and the state for employees who earns more than the maximum salaries for all the employees having department_id=60.
91. Display the first_name, the last_name, the salary, the department_name, the city, the street, the postal_code, and the state for employees who earns more than Rajs.
92. Display the last_name, the salary, the department_name, the city, and the postal_code for employees having department_name=IT
93. Display the last_name, the department_name, the city, the postal_code, and the state for employees having location_id=1500.
94. Create a join between the tables LOC1 and DEPT1 using location_id and display all the information from both tables for location_id=1700 or 1500.