

Use EMPLOYEES table for the following:

1. Arrange all the employees using hire_date and display the first_name, the last_name and the salary

```
SELECT first_name,last_name, salary  
FROM employees  
ORDER BY hire_date;
```

2. Display the minimum salary for employees having department_id=60 or 50.

```
SELECT MIN(salary)  
FROM employees  
WHERE department_id in (60, 50);
```

3. Display all the information about the employees having salary between 8000 and 10000 and department_id=90.

```
SELECT *  
FROM employees  
WHERE department_id=90 and Salary BETWEEN 8000 and 10000;
```

4. Display the first_name and the last_name in a single column for employees having manager_id=124 and department_id=50.

```
SELECT first_name || ' ' || last_name  
FROM employees  
WHERE manager_id=124 and department_id=50;
```

5. Display the first in the alphabetic list of names name for employees having department_id = 50(use the last_name column to arrange).

```
SELECT first_name, last_name  
FROM employees  
WHERE department_id=50  
ORDER BY last_name;
```

6. Display the first hired employee having department_id = 50.

```
SELECT MIN(hire_date)  
FROM employees  
WHERE department_id = 50;
```

7. Increase the salary of employees having department_id=50 by 200 euros and display the salary, the last_name, the first_name and the new salary.

```
SELECT salary, last_name, first_name, salary+200  
FROM employees  
WHERE department_id = 50;
```

8. Display the average salary for employees where department_id = 90, 50 or 80 and round to two decimal places.

```
SELECT ROUND(AVG(salary),2)  
FROM employees  
WHERE department_id IN (90, 50, 80);
```

9. Arrange in descending order all the employees having manager_id =124 using salary, and display first_name, last_name, hire_date and the salary.

```
SELECT first_name, last_name, hire_date, salary  
FROM employees  
WHERE manager_id = 124  
ORDER BY salary DESC;
```

10. Arrange in descending order according to last_name and display first_name, last_name, salary and hire_date for employees having department_id=80 and salary >9000.

```
SELECT first_name, last_name, hire_date, salary  
FROM employees  
WHERE department_id=80 and salary >9000  
ORDER BY last_name DESC;
```

11. Increase the salary by 5% and display the first_name, the last_name, the salary, and the new salary.

```
SELECT first_name, last_name, salary, salary+salary*0,05  
FROM employees;
```

12. Using a substitution variable for department_id, display the maximum salary for each department.

```
SELECT MAX(salary)  
FROM employees  
WHERE department_id = :enter_dept_id;
```

13. Using a substitution variable for job_id, display the average of the salaries for each job_id.

```
SELECT AVG(salary)
FROM employees
WHERE job_id = :enter_job_id;
```

14. Using a substitution variable, display the first_name, the last_name, and the department_id for employees having manager_id=124 or 149.

```
SELECT first_name, last_name, department_id
FROM employees
WHERE manager_id = :enter_mana_id;
```

15. Using a substitution variable for job_id, display the first_name, the last_name, the department_id, and the job_id for employees having job_id=sa_rep or sa_man.

```
SELECT first_name, last_name, department_id, job_id
FROM employees
WHERE job_id = :enter_job_id;
```

16. Using a substitution variable for manager_id, display the first_name, the last_name, the department_id, the hire_date and the salary for employees having manager_id=124 or 149 and hired before 01.05.1999.

```
SELECT first_name, last_name, department_id, hire_date, salary
FROM employees
WHERE manager_id IN (124, 149) AND hire_date < ('01-05-1999');
```

17. Arrange all the employee's using salary and display first_name, last_name and the salary.

```
SELECT first_name, last_name, salary
FROM employees
ORDER BY salary;
```

18. Display the average salary for employees where job_id = st_clerk and round to two decimal places.

```
SELECT ROUND(AVG(salary), 2)
FROM employees
WHERE job_id = 'ST_CLERK';
```

19. Display the latest hire date for department_id=90.

```
SELECT MAX(hire_date)
FROM employees
WHERE department_id = 90;
```

20. Display the last in the alphabetic list of names name for department_id=50.

```
SELECT first_name, last_name
FROM employees
WHERE department_id = 50
ORDER BY last_name DESC;
```

21. Display the last_name, first_name and the salary for employees havind the salary greater than the average of salaries for employees having department_id=50, 80 or 90.

```
SELECT last_name, first_name, salary
FROM employees
WHERE salary > (SELECT AVG(salary) FROM employees WHERE department_id
IN (50, 80, 90));
```

22. Display the first_name, the last_name, and the salary for employees hired before Rajs.

```
SELECT first_name, last_name, salary
FROM employees
WHERE hire_date < (SELECT hire_date FROM employees WHERE last_name =
'Rajs');
```

23. Display the first_name, the last_name, and the salary for employees who earn less than the average salaries for all the employees having department_id=50 or 80.

```
SELECT first_name, last_name, salary
FROM employees
WHERE salary < (SELECT AVG(salary) FROM employees WHERE department_id
IN (50, 80));
```

24. Display first_name, last_name, and the salary from employees who earn more than the minimum salaries for employees hired after Higgins.

```
SELECT first_name, last_name, salary
FROM employees
WHERE salary > (SELECT MIN(salary) FROM employees WHERE hire_date >
(SELECT hire_date FROM employees WHERE last_name = 'Higgins'));
```

25. Display the first_name, the last_name, and the salary for employees hired before Higgins.

```
SELECT first_name, last_name, salary
FROM employees
WHERE hire_date < (SELECT hire_date FROM employees WHERE last_name =
'Higgins'));
```

26. Display the first_name, the last_name, and the salary for employees who earn less than Gietz.

```
SELECT first_name, last_name, salary
FROM employees
WHERE salary < (SELECT salary FROM employees WHERE last_name = 'Gietz');
```

27. Display the first_name, the last_name, and the salary for employees having the same manager_id as Rajs and the same department_id as Matos.

```
SELECT first_name, last_name, salary
FROM employees
WHERE manager_id = (SELECT manager_id FROM employees WHERE last_name
= 'Rajs ') AND department_id = (SELECT department_id FROM employees
WHERE last_name = 'Matos');
```

28. Display the first_name, the last_name, and the salary for employees having the same job_id as Matos.

```
SELECT first_name, last_name, salary
FROM employees
WHERE job_id = (SELECT job_id FROM employees WHERE last_name = 'Matos');
```

29. Display the first_name, the last_name, and the salary for employees who earn more than the average salaries for all the employees having manager_id=124 or 149.

```
SELECT first_name, last_name, salary
FROM employees
WHERE salary > ( SELECT AVG(salary) FROM employees WHERE manager_id IN
(124, 149));
```

30. Display the first_name, the last_name, and the salary from employees having the same department as Taylor.

```
SELECT first_name, last_name, salary
FROM employees
WHERE department_id = (SELECT department_id FROM employees WHERE
last_name = 'Taylor');
```

31. Display the last_name, the salary and the department_id from employees with a salary of less than the average of salaries from employees having department_id=50 or 80.

```
SELECT last_name, salary, department_id
FROM employees
WHERE salary < (SELECT AVG(salary) FROM employees WHERE department_id
IN (50, 80));
```

32. Display all the information about employees who are in the same department as Taylor.

```
SELECT *
FROM employees
WHERE department_id = (SELECT department_id FROM employees WHERE
last_name = 'Taylor');
```

33. Display the first_name, the last_name, and the salary from employees who are in the same department as Zlotkey.

```
SELECT first_name, last_name, salary
FROM employees
WHERE department_id = (SELECT department_id FROM employees WHERE
last_name = 'Zlotkey');
```

34. Display all those employees who earn more than Lorentz and are in the same department as Zlotkey.

```
SELECT *
FROM employees
WHERE salary > (SELECT salary FROM employees WHERE last_name = 'Lorentz')
AND department_id = (SELECT department_id FROM employees WHERE
last_name = 'Zlotkey');
```

35. Display all those employees who have the same job id as Rajs and were hired before Zlotkey.

```
SELECT *  
FROM employees  
WHERE job_id = (SELECT job_id FROM employees WHERE last_name = 'Rajs')  
AND hire_date < (SELECT hire_date FROM employees WHERE last_name =  
'Zlotkey');
```

36. Arrange all the employees having the same department as Zlotkey using salary, and display first_name, last_name and the salary.

```
SELECT first_name, last_name, salary  
FROM employees  
WHERE department_id = (SELECT department_id FROM employees WHERE  
last_name = 'Zlotkey')  
ORDER BY salary;
```

37. Increase the salary by 500 and display the first_name, the last_name, the salary, and the new salary for employees hired after Zlotkey.

```
SELECT first_name, last_name, salary, salary + 500  
FROM employees  
WHERE hire_date > (SELECT hire_date FROM employees WHERE last_name =  
'Zlotkey');
```

38. Display all the information about employees who earn more than the average salary for employees having job_id = AD_VP.

```
SELECT *  
FROM employees  
WHERE salary > (SELECT AVG(salary) FROM employees WHERE job_id =  
'AD_VP');
```

39. Display the first_name and the last_name in the same column "Name" for employees having the same job_id as Zlotkey.

```
SELECT first_name || ' ' || last_name AS "Name"  
FROM employees  
WHERE job_id = (SELECT job_id FROM employees WHERE last_name = 'Zlotkey');
```

40. Display first_name, last_name, and the salary from employees who earn more than the minimum salaries for employees having department_id=50, 80 or 90.

```
SELECT first_name, last_name, salary
FROM employees
WHERE salary > (SELECT MIN(salary) FROM employees WHERE department_id
IN (50, 80, 90));
```

41. Display the first_name, the last_name, and the salary for employees hired after Rajs.

```
SELECT first_name, last_name, salary
FROM employees
WHERE hire_date > (SELECT hire_date FROM employees WHERE last_name =
'Rajs');
```

42. Display the first_name, the last_name, and the salary for employees who earn more than the maximum salaries for all the employees having department_id=50.

```
SELECT first_name, last_name, salary
FROM employees
WHERE salary > (SELECT MAX(salary) FROM employees WHERE department_id =
50);
```

43. Display the first_name, the last_name, the salary, the department_name and the department_id for employees having the same manager_id as Matos.

44. Display first_name, last_name, and the salary from employees who earn more than the minimum salaries for employees hired after Matos.

```
SELECT first_name, last_name, salary
FROM employees
WHERE salary > (SELECT MIN(salary) FROM employees WHERE hire_date > (
SELECT hire_date FROM employees WHERE last_name = 'Matos'));
```

45. Display the first_name, the last_name, and the salary for employees hired before Grant.

```
SELECT first_name, last_name, salary
FROM employees
WHERE hire_date < (SELECT hire_date FROM employees WHERE last_name =
'Grant');
```


46. Display the first_name, the last_name, and the salary for employees who earn more than Grant.

```
SELECT first_name, last_name, salary  
FROM employees  
WHERE salary > (SELECT salary FROM employees WHERE last_name = 'Grant');
```

48. Display the first_name, the last_name, and the salary for employees having the same manager as Davies.

```
SELECT first_name, last_name, salary  
FROM employees  
WHERE manager_id = (SELECT manager_id FROM employees WHERE last_name = 'Davies');
```

49. Display the first_name, the last_name, and the salary for employees having the same job_id as Grant.

```
SELECT first_name, last_name, salary  
FROM employees  
WHERE job_id = (SELECT job_id FROM employees WHERE last_name = 'Grant');
```

50. Display the first_name, the last_name, and the salary for employees hired after Matos.

```
SELECT first_name, last_name, salary  
FROM employees  
WHERE hire_date > (SELECT hire_date FROM employees WHERE last_name = 'Matos');
```

51. Display the first_name, the last_name, and the salary for employees who earn more than the average salaries for all the employees having manager_id=124.

```
SELECT first_name, last_name, salary  
FROM employees  
WHERE salary > (SELECT AVG(salary) FROM employees WHERE manager_id = 124);
```

52. Display the first_name, the last_name, and the salary from employees having the same job_id as Abel.

```
SELECT first_name, last_name, salary  
FROM employees  
WHERE job_id = (SELECT job_id FROM employees WHERE last_name = 'Abel');
```

53.Display the first_name, the last_name, the salary from employees who earn more than Vargas(last_name).

```
SELECT first_name, last_name, salary  
FROM employees  
WHERE salary > (SELECT salary FROM employees WHERE last_name = 'Vargas');
```

54.Display all the information about employees who are in the same department as Vargas.

```
SELECT *  
FROM employees  
WHERE department_id = (SELECT department_id FROM employees WHERE last_name = 'Vargas');
```

55.Display the first_name, the last_name, and the salary from employees who earn less than Abel.

```
SELECT first_name, last_name, salary  
FROM employees  
WHERE salary < (SELECT salary FROM employees WHERE last_name = 'Abel');
```

56.Display the first_name, the last_name, and the salary from employees hired after Abel.

```
SELECT first_name, last_name, salary  
FROM employees  
WHERE hire_date > (SELECT hire_date FROM employees WHERE last_name = 'Abel');
```

57.Display the first_name, the last_name, and the salary from employees having the hire_date as Abel.

```
SELECT first_name, last_name, salary  
FROM employees  
WHERE hire_date = (SELECT hire_date FROM employees WHERE last_name = 'Abel');
```

58.Display the first_name, the last_name, and the salary from employees having the same department as King.

```
SELECT first_name, last_name, salary  
FROM employees  
WHERE department_id = (SELECT department_id FROM employees WHERE last_name = 'King');
```

59. Display the first_name, the last_name, and the salary from employees having the same job_id as Abel.

```
SELECT first_name, last_name, salary
FROM employees
WHERE job_id = (SELECT job_id FROM employees WHERE last_name = 'Abel');
```

60. Arrange all the employees having the same department as Abel using salary, and display first_name, last_name and the salary.

```
SELECT first_name, last_name, salary
FROM employees
WHERE department_id = (SELECT department_id FROM employees WHERE last_name = 'Abel')
ORDER BY salary;
```

61. Display the biggest salary for employees having department_id=80.

```
SELECT MAX(salary)
FROM employees
WHERE department_id=80;
```

62. Display the first_name, the last_name and the department_id for employees having the biggest salary.

```
SELECT first_name, last_name, department_id
FROM employees
WHERE salary = (SELECT MAX(salary) FROM employees);
```

63. Display the first_name, the last_name and the department_id for the last employee in the alphabetic list of names

```
SELECT first_name, last_name, department_id
FROM employees
ORDER BY last_name DESC;
```

64. Display the first_name, the last_name and the department_id for employees who earn more than the average salary.

```
SELECT first_name, last_name, department_id
FROM employees
WHERE salary > (SELECT AVG(salary) FROM employees);
```

65. Display the minimum salary of employees in each department.

```
SELECT department_id, MIN(salary)
FROM employees
GROUP BY department_id;
```

66. Display the average salary of employees for each job_id and order by job_id. Round the average with two decimal places.

```
SELECT job_id, ROUND(AVG(salary), 2)
FROM employees
GROUP BY job_id
ORDER BY job_id;
```

67. Arrange in descending order according to department_id and display the employees' minimum salary for each department_id.

```
SELECT department_id, MIN(salary)
FROM employees
GROUP BY department_id
ORDER BY department_id DESC;
```

68. Display the average salary of employees for each job_id ≠ st_clerk and order by job_id.

```
SELECT job_id, AVG(salary)
FROM employees
WHERE job_id != 'ST_CLERK'
GROUP BY job_id
ORDER BY job_id;
```

69. Display the biggest salary for each job_id ≠ st_clerk. Group the data using job_id.

```
SELECT job_id, MAX(salary)
FROM employees
WHERE job_id != 'ST_CLERK'
GROUP BY job_id;
```

70. Arrange all the employees hired after Abel using salary, and display first_name, last_name, salary and the hire_date.

```
SELECT first_name, last_name, salary, hire_date
FROM employees
WHERE hire_date > (SELECT hire_date FROM employees WHERE last_name = 'Abel')
ORDER BY salary;
```

71. Decrease the salary by 200 and display the first_name, the last_name, the salary, and the new salary for employees hired after Abel.

```
SELECT first_name, last_name, salary, salary-200  
FROM employees  
WHERE hire_date > (SELECT hire_date FROM employees WHERE last_name = 'Abel');
```

72. Display the first_name, the last_name, and the salary from employees having the same manager as Vargas.

```
SELECT first_name, last_name, salary  
FROM employees  
WHERE manager_id = (SELECT manager_id FROM employees WHERE last_name =  
'Vargas');
```

73. Arrange all the employees having the same department as Ellen using salary, and display first_name, last_name and the salary.

```
SELECT first_name, last_name, salary  
FROM employees  
WHERE department_id = (SELECT department_id FROM employees WHERE last_name  
= 'Ellen')  
ORDER BY salary;
```

74. Arrange all the employees hired after Ellen using salary, and display first_name, last_name, salary and the hire_date.

```
SELECT first_name, last_name, salary, hire_date  
FROM employees  
WHERE hire_date > (SELECT hire_date FROM employees WHERE last_name = 'Ellen')  
ORDER BY salary;
```

75. Display the average salary for employees where job_id = ST_CLERK.

```
SELECT AVG(salary)  
FROM employees  
WHERE job_id = 'ST_CLERK';
```

76. Display all the information about employees who earn more than the average salary for employees where job_id = ST_CLERK.

```
SELECT *  
FROM employees  
WHERE salary > (SELECT AVG(salary) FROM employees WHERE job_id = 'ST_CLERK');
```

77. Display the first_name and the last_name in the same column "Name" for employees having the same job_id as Mourgos.

```
SELECT first_name || ' ' || last_name AS "Name"  
FROM employees  
WHERE job_id = (SELECT job_id FROM employees WHERE last_name = 'Mourgors');
```

78. Display first_name, last_name, and the salary from employees who earn more than the minimum salaries for employees hired after Mourgos.

```
SELECT first_name, last_name, salary  
FROM employees  
WHERE salary > (SELECT MIN(salary) FROM employees WHERE hire_date > (SELECT  
hire_date FROM employees WHERE last_name = 'Mourgors'));
```