



















*Diagram not drawn to scale in reality




1

4 Chords, left hand to left back, right hand to left ;
low in height/length




2

5 times, left hand draw circles; larger circle every time;
Right hand remains





3

Both hands slowly pan to middle
Left hand slowly rises in height to half of your arm length





4

Both hands slowly push toward right front
Both hands slowly rise to your arm length maximum





5

Holding both handles;
Stand Up



6

Release both handles;
Sit down



Engineer Controls

- Engineer controls are handled via computer keyboard



■ Damage Engine

■ Fade Sound In

■ Repair Engine

■ Fade Sound Out

■ All other keys play repair sounds

Engineer 1 Script

1

Diagnostics will request status from engineers.
Fade in machine sounds with UP arrow.

2

Engineer 2 will damage their engine. Leave machine sounds playing as Engineer 2 repairs their engine. Do not press any key during this part.

3

After Engineer 2 fixes the engine and their sound returns, fade out machine sounds with DOWN arrow.

4

After Diagnostics reports all systems online and functioning, fade in machine sounds with UP arrow.

5

Let machine sounds play. Listen for navigator beeping sound. Once beeping rate rapidly increases, damage engine with "D" key.


6

Attempt to fix engine by pressing any key except "R", but DO NOT repair engine. Press the GameTrak button to fade into next scene.


Approaching Blackhole Controls (Shephard Tone)

Left Handle

X Direction: Rate that tones increase in pitch.




Full left: Slowest increase




Full Right: Fastest increase


Z Direction: Gain/Volume control.



Z Pos = 0
0 gain / Off




Z Pos = 0.5
50% Gain




Z Pos = 1
100% Gain

Right Handle

X Direction: Chorus
Frequency



Y Direction:
Modulation Depth




Z Direction:
Dry/Wet Mix


Inside Blackhole Controls (Bells)

Left Handle

X Direction: Sequence rate




Full left: Fastest rate (0.5 seconds between bells)




Full Right: Slowest rate (5 seconds between bells)

Z Direction: Threshold that turns bell sequence Off / On




Z Pos = 0
Bells stop playing




Z Pos = ~0.1
Bells sequence plays

Right Handle


Z Direction: Delay
Dry/Wet Mix



Z Pos = 0
Delay Off





Z Pos = 0.5
50% Dry/Wet



Z Pos = 1
Only Delay



1

Blackhole appears, press GameTrak button. Left handle fully left, with low Z position (but enough to have sound). No right hand.





2

While approaching black hole's halfway point, increase left handle's Z position, and gradually move left handle to middle.





3

At black hole's halfway point, add in right handle, fully left





4

When almost at Blackhole, both handle are moved to far right.



5

When Blackhole is entered, press GameTrak button and hold the current position. Wait until Bell sounds are triggered.



6

After bell improvisation, end with no Z position for right handle, left handle all the way to the right, and slowly retract left handle to 0 Z position.

