



M18.3 Solution Guide - Scheduling Alerts

In this activity, you were tasked with designing and scheduling an alert to notify via email that a brute-force attack is occurring.

- Enter the SPL query:
 - `source="windowsrawlogs.txt" EventCode=4625`
 - Select Save As > Alert.
- Title the alert "Brute Force Alert."
- Set the alert to run every hour.
- Set the trigger alert to the threshold chosen in the last activity.
 - For example, if the threshold is set to seven, set the alert to trigger if the count is greater than six.
- Leave all the other fields as they are.
- Select Add Actions > Send email.
 - Email: `SOC_Team@ompcountry.biz`
 - Email Subject: "Brute Force Alert"
 - Message: For example, "This is an alert of a potential brute force on the Windows machine. The bad login attempt has reached 7 in an hour. Please investigate."

Bonus

- Load the file and run the SPL query:
 - `source="bonus_logs.txt" EventCode=4625`
- Note the spike in activity at approximately 5 a.m. on February 12th.
- The average normal activity for bad logins is approximately 108 bad logins per hour. Note that this is a rough estimate.
- A good estimate for a threshold is 175 bad logins per hour. This estimate is based on the average bad logins vs. the spike.
- To create an alert, repeat the same steps as for the last alert.
 - Enter SPL query:
 - `source="bonus_logs.txt" EventCode=4625.`
 - Select Save As > Alert.
 - Title: "Brute Force Alert"

- Set the alert to run every hour.
- Set the trigger alert to go off when the count of events is greater than 174.
- Select Add Actions > Send email.
 - Email: SOC_Team@ompcompany.biz
 - Email Subject: "Brute Force Alert"
 - Message: For example, "This is an alert for a potential brute force on the Windows machine, the bad login attempt has reached 175 in an hour. Please investigate."