



Solution Guide: Intro to Task Manager and CMD

This activity allowed you to familiarize yourself with ending processes and executing basic command-line operations.

Solutions

1. Use Task Manager to end the following processes (tasks) if they are running:
 - Press **Ctrl+Alt+Del** or navigate to Task Manager through the Start menu.
 - Once Task Manager is open, navigate to the Process tab and click the **Name** column to sort by process name.
 - If running, select each of the following processes and click **End Task**.
 - Apple Push
 - iCloud Services
 - iPod Service
 - iTunesHelper
 - Skype
 - Apple Push
 - TeamViewer (if it's still running)
2. Disable startup processes. Within the Startup tab, select each startup process and disable it, except for the following:
 - Microsoft OneDrive
 - Windows Security notification icon

3. Using the Windows command line, create a `reports` folder on the user's desktop where you'll store your findings.
 - Run `cd C:\Users\%USERNAME%\Desktop` to navigate into the directory where you will create your report. You'll create the report in the next step.
4. Print a line that reads `Baselining Report` and output it to a new `report.txt` file. This will create a title within your report.
 - Run `echo Baselining Report > report.txt` to create a report titled `report.txt`.
5. Print another line titled `Created by [your name here]` and append it to the file.
 - Run `echo Created by [your name here] >> report.txt` to add the subtitle.

Verify your commands worked by entering `type report.txt`.

6. Using ENV variables, append the machine's operating system, date, and username to your report:

- Run `echo %OS% system report created on %DATE% with logged in user, %USERNAME%. >> report.txt`
- Run `type report.txt`
- Your output should look like:

Unset

1. `Baselining Report`
2. `Created by [your name here]`
3. `Windows_NT system report created on Thu 11/14/2019 with logged in user, azadmin.`

Bonus

1. Using the ENV variables `%ProgramFiles%` and `%ProgramFiles(x86)%`, list the contents of these directories and append them to the report:

- Run `dir "%ProgramFiles%" >> report.txt.`
- Run `dir "%ProgramFiles(x86)%" >> report.txt.`