



Activity File: Scheduling Backups, Cleanups, and Security Checks

In this exercise, you remain in your role as a junior administrator at Rezifp Pharma Inc.

- Now that you've developed scripts to keep the system clean, up-to-date, and properly backed up, the senior security manager has requested that you begin using system-wide `cron` directories to schedule your scripts.
- Additionally, you have been asked to schedule regular security scans with Lynis.

Instructions

1. Copy the following scripts you wrote in the previous exercise to the appropriate `cron` directories in `/etc`. Specifically, your scripts should run at the following intervals:
 - `backup.sh` should run weekly.
 - `update.sh` should run weekly.
2. In addition to scheduling the above tasks, you should perform regular security scans to ensure your system hasn't been compromised.
 - Create a script called `lynis.system.sh` in your `~/Security_scripts` directory.
 - Write a command that will run a full-system scan using Lynis every week and save the results in `/tmp/lynis.system_scan.log`.
3. Create a script called `lynis.partial.sh`.
 - Write a command that will use `lynis` to run daily scans for the test groups: `malware, authentication, networking, storage, and filesystems`, and save the results in `/tmp/lynis.partial_scan.log`.
4. Add both `lynis` scripts that you just wrote to the `root` crontab to create the tasks.

Bonus:

1. Move the following scripts you wrote in the previous exercise to the appropriate `cron` directories in `/etc`. Specifically, your scripts should run at the following interval:
 - `cleanup.sh` should run daily.
2. Explain why using scripts to run these commands is preferable to using a `crontab`.