

HOLY ANGEL UNIVERSITY**FINAL PROJECT DESIGN SYSTEM REVISED**

In Partial Fulfillment of the Requirements for
Applications Development and Emerging Technologies

**CS-301**

Matthew Simon R. Green

Submitted to:
Prof. Tjakoen A. Stolk

September 20, 2026

HOLY ANGEL UNIVERSITY

A. Palette



The app uses Material 3 ColorScheme.fromSeed() with PokeBinderColors.red as the seed and primary color. It also has a separate set of named colors in PokeBinderColors, such as red, cream, gold, teal, and ink, which are used directly throughout the UI.

Role	Hex	Used For
primary (red)	#D6301B	Main buttons, active tabs, and brand color
redDeep	#98200E	Pressed states, emphasis, and small labels
onPrimary (white)	#FFFFFF	Text and icons on red buttons
secondary (gold)	#E8AC3E	Rarity and highlight accents
goldDeep	#C48A24	Darker gold gradient
surface (cream)	#F5EFE1	Main background
cream2	#EAE0C8	Secondary background color
onSurface (ink)	#241F1C	Main text and headings
inkSoft	#5A5148	Secondary text and captions
teal	#3E7C8C	Information and secondary accents
error/danger	#B23A2C	Error and destructive action text
slate	#5C6B73	Neutral gradient
hint	#736855	Placeholder text

Contrast: The main text color, ink (#241F1C), is used on the cream background (#F5EFE1). This gives the app a clear dark text on light background combination. White text is mainly used on red or dark surfaces such as buttons and snackbars.

HOLY ANGEL UNIVERSITY

Color Palette

 Primary Red #D6301B PokeBinderColors.red Main buttons, active states, ColorScheme seed	 Primary Deep Red #98200E PokeBinderColors.redDeep Links, active tab label, eyebrow text, stat numbers	 Background Cream #F5EFE1 PokeBinderColors.cream Main app background (scaffold) and dialogs	 Surface White #FFFFFF PokeBinderColors.white Cards, panels, text fields; text on red buttons
 Inset Cream #EAE0C8 PokeBinderColors.cream2 Progress tracks, stepper fills, inset areas	 Text Ink #241F1C PokeBinderColors.ink Body text, headings, snackbar background	 Text Soft Ink #5A5148 PokeBinderColors.inkSoft Secondary text, labels, card captions	 Error Red #B23A2C PokeBinderColors.danger Error messages, validation, destructive actions
 Highlight Gold #E8AC3E PokeBinderColors.gold Highlights, badges, borders	 Deep Gold #C48A24 PokeBinderColors.goldDeep Rarity icons, gold gradient end	 Accent Teal #3E7C8C PokeBinderColors.teal Status tags and the teal stat tile	 Neutral Slate #5C6B73 PokeBinderColors.slate Neutral tags and the grey stat tile

Contrast Check

Aa Sample	Body text #241F1C on #F5EFE1 • needs 4.5:1	14.22:1	Pass
Aa Sample	Secondary text #5A5148 on #F5EFE1 • needs 4.5:1	6.77:1	Pass
Aa Sample	Links and active labels #98200E on #F5EFE1 • needs 4.5:1	7.19:1	Pass
Aa Sample	Button text on red #FFFFFF on #D6301B • needs 4.5:1	4.89:1	Pass
Aa Sample	Error messages #B23A2C on #F5EFE1 • needs 4.5:1	5.18:1	Pass
Aa Sample	Placeholder text #736855 on #F5EFE1 • needs 4.5:1	4.77:1	Pass

HOLY ANGEL UNIVERSITY

Dark mode: The app currently uses **light mode only**. `main.dart` uses `PokeBinderTheme.light()` and does not include a dark theme.

B. Type Scale

The app uses two font families for different purposes. **Chakra Petch** is used for UI elements such as headings, labels, buttons, tabs, chips, and card captions. **Inter** is used as the main body font through the app's `TextTheme`.

Style	Flutter Slot / Static	Size	Weight	Used For
Heading	<code>PokeBinderText.heading</code>	22	Bold	Screen and section titles
Heading (small)	<code>PokeBinderText.headingSm</code>	18	Bold	Dialog titles, deck names, and trainer names
Row title	<code>PokeBinderText.rowTitle</code>	15	Bold	Card, binder, and deck names
Body	<code>TextTheme.bodyMedium</code>	14	Regular	Normal text and input fields
Subtitle	<code>PokeBinderText.subtitle</code>	14	Regular	Supporting text
Field value	<code>PokeBinderText.fieldValue</code>	12	Bold	Form values
Caption / label	<code>PokeBinderText.eyebrow / sectionLabel</code>	11	Bold	Small labels, chips, and captions
Caption	<code>TextTheme.bodySmall</code>	12	Regular	Hints, timestamps, and subtitles

The app uses named text styles instead of adding font sizes directly to individual widgets. For example:

```
Text(
  'Charizard',
  style: PokeBinderText.rowTitle,
)
```

The fonts come from the `google_fonts` package. **Chakra Petch** is used for UI elements, while **Inter** is used for body text.

HOLY ANGEL UNIVERSITY

Type Scale

Four text levels, mapped to Flutter's TextTheme slots. Samples are shown at real size (1 px = 1 dp).

LEVEL	FLUTTER SLOT	SIZE	WEIGHT	FONT	USAGE
Heading	headlineSmall	22 px	Bold	Chakra Petch	Screen titles and major headings
Subheading	titleLarge	18 px	Bold	Chakra Petch	Dialog titles, deck and trainer names
Body	bodyMedium	14 px	Regular	Inter	Descriptions, inputs, and list rows
Caption	labelSmall	11 px	Bold	Chakra Petch	Chips, tags, card captions, section labels

ALSO IN CODE: NAMED VARIANTS OF THE FOUR LEVELS

EYEBROW
PokeBinderText.eyebrow
11 Bold, +1.4 tracking

Row title
PokeBinderText.rowTitle
15 Bold

BUTTON LABEL
PokeBinderText.buttonLabel
14 Bold, white on red

Secondary 12
PokeBinderText.subtitle
12 Regular

Body slots are wired in PokeBinderTheme today. The heading and caption styles live in PokeBinderText and are mapped to headlineSmall, titleLarge and labelSmall in the assembled theme.

C. Spacing

The app uses PokeBinderSpacing to keep spacing consistent across screens. Instead of entering different spacing values manually, the app uses named constants.

- **Base unit:** 4 px (sp1)
- **Screen edge padding:** 16 px (sp4)
- **List item gap:** 8 px (sp2)
- **Section gap:** 24 px (sp6)

The app also uses a minimum tap target of 44.0 through the MinTapTarget widget.

HOLY ANGEL UNIVERSITY

Spacing System


BASE UNIT: 4 PX

Each cell = 1 unit. Zoomed 4x.

- sp0**  0.5 unit = 2 px
- sp1**  1 unit = 4 px
- sp2**  2 units = 8 px
- sp3**  3 units = 12 px
- sp4**  4 units = 16 px
- sp5**  5 units = 20 px
- sp6**  6 units = 24 px

STANDARD GAP: SP2 = 8 PX

Two boxes at the list-item gap. Actual size (1x).



Screen edge padding 16 px · section gap 16 px



SPACING IN USE - ACTUAL SIZE (1x)

SP1 · 4 px

RARE

Chip vertical padding

SP2 · 8 px

Charizard

Blastoise

Between list items

SP3 · 12 px

MY BINDERS · 3

Base Set

Section label to its content

SP4 · 16 px

Cards

Screen edge padding, section gap

HOLY ANGEL UNIVERSITY

SPACING	SIZE	VALUE	USAGE
sp0	·	2 px	Hairline gap, title to subtitle
sp1	•	4 px	Chip vertical padding, tight gaps
sp2	■	8 px	Gaps between list items, chip horizontal padding
sp3	■	12 px	Label to content, card-grid row gap
sp4	■	16 px	Screen edge padding and gaps between sections
sp5	■	20 px	Larger gaps, used sparingly
sp6	■	24 px	Bottom-of-page breathing room

D. Components

The reusable components were taken from lib/widgets/ and checked against the screens where they are used.

Component	File	Constructor Parameters	Appears On
BinderCardTile	lib/widgets/binder_card_tile.dart	card, onTap	Home, Binders, Binder Detail
AddCardTile	lib/widgets/binder_card_tile.dart	onTap	Home, Binder Detail
CardCaption	lib/widgets/card_caption.dart	card	Home, Binders, Binder Detail
CardThumbnail	lib/widgets/pokemon_card_widget.dart	card, imagePath, width, height, borderRadius	Add-card screens, Scanner, Stats, Trade List, Trainer Card, Favorites, Wishlist
PokemonCard	lib/widgets/pokemon_card_widget.dart	card	Card Details
PokemonCardBack	lib/widgets/pokemon_card_widget.dart	None	Card Details and binder tiles without images
Interactive3DCard	lib/widgets/interactive_3d_card.dart	child, back	Card Details

HOLY ANGEL UNIVERSITY

AppNavBar	lib/widgets/app_nav_bar.dart	current, onChanged	Main app navigation
MinTapTarget	lib/widgets/min_tap_target.dart	child, onTap, semanticLabel	Binders, Decks, Home
BackLink	lib/widgets/pokebinder_controls.dart	onTap, label	Non-tab screens
CollectionSearchBar	lib/widgets/pokebinder_controls.dart	hint, onChanged, onTap, enabled, trailing	Search and add-card screens
SegmentedTabBar	lib/widgets/pokebinder_controls.dart	index, labels, onChanged	Wishlist
ChoiceChipPill	lib/widgets/pokebinder_controls.dart	label, selected, onTap	Wishlist and filter rows
EmptyFilterState	lib/widgets/pokebinder_controls.dart	icon, title, subtitle, onClearFilters, clearFiltersLabel	Binders, Decks
CardSortSelector	lib/widgets/card_sort_controls.dart	selected, onChanged	Add-card and collection screens
CardFilterChip	lib/widgets/card_sort_controls.dart	label, icon, active, onTap	Wishlist
TypeChipRow	lib/widgets/card_sort_controls.dart	selected, onChanged	Wishlist and form/sort screens
LabeledFormField	lib/widgets/pokebinder_form_fields.dart	label, child	Form screens
FormFieldRow	lib/widgets/pokebinder_form_fields.dart	left, right	Form screens
PokeDropDownField<T>	lib/widgets/pokebinder_form_fields.dart	value, options, onChanged, icon	Form and edit screens
AuthLinkText	lib/widgets/pokebinder_controls.dart	prefix, linkLabel, onTap, textAlign	Login, Sign Up, Forgot Password
PasswordVisibilityToggle	lib/widgets/pokebinder_controls.dart	obscured, onTap	Login and Sign Up

Components



BinderCardTile

lib/widgets/binder_card_tile.dart

PokemonCardData card
VoidCallback? onTap

Appears on Home, Binders, Binder Detail



AddCardTile

lib/widgets/binder_card_tile.dart

VoidCallback? onTap

Appears on Home, Binder Detail

Charizard
Base Set · #4/102

Vaporeon
Jungle · #12/64

CardCaption

lib/widgets/card_caption.dart

PokemonCardData card

Appears on Home, Binders, Binder Detail



artwork



type gradient



card: null

CardThumbnail

lib/widgets/pokemon_card_widget.dart

PokemonCardData? card
String? imageAssetPath
double width = 26
double height = 36
double borderRadius = 6

Appears on 10 screens: Binder Add Card, Deck Add Card, Deck Detail, Scanner, Stats, Trade List Add Card, Trainer Card, Edit Trainer, Trainer Favorite Card, Wishlist



artwork



no artwork

PokemonCard

lib/widgets/pokemon_card_widget.dart

PokemonCardData card

Appears on Card Details



PokemonCardBack

lib/widgets/pokemon_card_widget.dart

No parameters

Appears on Card Details, and binder tiles without images



child



back

Interactive3DCard

lib/widgets/interactive_3d_card.dart

Widget child
Widget? back
double maxVerticalTilt = 0.30
double horizontalSensitivity = 0.010
double verticalSensitivity = 0.012

Appears on Card Details



AppNavBar

lib/widgets/app_nav_bar.dart

AppBar current
ValueChanged<AppBar> onChanged

Appears on App Shell (Home, Binders, Scan, Decks, More)

HOLY ANGEL UNIVERSITY




View All dashed box = 44 dp tap area

MinTapTarget
lib/widgets/min_tap_target.dart

Widget child
VoidCallback? onTap
double size = kMinTapTarget
String? semanticLabel

Appears on Binders, Decks, Home



< Back dashed box = tap area

BackLink
lib/widgets/pokebinder_controls.dart

VoidCallback onTap
String label = '< Back'

Appears on 18 screens, including Card Details, Binder Detail, Deck Detail, Sign Up, Stats, Wishlist



CollectionSearchBar
lib/widgets/pokebinder_controls.dart

String hint
ValueChanged<String>? onChanged
VoidCallback? onTap
bool enabled = true
Widget? trailing

Appears on Home, Binders, Decks, Wishlist, Add Card pickers



SegmentedTabBar
lib/widgets/pokebinder_controls.dart

int index
List<String> labels
ValueChanged<int> onChanged


Appears on Wishlist



ChoiceChip
lib/widgets/pokebinder_controls.dart

String label
bool selected
VoidCallback onTap


Appears on Not used on any screen yet



EmptyFilterState
lib/widgets/pokebinder_controls.dart

IconData icon = Icons.filter_alt_off_rounded
String title
String subtitle
VoidCallback? onClearFilters
String clearFiltersLabel = 'Clear filters'


Appears on Binders, Decks



CardSortSelector
lib/widgets/card_sort_controls.dart

CardSortOption selected
ValueChanged<CardSortOption> onChanged

Appears on All Cards, Binder Add Card, Deck Add Card, Trade List Add Card, Trainer Favorite Card




PokeDropDownField<T>
lib/widgets/pokebinder_form_fields.dart

T value
List<PokeDropDownOption<T>> options
ValueChanged<T> onChanged
IconData? icon

Appears on Card Form, Binder Form, Deck Form, Wishlist Form, Trade Entry, Edit Trainer

HOLY ANGEL UNIVERSITY



CardFilterChip
lib/widgets/card_sort_controls.dart

String label
IconData icon
bool active
VoidCallback onTap

Appears on Wishlist, and the sub-filter rows under every sort selector



TypeChipRow
lib/widgets/card_sort_controls.dart

PokemonCardType? selected
ValueChanged<PokemonCardType?> onChanged


Appears on The Pokémon sort sub-filter on All Cards, Binder Add Card, Deck Add Card, Trade List Add Card, Trainer Favorite Card



FilterChipRow
lib/widgets/card_sort_controls.dart

Map<String?, String> options
String? selected
ValueChanged<String?> onChanged
IconData Function(String? key) iconFor


Appears on The Time, Trainer, Energy, Set, Rarity and Condition sub-filters on the same five screens as CardSortSelector



LabeledFormField + FormFieldRow
lib/widgets/pokebinder_form_fields.dart

LabeledFormField(String label, Widget child)
FormFieldRow(Widget left, Widget right)

Appears on 9 screens: Card Form, Binder Form, Deck Form, Sign Up, Log In, Forgot Password, Trade Entry, Wishlist Form, Edit Trainer



AuthLinkText
lib/widgets/pokebinder_controls.dart

String prefix = ''
String linkLabel
VoidCallback onTap
TextAlign textAlign = TextAlign.center


Appears on Log In, Sign Up, Forgot Password



PasswordVisibilityToggle
lib/widgets/pokebinder_controls.dart

bool obscured
VoidCallback onTap


Appears on Log In, Sign Up



PillButton
lib/widgets/pokebinder_controls.dart

String label
VoidCallback onTap
bool ghost = false
bool enabled = true
IconData? icon

Appears on 20 screens: every form, Log In, Sign Up, Binders, Decks, Home, Card Details



PokeDangerLabel
lib/widgets/pokebinder_controls.dart

String label

Appears on Card Form, Binder Form, Deck Form, Trade Entry, Wishlist Form

Component Rules

1. **Data + callbacks, not setState:** Most reusable widgets are StatelessWidget. They receive data through their parameters and use callbacks such as onTap and onChanged for user actions. Interactive3DCard and AuthLinkText use internal state for animation and interaction. This state is not used to store app data.
2. **const wherever possible:** Widget constructors use const when possible to keep the components consistent and efficient.

E. Theme File

The main theme is already implemented in lib/theme/pokebinder_theme.dart. It controls the app's colors, typography, dialogs, text buttons, and snackbars so individual screens do not need to define these styles again.

```
import 'package:flutter/material.dart';
import 'package:google_fonts/google_fonts.dart';

class PokeBinderColors {
  PokeBinderColors._();

  static const red = Color(0xFFD6301B);
  static const redDeep = Color(0xFF98200E);
  static const redShadow = Color(0xFF6E1709);
  static const cream = Color(0xFFFF5EFE1);
  static const cream2 = Color(0xFFEAE0C8);
  static const ink = Color(0xFF241F1C);
  static const inkSoft = Color(0xFF5A5148);
  static const gold = Color(0xFFE8AC3E);
  static const goldDeep = Color(0xFFC48A24);
  static const white = Color(0xFFFFFFFF);
  static const teal = Color(0xFF3E7C8C);
  static const danger = Color(0xFFB23A2C);
  static const slate = Color(0xFF5C6B73);
  static const hint = Color(0xFFA89C86);

  static const redGradient = LinearGradient(
    begin: Alignment.topLeft,
    end: Alignment.bottomRight,
    colors: [Color(0xFFE0402A), redDeep],
  );
};
```

HOLY ANGEL UNIVERSITY

```

static const goldGradient = LinearGradient(
    begin: Alignment.topLeft,
    end: Alignment.bottomRight,
    colors: [Color(0xFFFF6D68B), goldDeep],
);

static const tealGradient = LinearGradient(
    begin: Alignment.topLeft,
    end: Alignment.bottomRight,
    colors: [Color(0xFF8FD0D8), teal],
);

static const slateGradient = LinearGradient(
    begin: Alignment.topLeft,
    end: Alignment.bottomRight,
    colors: [Color(0xFFE6E6E6), Color(0xFFBDBDBD)],
);
}

const double kPokemonCardAspectRatio = 5 / 7;
const String kPokemonCardBackAssetPath =
    '../assets/pokemon_card_back.jpg';
const double kPokemonCardWidthFraction = 0.72;
const double kPokemonCardMaxWidth = 300.0;
const double kPokemonCardImageWidthPx = 600;
const double kPokemonCardImageHeightPx = 825;
const double kPokemonCardImageAspectRatio =
    kPokemonCardImageWidthPx / kPokemonCardImageHeightPx;
const double kCardInteractionHeightBuffer = 1.25;
const double kCardCaptionHeight = 36.0;
const double kFilterChipRowHeight = 44.0;
const double kMinTapTarget = 44.0;

class PokeBinderSpacing {
    PokeBinderSpacing._();

    static const sp0 = 2.0;
    static const sp1 = 4.0;
    static const sp2 = 8.0;
    static const sp3 = 12.0;
    static const sp4 = 16.0;

```

HOLY ANGEL UNIVERSITY

```

static const sp5 = 20.0;
static const sp6 = 24.0;

static const page = EdgeInsets.fromLTRB(
    sp4,
    sp4,
    sp4,
    sp6,
);

static const chip = EdgeInsets.symmetric(
    horizontal: sp2,
    vertical: sp1,
);
}

final List<BoxShadow> kCardElevation = [
    BoxShadow(
        color: PokeBinderColors.ink.withValues(alpha: 0.06),
        blurRadius: 10,
        offset: const Offset(0, 3),
    ),
];

class PokeBinderText {
    PokeBinderText._();

    static TextStyle chakraPetch(TextStyle base) =>
        GoogleFonts.chakraPetch(textStyle: base);

    // ---- Headings & labels (Chakra Petch) -----

    static final eyebrow = chakraPetch(
        const TextStyle(
            fontSize: 11,
            fontWeight: FontWeight.bold,
            letterSpacing: 1.4,
            color: PokeBinderColors.redDeep,
        ),
    );
};

```

HOLY ANGEL UNIVERSITY

```
static final heading = chakraPetch(  
    const TextStyle(  
        fontSize: 22,  
        fontWeight: FontWeight.bold,  
        color: PokeBinderColors.ink,  
    ),  
);  
  
static final headingSm = chakraPetch(  
    const TextStyle(  
        fontSize: 18,  
        fontWeight: FontWeight.bold,  
        color: PokeBinderColors.ink,  
    ),  
);  
  
static final rowTitle = chakraPetch(  
    const TextStyle(  
        fontSize: 15,  
        fontWeight: FontWeight.bold,  
        color: PokeBinderColors.ink,  
    ),  
);  
  
static final statLabel = chakraPetch(  
    const TextStyle(  
        fontSize: 11,  
        fontWeight: FontWeight.bold,  
        letterSpacing: 0.7,  
        color: PokeBinderColors.ink,  
    ),  
);  
  
static final sectionLabel = chakraPetch(  
    const TextStyle(  
        fontSize: 11,  
        fontWeight: FontWeight.bold,  
        letterSpacing: 0.7,  
        color: PokeBinderColors.inkSoft,  
    ),  
);
```

HOLY ANGEL UNIVERSITY

```
static final formLabel = chakraPetch(  
    const TextStyle(  
        fontSize: 12,  
        fontWeight: FontWeight.bold,  
        letterSpacing: 0.7,  
        color: PokeBinderColors.inkSoft,  
    ),  
);  
  
static final resultCount = chakraPetch(  
    const TextStyle(  
        fontSize: 11,  
        fontWeight: FontWeight.bold,  
        letterSpacing: 0.7,  
        color: PokeBinderColors.inkSoft,  
    ),  
);  
  
static final backLink = chakraPetch(  
    const TextStyle(  
        fontSize: 14,  
        fontWeight: FontWeight.w600,  
        color: PokeBinderColors.redDeep,  
    ),  
);  
  
// ---- Buttons -----  
  
static final buttonLabel = chakraPetch(  
    const TextStyle(  
        fontSize: 14,  
        fontWeight: FontWeight.bold,  
        letterSpacing: 0.3,  
        color: PokeBinderColors.white,  
    ),  
);  
  
static final buttonGhostLabel = chakraPetch(  
    const TextStyle(  
        fontSize: 14,  
        fontWeight: FontWeight.bold,
```


HOLY ANGEL UNIVERSITY

```

        letterSpacing: 0.3,
        color: PokeBinderColors.redDeep,
    ),
);

static final buttonDangerLabel = chakraPetch(
    const TextStyle(
        fontSize: 14,
        fontWeight: FontWeight.bold,
        letterSpacing: 0.3,
        color: PokeBinderColors.danger,
    ),
);

// ---- Tabs, pills, chips & tags -----

static final tabLabelInactive = chakraPetch(
    const TextStyle(
        fontSize: 12,
        color: PokeBinderColors.inkSoft,
    ),
);

static final tabLabelActive = chakraPetch(
    const TextStyle(
        fontSize: 12,
        fontWeight: FontWeight.bold,
        color: PokeBinderColors.redDeep,
    ),
);

static TextStyle pillLabel({required bool selected}) =>
    chakraPetch(
        TextStyle(
            fontSize: 14,
            fontWeight:
                selected ? FontWeight.bold : FontWeight.w600,
            color: selected
                ? PokeBinderColors.redDeep
                : PokeBinderColors.ink,
        ),
    ),

```

```
);

static final chipLabel = chakraPetch(
  const TextStyle(
    fontSize: 11,
    fontWeight: FontWeight.bold,
    letterSpacing: 0.3,
    color: PokeBinderColors.inkSoft,
  ),
);

static final chipLabelActive = chakraPetch(
  const TextStyle(
    fontSize: 11,
    fontWeight: FontWeight.bold,
    letterSpacing: 0.3,
    color: PokeBinderColors.white,
  ),
);

static TextStyle tagLabel(Color color) =>
  chakraPetch(
    TextStyle(
      fontSize: 11,
      fontWeight: FontWeight.bold,
      letterSpacing: 0.3,
      color: color,
    ),
  );

static TextStyle quantityLabel({required bool active}) =>
  chakraPetch(
    TextStyle(
      fontSize: 14,
      fontWeight: FontWeight.bold,
      color: active
        ? PokeBinderColors.redDeep
        : PokeBinderColors.inkSoft,
    ),
  );
```

HOLY ANGEL UNIVERSITY

```
// ---- Card captions
```

```
static final cardName = chakraPetch(  
    const TextStyle(  
        fontSize: 11,  
        fontWeight: FontWeight.bold,  
        color: PokeBinderColors.inkSoft,  
    ),  
);
```

```
static final cardMeta = chakraPetch(  
    TextStyle(  
        fontSize: 11,  
        fontWeight: FontWeight.w500,  
        color: PokeBinderColors.inkSoft.withValues(alpha: 0.9),  
    ),  
);
```

```
// ---- Body copy (inherits the app body font) -----
```

```
static const subtitle = TextStyle(  
    fontSize: 14,  
    color: PokeBinderColors.inkSoft,  
);
```

```
static const fieldLabel = TextStyle(  
    fontSize: 12,  
    color: PokeBinderColors.inkSoft,  
);
```

```
static const fieldValue = TextStyle(  
    fontSize: 12,  
    fontWeight: FontWeight.bold,  
    color: PokeBinderColors.ink,  
);
```

```
static const selectValue = TextStyle(  
    fontSize: 15,  
    fontWeight: FontWeight.w600,  
    color: PokeBinderColors.ink,
```

HOLY ANGEL UNIVERSITY

```
);

static const input = TextStyle(
  fontSize: 14,
  color: PokeBinderColors.ink,
);

static const hint = TextStyle(
  fontSize: 14,
  color: PokeBinderColors.hint,
);

static const statNumber = TextStyle(
  fontSize: 22,
  fontWeight: FontWeight.bold,
  color: PokeBinderColors.redDeep,
);

static const statNumberSm = TextStyle(
  fontSize: 18,
  fontWeight: FontWeight.bold,
  color: PokeBinderColors.redDeep,
);

static const listRowTitle = TextStyle(
  fontSize: 14,
  color: PokeBinderColors.ink,
);

static const listRowSubtitle = TextStyle(
  fontSize: 12,
  color: PokeBinderColors.inkSoft,
);

static const formError = TextStyle(
  fontSize: 12,
  color: PokeBinderColors.danger,
);

static const authLinkText = TextStyle(
  fontSize: 14,
```

HOLY ANGEL UNIVERSITY

```
        height: 1.4,
        color: PokeBinderColors.inkSoft,
    );
}

class PokeBinderTheme {
  PokeBinderTheme._();

  static ThemeData light() {
    final scheme = ColorScheme.fromSeed(
      seedColor: PokeBinderColors.red,
      primary: PokeBinderColors.red,
    );

    final base = ThemeData(
      useMaterial3: true,
      colorScheme: scheme,
      scaffoldBackgroundColor: PokeBinderColors.cream,
    );

    return base.copyWith(
      textTheme: bodyTextTheme(base.textTheme),
      dialogTheme: DialogThemeData(
        backgroundColor: PokeBinderColors.cream,
        surfaceTintColor: Colors.transparent,
        shape: RoundedRectangleBorder(
          borderRadius: BorderRadius.circular(16),
        ),
        titleTextStyle: PokeBinderText.headingSm,
        contentTextStyle: PokeBinderText.subtitle.copyWith(
          height: 1.4,
        ),
      ),
      textButtonTheme: TextButtonThemeData(
        style: TextButton.styleFrom(
          foregroundColor: PokeBinderColors.redDeep,
          textStyle: PokeBinderText.buttonGhostLabel,
        ),
      ),
      snackBarTheme: SnackBarThemeData(
        backgroundColor: PokeBinderColors.ink,
```

HOLY ANGEL UNIVERSITY

```
        contentTextStyle: PokeBinderText.chakraPetch(  
            const TextStyle(  
                fontSize: 14,  
                fontWeight: FontWeight.w600,  
                color: PokeBinderColors.white,  
            ),  
        ),  
    ),  
);  
}  
  
static TextTheme bodyTextTheme(TextTheme base) {  
    final inter = GoogleFonts.interTextTheme(base);  
  
    return inter.copyWith(  
        bodyLarge: inter.bodyLarge?.copyWith(  
            fontSize: 14,  
            color: PokeBinderColors.ink,  
        ),  
        bodyMedium: inter.bodyMedium?.copyWith(  
            fontSize: 14,  
            color: PokeBinderColors.ink,  
        ),  
        bodySmall: inter.bodySmall?.copyWith(  
            fontSize: 12,  
            color: PokeBinderColors.inkSoft,  
        ),  
    );  
}  
}
```

HOLY ANGEL UNIVERSITY

F. What Changed, and Why

Element	Previous Version	Updated Version	Why
Palette	Hand-picked colors	ColorScheme.fromSeed() plus named PokeBinderColors	Keeps colors consistent across screens
Type scale	Font sizes only	Named text styles with two font families	Keeps text styles consistent between screens
Spacing	Basic spacing values	Seven spacing values from sp0 to sp6	Gives the screens more control over spacing
Components	Components were mainly shown visually	20+ reusable components in separate files	Makes common UI elements easier to reuse
Dark mode	Undecided	Light-only	The current app does not use a dark theme