


Introduction to Artificial Intelligence

Lecture 11: Artificial General Intelligence

Prof. Gilles Louppe
g.louppe@uliege.be



Today*




Towards generally intelligent agents?

- Artificial general intelligence
- AIXI
- Artificial life



From technological breakthroughs...



... to press coverage.

The screenshot shows the SingularityHub homepage with a dark background. At the top, there's a navigation bar with links like 'TOPICS', 'IN FOCUS', 'EXPERTS', 'EVENTS', and 'SEARCH'. Below the navigation is a large, abstract digital landscape graphic. A prominent article title 'Will Artificial Intelligence Become Conscious?' is displayed in white text, followed by the author's name 'By Rohit Khurana' and the date 'Oct 25, 2017'. To the right of the article, there's a sidebar with a 'Don't miss a trend!' section and a 'SIGN ME UP' button.

This screenshot shows a news article from The Express Online. The header includes the site's logo and a navigation menu with categories like 'HOME', 'NEWS', 'SHOWBIZ & TV', 'SPORT', 'COMMENT', 'FINANCE', 'TRAVEL', 'ENTERTAINMENT', and 'LIFE & STYLE'. The main headline reads 'Rise of the machines: Super intelligent robots could 'spell the end of the human race''. Below the headline is a sub-headline: 'But could it spell trouble for us? Here's what we know about the robots that could overtake us'. The author's name 'By Matt Chorley' and the date 'Thu Oct 26, 2017 (UPDATED 10:21)' are also visible. To the right, there's a 'Latest videos' section with thumbnail images of various video clips.

This screenshot shows a news article from The Sun. The headline is 'KILLER ROBOTS' WILL START SLAUGHTERING PEOPLE IF THEY'RE NOT BANNED SOON, AI EXPERT WARNS'. Below the headline is a sub-headline: 'These will be weapons of mass destruction'. The author's name 'By Matt Chorley' and the date 'Thu Oct 26, 2017 (UPDATED 10:21)' are present. The article includes a quote from an AI expert: "'Si nous ne faisons rien, l'intelligence artificielle nous écrabouillera dans 30 ans'".

This screenshot shows a news article from Le Monde. The headline is "'Si nous ne faisons rien, l'intelligence artificielle nous écrabouillera dans 30 ans'". The author's name 'By Matt Chorley' and the date 'Thu Oct 26, 2017 (UPDATED 10:21)' are included. The article features a quote from an AI expert: "'Si nous ne faisons rien, l'intelligence artificielle nous écrabouillera dans 30 ans'".



Artificial narrow intelligence

Today's artificial intelligence remains **narrow**:

- AI systems often reach super-human level performance, ... but only at **very specific problems!**
- They **do not generalize** to the real world nor to arbitrary tasks.

The case of AlphaGo

Convenient properties of the game of Go:

- Deterministic (no noise in the game).
- Fully observed (each player has complete information)
- Discrete action space (finite number of actions possible)
- Perfect simulator (the effect of any action is known exactly)
- Short episodes (200 actions per game)
- Clear and fast evaluation (as stated by Go rules)
- Huge dataset available (games)





Can we run AlphaGo on a robot?

AGI

Artificial general intelligence, or AGI, is the intelligence of a machine that could successfully perform any intellectual task that a human being can perform.

The scientific community agrees that AGI would be required to do the following:

- reason, use strategy, solve puzzle, plan,
- make judgments under uncertainty,
- represent knowledge, including commonsense knowledge,
- improve and learn new skills,
- communicate in natural language,
- be creative,
- integrate all these skills towards common goals.

This is similar to our definition of thinking rationally, but applied broadly to any set of tasks.

Roads towards AGI

Several working hypothesis:

1. Learning (supervised, unsupervised, reinforcement)
2. AIXI
3. Artificial life

... or probably something else?

Learning

Reward is Enough

Abstract

In this paper we hypothesise that the objective of maximising reward is enough to drive behaviour that exhibits most if not all attributes of intelligence that are studied in natural and artificial intelligence, including knowledge, learning, perception, social intelligence, language and generalisation. This is in contrast to the view that specialised problem formulations are needed for each attribute of intelligence, based on other signals or objectives. The reward-is-enough hypothesis suggests that agents with powerful reinforcement learning algorithms when placed in rich environments with simple rewards could develop the kind of broad, multi-attribute intelligence that constitutes an artificial general intelligence.

David Silver et al, 2021.




Fig. 1. The *reward-is-enough* hypothesis postulates that intelligence, and its associated abilities, can be understood as subserving the maximisation of reward by an agent acting in its environment. For example, a squirrel acts so as to maximise its consumption of food (top, reward depicted by acorn symbol), or a kitchen robot acts to maximise cleanliness (bottom, reward depicted by bubble symbol). To achieve these goals, complex behaviours are required that exhibit a wide variety of abilities associated with intelligence (depicted on the right as a projection from an agent's stream of experience onto a set of abilities expressed within that experience).



Sparks! Could AI be perceived as creative ?



Later bekijk...



Delen



**Could AI be perceived
as creative?**


Could AI be perceived as creative? (Jürgen Schmidhuber)

AIXI

AIXI (Hutter, 2005) is a theoretical mathematical formalism of artificial general intelligence.



Occam: Prefer the simplest consistent hypothesis.



Epicurus: Keep all consistent hypotheses.



$$\text{Bayes: } P(h|d) = \frac{P(d|h)P(h)}{P(d)}$$



Turing: It is possible to invent a single machine which can be used to compute any computable sequence.



Solomonoff: Use computer programs μ as hypotheses/environments.

AIXI defines a measure of universal intelligence as

$$\Upsilon(\pi) := \sum_{\mu \in E} 2^{-K(\mu)} V_\mu^\pi$$

where

- $\Upsilon(\pi)$ formally defines the **universal intelligence** of an agent π .
- μ is the environment of the agent and E is the set of all computable reward bounded environments.
- $V_\mu^\pi = \mathbb{E}[\sum_{i=1}^{\infty} R_i]$ is the expected sum of future rewards when the agent π interacts with environment μ .
- $K(\cdot)$ is the Kolmogorov complexity, such that $2^{-K(\mu)}$ weights the agent's performance in each environment, inversely proportional to its complexity.


AIXI

$$\bar{\Upsilon} = \max_{\pi} \Upsilon(\pi) = \Upsilon(\pi^{\text{AIXI}})$$

π^{AIXI} is a **perfect** theoretical agent.

System identification

- Which Turing machine is the agent in? If it knew, it could plan perfectly.
- Use the **Bayes rule** to update the agent beliefs given its experience so far.



Acting optimally

- The agent always picks the action which has the greatest expected reward.
- For every environment $\mu \in E$, the agent must:
 - Take into account how likely it is that it is facing μ given the interaction history so far, and the prior probability of μ .
 - Consider all possible future interactions that might occur, assuming optimal future actions.
 - Evaluate how likely they are.
 - Then select the action that maximizes the expected future reward.

$$a_t^{\pi^\xi} := \arg \max_{a_t} \lim_{m \rightarrow \infty} \left[\sum_{x_t} \max_{a_{t+1}} \sum_{x_{t+1}} \cdots \max_{a_m} \sum_{x_m} [\gamma_t r_t + \cdots + \gamma_m r_m] \right] \xi(ax_{<t} ax_{t:m})$$

Complete history of interactions up to this point
 $\bullet \rightarrow ax_{<t}$

all possible future action-state sequences

time m

$$\xi(ax_{1:n}) := \sum_{\nu \in E} 2^{-K(\nu)} \nu(ax_{1:n})$$

(description length of the TM, number of bits)

Weighted average of the total discounted reward, across all possible Turing Machines.

The weights are [prior] x [likelihood] for each Turing machine.

AIXI is incomputable

$$a_t^{\pi^\xi} := \arg \max_{a_t} \lim_{m \rightarrow \infty} \left[\sum_{x_t} \max_{a_{t+1}} \sum_{x_{t+1}} \cdots \max_{a_m} \sum_{x_m} [\gamma_t r_t + \cdots + \gamma_m r_m] \xi(ax_{<t} \underline{ax}_{t:m}) \right]$$

$$\xi(\underline{ax}_{1:n}) := \sum_{\nu \in E} 2^{-K(\nu)} \nu(\underline{ax}_{1:n})$$

Benefits of AIXI

The AIXI theoretical formalism of AGI provides


- a high-level **blue-print** or inspiration for design;
- common terminology and goal formulation;
- understand and predict behavior of yet-to-be-built agents;
- appreciation of **fundamental challenges** (e.g., exploration-exploitation);
- **definition/measure** of intelligence.

Artificial life

Artificial life

Study of systems related to natural life, its processes and its evolution, through the use of **simulations** with computer models, robotics or biochemistry.

One of its goals is to **synthesize** life in order to understand its origins, development and organization.



How did intelligence arise in Nature?

Approaches

There are three main kinds of artificial life, named after their approaches:

- Software approaches (soft)
- Hardware approaches (hard)
- Biochemistry approaches (wet)

The field of AI has traditionally used a top down approach. Artificial life generally works from the **bottom up**.



Martin Hanczyc: The line between life and not-life



Later bekijk...

Delen




Wet artificial life: The line between life and not-life (Martin Hanczyc).

Evolutionary algorithms

Evolution may **hypothetically** be interpreted as an (unknown) algorithm.

- This algorithm gave rise to AGI (e.g., it induced humans).
- **Simulation** of the evolutionary process should/could eventually reproduce life and, maybe, intelligence?



Conway's game of life



Let's BUILD a COMPUTER in CONWAY's GAME o...



Later bekijk...



Delen

WHY IS LIFE TURING COMPLETE?

Conway's game of life

Evolutionary algorithms as metaheuristic optimization algorithms

1. Start with a random population of creatures.
2. Repeat until termination:
 1. Each creature is tested for their ability to perform a given task.
 2. Select the fittest creatures for reproduction.
 3. Breed new creatures by combining and mutating the virtual genes of their selected parents.
 4. Replace the least-fit creatures of the population with new creatures.

As this cycle of variation and selection continues, creatures with more and more successful behaviors may **emerge**.



Karl Sims - Evolving Virtual Creatures With Genet...



Later bekijk...



Delen



Karl Sims, 1994.



Learning to Generalize Self-Assembling Agents [...]

Generalization w/o Fine-tuning

Later bekijk...

Delen




Vanilla RL

terrain with stairs



Locomotion Task

maximize X-axis



Self-assembling morphologies (Pathak et al, 2019)



LIFE - EP1: Artificial Life




Later bekijk...



Delen



Mini-documentary: Artifical life




Creatures avoiding planks [demo].

Environments for AGI?


For the emergence of generally intelligent creatures, environments should **incentivize** the emergence of a **cognitive toolkit** (attention, memory, knowledge representation, reasoning, emotions, forward simulation, skill acquisition, ...).

Doing it wrong:



Incentives a lookup table of correct moves.

Doing it right:



Incentivises cognitive tools.

Multi-agent environments are certainly better because of:

- Variety: the environment is parameterized by its agent population. The optimal strategy must be derived dynamically.
- Natural curriculum: the difficulty of the environment is determined by the skill of the other agents.

Conclusions



Don't fear intelligent machines. Work with them | ...



Later bekijk...



Delen



A note of optimism: Don't fear intelligent machines,
work with them (Garry Kasparov).


Beyond Pacman

Artificial intelligence algorithms are transforming science, engineering and society.

As future engineers or scientists, AI offers you opportunities to address some of the world's biggest challenges. Seize them!

Recap

- Lecture 0: Artificial intelligence
- Lecture 1: Intelligent agents
- Lecture 2: Solving problems by searching
- Lecture 2b: Constraint satisfaction problems (optional)
- Lecture 3: Adversarial search
- Lecture 4: Representing uncertain knowledge
- Lecture 5: Inference in Bayesian networks
- Lecture 6: Reasoning over time
- Lecture 7: Learning
- Lecture 8: Making decisions
- Lecture 9: Reinforcement learning
- Lecture 10: Communication (optional)
- Lecture 11: Artificial General Intelligence and beyond



Going further

This course is designed as an introduction to the many other courses available at ULiège and related to AI, including:

- ELEN0062: Introduction to Machine Learning
- INFO8004: Advanced Machine Learning
- INFO8010: Deep Learning
- INFO8003: Optimal decision making for complex problems
- INFO0948: Introduction to Intelligent Robotics
- INFO0049: Knowledge representation
- ELEN0016: Computer vision
- ELEN0060: Information and coding theory
- MATH2022: Large-sample analysis: theory and practice
- DROI8031: Introduction to the law of robots

Research opportunities

Feel free to contact us

- for research Summer internship opportunities
- MSc thesis opportunities
- PhD thesis opportunities



Thanks for following Introduction to Artificial Intelligence!