

Project Development Phase

USER ACCEPTANCE TESTING

Date	3rd October 2026
Team ID	6ab8c0aa8c7c66e70673078c
Project Name	Script-Controlled ACL – Restrict Record Access Based on Field Value
Maximum Marks	

6.2 USER ACCEPTANCE TESTING

User Acceptance Testing (UAT) verifies whether the developed ServiceNow ACL solution satisfies the requirements identified during the requirement analysis and design phases.

The testing is performed using different combinations of the custom roles bb1, bb2, bb3, and bb4.

Objectives

The UAT aims to verify that:


- The configured ACLs satisfy the defined requirements.
- Authorized users receive the intended permissions.
- Unauthorized users cannot perform restricted operations.
- The Branch-based Read restriction works correctly.
- Create, Write, and Delete permissions are controlled through the corresponding roles.
- The complete access-control mechanism behaves as expected.

User Acceptance Test Cases

Test ID	Role / User Configuration	Action	Expected Result
UAT01	bb1	View records	User can view permitted EEE branch records
UAT02	User without required role	View records	Access is restricted
UAT03	bb1 + bb2	Create a record	User can create a record
UAT04	bb1 + bb2 + bb3	Edit a record	User can edit permitted records
UAT05	bb1 + bb2 + bb3 + bb4	Delete a record	User can delete permitted records
UAT06	Without bb2	Create	Create operation is restricted
UAT07	Without bb3	Edit	Write operation is restricted
UAT08	Without bb4	Delete	Delete operation is restricted
UAT09	Administrator	View records	Administrator can access records for verification
UAT10	Different role combinations	Perform CRUD operations	ACLs enforce the configured permissions

Cumulative Access Verification

The acceptance testing follows the progressive permission model implemented in the project:



UAT Acceptance Criteria

The project is considered to meet the defined requirements when:

- The EEE User is successfully created.
- The required custom roles are successfully configured.
- The u_institution_details table contains the required fields and records.
- The READ ACL restricts access according to the configured Branch = EEE condition and required role.
- The CREATE ACL controls creation through bb2.
- The WRITE ACL controls modification through bb3.
- The DELETE ACL controls deletion through bb4.
- Users without the required permissions are prevented from performing restricted operations.
- The administrator can verify the configured access behavior.

6.3 PROJECT DEVELOPMENT OUTCOME

The Project Development Phase establishes and validates the ServiceNow-based access-control mechanism. The implemented solution combines custom roles, ACLs, and a field-based condition to control access to the Institution Details table.

The Performance Testing verifies the consistent evaluation of the configured access rules, while User Acceptance Testing verifies that the implemented solution satisfies the defined functional and security requirements.

The completed development therefore provides a structured mechanism for controlling Read, Create, Write, and Delete operations according to the roles assigned to the user and the configured record-level access conditions.