

REG NO: MF25266

WEBSITE: [Home](#)


TASK 1:

Interview: 27 Feb 2026

TASK 2:

Changes made to website


1. Changed button colour




Button colours previously seemed quite dark to read text on which could be troublesome for certain users especially as I have a user persona developing cataract and another that gets eyestrains to prevent people from having to move too close to the screen, I have slightly lightened these buttons to help.

2. Increased height of inner div

I found that the previous height for this div may have been too small especially as it serves as a place to be write reviews, I changed the height and width. This can also be helpful for phone users as they have smaller screens and less space to type/scroll.



3. Alignment



Gallery items were not aligned before as text was not centred, and images were not in the correct place. I have fixed this by using the margin auto property

4. Increased text size in most places on website as it was too small before especially in the about section.
5. Added aria labels to links and buttons and aria current labels to elements that are switching. This was to make the website more accessible to screen readers.

```
t['ID'] ?>" aria-label="Button to view reviews">Reviews</button>
['ID'] ?>" aria-label="Button to view description">Description</button>
```

```
s" aria-current ="<?php $category['category']?>">
```

6. Slowed down scroll animation



Art of Manga Exhibition

Araki's use of dynamic posing and anatomical exaggeration gives his illustrations a sense of motion and theatricality.

Scroll animation was too fast which could be harsh on people's eyes. This also makes it easier to read content

The content used for the website:

- https://www.nocloo.com/hirohiko-araki-biography/?utm_source=copilot.com
- https://pbs.twimg.com/media/EKJ0C_OXkAAyebI.jpg
- <https://static.jojowiki.com/images/d/dc/latest/20200117052341/RohanLouvreCover.jpg>
- <https://www.amazon.co.uk/JoJo-Go-Go-Hirohiko-Araki/dp/1974746852>
- <https://www.amazon.co.uk/Grupo-Erik-Bizarre-Adventure-Ceramic/dp/B0CQPFZDRK?th=1>
- <https://forbiddenplanet.com/206886-jojoes-bizarre-adventure-part-3-stardust-crusaders-volume-1-hardcover/>
- https://www.books2door.com/products/9781974724130?srsId=AfmBOopjoA8XgtEZYiS-jYlpHlalgkAHEjMUL-UmupK7BXKbz_BgoLN
- <https://forbiddenplanet.com/358367-thus-spoke-rohan-kishibe-volume-1-hardcover/>
- https://jojowiki.com/Crazy_Diamond%27s_Demonic_Heartbreak
- https://jojo.fandom.com/wiki/Purple_Haze
- https://jojo.fandom.com/wiki/Steel_Ball_Run

TASK 3

How php was used

NAV

Footer and header includes were used throughout the page the below screenshot is a screen shot of how a dynamic nav bar with **on and off states** was made. To do this the server super global variable was used to get the uri of the current page we are on. Using this we turn the path into an array so that we can access the third element which is the page name used to set whether the nav needs to be highlighted or not.

[1]

```

<?php // get the page title whenever you go to new tab
$directoryURI = $_SERVER['REQUEST_URI'];
$filePath = parse_url($directoryURI,PHP_URL_PATH);
$pageArr = explode('/', $filePath);
$page_title = $pageArr[3];

?>

<header> ...
<!--setting active nav bar and accessibility label with php-->
<ul class="menu" aria-label = "Main page navigation">
    <li><a href="Merch.php"
        class="<?php if ($page_title == "Merch.php"){echo "nav_active";}else {echo " ";}>"
        aria-current = "<?php if ($page_title == "Merch.php"){echo "Shop";}else {echo " ";}>">Shop</a></li>
    <li><a href="Gallery.php" ...
    <li><a href="index.php" ...
    <li><a href="About.php" ...
    <li><a href="SignUp.php" ...
    <li><a href="Basket.php"
        class="<?php if ($page_title == "Basket.php"){echo "nav_active";}else {echo " ";}>"
        aria-current = "<?php if ($page_title == "Basket.php"){echo "Basket";}else {echo " ";}>">Basket (<?php
        if(isset($_SESSION['cart'])){
            $item_count = count($_SESSION['cart']);
            echo $item_count;
        } else {
            echo "0";
        }
    ?>

```

Including footer and header example:

```

<?php include('./inc/header.php'); ?>

```

```

<!--add footer using php-->
<?php include('./inc/footer.php'); ?>

```

Display featured items

Php was also used to display featured items. Not all the items are displayed; each refresh changes the content limiting it to 3.

Featured Items







Jojonicle
Includes illustrations of the Nagasaki and Kanazawa venues, including the official visuals drawn by the artist and Hirohiko Araki new interview: Talking about the official visual.
£54.00



Jojo S Bizarre Adventure Mug
Large tea cup with bright colours inspired in Japanese anime television series Jojo's Bizarre Adventure, an adaptation of the Japanese manga series. Ceramic coffee cup has a capacity of 350 ml (35 cl) and is made of ceramic. This large mug measures 9.5 cm in height and 8 cm in diameter and is shipped in a protective box.
£18.95

Button functionality

Minor button functionality was added to subscribe buttons meaning when user types their email and submits there is a message to confirm their input email




Summary + Other:

- Updating text / content when changes were made using variables inside html
- Letting users know when log in has been successful
- Updating cart quantity and removing items
- Constructing html (e.g., my rendering the sign-up page function) using functions depending on the state of the user
- Checking if user can check out or not (if user logged in)
- Reflecting changes to cart on screen by displaying number of cart items
- Display Reviews
- Display description about products
- Authenticating users when registering (enforce requirements for security)

TASK 4

How I used php + database

Basket functionality



Users can add items from the shop page. Quantity update and item removal was also done using PHP. To make the page seem more dynamic, javascript was used to update certain elements of the order summary (e.g., changing the region changes shipping and delivery option changes the price) so that the changes are reflected on the screen and the user can see the price differences. Item subtotal was calculated using php.

Code example of adding to cart:

```
<?php
if(isset($_POST['add'])){
    // if we already have a session variable
    if(isset($_SESSION['cart'])){
        $item_arr = array_column($_SESSION['cart'], 'product_id');

        // if the item id is already in the array
        if(!in_array($_POST['product_id'], $item_arr)){
            // count function returns how many items are in session variable. no of elements in array
            $product_count = count($_SESSION['cart']);
            $products_array = array(
                'product_id'=> $_POST['product_id'],
                "quantity" => 1
            );
            $_SESSION['cart'][$product_count] = $products_array;
        }
    }
}

}else {
    $products_array = array(
        'product_id'=> $_POST['product_id'],
        "quantity" => 1
    );

    $_SESSION['cart'][0] = $products_array;

    // new session variable
}
```

While users can add to cart when they are logged in trying to check out without being logged in takes them to the sign-up page. This was done using php

```
<!--user attempts to checkout-->

<?php
$user = userLoggedIn();

if(isset($_GET['action']) && $_GET['action'] == "checkout" && isset($_SESSION['cart'])){
    if(isset($_SESSION['cart'])){
        if($user){
            header("Location:checkout.php");
            unset($_SESSION['cart']);
        } else {
            header("Location: SignUp.php?error=notLogged");
            exit();
        }
    }
}
```



Please log in to checkout.

SIGN IN

REGISTER

First Name	Last Name

Once they are logged in, they can purchase the item. This will take them to a separate page confirming their purchase.



User Log in and Registration

When user attempts to register there are error handlers to ensure the input, they put is safe to store and is correct. The first example is using trim to remove leading spaces and converting special characters to html to prevent any type of malicious text / sql injection

```
if(isset($_POST['regsubmit'])) {  
    $fname = trim($_POST['fname']);  
    $lname = trim($_POST['lname']);  
    $email = trim($_POST['email']);  
    $username = trim($_POST['username']);  
    $password = trim($_POST['password']);  
    $passwordCon = trim($_POST['conPassword']);  
  
    $username = htmlspecialchars($username);  
    $fname = htmlspecialchars($fname);
```


PHP was used for validation as well as some HTML5 validation to make inputs required so that there are no empty inputs. Below is an example of some validation. Most using preg_match to validate usernames, names and emails as well as passwords

```
//validate email
if(!filter_var($email, FILTER_VALIDATE_EMAIL) || !preg_match("/^[\\w\\- _]+@[a-z0-9.\\-]+\\.([a-z]{2,4})$/i", $email)){
    header('Location: SignUp.php?error=invalidEmail');
    exit();
}

// check if user exists
if(existingUser($email, $username)){
    header('Location: SignUp.php?error=existingUser');
    exit();
}

//validate username with regular expression // must start with letter, can contain numbers and underscores
if(!preg_match('/^[a-zA-Z][0-9a-zA-Z_]{2,23}[0-9a-zA-Z]$/i', $username)){
    header('Location: SignUp.php?error=invalidUsername');
    exit();
}

// check passwords match
if($password != $passwordCon){
    header('Location: SignUp.php?error=passwordMatch');
    exit();
}
```

[3]

Before posting data to the database the passwords are hashed using the php password hash function. As specified in the parameter's password default is the algorithm used which includes automatic salting. Users must confirm their passwords twice to ensure they are the same and there have been no mistakes. Prepared statements were used to send data to prevent sql injection and provide better security as the query values cannot be manipulated.

```

$hashedPassword = password_hash($password,PASSWORD_DEFAULT);
if($error == ""){
    $data = "mysql:host=".SERVER.";dbname=".DATABASE;
    if(!$connection = new PDO ($data, USERNAME, PASSWORD)){
        die("failed to connect");
    };

    $arr['fname'] = $fname;
    $arr['lname'] = $lname;
    $arr['email'] = $email;
    $arr['username'] = $username;
    $arr['password'] = $hashedPassword;

    // query is hidden using prepared system
    $query = " INSERT INTO users(fname,lname,email,username,password) VALUES (:fname, :lname,:email, :username, :password)";
    $stm = $connection->prepare($query);
    $stm -> execute($arr);
    $success= "Sign up complete! Please log in.";
    header("Location: SignUp.php");
    die;
}

```

Log in functionality is similar; password verify function is used to verify passwords because they are stored as hashes.

password

\$2y\$10\$LYgjfUleha.R4OU0S8QZaePI2/6scSsaua.vvqmF6xv...

\$2y\$10\$3bli/Alc/LQjSOHNf6TK8.bIPg.CpMao3FAfJ7wPHe1...

\$2y\$10\$RmUlfbp.4kOPkaKITAHzrecaMJVka0Lw1NxxNA8yIY0...

\$2y\$10\$UCCWOFnZoVb.YlbTkk.tResujMCJEyXQysyhHCaMsgz...

\$2y\$10\$bzqkTjiRYIKT6H6vXUQBweYLBuEbSB1UvTnOjcbH44D...

\$2y\$10\$KoZ0YblxPAD.09PoTiQL7uiLzSs0XADAt5PozA1FMZa...

\$2y\$10\$5/JgPeHoKvEBniiXIZhDjuffln2j/ICHV1x7IDxrKUe...

\$2y\$10\$eEU.bg0Jj9C3D/p2bksID.uBRliw1qDNz/wB4RGH2un...

\$2y\$10\$Kw/WgfmH6m0aH5RgihYsk.VkTX7m6kohAdMxkj03ejt...

We can check if a user already exists in the database which will warn the user when trying to log in. This is checked if the username / email already exists in the database.

```
// check if user already exists
function existingUser($email, $username){
    $data = "mysql:host=".SERVER.";dbname=".DATABASE;
    if(!$connection = new PDO ($data, USERNAME, PASSWORD)){
        die("failed to connect");
    };

    $arr['username'] = $username;
    $arr['email'] = $email;

    $query = "SELECT * FROM users WHERE username = :username || email = :email limit 1";


    $stm = $connection->prepare($query);

    $stm -> execute($arr);

    $count = $stm->rowCount();

    if($count == 0){
        return false;
    } else{
        return true;
    }
}
```

User knows they are logged in if they click on sign up page again and can log out. Log out also removes the basket. If there has been an error a get request is used to get the name of the error and display the correct text to let the user know.



Users database:

Extra Views: 1 Memory usage: 199 MB


				id	fname	lname	email	username	password
☐	Edit	Copy	Delete	15	Kenma	Haikyuu	kenma@hotmail.com	kenma111	\$2y\$10\$LYgjfUleha.R4OU0S8QZaePI2/6scSsaa.vvqmF6xv...
☐	Edit	Copy	Delete	16	Miku	Hatsune	HatsuneMiku@hotmail.com	MikuMiku	\$2y\$10\$3bliiAic/LQjS0HNf6TK8.blPg.CpMao3FAfJ7wPHe1...
☐	Edit	Copy	Delete	17	Futaba	Sakura	futaba@hotmail.com	futaba111	\$2y\$10\$RmUlfbp.4kOPkaKITAHzrecaMJVka0Lw1NxbNA8yIY0...
☐	Edit	Copy	Delete	18	Sypha	Belmont	Sypha@hotmail.com	syphaBelmont9	\$2y\$10\$UCCWOfnZoVb.YlbTkk.tResujMCJEyXQysyhHCaMsgz...
☐	Edit	Copy	Delete	19	Hitori	Gotoh	notBocchi@gmail.com	BOCCHI_ROCK	\$2y\$10\$bzqkTjiRYIKT6H6vXUQBweYLbuEbSB1UvTnOjcbH44D...
☐	Edit	Copy	Delete	29	round	fib	fib@hotmail.com	fib111	\$2y\$10\$KoZ0YbixPAD.09PoTiQL7uiLzSs0XADAt5PozA1FMZa...
☐	Edit	Copy	Delete	32	Ryo	Yamada	RyoBocchi@gmail.com	Ryo101	\$2y\$10\$5/JgPeHoKvEBniiXlZhdjuffln2y/ICHV1x7IDxrKUe...
☐	Edit	Copy	Delete	40	Tifa	Lockhart	Tifalockhart101@hotmail.com	Tifa77	\$2y\$10\$eEU.bg0Jj9C3D/p2bksID.uBRliw1qDNz/wB4RGH2un...
☐	Edit	Copy	Delete	41	Jinx	Powder	jinx99@hotmail.com	jinxXP	\$2y\$10\$Kw/WgflMh6m0aH5RgihYsk.VkTX7m6kohAdMxkj03ejt...

☐ Check all
 With selected:
 [Edit](#)
[Copy](#)
[Delete](#)
[Export](#)

Console

Shop

Php was used to display products by fetching the products by category from the database using prepared statements for security so that there are not attempts to change values.



Category

Featured

Featured

Featured

Featured

Featured

Featured


Manga

Manga

```
# get products by category
function getProductsByCategory($category) {
    $mysqli = dbConnect();
    $smtp = $mysqli -> prepare("SELECT * FROM products WHERE category = ?");
    $smtp -> bind_param("s", $category);

    $smtp -> execute();
    $result = $smtp -> get_result();
    $data = $result -> fetch_all(MYSQLI_ASSOC);
    return $data;
}
```

Products were displayed using the database so that I could fetch description, price and other information about the product.



Products DB:

	ID	Name	Type	Price	Category	Image	Description	Published	Stars
☐	1	Jojonicle	Artbook	54	Featured	images/featuredArtbook2.webp	Includes illustrations of the Nagasaki and Kanazaw...	2020-03-20	4
☐	2	Golden Wind Colorful Tote Bag	Bag	12.9	Featured	images/shop_featured_tote1.jpg	This tote bag is a collaboration item of "JOJO'S B...	2021-02-10	2
☐	3	Jojo S V3 Ex Mug	Decor	18.95	Featured	images/shop_featured_mug1.jpg	This ceramic cup/mug is the perfect gift for any o...	2016-06-09	4
☐	4	Jojo A-GolGol	Artbook	45	Featured	images/shop_featured_jojoAgo.jpeg	Hirohiko Araki's JoJo's Bizarre Adventure is a bel...	2000-09-12	3
☐	5	Stand Users Tote Bag	Bag	12.95	Featured	images/shop_featured_tote2.jpg	Handcrafted to ensure the highest quality standard...	2012-05-04	3
☐	6	Jojo S Bizarre Adventure Mug	Decor	18.95	Featured	images/shop_mug_2.jpg	Large tea cup with bright colours inspired in Japa...	2018-03-13	4
☐	7	Stardust Crusaders, Vol. 1	Manga	12.99	Manga	images/shop_manga_item1.jpg	A fiendish villain once thought to be dead has res...	2019-01-14	3
☐	8	Golden Wind Vol 5	Manga	15.99	Manga	images/shop_manga_item2.jpg	A multigenerational tale of the heroic Joestar fam...	2022-09-29	5
☐	9	Rohan Kishibe Vol 1	Manga	25	Manga	images/shop_manga_item3.jpg	Debuting in the same deluxe hardcover format as th...	2019-10-31	4
☐	10	Demonic Heartbreak	Manga	10.65	Manga	images/shop_manga_item4.jpg	The story is set between Stardust Crusaders and Di...	2022-05-18	3

Reviews:

thick so it won't be damaged easily, this is the perfect gift or collectible for JoJo fans.

kenma11

I love JoJo, and this ArtBook is amazing. I'm so happy with this purchase

syphaBelmont9

I LOVE THIS BOOK SO MUCH

Want to write a review?
[Log in](#)

[Add to basket](#)

User can add reviews on each product only if they are logged in. Reviews are stored on the database so the reviews will stay on the page even after the session is over

	review_id	product_id	user_id	comment	stars
☐	1	1	17	This art book is the best thing for JoJo fans, par...	4
☐	2	1	15	I love JoJo, and this ArtBook is amazing. I'm so h...	5
☐	3	2	16	I have used this tote a good bit over the past thr...	3
☐	4	2	17	I love that the bag has two handle lengths, allowi...	4
☐	5	3	18	Fast and easy to order on the website. Quality of ...	5
☐	6	3	15	It was uncomfortably lightweight, and one of the g...	2
☐	9	4	16	Artwork aside, the designers of the book have done...	5
☐	10	4	18	Absolutely stunning art-of book. This is my first ...	5
☐	11	5	18	I have just been using these to create Christmas g...	4
☐	12	5	17	Eco-Friendly- It's great to have a reusable option...	5
☐	13	7	16	Would highly recommend, even to fans who have alre...	5
☐	14	7	15	Stardust Crusaders is one of the most recognisable...	5

Foreign keys were used to connect products and users to each review which makes it easier to execute queries and prevents errors such as inserting a review on a product

that does not exist. RESTRICT enforcement was placed on foreign key constraint to ensure values stay true to their references from respective tables.



Once logged in users can leave a review. After users have left a review the page refreshes and they can see their review and no longer post another. Instead, it will be replaced with a thank you for leaving a review message.

Other:

```
// check if user logged in
function userLoggedIn(){
    if(isset($_SESSION['username'])){
        $data = "mysql:host=".SERVER.";dbname=".DATABASE;
        if(!$connection = new PDO ($data, USERNAME, PASSWORD)){
            die("failed to connect");
        };

        $arr['username'] = $_SESSION['username'];

        $query = "SELECT fname,lname,email,username,id FROM users WHERE username = :username limit 1";
        $stm = $connection->prepare($query);

        $stm -> execute($arr);

        $data = $stm -> fetchAll(PDO::FETCH_OBJ);
        return $data[0];
    } else{
        return false;
    }
}
```

Database was also used to check if the user is logged in to retrieve their information and check if the user has already left a review using queries

TASK 5:

[Home](#)

Website link

TASK 6

User evaluation

The user evaluation was first done using the think aloud method where the user must perform certain tasks. Here I have recorded two users, the first one attempts to create an account and checkout while the second creates an account and attempts to leave a review. I tried not to tell the users how to do certain tasks to know how a first-time user would use my website.

User 1: Rui

Link to video:

https://docs.google.com/videos/d/1Rtfu7e_772LzlKnGOpj9XPjVRbEaxVf9tqGvQ7KVVzI/edit?usp=drive_link

I chose Rui because I wanted someone who did not use the computer much to try and use my website like my user persona Margeret. There were many errors encountered during this stage for example Rui's name is Ruthe-Anne and my website did not accept that due to the validation. my website also did not accept 3 letter usernames which was a problem since she wanted the username Rui. The last error was with the email where my pregmatch function placed a strict structure on emails that meant users could not place full stops before the @ sign like Rui's email.

How I fixed these errors:

Name verification only checks if there are numbers rather than only being alphabetical. I thought this would be a better option because there are many names out there that can include accents, apostrophes, dashes and other types and if I want my website to be used from other regions I thought it would be best to keep it simple and only check if the name has numbers.

```
// validate name
if(preg_match('~[0-9]+~', $fname) || preg_match('~[0-9]+~', $lname) ){
    header('Location: SignUp.php?error=invalidName');
    exit();
}
```

```
if(!preg_match('/^[a-z\d_]{3,}$/i', $username)){
    header('Location: SignUp.php?error=invalidUsername');
    exit();
}
```

I decreased the length of username and placed text beneath stating the length I want the username to be as well as other rules so that users know what is needed for the username. With this new restriction users are allowed any length usernames but no special characters other than underscore. [2]

```
//validate email
if(!filter_var($email, FILTER_VALIDATE_EMAIL)){
    header('Location: SignUp.php?error=invalidEmail');
    exit();
}
```

To validate the email, I have changed to only using the built in php email validation/sanitisation function instead of having a structure that needs to be followed with pregmatch.

After this Rui logged in and managed to add an item to cart which she found to be an easier process.

User 2: Yassin

For this evaluation I chose Yassin because he wears glasses and has quite poor vision. He also uses his computer a lot, is an anime fan and is 19 years old like my user persona Darren.

https://drive.google.com/file/d/1-3bcfL-Scc_4lHN885N0phQ7_7VfTMK/view?usp=drive_link

Yassin's main tasks were to log in and leave a review. While he managed to log in, he did not realise that he had successfully registered because the success message was the same colour as the error message, so it was not clear. After logging in Yassin had a hard time finding the button to leave a review. He later told me that the description button stood out, but the review button did not really seem like something clickable.

How I fixed these errors

Sign into your account to have a more personalised experience! Checkout, leave reviews and save your basket in case you want to come back. Create a new account or sign in if you are already registered with us. You can also subscribe to our newsletter to hear about future events and hear about our new items.


Registration complete please log in to proceed!

SIGN IN

REGISTER

Username	First Name	Last Name
----------	------------	-----------

Registration success message was changed to be green instead of red



Changed colour of reviews button and increased font size to show that it is clickable

QUESTIONNAIRE:


These are some additional responses to my website. Some responses were made after the website had been refactored others were before. Overall, the results were satisfactory most people liked the design, but the functionality did have a few problems especially with the log in which have now been fixed. A wider range of names is allowed, and clickable items stand out more. I also changed the colour of the requirements, so users are not confused about it being an error that has come AFTER.

As a new user was it easy to work out how to perform certain tasks

 [Copy chart](#)

(e.g., are you able to see where you can find items, check your basket, log in)


4 responses



Did you find the process of logging in / registering to be difficult or over complicated


 [Copy chart](#)

4 responses




are there any parts of the website that seem unclear or could be elaborated on what they do e.g., you did not know what a certain button or link does before clicking on it

4 responses



did you experience any errors?

4 responses



If you experienced any errors or want to provide general feedback please let me know here.

4 responses

got some errors trying to put in my user name because it wasn't clear what i can put and can't put

this was great 10/10 :)

The reviews button could be made to look more like a button (like the description button) so that it's not mistaken for normal text and the 8 character minimum warning for the password could be made to look less like an error that has occurred

some parts on the page do seem clickable like the new items part on the merch page but aside from that it was all fine!

Another key response I received from a user was not allowing spaces in my username. This is something that should also be fixed for future reference.

I dislike the fact you cant have a username with a space in it. ive managed to do so on other sites so im not sure why its the case here? otherwise 10/10 website!

AUTOMATED TESTING



Outside of functionality it is important to evaluate the content of my website. Here I have used tag crowd to assess content and strategy of my webpage, specifically the about page because that is where most users such as my first user persona go to find information about the artist they are interested in. Because I had to upload the file html tags appear in the image but ignoring those, I can see that Araki, art and other words about the artist and his career appear very often. This is a good indication that my about page stays on topic and is relevant to the user.

Due to file uploading the other pages were mainly about the html tags and did not focus on the content.

REFLECTION

My biggest issue doing this assignment was trying to balance the experiences of users with what I could do with php. For example, one of the biggest issues I have with my page is needing to refresh when a change has been made to reflect the changes on the page. This becomes a problem when the user leaves a review, the page refreshes and the user is sent back to the top of the page instead of where they originally on the page. This means to see the review they posted they must go back and look for the product which can be annoying for the user. I believe this also makes the website seem clunky. The same happens when selecting a category for the shop.

I tried to focus more on accessibility and making sure the user knows what they need to do on the page, but I still believe some parts of the page are slightly over complicated or difficult to grasp. For future websites I believe putting the reviews in a different section entirely instead of a small section in the product would be easier for all users especially people on phones.

The main technique I want to try if I do a shop website again is using object-oriented programming for the cart. This was a method I tried initially for the log in page but failed due to multiple errors however I believe this would make it much easier to manage certain aspects of the page. Authentication is another aspect of PHP that I wish to improve on because trying to balance between setting realistic requirements for inputs while making sure that they are not too difficult for the user or result in errors is a difficult task. Setting clear limitations on what is allowed and what is not allowed is something that I need to be clear about. Overall, the biggest improvements I wish to make in the future are providing a better user experience on my website and coding more efficiently.

SKILLS TREE

WEB DEV SKILLS TREE

References

[1] HANO MEDIA. *How to make a Navigation Menu with Active class Using PHP*. (Nov. 24, 2022). Accessed: Mar. 20, 2026. [Online Video]. Available:

<https://youtu.be/B1gwJOVxbjg?si=IOAQWwFYOj9QcHbt>

[2] P. Team, "15+ regular expressions for PHP developers – PHPZAG.COM", 27-Jan.-2016. [Online]. Available: <https://www.phpzag.com/15-regular-expressions-for-php-developers/>. [Accessed: 20-Mar.-2026].

[3] D. Community, “Step by Step guide to validate username with PHP preg_match”, *DEV Community*. 20-Oct.-2021. [Online]. Available: <https://dev.to/altsyset/php-pregmatch-to-validate-user-name-ethiopian-phone-number-4cj>. [Accessed: 20-Mar.-2026].