15,357,464 members





articles

Q&A

forums stuff

? lounge

Search for articles, question:



# Creating a Serial communication on Win32



konchat


20 Oct 2002 CPOL

**Rate me:** 4.57/5 (59 votes)

The purpose of this article is to describe how to interface to serial port on Win32.

Download demo project - 12.4 KB

**Download source - 33.4 KB** 



## Introduction

The purpose of this article is to describe how to interface to serial port on Win32. The serial port can be implemented by several techniques such as ActiveX, access I/O and file operation. This article explains the use of serial port on Win32 platform by file operation technique. The programmer can use kernel32.lib library that is provided with the Microsoft Visual C++ Version 6.0. In Microsoft Windows (2000, Me, XP and 95/98), serial port can be treated as a file. Therefore it's possible to open a serial port by using Windows file-creating function.

This article explains not only about serial port communication but also how to implement multi-tasking that can apply with our project "serial port" application. The reason why the software (serial communication) will be implemented with multi-tasking method is that the serial communication application has to handle work with more than one task at the same time. For example data-reading task, data-sending task, GUI task etc.

These topics describe the basic operation of interfacing a serial port on Win32:

## Initial/Open serial port communication.

- Creating a port handle
- Restoring a configuration (DCB)
- Modifying a configuration
- Storing a configuration
- Setting a Time-Out communication

## Receive/Send data

- Sending data
- Receiving data
- Closing a serial port

# Design approach

### Initial/Open serial port

The first step in opening a serial port is initiation or setting a serial port's configuration. The purpose of this is to create the serial port agent. All throughout the article we are going to use a file handle as serial port agent.

### Creating a port handle

The serial port's handle is a handle that can be used to access the object of serial port. The function that is used to create the serial port handle is the CreateFile function. The following code shows the function that is used to create a handle:

C++Copy Code

```
handlePort_ = CreateFile(portName, // Specify port device: default "COM1"
                                    // Specify mode that open device.
GENERIC_READ | GENERIC_WRITE,
                                    // the devide isn't shared.
NULL,
                                    // the object gets a default security.
                                    // Specify which action to take on file.
OPEN EXISTING,
                                    // default.
NULL);
                                    // default.
```

As figure 2 shows, portName = "COM1": the portName is a variable that is declared by const char\*. It is used to specify port name that wants to create a serial port handle.

```
// TODO: Add your control notification handler
if (statusPort_ == false) // if port is opene

    CreateFile(portName

⊕ portName

                                                                 0x00421a2c
                                                                            "COM1
  GENERIC_READ | GENERIC_WRITE,
                                       Speci
the d
 NULL
                                       the o
 OPEN_EXISTING,
                                       Speci
                                       defau
 NULL):
                                       defau
 AfxMessageBox("Get configuration port has problem.");
```

Figure 2: CreateFile function

### Restoring a configuration

The restoration of serial port configuration is getting current configuration at control device. The configuration of serial port includes parameters that are used for setting a serial communications device.

The GetCommState function is used to get the current device-control and then fills to a device-control block (a DBC structure) with the current control settings for a specified communications device. The following code shows the function that is used to get the current control device:

```
C++
                                                                                    Copy Code
// Get current configuration of serial communication port.
  (GetCommState(handlePort_,&config_) == 0)
{
   AfxMessageBox("Get configuration port has problem.");
   return FALSE;
}
```

#### Modifying a configuration

When you already have serial port configuration in the DBC format, you have to modify parameters a bit. Following code shows the parameters modified:

```
C++
                                                                                                   Copy Code
```

```
// Assign user parameter.
config_.BaudRate = dcb.BaudRate; // Specify buad rate of communication.
config .StopBits = dcb.StopBits; // Specify stopbit of communication.
config_.Parity = dcb.Parity;
                                  // Specify parity of communication.
config_.ByteSize = dcb.ByteSize; // Specify byte of size of communication.
```

• DWORD BaudRate:

Current baud rate (default = 9600)

BYTE StopBits:

```
0,1,2 = 1, 1.5, 2 (default = 0)
```

BYTE Parity:

```
0-4= no, odd, even, mark, space (default = 0)
```

BYTE ByteSize:

Number of bits/byte, 4-8 (default = 8)

Note: Recommend that programmers use default value for typical communication. As shown in figure 3, Watch Dialog Box shows the default values that are used for typical communication.

```
// Get current configuration of serial communication portif (GetCommState(handlePort_,&config_) == 0) watch
    AfxMessageBox("Get configuration port has Name
                                                                                  dcb BaudRate
                                                                                                                9600
                                                                                  dcb.StopBits
                                                                                                                0 '
// Assign user parameter.

config_BaudRate = dcb.BaudRate;

config_StopBits = dcb.StopBits;

config_Parity = dcb.Parity;

config_ByteSize = dcb.ByteSize;
                                                                                                                n
                                                                                  dcb.Parity
                                                             // Speci
// Speci
                                                             // Speci
// Set current configuration of serial communif (SetCommState(handlePort_,&config_) == 0) | Watch1 Watch2 Watch3 Watch4
      AfxMessageBox("Set configuration port has problem.");
```

Figure 3: Serial port configuration

### Storing a configuration

The next step is the storage of new configuration that is modified already into device control. Call SetCommState API function to store the configuration. The SetCommState function configures a communications device according to the specifications in a device-control block (a DBC structure). The function reinitializes all hardware and control settings, but it does not empty output or input queues. Following code shows storage of a new configuration:

```
C++
                                                                                     Copy Code
if (SetCommState(handlePort_,&config_) == 0)
  AfxMessageBox("Set configuration port has problem.");
  return FALSE;
}
```

#### Setting a Time-Out communication

The final step in serial port opening is setting communication Time-out by using the COMMTIMEOUTS data-structure and calling **SetCommTimeouts** function. The code below shows setting time-out of communication:

C++ Copy Code

```
// instance an object of COMMTIMEOUTS.
COMMTIMEOUTS comTimeOut;
// Specify time-out between charactor for receiving.
comTimeOut.ReadIntervalTimeout = 3;
// Specify value that is multiplied
// by the requested number of bytes to be read.
comTimeOut.ReadTotalTimeoutMultiplier = 3;
// Specify value is added to the product of the
// ReadTotalTimeoutMultiplier member
comTimeOut.ReadTotalTimeoutConstant = 2;
// Specify value that is multiplied
// by the requested number of bytes to be sent.
comTimeOut.WriteTotalTimeoutMultiplier = 3;
// Specify value is added to the product of the
// WriteTotalTimeoutMultiplier member
```

```
comTimeOut.WriteTotalTimeoutConstant = 2;
// set the time-out parameter into device control.
SetCommTimeouts(handlePort ,&comTimeOut);
```

#### ReadIntervalTimeout

Specifies the maximum time, in milliseconds, allowed to elapse between the arrival of two characters on the communications line. During a ReadFile operation, the time period begins when the first character is received. If the interval between the arrival of any two characters exceeds this amount, the **ReadFile** operation is completed and any buffered data is returned. A value of zero indicates that interval time-outs are not used.

A value of MAXDWORD, combined with zero values for both the ReadTotalTimeoutConstant and ReadTotalTimeoutMultiplier members, specifies that the read operation is to return immediately with the characters that have already been received, even if no characters have been received.

#### ReadTotalTimeoutMultiplier

Specifies the multiplier, in milliseconds, used to calculate the total time-out period for read operations. For each read operation, this value is multiplied by the requested number of bytes to be read.

#### ReadTotalTimeoutConstant

Specifies the constant, in milliseconds, used to calculate the total time-out period for read operations. For each read operation, this value is added to the product of the ReadTotalTimeoutMultiplier member and the requested number of bytes.

A value of zero for both the ReadTotalTimeoutMultiplier and ReadTotalTimeoutConstant members indicates that total time-outs are not used for read operations.

### WriteTotalTimeoutMultiplier

Specifies the multiplier, in milliseconds, used to calculate the total time-out period for write operations. For each write operation, this value is multiplied by the number of bytes to be written.

#### WriteTotalTimeoutConstant

Specifies the constant, in milliseconds, used to calculate the total time-out period for write operations. For each write operation, this value is added to the product of the WriteTotalTimeoutMultiplier member and the number of bytes to be written.

A value of zero for both the WriteTotalTimeoutMultiplier and WriteTotalTimeoutConstant members indicates that total time-outs are not used for write operations.

Note: After the user has set the time-out of communication without any error, the serial port has opened already.

# Sending data

Most of data transmission of serial port is done as writing a file. Programmer can apply file operation functions for sending data to serial port. The WriteFile function is a function used to send data in serial port communication.

C++Copy Code

```
if (WriteFile(handlePort_,
                            // handle to file to write to
                            // pointer to data to write to file
   outputData,
   sizeBuffer,
                            // number of bytes to write
   &length,NULL) == 0)
                            // pointer to number of bytes written
```

```
AfxMessageBox("Reading of serial communication has problem.");
    return FALSE;
}
```

Note: If the function succeeds, the return value is nonzero.

# Receiving data

Most of data reception of serial communication is done as reading a file. Programmer can apply file operation functions for receiving data from serial port. The ReadFile function is the function that handles reading data in serial port communication.

C++Copy Code

```
if (ReadFile(handlePort_, // handle of file to read
                            // handle of file to read
    inputData,
    sizeBuffer,
                            // number of bytes to read
                            // pointer to number of bytes read
    &length,
    NULL) == 0)
                            // pointer to structure for data
{
    AfxMessageBox("Reading of serial communication has problem.");
    return FALSE;
}
```

Note: If the function succeeds, the return value is nonzero.

## Closing a serial port

The serial port closing calls the **CloseHandle** API function to close handle of device control.

```
C++
                                                                                  Copy Code
if(CloseHandle(handlePort_) == 0) // Call this function to close port.
    AfxMessageBox("Port Closeing isn't successed.");
    return FALSE;
}
```

Note: If the function succeeds, the return value is nonzero.

## License

This article, along with any associated source code and files, is licensed under The Code Project Open License (CPOL)

### Share

## About the Author



konchat Web Developer United States

I am living in Thailand, I am working as a Software Engineer at a transportation Compay, In my spare time I like to play ping pong.

My programming experience includes C/C++, Java, C#, Assembler(Intel/Motolora), MFC, ATL, OpenGL, a bit for HTML.

### Comments and Discussions

You must Sign In to use this message board.

**Search Comments** 

First Prev Next

Not working \*\*

Member 10994587 27-Dec-17 23:35

Thank You A Lot!

Carlos1907 25-Jun-14 20:44

INVALID\_HANDLE\_VALUE for COM10 or higher fix A

NZSmartie 22-Mar-14 22:48

How to get portnames 2

g8anush 2-Feb-14 17:27

Serial port reading is hanging

jayanthyk192 29-Nov-13 7:20

VC++ 2010 Compile issue

MGreatwolf 13-Jan-13 14:01

Re: VC++ 2010 Compile issue \*

john\_1726 27-Apr-15 7:09

My vote of 1

samdcvn 20-Sep-12 14:57

Re: My vote of 1 \*

Carlos1907 25-Jun-14 19:39

My vote of 4

w-peuker 26-Jul-12 0:22

Re: My vote of 4

**w-peuker** 26-Jul-12 0:26

Re: My vote of 4

Vozzie2 2-Oct-12 2:23

Why does it not send my data to the port before I close the application A

dgipling 5-Jul-12 4:42

Re: Why does it not send my data to the port before I close the application A

Agnius Vasiliauskas 8-Jan-13 1:27

Want to display entire packet \*\*

Member 8262724 23-Sep-11 9:44

My vote of 5

Norm Heyder 25-Feb-11 11:32

serial communication

arvinder456 18-Nov-08 10:11

**Detected memory leaks!** 

Bincker 15-Sep-08 22:43

Re: Detected memory leaks!

wct 2-Jan-09 3:51

Re: Detected memory leaks!

**Bincker** 8-Jan-09 20:50

Re: Detected memory leaks! A

wct 10-Jan-09 4:36

Re: Detected memory leaks!

**Bincker** 18-Jan-09 18:47

Is there a way to know the buffer size before reading it?

joelparker 19-Aug-08 7:17

Way to close a comm port on which the handle has been lost?

Member 1929642 7-Aug-08 6:12

Re: Way to close a comm port on which the handle has been lost?

Raven1979933 4-Oct-08 20:59

Refresh 1 2 3 4 5 Next ▷

Admin









https://www.codeproject.com/Articles/3061/Creating-a-Serial-communication-on-Win#:~:text=The serial port can be,Microsoft Visual C%2B%2B V... 8/9

Terms of Use

Use Ctrl+Left/Right to switch messages, Ctrl+Up/Down to switch threads, Ctrl+Shift+Left/Right to switch pages.

Layout: fixed | fluid

Permalink Advertise Privacy Cookies

Article Copyright 2002 by konchat Everything else Copyright © CodeProject, 1999-2022

Web02 2.8.2022.07.01.1