

Επεξεργασία Φυσικής Γλώσσας

Εργασία 2

Γεώργιος Μάνθος, MTN2513

Part A: Word Embeddings

0. Φόρτωμα μοντέλων

```
In [2]: import gensim.downloader as api
import numpy as np
import matplotlib.pyplot as plt
import seaborn as sns
from sklearn.manifold import TSNE

sns.set_style("whitegrid")

print("Loading Word2Vec (Google News 300d)...")
w2v_model = api.load('word2vec-google-news-300')
print("Done.")

print("Loading GloVe (Wiki Gigaword 300d)...")
glove_model = api.load('glove-wiki-gigaword-300')
print("Done.")
```

```
Loading Word2Vec (Google News 300d)...
Done.
Loading GloVe (Wiki Gigaword 300d)...
Done.
```

1. Top-10 Κοντινές λέξεις

Για κάθε μία από τις: 'car', 'jaguar', 'Jaguar', 'facebook'.

```
In [3]: def top_ten_w2v_glove(query_words):
        w2v_results = {}
        glove_results = {}

        for word in query_words:
            print(f"\n{'='*60}")
            print(f"    Word: '{word}'")
            print(f"{'{'*60}")

            # Word2Vec
            try:
                w2v_similar = w2v_model.most_similar(word, topn=10)
                w2v_results[word] = [w for w, _ in w2v_similar]
                print(f"\n    Word2Vec top-10:")
                for rank, (w, score) in enumerate(w2v_similar, 1):
                    print(f"        {rank:2d}. {w:<25s} {score:.4f}")
            except KeyError:
                print(f"    Word2Vec: '{word}' not in vocabulary")
                w2v_results[word] = []

            # GloVe
            try:
                glove_similar = glove_model.most_similar(word, topn=10)
                glove_results[word] = [w for w, _ in glove_similar]
                print(f"\n    GloVe top-10:")
                for rank, (w, score) in enumerate(glove_similar, 1):
                    print(f"        {rank:2d}. {w:<25s} {score:.4f}")
            except KeyError:
                print(f"    GloVe: '{word}' not in vocabulary (GloVe is lowercase-only)")
                glove_results[word] = []

        return w2v_results, glove_results
```

```
In [4]: query_words = ['car', 'jaguar', 'Jaguar', 'facebook']
        w2v_results, glove_results = top_ten_w2v_glove(query_words)
```

```
=====
Word: 'car'
=====
```

Word2Vec top-10:

1. vehicle	0.7821
2. cars	0.7424
3. SUV	0.7161
4. minivan	0.6907
5. truck	0.6736
6. Car	0.6678
7. Ford_Focus	0.6673
8. Honda_Civic	0.6627
9. Jeep	0.6511
10. pickup_truck	0.6441

GloVe top-10:

1. cars	0.7827
2. vehicle	0.7655
3. truck	0.7351
4. driver	0.7115
5. driving	0.6442
6. vehicles	0.6328
7. motorcycle	0.6023
8. automobile	0.5956
9. parked	0.5910
10. drivers	0.5778

```
=====
Word: 'jaguar'
=====
```

Word2Vec top-10:

1. jaguars	0.6738
2. Macho_B	0.6313
3. panther	0.6086
4. lynx	0.5815
5. rhino	0.5754
6. lizard	0.5607
7. tapir	0.5563
8. tiger	0.5529
9. leopard	0.5473

10. Florida_panther	0.5464
---------------------	--------

GloVe top-10:

1. rover	0.5931
2. bmw	0.5415
3. mercedes	0.5256
4. sepecat	0.5030
5. mustang	0.4987
6. lexus	0.4845
7. volvo	0.4829
8. cosworth	0.4809
9. xk	0.4764
10. maserati	0.4757

=====
Word: 'Jaguar'
=====

Word2Vec top-10:

1. Land_Rover	0.6484
2. Aston_Martin	0.6437
3. Mercedes	0.6420
4. Porsche	0.6233
5. BMW	0.6055
6. Bentley_Arnage	0.6040
7. XF_sedan	0.5996
8. Audi	0.5976
9. Jaguar_XF	0.5951
10. XJ_saloon	0.5942

GloVe: 'Jaguar' not in vocabulary (GloVe is lowercase-only)

=====
Word: 'facebook'
=====

Word2Vec top-10:

1. Facebook	0.7564
2. FaceBook	0.7077
3. twitter	0.6989
4. myspace	0.6942
5. Twitter	0.6642
6. twitter_facebook	0.6572

7. Facebook.com	0.6530
8. myspace_facebook	0.6371
9. facebook_twitter	0.6368
10. linkedin	0.6357

GloVe top-10:

1. twitter	0.8350
2. myspace	0.8056
3. youtube	0.7292
4. blog	0.6404
5. linkedin	0.6333
6. google	0.6268
7. website	0.6157
8. web	0.6143
9. blogs	0.6064
10. networking	0.6047

Συγκριτικός πίνακας μεταξύ των απαντήσεων των 2 μοντέλων:

original word	ranking	word2vec value	word2vec score	glove value	glove score
car	1	vehicle	0.7821	cars	0.7827
	2	cars	0.7424	vehicle	0.7655
	3	SUV	0.7161	truck	0.7351
	4	minivan	0.6907	driver	0.7115
	5	truck	0.6736	driving	0.6442
	6	Car	0.6678	vehicles	0.6328
	7	Ford_Focus	0.6673	motorcycle	0.6023
	8	Honda_Civic	0.6627	automobile	0.5956
	9	Jeep	0.6511	parked	0.5910
	10	pickup_truck	0.6441	drivers	0.5778
---	---	---	---	---	---

original word	ranking	word2vec value	word2vec score	glove value	glove score
jaguar	1	jaguars	0.6738	rover	0.5931
	2	Macho_B	0.6313	bmw	0.5415
	3	panther	0.6086	mercedes	0.5256
	4	lynx	0.5815	sepecat	0.5030
	5	rhino	0.5754	mustang	0.4987
	6	lizard	0.5607	lexus	0.4845
	7	tapir	0.5563	volvo	0.4829
	8	tiger	0.5529	cosworth	0.4809
	9	leopard	0.5473	xk	0.4764
	10	Florida_panther	0.5464	maserati	0.4757
---	---	---	---	---	---
Jaguar	1	Land_Rover	0.6484	N/A	-
	2	Aston_Martin	0.6437	N/A	-
	3	Mercedes	0.6420	N/A	-
	4	Porsche	0.6233	N/A	-
	5	BMW	0.6055	N/A	-
	6	Bentley_Arnage	0.6040	N/A	-
	7	XF_sedan	0.5996	N/A	-
	8	Audi	0.5976	N/A	-
	9	Jaguar_XF	0.5951	N/A	-
	10	XJ_saloon	0.5942	N/A	-
---	---	---	---	---	---

original word	ranking	word2vec value	word2vec score	glove value	glove score
facebook	1	Facebook	0.7564	twitter	0.8350
	2	FaceBook	0.7077	myspace	0.8056
	3	twitter	0.6989	youtube	0.7292
	4	myspace	0.6942	blog	0.6404
	5	Twitter	0.6642	linkedin	0.6333
	6	twitter_facebook	0.6572	google	0.6268
	7	Facebook.com	0.6530	website	0.6157
	8	myspace_facebook	0.6371	web	0.6143
	9	facebook_twitter	0.6368	blogs	0.6064
	10	linkedin	0.6357	networking	0.6047

Κοινές λέξεις

(μαρκαρισμένες και με *bold italic* στον πίνακα)

```
In [5]: for word in query_words:
        w2v_set = set(w.lower() for w in w2v_results.get(word, []))
        glove_set = set(w.lower() for w in glove_results.get(word, []))
        common = w2v_set & glove_set
        print(f"{word}': {len(common)} common words -> {common if common else '{}'} ")
```

```
'car': 3 common words -> {'truck', 'cars', 'vehicle'}
'jaguar': 0 common words -> {}
'Jaguar': 0 common words -> {}
'facebook': 3 common words -> {'twitter', 'myspace', 'linkedin'}
```

Παρατηρούμε πως ενώ για τα car και facebook βρέθηκαν από 3 κοινές λέξεις, για τα jaguar/Jaguar δεν έχουμε καμία. Για την λέξη Jaguar είναι αρκετά προφανές πως αφού το glove δεν έχει κεφαλαία, δεν βρίσκει καθόλου το κλειδί για να βρεθούν ομοιότητες, και το word2vec φέρνει οχηματα σαν πλησιέστερες λέξεις.

Για το jaguar (με μικρό j) όμως, είναι αξιοσημείωτο ότι ενώ το word2vec φέρνει ζώα σαν πλησιέστερες έννοιες, το glove φέρνει οχήματα! καταλαβαίνουμε λοιπόν ότι το word2vec κάνει έναν επιπλέον διαχωρισμό των δύο εννοιών με την χρήση κεφαλαίων, και συνδέει το Jaguar με την γνωστή αυτοκινητοβιομηχανία και το jaguar με το αιλουροειδές.

2. Τέσσερις Λέξεις Δικής μου επιλογής: python, coffee, galaxy, tennis

θα χρησιμοποιηθεί η function που δημιουργήθηκε στο προηγούμενο ερώτημα.

```
In [6]: custom_words = ['python', 'coffee', 'galaxy', 'tennis']  
w2v_results_custom, glove_results_custom = top_ten_w2v_glove(custom_words)
```



```
=====
Word: 'python'
=====
```

Word2Vec top-10:

1. pythons	0.6688
2. Burmese_python	0.6680
3. snake	0.6606
4. crocodile	0.6591
5. boa_constrictor	0.6444
6. alligator	0.6422
7. reptile	0.6388
8. albino_python	0.6159
9. croc	0.6084
10. lizard	0.6013

GloVe top-10:

1. monty	0.6837
2. perl	0.5193
3. cleese	0.5092
4. pythons	0.5007
5. php	0.4942
6. grail	0.4683
7. scripting	0.4676
8. skit	0.4475
9. javascript	0.4313
10. spamalot	0.4312

```
=====
Word: 'coffee'
=====
```

Word2Vec top-10:

1. coffees	0.7213
2. gourmet_coffee	0.7057
3. Coffee	0.6900
4. o_joe	0.6891
5. Starbucks_coffee	0.6875
6. coffee_beans	0.6750
7. latté	0.6641
8. cappuccino	0.6625
9. brewed_coffee	0.6622

10. espresso	0.6617
--------------	--------

GloVe top-10:

1. tea	0.6692
2. espresso	0.5902
3. cocoa	0.5678
4. starbucks	0.5498
5. drinks	0.5467
6. beans	0.5412
7. drink	0.5403
8. beer	0.5283
9. sipping	0.5049
10. sugar	0.5025

=====
Word: 'galaxy'
=====

Word2Vec top-10:

1. galaxies	0.7880
2. Milky_Way_galaxy	0.7715
3. Milky_Way_Galaxy	0.7398
4. Milky_Way	0.7311
5. distant_galaxy	0.7264
6. Andromeda_galaxy	0.7250
7. planets	0.7234
8. supernova	0.7081
9. nebula	0.7063
10. galactic	0.7018

GloVe top-10:

1. galaxies	0.5894
2. planets	0.4908
3. milky	0.4863
4. ngc	0.4801
5. mls	0.4729
6. planet	0.4572
7. andromeda	0.4472
8. stars	0.4469
9. universe	0.4385
10. star	0.4293

```
=====
Word: 'tennis'
=====
```

Word2Vec top-10:

1. Tennis	0.7291
2. volleyball	0.6842
3. badminton	0.6706
4. basketball	0.6559
5. soccer	0.6163
6. beach_volleyball	0.6127
7. Steffi_Graff	0.6038
8. André_Agassi	0.5987
9. golf	0.5907
10. TENNIS	0.5898

GloVe top-10:

1. badminton	0.6591
2. tournament	0.6410
3. volleyball	0.6373
4. wimbledon	0.6204
5. atp	0.6107
6. wta	0.6054
7. golf	0.6036
8. championships	0.6009
9. tournaments	0.5826
10. basketball	0.5690

Συμπληρωμένος ο πίνακας:

original word	ranking	word2vec value	word2vec score	glove value	glove score
python	1	pythons	0.6688	monty	0.6837
	2	Burmese_python	0.6680	perl	0.5193
	3	snake	0.6606	cleese	0.5092
	4	crocodile	0.6591	pythons	0.5007
	5	boa_constrictor	0.6444	php	0.4942

original word	ranking	word2vec value	word2vec score	glove value	glove score
	6	alligator	0.6422	grail	0.4683
	7	reptile	0.6388	scripting	0.4676
	8	albino_python	0.6159	skit	0.4475
	9	croc	0.6084	javascript	0.4313
	10	lizard	0.6013	spamalot	0.4312
---	---	---	---	---	---
coffee	1	coffees	0.7213	tea	0.6692
	2	gourmet_coffee	0.7057	espresso	0.5902
	3	Coffee	0.6900	cocoa	0.5678
	4	o_joe	0.6891	starbucks	0.5498
	5	Starbucks_coffee	0.6875	drinks	0.5467
		coffee_beans	0.6750	beans	0.5412
	7	latté	0.6641	drink	0.5403
	8	cappuccino	0.6625	beer	0.5283
	9	brewed_coffee	0.6622	sipping	0.5049
	10	espresso	0.6617	sugar	0.5025
---	---	---	---	---	---
galaxy	1	galaxies	0.7880	galaxies	0.5894
	2	Milky_Way_galaxy	0.7715	planets	0.4908
	3	Milky_Way_Galaxy	0.7398	milky	0.4863
	4	Milky_Way	0.7311	ngc	0.4801
	5	distant_galaxy	0.7264	mls	0.4729

original word	ranking	word2vec value	word2vec score	glove value	glove score
	6	Andromeda_galaxy	0.7250	planet	0.4572
	7	planets	0.7234	andromeda	0.4472
	8	supernova	0.7081	stars	0.4469
	9	nebula	0.7063	universe	0.4385
	10	galactic	0.7018	star	0.4293
---	---	---	---	---	---
tennis	1	Tennis	0.7291	badminton	0.6591
	2	volleyball	0.6842	tournament	0.6410
	3	badminton	0.6706	volleyball	0.6373
	4	basketball	0.6559	wimbledon	0.6204
	5	soccer	0.6163	atp	0.6107
	6	beach_volleyball	0.6127	wta	0.6054
	7	Steffi_Graff	0.6038	golf	0.6036
	8	André_Agassi	0.5987	championships	0.6009
	9	golf	0.5907	tournaments	0.5826
	10	TENNIS	0.5898	basketball	0.5690

Κοινές λέξεις

```
In [7]: for word in custom_words:
        w2v_set = set(w.lower() for w in w2v_results_custom.get(word, []))
        glove_set = set(w.lower() for w in glove_results_custom.get(word, []))
        common = w2v_set & glove_set
        print(f"'{word}': {len(common)} common words -> {common if common else '{}'} ")
```

```
'python': 1 common words -> {'pythons'}  
'coffee': 1 common words -> {'espresso'}  
'galaxy': 2 common words -> {'galaxies', 'planets'}  
'tennis': 4 common words -> {'golf', 'badminton', 'basketball', 'volleyball'}
```

3. Τοπ-10 κοντινές λέξεις στο Student

```
In [8]: print("Top-10 closest words to 'student':\n")  
for model_name, model_obj in [('Word2Vec', w2v_model), ('GloVe', glove_model)]:  
    try:  
        similar = model_obj.most_similar('student', topn=10)  
        print(f" {model_name}:")  
        for rank, (w, score) in enumerate(similar, 1):  
            print(f"    {rank:2d}. {w:<25s} {score:.4f}")  
        print()  
    except KeyError:  
        print(f" {model_name}: 'student' not in vocabulary")
```

Top-10 closest words to 'student':

Word2Vec :

1. students	0.7295
2. Student	0.6707
3. teacher	0.6301
4. stu_dent	0.6241
5. faculty	0.6087
6. school	0.6056
7. undergraduate	0.6020
8. university	0.6005
9. undergraduates	0.5756
10. semester	0.5738

GloVe:

1. students	0.7691
2. teacher	0.6874
3. graduate	0.6738
4. school	0.6131
5. college	0.6090
6. undergraduate	0.6044
7. faculty	0.5999
8. university	0.5971
9. academic	0.5810
10. campus	0.5768

Πίνακας

original word	ranking	word2vec value	word2vec score	glove value	glove score
student	1	students	0.7295	students	0.7691
	2	Student	0.6707	teacher	0.6874
	3	teacher	0.6301	graduate	0.6738
	4	stu_dent	0.6241	school	0.6131
	5	faculty	0.6087	college	0.6090
	6	school	0.6056	undergraduate	0.6044

original word	ranking	word2vec value	word2vec score	glove value	glove score
	7	undergraduate	0.6020	faculty	0.5999
	8	university	0.6005	university	0.5971
	9	undergraduates	0.5756	academic	0.5810
	10	semester	0.5738	campus	0.5768

3. Student - αρνητικές συσχετίσεις

Αρνητική συσχέτιση με φοιτητές Πανεπιστημίου

```
In [9]: def find_similar_with_negative(negative_input):
    print(f"Top-10 closest to 'student'(wit negatives):\n")
    for model_name, model_obj in [('Word2Vec', w2v_model), ('GloVe', glove_model)]:
        try:
            similar = model_obj.most_similar(positive=['student'], negative=negative_input, topn=10)
            print(f" {model_name}:")
            for rank, (w, score) in enumerate(similar, 1):
                print(f" {rank:2d}. {w:<25s} {score:.4f}")
            print()
        except KeyError as e:
            print(f" {model_name}: KeyError - {e}")
```

```
In [10]: negative_university = ['university']
    find_similar_with_negative(negative_university)
```

Top-10 closest to 'student'(wit negatives):

Word2Vec :

1. sixth_grader	0.4324
2. seventh_grader	0.4178
3. 8th_grader	0.4173
4. eighth_grader	0.4082
5. grader	0.3971
6. kindergartner	0.3918
7. kindergartener	0.3777
8. Kindergartner	0.3565
9. teen	0.3470
10. middle_schooler	0.3384

GloVe:

1. 15-year	0.3830
2. 16-year	0.3815
3. 17-year	0.3785
4. 14-year	0.3766
5. 13-year-old	0.3730
6. 14-year-old	0.3676
7. 9-year	0.3667
8. 16-year-old	0.3615
9. 15-year-old	0.3510
10. 12-year-old	0.3490

η λίστα αλλάζει αμέσως και φέρνει λέξεις που περιγράφουν μαθητές σχολείου:

original word	ranking	word2vec value	word2vec score	glove value	glove score
student (negative: university/college)	1	sixth_grader	0.4324	15-year	0.3830
	2	seventh_grader	0.4178	16-year	0.3815
	3	8th_grader	0.4173	17-year	0.3785
	4	eighth_grader	0.4082	14-year	0.3766
	5	grader	0.3971	13-year-old	0.3730
	6	kindergartner	0.3918	14-year-old	0.3676

original word	ranking	word2vec value	word2vec score	glove value	glove score
	7	kindergartener	0.3777	9-year	0.3667
	8	Kindergartner	0.3565	16-year-old	0.3615
	9	teen	0.3470	15-year-old	0.3510
	10	middle_schooler	0.3384	12-year-old	0.3490

Ας δούμε τι θα συμβεί αν βάλουμε και άλλες λέξεις για αρνητική συσχέτιση:

```
In [11]: negative_university = ['university', 'college', 'professor', 'degree', 'campus']
         find_similar_with_negative(negative_university)
```

Top-10 closest to 'student'(wit negatives):

Word2Vec:

1.	IF_SEPT	0.3779
2.	mso_para_margin_0in	0.3698
3.	M.Kenseth_###-###	0.3624
4.	Ky.Busch_##-###	0.3376
5.	J.McMurray_###-###	0.3307
6.	K.Kahne_###-###	0.3275
7.	-----_-----_GS##	0.3273
8.	SCHEDULED_TO_PREMIERE_4Q	0.3170
9.	E.Sadler_###-###	0.3158
10.	Nasdaq_NASDAQ_TRIN	0.3082

GloVe:

1.	viewport	0.4015
2.	pi95	0.3984
3.	monechma	0.3982
4.	gm2	0.3957
5.	rungfapaisarn	0.3956
6.	thongrung	0.3871
7.	beermakers	0.3854
8.	.0358	0.3850
9.	.9998	0.3828
10.	sakik	0.3826

original word	ranking	word2vec value	word2vec score	glove value	glove score
student (negative: university/college)	1	IF_SEPT	0.3779	viewport	0.4015
	2	mso_para_margin_0in	0.3698	pi95	0.3984
	3	M.Kenseth_###-###	0.3624	monechma	0.3982
	4	Ky.Busch_##-###	0.3376	gm2	0.3957
	5	J.McMurray_###-###	0.3307	rungfapaisarn	0.3956
	6	K.Kahne_###-###	0.3275	thongrung	0.3871
	7	----- _GS##	0.3273	beermakers	0.3854
	8	SCHEDULED_TO_PREMIERE_4Q	0.3170	.0358	0.3850
	9	E.Sadler_###-###	0.3158	.9998	0.3828
	10	Nasdaq_NASDAQ_TRIN	0.3082	sakik	0.3826

Έχει ενδιαφέρον το γεγονός ότι όσες περισσότερες αρνητικές συσχετίσεις εισάγουμε, τόσο πιο έντονα φαίνεται να γίνονται παράλογες (για το ανθρώπινο μάτι) οι απαντήσεις και των 2 μοντέλων!

Student - αρνητική συσχέτιση με μαθητές σχολείου

```
In [12]: negative_school = ['school']
find_similar_with_negative(negative_school)

negative_school = ['school', 'pupil', 'teacher', 'classroom', 'homework', 'primary', 'highschool']
find_similar_with_negative(negative_school)
```

Top-10 closest to 'student'(wit negatives):

Word2Vec:

1.	doctoral_student	0.4082
2.	Graduate_Student	0.3531
3.	Student	0.3458
4.	doctoral_candidate	0.3407
5.	prof	0.3354
6.	Undergraduate_Student	0.3257
7.	researcher	0.3203
8.	CSOM_###	0.3169
9.	pharmacologist	0.3090
10.	Undergraduate	0.3074

GloVe:

1.	22-year-old	0.3516
2.	premed	0.3368
3.	23-year-old	0.3367
4.	twenty-year-old	0.3347
5.	afshari	0.3307
6.	demonstrator	0.3297
7.	farzaneh	0.3186
8.	suada	0.3174
9.	21-year-old	0.3110
10.	25-year	0.3110

Top-10 closest to 'student'(wit negatives):

Word2Vec:

1.	M.Kenseth_###-###	0.3810
2.	K.Kahne_###-###	0.3545
3.	E.Sadler_###-###	0.3481
4.	-----_-----_GS##	0.3381
5.	Ky.Busch_##-###	0.3333
6.	J.McMurray_###-###	0.3309
7.	Globalization_KEY_FACTORS	0.3139
8.	Marisa_Lenhard_CFA	0.3075
9.	J.Johnson_###-###	0.3009
10.	By_RICHARD_MORIARTY	0.2933

GloVe:

1.	2,852	0.3022
----	-------	--------

2. juncus	0.2801
3. c-bo	0.2791
4. wherries	0.2785
5. 200-1	0.2784
6. unauthenticated	0.2768
7. tenille	0.2755
8. chrylser	0.2738
9. chamblain	0.2702
10. pria	0.2686

Ανάλογα αποτελέσματα παίρνουμε αν ορίσουμε αρνητική συσχέτιση με την λέξη school. Τα τοπ 10 αποτελέσματα περιλαμβάνουν κατά κύριο λόγο ακαδημαϊκούς φοιτητές:

original word	ranking	word2vec value	word2vec score	glove value	glove score
student (neg: school)	1	doctoral_student	0.4082	22-year-old	0.3516
	2	Graduate_Student	0.3531	premed	0.3368
	3	Student	0.3458	23-year-old	0.3367
	4	doctoral_candidate	0.3407	twenty-year-old	0.3347
	5	prof	0.3354	afshari	0.3307
	6	Undergraduate_Student	0.3257	demonstrator	0.3297
	7	researcher	0.3203	farzaneh	0.3186
	8	CSOM_###	0.3169	suada	0.3174
	9	pharmacologist	0.3090	21-year-old	0.3110
	10	Undergraduate	0.3074	25-year	0.3110

Και όπως και πριν, εισάγοντας περισσότερες αρνητικές συσχετίσεις οδηγούμαστε σε ακαταλαβίστικες απαντήσεις:

original word	ranking	word2vec value	word2vec score	glove value	glove score
---------------	---------	----------------	----------------	-------------	-------------

original word	ranking	word2vec value	word2vec score	glove value	glove score
student (neg: school+)	1	M.Kenseth_###-###	0.3810	2,852	0.3022
	2	K.Kahne_###-###	0.3545	juncus	0.2801
	3	E.Sadler_###-###	0.3481	c-bo	0.2791
	4	----- _GS##	0.3381	wherries	0.2785
	5	Ky.Busch_##-###	0.3333	200-1	0.2784
	6	J.McMurray_###-###	0.3309	unauthenticated	0.2768
	7	Globalization_KEY_FACTORS	0.3139	tenille	0.2755
	8	Marisa_Lenhard_CFA	0.3075	chrylser	0.2738
	9	J.Johnson_###-###	0.3009	chamblain	0.2702
	10	By_RICHARD_MORIARTY	0.2933	pria	0.2686

4. Αναλογίες

```
In [13]: analogies = [
    ('king', 'man', 'woman'), # king - man + woman = ?
    ('France', 'Paris', 'Tokyo'), # France - Paris + Tokyo = ?
    ('trees', 'apples', 'grapes'), # trees - apples + grapes = ?
    ('swimming', 'walking', 'walked'), # swimming - walking + walked = ?
    ('doctor', 'father', 'mother'), # doctor - father + mother = ?
]

def solve_analogy(model_obj, model_name, a, b, c, topn=2):
    """Solve: a - b + c = ? using vector arithmetic."""
    try:
        # most_similar with positive=[a, c] negative=[b] computes a - b + c
        if model_name == 'GloVe':
            a, b, c = a.lower(), b.lower(), c.lower()
```

```

        results = model_obj.most_similar(positive=[a, c], negative=[b], topn=topn + 3)
        # Filtrarisma input
        input_words = {a.lower(), b.lower(), c.lower()}
        filtered = [(w, s) for w, s in results if w.lower() not in input_words][:topn]
        return filtered
    except KeyError as e:
        return [(f"KeyError: {e}", 0.0)]

for a, b, c in analogies:
    print(f"\n{'='*60}")
    print(f"  {a} - {b} + {c} = ?")
    print(f"{'='*60}")

    for model_name, model_obj in [('Word2Vec', w2v_model), ('GloVe', glove_model)]:
        results = solve_analogy(model_obj, model_name, a, b, c)
        result_str = ', '.join([f"{w} ({s:.4f})" for w, s in results])
        print(f"  {model_name}: {result_str}")

```

```

=====
king - man + woman = ?
=====
Word2Vec: queen (0.7118), monarch (0.6190)
GloVe: queen (0.6713), princess (0.5433)

=====
France - Paris + Tokyo = ?
=====
Word2Vec: Japan (0.8168), Japanese (0.6481)
GloVe: japan (0.8017), japanese (0.6111)

=====
trees - apples + grapes = ?
=====
Word2Vec: oak_trees (0.6750), vines (0.6702)
GloVe: vines (0.5909), tree (0.5843)

=====
swimming - walking + walked = ?
=====
Word2Vec: swam (0.6926), swim (0.6725)
GloVe: swam (0.4978), swimmers (0.4852)

=====
doctor - father + mother = ?
=====
Word2Vec: nurse (0.7128), doctors (0.6593)
GloVe: nurse (0.6570), doctors (0.6172)

```

Πίνακας Σύγκρισης

Analogy	ranking	word2vec value	word2vec score	glove value	glove score
king - man + woman	1	queen	0.7118	queen	0.6713
	2	monarch	0.6190	princess	0.5433
---	---	---	---	---	---

Analogy	ranking	word2vec value	word2vec score	glove value	glove score
France - Paris + Tokyo	1	Japan	0.8168	japan	0.8017
	2	Japanese	0.6481	japanese	0.6111
---	---	---	---	---	---
trees - apples + grapes	1	oak_trees	0.6750	vines	0.5909
	2	vines	0.6702	tree	0.5843
---	---	---	---	---	---
swimming - walking + walked	1	swam	0.6926	swam	0.4978
	2	swim	0.6725	swimmers	0.4852
---	---	---	---	---	---
doctor - father + mother	1	nurse	0.7128	nurse	0.6570
	2	doctors	0.6593	doctors	0.6172

Παρατηρήσεις

Και τα 2 μοντέλα είχαν πολύ παρόμοιες απαντήσεις, με το glove να πετυχαίνει καλύτερα το αμπέλι στην τρίτη. Για το word2vec, παρόλο που είπε οξιά για πρώτη επιλογή, το αμπέλι είναι πάρα πολύ κοντά στο σκορ.

5. Δικές μου αναλογίες

```
In [14]: custom_analogies = [
    ('cat', 'kitten', 'puppy'),      # cat - kitten + puppy = ?
    ('hot', 'summer', 'winter'),     # hot - summer + winter = ?
    ('fly', 'airplane', 'boat'),     # fly - airplane + boat = ?
]

for a, b, c in custom_analogies:
    print(f"\n{'='*60}")
```

```

print(f" {a} - {b} + {c} = ?")
print(f"{' '*60}")

for model_name, model_obj in [('Word2Vec', w2v_model), ('GloVe', glove_model)]:
    if model_name == 'GloVe':
        a, b, c = a.lower(), b.lower(), c.lower()
        results = solve_analogy(model_obj, model_name, a, b, c)
        result_str = ', '.join([f"{w} ({s:.4f})" for w, s in results])
        print(f" {model_name}: {result_str}")

```

```

=====
cat - kitten + puppy = ?
=====

```

```

Word2Vec: dog (0.7763), pet (0.6859)
GloVe: dog (0.6605), dogs (0.5547)

```

```

=====
hot - summer + winter = ?
=====

```

```

Word2Vec: cold (0.5820), toasty (0.4921)
GloVe: cold (0.5644), cool (0.5414)

```

```

=====
fly - airplane + boat = ?
=====

```

```

Word2Vec: sail (0.5999), boats (0.4994)
GloVe: boats (0.6250), sail (0.5578)

```

Σχολιασμός

Ενώ οι για τις 2 πρώτες αναλογίες τα μοντέλα έδωσαν κατ' ευθείαν ικανοποιητικές απαντήσεις, η τρίτη χρειάστηκε αρκετές τροποποιήσεις για να φτάσω σε αποδεκτά αποτελέσματα, και πάλι το glove έδωσε την σωστή λέξη ως δεύτερη.

Αρχικά προσπάθησα *sky-plane+boat=*, περιμένοντας απάντηση *ocean*, *sea* ή *water*, όμως το w2v έβγαλε *tailing_redfish* (0.4585), *starry_skies* (0.4521) και το glove έδωσε *boats* (0.5073), *sailing* (0.4238).

Μετά από αρκετές παραλλαγές, κατέληξα στην *fly-airplane+boat=*, όπου και τα 2 μοντέλα έφεραν την λέξη *sail* μέσα στις τοπ 2 τους.

Όλη η διαδικασία μου δείχνει διαισθητικά πως η συγκεκριμένη αναλογία περιέχει πιο αδύναμες συσχετίσεις από τις δυο προηγούμενες, που είναι πιο τετριμμένες και προφανείς, μάλλον λόγω dataset.

8. t-SNE Visualization

Τρία διαφορετικά διαγράμματα με αυξανόμενο perplexity

```
In [15]: tsne_words = [
    'business', 'career', 'student', 'university', 'college',
    'education', 'teacher', 'professor', 'school', 'degree',
    'economy', 'market', 'finance', 'investment', 'bank',
    'company', 'startup', 'entrepreneur', 'manager', 'salary',
    'science', 'research', 'technology', 'engineering', 'mathematics',
    'doctor', 'lawyer', 'accountant'
]

# Collect the embedding vectors
word_vectors = []
valid_words = []
for word in tsne_words:
    try:
        word_vectors.append(glove_model[word])
        valid_words.append(word)
    except KeyError:
        print(f"{word} not found in GloVe vocabulary, skipping.")

word_vectors = np.array(word_vectors)
print(f"Collected {len(valid_words)} word vectors of dimension {word_vectors.shape[1]}")
```

Collected 28 word vectors of dimension 300


```
In [ ]: # Run t-SNE
perplexity = 14
tsne = TSNE(n_components=2, random_state=42, perplexity=perplexity, max_iter=2000)
embeddings_2d = tsne.fit_transform(word_vectors)

# Plot
plt.figure(figsize=(14, 10))
plt.scatter(embeddings_2d[:, 0], embeddings_2d[:, 1], c='steelblue', s=100, alpha=0.7, edgecolors='navy', 1


for i, word in enumerate(valid_words):
    plt.annotate(word,
                  xy=(embeddings_2d[i, 0], embeddings_2d[i, 1]),
```

```
        xytext=(7, 4),
        textcoords='offset points',
        fontsize=11,
        fontweight='bold',
        color='darkslategray')

plt.title(f't-SNE Visualization of GloVe Embeddings (Education & Business Words) - Perplexity = {perplexity}')
plt.xlabel('t-SNE Dimension 1', fontsize=12)
plt.ylabel('t-SNE Dimension 2', fontsize=12)
plt.grid(True, alpha=0.3)
plt.tight_layout()
plt.savefig(f"tsne_glove_perplexity_{perplexity}.png", dpi=150, bbox_inches='tight')
plt.show()
print(f"Plot saved as 'tsne_glove_perplexity_{perplexity}'")
```



Το πρώτο διάγραμμα έχει perplexity = 2. Σχηματίζονται 5-6 ξεκάθαρες ομάδες, που βγάζουν νόημα: Ακαδημαϊκα/εκπαιδευτικά, finance/enterprise, engineering και ούτω καθ' εξής. Ενδιαφέρον έχει το γεγονός ότι το career απέχει πολύ από την ακαδημαϊκή και την τεχνολογική συστάδα, καθώς και ότι το entrepreneur/startup φαίνεται αποσχισμένο από το παραδοσιακό business!



όσο μεγαλώνει το perplexity τα όρια μεταξύ των συστάδων αρχίζουν να χάνονται. Συνεχίζουμε να έχουμε γειτνιάσεις σχετικών όρων, όμως.



Τέλος, για perplexity ίσο με τον αριθμό των όρων $n-1$ (27) βλέπουμε πως στο διάγραμμα οι όροι είναι ομοιόμορφα απλωμένοι στον χώρο, και οι σχετικές τους θέσεις παύουν να μας δίνουν κάποια χρήσιμη πληροφορία.