


Anchor Electronics

(408) 727-3693 • fax 408-727-4424

HOURS: Monday thru Friday 7:30 - 4pm



May 2026-C

SMT INDEX

breadboards	6
capacitors	3
connectors	6
crystals	7
diodes	4
ferrite beads	5
fuses	6
IC's	7
inductors	5
LEDs	4
opto isolators	7
resistors	2
switches	5
test clips	7
transistors	6
trimpots	2
voltage reg.	7

TOOLS GALORE

shop online...



Thru-Hole INDEX

Arduino-related	24	opto isolators	11
bargain board	25	oscillators	11
batteries	24	p.c. boards	24 & online
BNC	18	photo cells	11
breadboards	24	photo sensors (gap detectors)	11
bridge rectifiers	17	policy	26
bumpers	24	potentiometers	15
cable ties	20	power supply	22
calipers	22	protocol analyzers	26
capacitors	12, 13	relays	20
chemicals	23 & online	resistors	14, 15
component carriers	10	resistor networks	15
crimp lugs	18	robotics	24
crystals	11	shorting plugs	19
D connectors	19	SIP sockets	10
desoldering	5, 21	slide pots	15
diodes	17	sockets (IC)	10
edgeboard conn.	19	soldering	21
embedded test	26	switches	20
enclosures	24	tape	23
E-Z hooks	18	terminal blocks	22
fans	22	test clips	9
ferrite	13	test leads	18
flat cable & conn.	19	test points	3, 24
fuses	20	tools	online
gender changers	19	transformers	22
HDMI cables	19	transistors	16, 17
headers	19	trimpots	15
heat shrink	20	tweakers	15
heat sinks	22	USB adapters	18
host adapters	26	variac	22
I ² C products	26	VME conn.	19
IC's	8, 9, 10	voltage reg.	8
inductors	13	wall adapters	22
LEDs	11	wire	online
line cords	20	wire-wrapping	21
map	26	ZIF sockets	10
Molex conn.	18		

Arduino Compatible

modules/accessories listed on page 24



come in and browse...

www.anchor-electronics.com

2040 Walsh Ave., Santa Clara, CA 95050



**ANCHOR
ELECTRONICS**
2040 Walsh Ave.
Santa Clara, CA 95050
(408) 727-3693

5% RESISTORS

PRICING:

1	25	50	100	250	1K	Reel
.08	.06	.045	.04	.035	.012	.004

0201**	0Ω	220	6.8K
	1.0	330	7.5K
	4.7	470	8.2K
	10	560	10K
	22	680	22K
	33	750	47K
	47	820	68K
	56	1.0K	100K
	68	2.2K	220K
	75	3.3K	1M
0402*	82	4.7K	4.7M
	100	5.6K	10M

0603*	0Ω	82	750	9.1K	200K
	1.0	91	820	10K	220K
	2.2	100	1.0K	12K	330K
	2.7	120	1.5K	15K	470K
	4.7	150	2.2K	20K	680K
	6.8	180	2.4K	22K	820K
	10	200	2.7K	33K	1M
	16	220	3.3K	47K	4.7M
	22	270	3.9K	51K	10M
	33	330	4.3K	68K	20M
0805	47	390	4.7K	75K	
	51	430	5.6K	82K	
	56	470	6.2K	100K	
	68	510	6.8K	150K	
	75	680	8.2K	180K	
	0Ω	43	200	910	200K
	1	47	220	1K	220K
	2.2	51	240	1.1K	27K
	3.9	56	270	1.2K	30K
	4.7	62	300	1.3K	33K
1206	8.2	68	330	1.5K	7.5K
	10	75	360	1.6K	8.2K
	15	82	390	2K	9.1K
	16	91	430	2.2K	10K
	20	100	470	2.4K	11K
	22	110	510	2.7K	12K
	22	120	560	3K	15K
	27	130	620	3.3K	16K
	33	150	680	3.6K	18K
	36	160	750	3.9K	20K

0Ω	36	360	3.9K	39K	430K
1	39	390	4.3K	43K	470K
2.2	43	430	4.7K	47K	510K
2.4	47	470	5.1K	51K	560K
2.7	51	510	5.6K	56K	620K
3.3	56	560	6.2K	62K	680K
4.3	62	620	6.8K	68K	750K
4.7	68	680	7.5K	75K	820K
5.1	75	750	8.2K	82K	910K
6.2	82	820	9.1K	91K	1M
6.8	91	910	10K	100K	1.6M
10	100	1K	11K	110K	2M
11	110	1.1K	12K	120K	2.2M
12	120	1.2K	13K	130K	2.7M
13	130	1.5K	15K	150K	3M
15	150	1.6K	16K	160K	3.3M
16	160	1.8K	18K	180K	4.7M
18	180	2K	20K	200K	6.8M
20	200	2.2K	22K	240K	10M
22	220	2.4K	24K	270K	20M
24	240	2.7K	27K	300K	22M
27	270	3K	30K	330K	
30	300	3.3K	33K	360K	
33	330	3.6K	36K	390K	

* 25 pcs. / ** 50 pcs. MINIMUM

1% RESISTORS

• These values available in 0201, 50pc. minimum and no reel price break.

PRICING:

1	25	50	100	250	1K	Reel
.10	.08	.07	.05	.04	.018	.008

* 25 PCS. MINIMUM
FOR ANY 0402 OR
0603 VALUE

0402* / 0603* / 0805 / 1206	10Ω	19.6	38.3	75	147	287	562
	10.2	20	39.2	76.8	150	294	576
	10.5	20.5	40.2	78.7	154	301	590
	10.7	21	41.2	80.6	158	309	604
	11	21.5	42.2	82.5	162	316	619
	11.3	22.1	43.2	84.5	165	324	634
	11.5	22.6	44.2	86.6	169	332	649
	11.8	23.2	45.3	88.7	174	340	665
	12.1	23.7	46.4	90.9	178	348	681
	12.4	24.3	47.5	93.1	182	357	698
	12.7	24.9	48.7	95.3	187	365	715
	13	25.5	49.9	97.6	191	374	732
	13.3	26.1	51.1	100	196	383	750
	13.7	26.7	52.3	102	200	392	768
	14	27.4	53.6	105	205	402	787
	14.3	28	54.9	107	210	412	806
	14.7	28.7	56.2	110	215	422	825
	15	29.4	57.6	113	221	432	845
	15.4	30.1	59	115	226	442	866
	15.8	30.9	60.4	118	232	453	887
16.2	31.6	61.9	121	237	464	909	
16.5	32.4	63.4	124	243	475	931	
16.9	33.2	64.9	127	249	487	953	
17.4	34	66.5	130	255	499	976	
17.8	34.8	68.1	133	261	511	1K	
18.2	35.7	69.8	137	267	523	1.02	
18.7	36.5	71.5	140	274	536	1.05	
19.1	37.4	73.2	143	280	549	1.07	

SMT CAPACITORS



C E R A M I C

0201 0402 0603 0805 1206 1210 1812

VALUES STOCKED




0201	0.5 PFD	5	22	82	1000	.01μFD	1.0 μFD	0201s 25pcs. minimum
	1	10	33	100	1200	.015		
	2.2	12	47	220	1500	.022		
	3	15	56	270	2200	.033		
0402	4	18	68	470	6800	.1	10 μFD	0402s 10pcs. minimum
	1.6 PF	12	39	150	390	.0022		
	2.2	15	47	180	470	.0033		
	5	22	68	220	680	.0047		
0603	6.8	27	100	330	1000	.01μfd	10 μfd	0603s 22ufd
	10	33	120	470	1500	.022		
	1 PF	5.6	20	100	330	.0022		
	1.8	6	22	120	390	.0033		
0805	2.7	8.2	27	150	470	.0047	10 μFD	0805s 10pcs. minimum
	3.3	10	33	180	560	.01μF		
	3.9	12	47	220	680	.012		
	4.7	15	68	270	750	.015		
1206	5	18	82	300	820	.022	15 μFD	1206s 100μFD
	.5 PFD	27	130	510	3300	.039		
	1	33	150	560	3900	.047		
	2.7	39	200	680	4700	.056		

PRICING ;

	1	25	50	100	250	1K	REEL
1 PF - .001 μF	.16	.14	.12	.09	.07	.06	.03
.0012 - .0082	.17	.15	.13	.11	.09	.07	.04
.01 μF	.15	.13	.11	.09	.07	.06	.025
.012 - .082 μF	.19	.17	.15	.13	.11	.09	.04
.1 & .15 μF	.15	.13	.11	.09	.07	.06	.025
.22 - .68 μF	.22	.19	.16	.13	.11	.09	.045
1 - 3.3 μF	.23	.14	---	.11	---	---	---
4.7 μF	.28	.19	---	.15	.11	---	---
10 μF - 22 μF	.32	.29	.19	.13	---	---	---
47 μF - 100 μF	.48	.41	.36	.28	---	---	---

high voltage and/or odd-SIZED Ceramic

10 pf	1206	500V	COG	5%	5/\$1
10 pf	1206	630V	NPO	5%	5/\$1
22 pf	1210	50V	COG	5%	20/\$1
33 pf	1812	2kV		10%	2/\$1
56 pf	0504				50/\$1
100 pf	1812	1kV	COG	5%	2/\$1
150 pf	1206	500V	COG	5%	5/\$1
220pf	1812	1kV	X7R	10%	2/\$1
470 pf	1808	3kV			20/\$1
680 pf	1812	1kV	X7R	10%	2/\$1
750 pf	0805	100V		5%	20/\$1
1000 pf	1812	2kV	X7R	10%	12/\$1
2200 pf	1812	250VAC	X7R		5/\$1
4700 pf	2220	250VAC	X7R		5/\$4.45
4700 pf	1812	50V	COG		6/\$1.02
0.01 μf	1812	1kV	X7R	10%	2/\$1
0.022 μf	1812	1kV	X7R	10%	2/\$1
0.082 μf	1210	100V			5/95¢
0.1 μf	1210	100V	X7R		5/\$1
0.1 μf	1210	200V	X7R		3/\$1
0.1 μf	1812	500V		10%	2/\$1
0.1 μf	2225	1kV	X7R	20%	\$1.00
0.22 μf	1210	50V	X7R		4/\$1
0.33 μf	1210	50V	X7R		4/\$1
0.47 μf	1210	50V	X7R		4/\$1
0.47 μf	1812	50V	X7R	10%	2/\$1
1 μf	1210	25V			4/\$1.08
1 μf	1812	50V			10/\$1
1 μf	1812	50V	X7R	10%	5/\$1
1 μf	1825	50V			4/\$1.08
1.5 μf	1825	50V			4/\$1.08
2.2 μf	1210	16V			20/\$1
6.8 μf	0805	16V			12/\$2.95
10 μf	1210	16V			6/\$1
22 μf	1210	10V	Y5V		2/\$1
33 μf	1812	16V			\$1.95
47 μf	1210	6.3V			75¢



ALUMINUM

CASE(mm)	1	50	100	CASE(mm)	1	50	100
1μFD 50V (4x6)	.18	.14	.11	100/6 (6.6x5.4)	.16	.13	.10
2.2/50 (4.3x5.4)	.18	.14	.11	100/25 (6.3x7.7)	.28	.24	.20
3.3/50 (4.3x5.4)	.18	.14	.11	100/35 (10x10)	.34	.27	.23
4.7/25 (4.3x5.4)	.18	.14	.11	220/6.3 (6.3x5.4)	.29	.25	.21
10/16 (3x5.4)	.20	.16	.13	220/10 (8.3x10.2)	.32	.28	.22
10/50 (6.3x6.3)	.23	.19	.15	220/16 (8.3x8.3)	.39	.34	.31
22/25 (6.6x5.4)	.22	.18	.14	330/6.3 (6.3 x 7.7)	.32	.28	.22
22/35 (6.3x5.3)	.25	.21	.17	1000/10 (10x10.2)	.45	.36	.32
33/25 (6.3x6)	.25	.21	.17	1500/6.3 (10x10)	.52	.48	.39
68/25 (8x8)	.29	.25	.21				

T A N T A L U M

μFD/VOLT/CASE/	1	50	100	μFD/VOLT/CASE/	1	50	100
.1 / 35 A	.16	.12	.09	15 / 16 C	.48	.39	.29
.47/25 A	.16	.12	.09	15 / 25 D	.49	.40	.30
.68 / 20 A	.16	.12	.09	22 / 6.3 A	.28	.23	.19
1 / 16 A	.18	.15	.12	22 / 10 C	.41	.33	.26
1 / 20 A	.20	.17	.14	22 / 16 B	.46	.37	.31
1 / 35 A	.28	.23	.19	22 / 20 C	.46	.37	.31
1 / 35 B	.25	.21	.17	22 / 20 D	.46	.37	.31
2.2 / 16 A	.20	.17	.14	22 / 35 D	.54	.46	.39
2.2 / 20 B	.25	.21	.18	33 / 6 B	.32	.28	.23
3.3 / 16 A	.19	.16	.13	33 / 10 C	.46	.37	.31
3.3 / 16 B	.17	.13	.10	33 / 16 D	.46	.37	.31
3.3 / 20 B	.21	.18	.15	33 / 20 D	.48	.39	.33
4.7 / 10 A or B	.21	.18	.15	33 / 25 D	.46	.37	.31
4.7 / 16 B	.21	.18	.15	47 / 6 B	.42	.35	.27
4.7 / 20 A	.25	.21	.17	47 / 16 C	.61	.52	.44
4.7 / 20 B	.25	.21	.17	47 / 20 D	.65	.57	.48
4.7 / 35 C	.38	.31	.26	68 / 10 C	.75	.65	.55
4.7 / 35 D	.36	.30	.22	100 / 6.3 B	.46	.37	.31
6.8 / 10 A	.18	.15	.12	100 / 10 C	.51	.47	.41
6.8 / 50 D	.41	.35	.27	100 / 10 D	.81	.74	.66
10 / 6.3 A	.15	.12	.09	100 / 20 E	.95	.88	.76
10 / 10 A	.18	.15	.12	150 / 10 D or E	1.09	.99	.91
10 / 16 C	.19	.17	.15	330 / 6 D	1.31	1.19	.99
10 / 20 B	.21	.18	.15	330 / 10 D	1.39	1.25	1.11
10 / 25 C	.38	.33	.29	470 / 6.3 D	1.45	1.25	1.10
10 / 35 D	.43	.38	.30				
15 / 10 A	.28	.23	.19				

A (3216)
B (3528)
C (6032)
D (7343)
E

SMT TRIMMER CAPS

4x4.5mm

1.4 - 3 PFD 55¢
3 - 10 PFD 60¢
4.5 - 20 PFD 75¢

from our website SHOP...



HOME / TEST POINTS

SMT Test Points (bulk)

★★★★☆

\$25.00 - \$30.00

* 100 pieces

These test points are designed to facilitate the connection of test probes to PCBs which are primarily surface mount in design.

footprint

Choose an option

		 Anode		 Cathode		SMT DIODES							
				1 100						1 100			
B560C	rectifier	Schottky 60V 5A	DO-214	.75	.55	4002	rectifier	100V 1A	LL41	.15	.07		
BAS16FS	signal	85V 200mA	SOT-23	.12	.07	4003	rectifier	200V 800mA	LL41	.16	.08		
BAS21	signal	250V 200mA	SOT-23	.19	.11	4004	rectifier	400V 1A	LL41	.18	.10		
BAS32L	signal	100V 200mA	LL34	.16	.09				DO-214	.25	.14		
BAS40	signal	single Schottky	SOT-23	.20	.12	4005	rectifier	600V 1A	LL41	.24	.17		
BAS40-04	signal	dual Schottky, series	SOT-23	.25	.15	4148	signal	75V 150mA 4ns	LL34	.12	.07		
BAS40-05	signal	dual Schottky, com.cath.	SOT-23	.25	.15	4148	signal		SOT-23	.12	.07		
BAS40-06	signal	dual Schottky, com.anode	SOT-23	.25	.15	4148	signal	100V 150mA	SOD-323	.15	.09		
BAT54C	rectifier	30V Schottky barrier	SOT-23	.16	.10	4150	signal	50V 250mA 4ns	SOT-23	.11	.06		
BAT54W	rectifier	30V Schottky barrier	SOT-323	.20	.13	4448	signal	100V 150mA	LL34	.08	.04		
BAT65E	rectifier	40V Schottky	SOD-123	.20	.12	4744	zener	15V 1W	LL41	.20	.12		
BAV70	signal	70V 200mA	SOT-23	.17	.11	4749A	zener	24V 1W	LL41	.20	.12		
BAV74	signal	50V 200mA	SOT-23	.12	.07	5221B	zener	2.4V 225mW	SOT-23	.12	.05		
BAV99	signal	70V 200mA	SOT-23	.17	.11	5225B	zener	3.0V 350mW	SOT-23	.12	.05		
BAV105	rectifier	60V 600mA 6ns	LL34	.25	.15	5226B	zener	3.3V 350mW	SOT-23	.12	.05		
BAW79C	rectifier	(dual, common C) 200V 1A	SOT-89	.29	.19	5227B	zener	3.6V 300mW	SOT-23	.12	.05		
BFP-OBE	TVS	36V	DO-214	.33	.20	5227B	zener	3.6V 500mW	LL34	.15	.07		
BYD77G	rectifier	400V 1.85A	SOD-87	.35	.26	5228B	zener	3.9V 500mW	LL34	.15	.07		
BZX84-						5229B	zener	4.3V 350mW	SOT-23	.12	.05		
B3V0	zener	3.0V 350mW	SOT-23	.15	.08	5229B	zener	4.3V 500mW	LL34	.15	.07		
C5V1	zener	5.1V 350mW	SOT-23	.15	.08	5230B	zener	4.7V 350mW	SOT-23	.12	.05		
C5V6	zener	5.6V 350mW	SOT-23	.15	.08	5231B	zener	5.1V 300mW	SOT-23	.12	.05		
C13	zener	13V 350mW	SOT-23	.15	.08	5231B	zener	5.1V 500mW	LL34	.15	.07		
C15	zener	15V 350mW	SOT-23	.15	.08	5232B	zener	5.6V 500mW	LL34	.15	.07		
C16	zener	16V 350mW	SOT-23	.15	.08	5234B	zener	6.2V 350mW	SOT-23	.12	.05		
C20	zener	20V 350mW	SOT-23	.15	.08	5235B	zener	6.8V 350mW	SOT-23	.12	.05		
C27	zener	27V 350mW	SOT-23	.15	.08	5236B	zener	7.5V 500mW	LL34	.15	.07		
DF02S	bridge	1A 200V	DF-S	.20	.09	5240B	zener	10V 350mW	SOT-23	.12	.05		
DF06S	bridge	1.5A 600V	DF-S	.30	.14	5241B	zener	11V 500mW	SOD-123	.15	.07		
HD01	bridge	0.8A 100V	miniDIP	.38	.22	5242B	zener	12V 350mW	SOT-23	.12	.05		
HVU132	pin	antenna switching 60V 150mW		.28	.15	5242B	zener	12V 500mW	LL34	.15	.07		
MA8300TR	zener	30V 150mW	Smini-2p	.15	.09	5243B	zener	13V 350mW	SOT-23	.12	.05		
MBRS340T3	rectifier	Schottky 40V 3A	DO-214	.45	.25	5245B	zener	15V 350mW	SOT-23	.12	.05		
MMBD1201	signal	100V 200mA 4ns	SOT-23	.16	.09	5245B	zener	15V 500mW	LL34	.15	.07		
MMBD2835L	signal	(dual) 35V 100mA 4ns	SOT-23	.15	.07	5246B	zener	16V 350mW	SOT-23	.12	.05		
MMBD6050	signal	70V 200mA	SOT-23	.12	.07	5247B	zener	17V 500mW	SOD-123	.15	.07		
MMBD7000	signal	100V 200mA	SOT-23	.18	.09	5248B	zener	18V 300mW	SOT-23	.12	.05		
MMBZ15	zener	dual 15V	SOT-23	.20	.12	5250B	zener	20V 350mW	SOT-23	.12	.05		
MMD6100	signal	70V 200mA	SOT-23	.12	.07	5252B	zener	24V 350mW	SOT-23	.12	.05		
MMSZ2V4	zener	2.4V 500mW	SOD-123	.18	.09	5254B	zener	27V 350mW	SOT-23	.12	.05		
PGB1010603MR	TVS	24V	0603	.20	.15	5254B	zener	27V 500mW	LL34	.15	.07		
S1A	rectifier	50V 1A	SMA	.20	.12	5256B	zener	30V 350mW	SOT-23	.12	.05		
S1B	rectifier	100V 1A	DO-214	.08	.04	5256B	zener	30V 500mW	SOD-123	.15	.07		
S3J	rectifier	3A 600V	DO-214	.35	—	5262	zener	51V 500mW	LL34	.15	.07		
STTH8L06G	rectifier	600V 8A	D2-PAK	.75	---	5263B	zener	56V 350mW	SOT-23	.12	.05		
TMPD6100L	signal (dual-common C.)	10V 350mW	SOT-23	.18	.11	5817	rectifier	Schottky 20V 1A	LL34	.28	.15		
1SMB36CAT3G	TVS	36V 600W bidirectional	DO-214	.28	.19	5817	rectifier	Schottky 20V 1A	LL41	.35	.19		
914	signal	100V 215mA silicon	SOT-23	.15	.09	5818	rectifier	Schottky 30V 1A	LL41	.39	.22		
4001	rectifier	50V 1A	LL41	.14	.05								

SMT L.E.D.

0603				1210			
RED	Lumex SML-LX 0603IW	3/\$1		GRN	Dialight 537-3301-207	3/\$1	
GRN	Lumex SML-LX 0603GW	3/\$1		red/grn	Siemens LSG T670-JL	2/\$1	
YEL/GRN	Stanley PY1112CK	3/\$1		SOT-23			
BLUE	ETG-0603JO470-4T	3/\$1		RED	Osram LS S269-BO	3/\$1	
0805				GRN	Kingbright AM23SDG-F	3/\$1	
BLU	Dialight 598-8191-107F	3/\$1		YEL		3/\$1	
RED	Dialight 598-8110-107F	8/\$1		1.5mm x 1.6mm			
GRN	Everlight 17-21VGC	3/\$1		R-G-B	Avago HSMF-C114	75¢	
Amber	HP HSMD-C670	3/\$1		3.2mm x 2.7mm			
1206				red/green	HP HSMF-C655	3/\$1	
RED	Everlight 15-21VRC	20/\$1		Cool			
BLU	Dialight 598-8291-107F	3/\$1		WHITE		2/\$1	
GRN	HL-PC-3216U51GC	5/\$1		3.5x3.5mm			
YEL	Stanley PY1101W-TR	3/\$1					
				Nicheia NFSW036BT			

[Home](#) / [Tools](#) / [pick-up](#)

Pick-and-Place Vacuum Bulb Kit

\$29.95




- Static dissipative with conductive silicone vacuum cups.
- 1/8" cups on straight and bent probes.
- 1/4" cup on a bent probe.
- 3/8" cup on a straight probe.

• Made in U.S.A.



SMT INDUCTORS



μH	size	Q	DCR	\$	μH	size	Q	DCR	\$	μH	size	Q	DCR	\$
.0022	0805	13	300mA	.1Ω .25	.56	1206	25	150mA	.7Ω .28	10	1008	25	80mA	.37Ω .30
.0027	0805	12	300mA	.1Ω .25	.56	1008			.26	10	1210	30	150mA	2.1Ω .30
.0047	0805	10	550mA	.25	.56	1210	30	450mA	.55Ω .30	10	1812	50	380mA	1.6Ω .35
.0047	0805	43	750mA	.1Ω .25	.56	1812			.35	10	1812	35	400mA	.56Ω .35
.0068	0805	43	750mA	.11Ω .25	.68	1206	25	150mA	.18Ω .28	12	1210	30	140mA	2.5Ω .30
.0082	0805	15	300mA	.28Ω .25	.68	1008	30	300mA	.86Ω .26	15	1210	30	130mA	2.8Ω .30
.01	0603	38		.071Ω .20	.68	1210	30	410mA	.35Ω .30	18	1812	50	290mA	2.8Ω .35
.01	1008	50	1A	.08Ω .30	.68	1210	30	450mA	.6Ω .30	22	1206	35	5mA	.9Ω .28
.01	1210	15	450mA	.13Ω .30	.82	0805	30	150mA	.6Ω .25	22	1210	30	73.3mA	4.03Ω .30
.012	0603	25	250mA	1Ω .20	.82	1206			.28	27	1210	30	68.3mA	4.55Ω .30
.012	0805	16	300mA	.35Ω .25	.82	1008	10	100mA	2.1Ω .26	27	1210	30	80mA	5Ω .30
.015	0402	8	300mA	.31Ω .15	.82	1008	45	400mA	1.61Ω .26	33	1206	35	5mA	1.05Ω .28
.015	0805	50	600mA	.17Ω .25	.82	1210	30	450mA	.65Ω .30	33	1210	30	70mA	5.6Ω .30
.022	1008			.26	1.0	1206	45	100mA	.4Ω .28	33	1812	50	200mA	4Ω .35
.022	1210	23	450mA	.2Ω .30	1.0	1210	30	400mA	.7Ω .28	39	1210	30	56.7mA	5.59Ω .30
.027	1008	55		.13Ω .32	1.5	0805	45	80mA	.4Ω .25	39	1210	30	65mA	6.4Ω .30
.033	0805	18	300mA	.6Ω .25	1.5	1008			.28	39	1812	10	150mA	4.5Ω .35
.033	1210	25	450mA	.24Ω .30	1.5	1210	30	370mA	.85Ω .30	39	1812	50	165mA	3.6Ω .35
.039	1210	25	450mA	.27Ω .30	1.5	1812	50	500mA	.6Ω .35	39	1812	50	180mA	4.5Ω .35
.056	1210	26	450mA	.33Ω .30	1.8	1210	30	350mA	.9Ω .30	47	1210	30	60mA	7Ω .30
.068	0805	19	300mA	.8Ω .25	1.8	1812	50	490mA	.65Ω .35	47	1812	42	200mA	5Ω .35
.082	1210	27	450mA	.4Ω .30	2.0	1210			.30	56	1210	30	55mA	8Ω .30
.10	1210	30	1.02A	.2Ω .30	2.2	1206	45	50mA	.6Ω .28	56	1210	30	43.3mA	9.1Ω .30
.12	1210	30	450mA	.22Ω .30	2.2	1210	30	300mA	.67Ω .30	68	1210	30	50mA	9Ω .30
.15	0805	50	400mA	.56Ω .25	2.2	1210	30	320mA	1Ω .30	68	1210	30	42.5mA	13.4Ω .30
.15	1210	30	450mA	.25Ω .30	2.7	1812	50	370mA	.75Ω .35	82	1210	30	45mA	10Ω .30
.18	1008	45	620mA	.77Ω .26	3.3	1206	45	50mA	.07Ω .28	100	1812	20	180mA	4Ω .35
.18	1210	30	450mA	.28Ω .30	3.3	1206	45	60mA	.7Ω .28	100	1812	40	110mA	8Ω .35
.22	0805	50	400mA	.7Ω .25	3.3	1210	13	100mA	4.2Ω .30	120	1210	20	75mA	7Ω .30
.22	1008	30	430mA	.5Ω .26	3.3	1210	30	175mA	.78Ω .30	120	1812	40	110mA	8Ω .38
.22	1008	45	500mA	.84Ω .26	3.3	1812	50	460mA	.8Ω .35	150	1210	20	65mA	15Ω .40
.22	1210	30	450mA	.32Ω .30	3.9	1210	30	250mA	1.3Ω .30	150	1812	40	105mA	9Ω .45
.27	1206	20	250mA	.5Ω .28	4.7	1008	45	470mA	1.19Ω .26	180	1210	20	60mA	17Ω .40
.27	1008	45	500mA	.91Ω .26	4.7	1210	30	160mA	.94Ω .30	180	1812	40	102mA	9.5Ω .45
.33	1008	30	400mA	.6Ω .26	4.7	1210	30	220mA	1.5Ω .30	220	1210	20	50mA	21Ω .30
.33	1008	45	450mA	1.05Ω .26	4.7	1210	30	220mA	1.7Ω .30	220	1210	20	80mA	8.4Ω .30
.33	1210	30	450mA	.4Ω .30	5.6	1210	30	127mA	1.43Ω .30	220	1812	10	100mA	10Ω .45
.39	1210	30	450mA	.45Ω .30	5.6	1210	30	230mA	5.1Ω .30	220	1812	40	100mA	10Ω .45
.47	0805	25	200mA	.57Ω .25	6.8	1008	25	165mA	2.7Ω .26	470	1812	40	62mA	26Ω .45
.47	1008			.26	6.8	1210			.30	470	1812	30	62mA	26Ω .45
.47	1206			.28	8.2	1008			.26	470	1812	40	91mA	24Ω .55
.47	1210	30	450mA	.5Ω .30	8.2	1210	30	170mA	2Ω .30	1000	1812	30	30mA	40Ω .60
.47	1210	30	460mA	.29Ω .30	8.2	1812	47	200mA	7Ω .35	1000	1812	30	40mA	40Ω .65
.56	0805	25	150mA	.55Ω .25	8.2	1812	50	410mA	1.4Ω .35					

SMT SWITCHES

Pushbutton, (normally open);

SPST

Alps SKHUBB 3/\$1
50mA @ 12VDC, 6 x 6 mm

Alps SKOGA 3/\$1
50mA @ 12VDC, 5.2 x 5.2mm

ITT Cannon KSC221
0.05A @ 50V, 6.2mm x 6.2mm
ultra-low profile 4/\$1

C&K EP11SD1S
0.04VA @ 20V
R/A, sealed 95¢

DIP switches SPST;

4-position
C&K BPA04
100mA @ 5VDC 85¢

4-position
C&K SD04
100mA @ 5VDC 85¢

8-position
Grayhill 90HB
100mA @ 6VDC \$1.25

10-position
CTS 219-10
100mA @ 5VDC \$1.40


SMART Push-Button
on/off controller

STM6601

75¢

SMT POWER INDUCTORS

μH	L x W (mm)	DCR	peak	\$	comments	μH	L x W (mm)	DCR	peak	\$	comments
2.2	5.8 x 5.8	.0359Ω	2.9A	3/\$1	shielded, ferrite core, P/N; CDRH5D16NP	33	15 x 13.4	.018Ω	12A	\$2.95	shielded: Coilcraft P/N XGL1313-333M
2.2	7.6 x 7.6	.0165Ω	5.5A	3/\$1	shielded, ferrite core, P/N; DR73-2R2-R	33	28 x 25	.076Ω	20A	\$3.95	MnZn Ferrite: Wurth 74437529203330
2.7	---	---	---	3/\$1		22	4 x 4	.225Ω	1A	3/\$1	shielded; P/N NPIS43LS220MTRF
3.3	12.95 x 9.4	.015Ω	6.4A	2/\$1.50	P/N; DO3316P-332	22	7.8 x 7	.11Ω	1.5A	3/\$1	P/N; CR75-220KC
3.3	22.35 x 16.26	.0086Ω	17A	2/\$1.50	shielded, P/N; DO5022P-332HCB	47	7.8 x 7	.18Ω	1.1A	3/\$1	P/N; PM75-470K
4.7	13.97 x 10.41	.0165Ω	5.5A	2/\$1.50	ferrite core, P/N; UP2B-4R7	47	9.9 diameter	.14Ω	1A	3/\$1	shielded, ferr. core, PM105SB-470L-RC
4.7	18.8 x 18.8	.0083Ω	10.4A	\$1	P/N; PE-53682	47	12.95 x 9.4	.14Ω	1.6A	2/\$1.50	P/N; DO3316P-473
5.6	18.03 x 15.24	.02Ω	13.8A	2/\$1.50	P/N; DO5022P-562	56	5.8 x 5.2	.42Ω	.68A	3/\$1	ferrite core, P/N; CD54-560KC
6	7 x 7	.035Ω	2.25A	3/\$1	shielded, ferrite core, P/N; CDRH6D28-6R0	68	12.5 x 12.5	.14Ω	2.1A	2/\$1	shielded; P/N NPIS27H680LTRE
10	5.6 x 5 (2220)	.168Ω	1A	3/\$1	P/N; 495-1783-2	100	6.1 x 5.6	.7Ω	.52A	3/\$1	P/N; CR54-101
9.4	11.18 x 8.64	.0434Ω	2.8A	2/\$1	P/N; PE-53631	100	10 x 9.8	.209Ω	1.3A	2/\$1	P/N; NR10050T101M
10	5.8 x 5.2	.1Ω	1.44A	3/\$1	ferrite core, P/N; CD54-100MC	150	9.4 x 5.21	.4Ω	1A	2/\$1	ferrite core, P/N; DO3316P-154MLB
10	12.95 x 9.4	.038Ω	3.9A	2/\$1.50	P/N; DO3316P-103	150	18.03 x 15.24	.25Ω	2.8A	2/\$1.50	P/N; DO5022P-154
15	12.95 x 9.4	.046Ω	3A	2/\$1.50	P/N; DO3316P-153	220	10.5 x 10.3	.377Ω	1A	2/\$1	ferrite core, 125°C, P/N; DR1050-221-R
15	27.9 x 19.8	.00286	28A	\$4.50	shielded, ferrite core, P/N: SER2918H-153K	1000	6.6 x 4.45	8.1Ω	.08A	2/\$1	shielded, P/N; DT1608C-105
18	---	---	---	3/\$1		1000	12 x 12	1.34Ω	.72A	\$1	shielded, ferr. core, 125°, MSS1260T



Common Mode SMD LINE FILTER by Wurth Electronics, WE-SL2 series

500μH, 1A (P/N; 744223) or 4700μH, 0.5A (PN: 744220)

9.2mm L x 6mm W \$1.00 each

SMT FERRITE BEADS

0402	220Ω	450mA	DCR; 0.29Ω	10/\$1		1206	26Ω	500mA	0.20Ω	8/\$1
0603	60Ω	1A	0.07Ω	10/\$1	high imp.	1206	70Ω	200mA	0.15Ω	8/\$1
0603	220Ω	2.2A	0.05Ω	10/\$1		1206	300Ω	350mA	0.20Ω	8/\$1
0603	1K	400mA	0.50Ω	10/\$1	high freq.	1806	80Ω	500mA		8/\$1
0805	120Ω	300mA	0.30Ω	10/\$1		1210	65Ω			8/\$1
0805	120Ω	800mA	0.15Ω	8/\$1		1812	70Ω	1.5A	0.05Ω	6/\$1
0805	1K	200mA	0.45Ω	8/\$1		1812	120Ω	3A	0.04Ω	5/\$1
						3x4mm	47Ω	10A	0.80Ω	3/\$1
						3x4mm	120Ω	1.5A	0.05Ω	4/\$1

SMD Removal KIT



\$16.25



SMT TRANSISTORS



				1	100					1	100
2N7002	NFET	60V 7.5 ohm signal	SOT-23	.33	.27	MMBT2369	NPN	15V 200mA	SOT-23	.18	.11
BC848	NPN	30V 100mA	SOT-23	.15	.07	MMBT2907A	PNP	40V 600mA	SOT-23	.25	.14
BC850	NPN	45V 100mA Hfe; 240	SOT-23	.18	.09	MMBT3640	PNP	12V 200mA Hi-Speed	SOT-23	.30	.17
BCV26	PNP	60V Darlington Hfe; 10K	SOT-23	.12	.09	MMBT3904	NPN	40V 200mA	SOT-23	.20	.12
BCV27	NPN	60V Darlington Hfe; 20K	SOT-23	.12	.09	MMBT3906	PNP	40V 200mA	SOT-23	.20	.12
BSS14	NPN	40V 800mA	SOT-23	.35	.19	MMBT4401	NPN	40V 600mA	SOT-23	.22	.15
BSS83	NFET	15V 45 ohm signal	SOT-143	.40	.27	MMBT4403	PNP	40V 600mA	SOT-23	.22	.15
BSS84	PFET	50V 10 ohm signal	SOT-23	.28	.16	MMBT5087	PNP	50V 50mA Lo Noise	SOT-23	.18	.12
BSS123	N - ch.	100V 170mA MOSFET	SOT-23	.22	.14	MMBT5401	PNP	150V 500mA	SOT-23	.24	.15
BSS138ZX	N - ch.	50V 200mA MOSFET	SOT-23	.20	.11	MMBT5406	NPN	80V 500mA	SOT-23	.15	.09
BST82	NFET	100V 10 ohm signal	SOT-23	.28	.20	MMBT5414	NPN	30V Darlington Hfe>10K	SOT-23	.25	.12
DTA144EE	PNP	50V 100mA built-in resis.	SOT-523	.30	.20	MMBT5421	PNP	300V 500mA	SOT-23	.25	.12
FDB3860	NFET	100V 30A PwrTrench	D2-PAK	.69	.49	MMBT5456	PNP	80V 500mA	SOT-23	.15	.09
FDB8870	NFET	30V 160A PowerTrench	D2-PAK	.75	.55	MMBT5463	PNP	30V Darlington Hfe>10K	SOT-23	.25	.12
FDD6796	NFET	25V 20A PowerTrench	D-Pak	.45	.25	MMBT5492	PNP	300V 500mA	SOT-23	.25	.12
FDG8842CZ	N / P	30V / -25V PwrTrench MOSFET	SOT-363	.25	.15	MMDF1N05	NFET	50V 1A DUAL	8-SOIC	.45	.25
FDMA1023PZ	P - ch.	Dual -20V MOSFET microfet 2 x 2mm		.32	.14	MMUN2232	NPN	50V 100mA BIAS resis.	SOT-23	.18	.09
FDMS9600S	NFET	Dual 30V 30A PwrTrench	MLP-8	.99	.79	MTD20N03	NFET	30V .20A	D-PAK	.65	.35
FDS8672S	NFET	Sync 30V 18A PwrTrch	SO-8	.59	.39	PZT2222A	NPN	40V 600mA	SOT-223	.35	.18
FDS9933BZ	PFET	2.5V PowerTrench	SO-8	.45	.29	PZT2907A	PNP	60V 600mA	SOT-223	.35	—
FMMTA92CT	PNP	300V .200mA	SOT-23	.18	—	RTQ035N03	NFET	30V 3.5A	SOT-23-6	.45	.32
IRFS7730	N - ch.	75V 195A MOSFET	D-PAK	.95	.75	SFH-320-FA-3	NPN	Phototransistor 35V, 15mA	3 x 3mm	.25	.12
J45H11	PNP	80V 20W Epitaxial	D-PAK	.95	.75	SI9942	N / P	20V MOSFET	SO-8	.65	.45
J310	NFET	25V 24mA	SOT-23	.38	.28	ZXMP6A17G	P - ch.	-60V MOSFET	SOT-223	.45	.28
MMBF170L	N - ch.	60V 500mA MOSFET	SOT-23	.45	.28						
MMBR5179	NPN	12V 50mA RF	SOT-23	.35	.26						
MMBT2222A	NPN	40V 600mA	SOT-23	.25	.14						

20V Integrated N-Channel PowerTrench® MOSFET and Schottky Diode



Mosfet; 3.7A, 68mΩ

Schottky; V_F<0.37V @ 500mA

Fairchild FDFMA2N028Z

4/\$1

SMT PROTOTYPING BOARDS

SchmartBOARD™ ez

Patent pending technology makes soldering childishly simple. The solder mask is higher than the pads, creating canals. The walls of the canal are made by the solder mask, the floor by the pad surface. The legs of the I.C. fit into this canal making hand placement and soldering a snap... Some boards are for specific pin/pitch - but most are 'universal' - the PLCC board accommodates 20-84 pins. We stock these 'universal' boards; PLCC (.05"), QFP (.4mm, .5mm, .65mm, .8mm), SO (.05"), SOP (.4mm, .635mm, .8mm). We also have a number of specific size boards.

\$9.95 each

SMT FUSES



3/\$1

0.2A	32V	1206	F1206A0R20FW	15A	65V	6.1x2.69mm	R451015
0.25A	24V	1206	R429.250	Slow Blow			
0.5A	125V	6.1x2.69mm	R451.500				
1.0A	125V	7.24x4.32mm	R459001	0.5A	125V	6.1x2.69mm	R452.500
1.5A	125V	6.1x2.69mm	R45101.5	1.0A	125V	6.1x2.69mm	R452001
2.0A	32V	1206	F1206A2R00FW	2.0A	125V	7.24x4.32mm	R460002
2.5A	125V	6.1x2.69mm	R45102.5	4.0A	125V	6.1x2.69mm	R452004
3.5A	125V	6.1x2.69mm	R45103.5	PTC Resettable			
0.3A	60V	6.78 x 7.98 x 3.18mm	Bourns MF-SM030-2				

SMD Connectors

- odds-n-ends -

1 x 4	FPC horizontal AMP 487951-4	1mm	2/\$1
1 x 9	FFC/FPC right angle Molex 52271-0990	1mm	95¢
2 x 32	IEEE 1386 Mezz. Plug Molex 714-36-2164-P	1mm	\$2.95
2 x 50	Mezzanine Recept.	1mm	\$1.95
2 x 30	card edge conn., vert. Sullins RBB30DHFR	0.05"	\$3.95
4 x 50	SET, plug & recept. Samtec MOLC & FOLC-150-02-S-Q	0.05"	\$3.95
1 x 8	R/A boxed, 2A 100V	2mm	3/\$1
1 x 18	R/A	2mm	2/95¢
1 x 40	Male / Vertical	2mm	\$1.95
2 x 10	Boxed Header / Vertical	2mm	85¢
2 x 40	Male / Vertical	2mm	\$3.25
1 x 3	Female / Vertical	0.1"	5/\$1
1 x 40	Male / Vertical	0.1"	\$1.50
2 x 10	male header/vertical Samtec TSM-110-01-T-DV	0.1"	2/\$1.50
2 x 40	Male / Vertical	0.1"	\$2.95



HOME / SOLDERING / SOLDER

Low Temperature Solder Paste

\$22

• 15g syringe

• Sn42/Bi57/Ag1

• This surface mount solder paste is an ideal low temperature solder for electronics and is specially designed for radiators, LEDs and telecommunication assemblies.

1 ADD TO CART

SKU: 4902P-15g

Surface Mount I.C.'s

SOT-23-5
single gate

LOGIC



74LVC1G00	2-input NAND gate	.25	.15
74LVC1G02	2-input NOR gate	.25	.15
74HC1G04	single inverter	.25	.15
74LVC1G08	2-input AND gate	.25	.15
74LVC1G14	inverter w/Schmitt trigger	.25	.17
74LVC1G32	2-input OR gate	.25	.16
74LVC1G66	SPST analog switch	.39	.25
74LVC1G86	2-input XOR gate	.25	.16
74LVC1G132	2-input NAND w/Schm	.25	.18
74LVC1G3157	SPDT analog switch	.49	.32

OPTO ISOLATORS


IL217A	45¢
IL223	55¢
MOC221	45¢
6N136	75¢

ECL

10H113*	1.75
---------	------

GAL

16L8-25 *	1.95
16R4 *	1.95
16V8-15 *	1.95
20V8-10 *	2.95



Mostly SOIC

* MEANS PLCC PACKAGE

74

LVC

00	.33
04	.33
06	.45
08	.36
14	.38
32	.33
74	.36
125	.45
138	.45
244	.51
245	.51
374	.51
573	.99

74

ACT

04	.45
05	.55
10	.58
74	.45
138	.85
157	.85
163	.95
164	.95
175	.75
240	.62
244	.89
245	.95
257	.55
258	.89
273	.95
373	1.25
521	1.10
573	1.25
823	1.95

CD

4000

4001	.39
4011	.39
4013	.45
4040	.54
4049	.44
4051	.62
4053	.65
4066	.46
4069	.55
4093	.55
4504	.75
4528	.70
4538	.42
4541	.35
4584	.50

74ALS

00	.36	191	1.40
02	.36	240	1.25
03	.36	241	1.12
04	.36	244	.79
05	.36	245	.85
08	.45	251	.85
09 *	.25	253	.85
10	.45	257 *	.45
15	.45	273	.89
27	.49	299	1.50
30	.35	373	.85
32	.38	374	.85
35	.35	520	2.40
74	.39	521	1.25
109	.60	541	.75
112 *	.25	573	1.12
137	.75	574	1.12
138	.89	580	1.25
139	.89	632 *	1.15
151	.85	640	1.25
153	.85	641	1.25
157	.52	645	1.45
160 *	.35	651	2.55
161	.89	652	2.55
163	.85	1004	.45
168	.89	1005	.45
174	.85	1035	.45
176	.75		

MISC.

7404	.48
74CT2524	.75
74FCT157**	.95
74FCT245	.95
74FCT534	1.35
74HCT00	.42
74HCT03	.45
74HCT04	.45
74HCT32	.45
74HCT175	.58
74HCT244	.59
74HCT245	.59
74HCT373	.79
74HCT374	.79
74LS02	.36
74LS04	.38
74LS08	.38
74LS10	.42
74LS32	.38
74LS123	.55
74LS136	.58
74LS157	.48
74LS166	.64
74LS244	.45
74LS257	.35
DS8837	.95

CRYSTALS

\$1.19	4-pin OSC.	\$1.95
4 MHz	1.544 MHz	
12 MHz	4 MHz	
16 MHz	18.432MHz	
24.576MHz	24.000MHz	
25MHz	48.000 MHz	
27 MHz	66 MHz	

EEPROMS

24C128	16K x 8	Serial I2C	8 SOIC	.69
28C64	8K x 8	Parallel	28-SO	.95
88SC3216	8K x 16	Serial	8 SOIC	.95
93C46	64 x 16	Serial	8 SOIC	.75
93C66	512 x 8, 256 x 16	Serial	8 SO	.25

STATIC RAM

99¢ each

128K x 8 CMOS 10ns	71V124 (32 SOJ)
128K x 8 CMOS 70ns	681000 (32 SOP)
256K x 16	70ns R1LV0416 (44 TSOP)

Boot Sector Flash Memory

8 Megabit, CMOS 5V

AM29F800BB-90SC SO-44 \$1.95

CPU

79R3041	32-Bit
84-PLCC	\$2.95

ARM-based Flash MCU

AT91SAM7S256, 32-bit RISC, 64K SRAM
64 QFN \$4.95

Synchronous DRAM

M12L128168A, 2M x 16-bit x 4 banks, 166MHz, \$2.95
54 TSOPII

MicroController

PIC16C74B	44-pin PLCC	\$2.95
PIC18F86J16	80-pin TQFP	\$1.75
ST62T15	28-pin SOP	\$1.25
N87C51	44-pin PLCC	\$1.50

LOCO PLL Clock Multiplier

ICS501M 8 SOIC. \$1.10

A-D Converter

ADC12038

SOIC-28 \$5.95

MC10319DW

SO-28L \$1.95

Frequency Generator & Integrated Buffers for Pentium

ICS9148F13 48 SSOP

\$7.95

Digital Attenuator

5-Bit GaAs 4GHz
HMC307QS16G

\$1.95

QSOP-16

LINEAR and INTERFACE IC's

LINEAR and INTERFACE IC's

LINEAR and INTERFACE IC's

AH22	High Dynamic Range CATV Amplifier	8 SOIC	3.95
TL074	Hi Speed, Lo Noise JFET Quad Op Amp	14 SOIC	.39
MAX213	+5V RS-232 XCVR w/0.1uF External Caps	28 SSOP	4.95
MAX232	RS-232 XCVR w/Voltage Converter	16 Wide SO	1.95
LM311	Hi Performance Voltage Comparator	8 SOIC	.63
LM317L	Adj. Pos. Volt. Reg. 1.2V to 37V 100mA	8 SOIC	.55
LM317M	Adj. Pos. Volt. Reg. 1.2V to 37V 500mA	D-Pak	.85
LM319	High Speed Dual Comparator	14 SOIC	1.34
LM324	Lo Power Quad Op Amp	14 SOIC	.48
LM334	Constant Current Source	8 SOIC	1.98
LM336-2.5	Voltage Reference 2.5V	8 SOIC	1.50
LM337L	Adj. Neg. Volt. Reg. 1.2V to 37V 100mA	8 SOIC	1.38
LM339	High Performance Quad Comparator	14 SOIC	.52
LF353	Dual JFET Input Op Amp	8 SOIC	.68
LM358	Low Power Dual Op Amp	8 SOIC	.38
LM385-1.2	Voltage Reference 1.2V	8 SOIC	1.95
LM393	Dual Comparator	8 SOIC	.42
LF412	Low Offset Dual BIFET Op Amp	8 SOIC	1.95
TL431	Adj. Pos. Volt. Reg. 1.7V to 36V 100mA	8 SOIC	.55
NE555	Timer	8 SOIC	.45
AD706	Dual Low Power Bipolar Op Amp	8 SOIC	1.95
AD736	Low Power True RMS-to-DC Converter	8 SOIC	2.49
LM723	Adj. Pos. or Neg. Volt. Reg. 2V to 37V, 150mA	14 SOIC	.65
LM741	General Purpose Op Amp	8 SOIC	.38
MAX797	Stepdown DC- to- DC Converter	16 SOIC	1.95
LM833	Low Noise, Audio Dual Op Amp	8 SOIC	.68
LT1054	Switched-Capacitor Converter w/Regulator	8 SOIC	.45
LM1086-ADJ	Adj Pos Volt Reg 1.8V to 5V, 1.5A, LDO	D-Pak	.95
LM1117-3.3	Voltage Regulator Positive 3.3V LDO	SOT-223	2.19
LM1117-5	Voltage Regulator Positive 5V LDO	SOT-223	.75
A1302KLH	Continuous-Time Ratiometric Hall Effect Sensor	SOT-23W	.55
1458	General Purpose Dual Op Amp	8 SOIC	.48
1488	Quad Line Driver (RS-232)	14 SOIC	.45
1489	Quad Line Receiver (RS-232)	14 SOIC	.45
MIC1555	ltyBitty RC Timer / Oscillator (2.7V - 18V)	SOT23-5	.55
PCM1733	18-bit, 96kHz Stereo Audio D-A-C	14 SOIC	1.95
ULN2003	Darlington Transistor Array	16 SOIC	.84
ULN2004	Hi Voltage, Hi Current, 7 Darlington Array	16 SOIC	.34
TPS2014	Power Distribution Switch	8 SOIC	1.50
PQ2222	NPN Transistor Array	16 SOIC	.75
MIC2570	Two-Cell Switching Regulator		
-1	2.85V/3.3V/5V Selectable Output	8 SOIC	.95
-2	Adjustable Output up to 36V	8 SOIC	1.10
26LS31	Quad Differential Line Driver	16 SOIC	.99
26LS32	Quad Differential Line Receiver	16 SOIC	.99
LM2902	Wide Gain Bandwidth, Lo Pwr Quad Op Amp	14 SOIC	.24
LM2903	Dual Differential Comparator	8 MSOP	.14
PQ2907	PNP Transistor Array	16 SOIC	.75
LM2940-12	12V 1A Lo.Dropout Voltage Regulator	SOT-223	1.50
QS3125	Hi-Speed CMOS Quad Bus Switch	14 SOIC	1.95
MAX3221	3V to 5.5V, RS-232 Transceiver w/ESD protec.	16 TSSOP	.95
MAX3232	3V to 5.5V, LoPwr, True RS-232 Transceiver	16 SOIC	1.75
MAX3243	Intelligent RS-232 Transceiver	28 SSOP	1.50
LP3961-3.3	Fast Ultra L-D-O Voltage Reg. 3.3V 800mA	SOT-263-5	.79
LP3966-3.3	LDO Voltage Regulator 3.3V 3A	SOT-263-5	1.95
LP3966-ADJ	LDO Voltage Regulator Adj, 1.2V-5V 3A	SOT-263-5	2.55
MAX7228	D-A-C 8-bit octal	24 SOIC	14.95
AD7303	D-A-C 8-bit dual 2.7V	8 SOIC	1.95
ICL7660	Voltage Converter +5V to Dual 5V	8 SOIC	1.95
TL7702	Supply Voltage Supervisor	8 SOIC	.69
TLC7733	2.93V Supply Monitor	8 TSSOP	.95
78L05	VoltageRegulator Positive 5V 100mA	8 SOIC	.35
78L08	Voltage Regulator Positive 8V 100mA	8 SOIC	.35
78M05	VoltageRegulator Positive 5V	D-Pak	.55
78L12	VoltageRegulator Positive 12V 100mA	8 SOIC	.40
78M12	VoltageRegulator Positive 12V	D-Pak	.55
79L05	Voltage Regulator Negative 5V 100mA	8 SOIC	.65
79L12	Voltage Regulator Negative 12V 100mA	8 SOIC	.65
PCF8574DW	Remote 8-Bit I/O Expander for I2C-Bus	16 wide SO	.99
MC33464	Micropower Undervoltage Sensing Circuit	SOT-23-5	.35
MIC39101-3.3	3.3V 1A L-D-O Voltage Regulator	8 SOIC	.75
MIC39101-5.0	5V 1A L-D-O Voltage Regulator	8 SOIC	.75
TPS54310	Adj. 3A Switching Voltage Regulator	20 HTSSOP	4.95
TPS54614	1.8V 6A Switching Voltage Regulator	28 HTSSOP	3.95
MGA-71543	RF Amplifier 2.7-4.2 SV 16 dB	SOT-343-4	.95
75175	Quad Differential Line Receiver	16 SOIC	1.85
MGA-82563	RF Amplifier 3 SV 13.2 dB	SOT363-6	.64
MGA-83563	RF Amplifier 3 SV 22 dB	SOT363-6	1.25

7400				37	.45	79	.75	109	.29	157	.61	181	2.52	276	2.63
				38	.57	81	1.61	116	1.49	158	.89	182	.80	283	1.37
				40	.25	83	.40	121	1.20	160	.48	191	.90	284	2.49
00	.75	13	.29	42	.57	84	1.54	122	.65	162	.42	192	.75	285	2.49
01	.29	14	.54	43	.70	85	.79	126	.55	163	.80	193	.75	290	1.07
02	.29	16	.45	44	.70	86	.95	128	.85	164	.42	194	.75	298	1.12
03	.29	17	.45	45	.95	89	2.25	132	.69	165	.45	195	.57	365	.69
04	.75	20	.30	50	.25	90	2.19	145	.50	166	.95	196	1.07	366	.69
05	.35	23	.29	51	.42	91	.74	147	1.72	173	1.16	197	1.07	367	.69
06	.48	26	.38	54	.25	92	.56	148	1.16	174	.74	198	1.58	368	.69
07	.48	27	.29	60	.25	93	.30	151	.50	175	.70	200	2.95	393	1.74
10	.35	28	.56	72	.25	95	.35	153	.50	176	.75	221	.95		
11	.35	30	.29	74	.81	96	.35	155	.61	177	1.01	251	.78		
12	.35	32	.75	75	.45	107	.29	156	.74	180	.95	265	.89		

74LS00			90	.49	151	.42	195	.61	279	.42	377	.79	640	1.06
			91	.63	152	.45	196	.69	280	1.35	378	.92	642	1.06
			92	.99	153	.42	197	.59	283	.59	385	3.68	643	1.06
00	.45	28 .35	93	.49	154	1.81	221	.59	290	.64	386	.51	644	1.06
01	.25	30 .28	95	.59	155	.48	240	.64	293	.66	388	3.49	645	1.06
02	.55	32 .32	96	.59	156	.48	241	.64	295	.71	390	.72	646	1.06
03	.25	33 .34	107	.37	157	.38	242	.64	298	.79	393	.72	668	1.00
04	.75	37 .28	109	.37	158	.38	243	.64	299	1.62	399	.85	669	1.00
05	.28	38 .28	112	.37	160	.39	244	.79	322	4.09	422	.69	670	1.00
06	.60	40 .29	113	.37	161	.40	245	.81	325	2.55	423	.95	673	2.45
07	.60	42 .34	114	.37	162	.52	247	.75	326	2.55	442	4.90	682	2.30
08	.28	47 1.98	122	.52	163	.52	248	.69	327	2.55	443	4.90	688	1.75
09	.25	49 .86	123	.46	164	.52	249	.89	348	1.76	444	4.40	689	3.20
10	.25	51 .28	124	2.95	165	.79	251	.48	352	.74	447	1.12	691	3.33
11	.25	54 .29	125	.37	166	.94	253	.48	353	.79	490	1.92	693	3.33
12	.25	55 .29	126	.37	168	.94	256	.95	354	.99	534	.99	696	3.33
13	.35	63 .99	132	.49	169	1.06	257	.39	362	.99	540	.59	698	3.33
14	.33	73 .39	133	.49	170	.95	258	.48	365	.46	541	.59	795	1.36
15	.32	74 .35	136	.39	174	.39	259	.69	366	.46	569	2.53		
16	.28	75 .39	137	.89	175	.39	260	.53	367	.46	590	3.75		
21	.28	78 .51	138	.69	191	.59	261	.99	368	.46	592	1.95		
22	.29	83 .59	139	.46	192	.69	266	.51	373	.52	593	1.95		
26	.28	85 .59	147	.98	193	.61	273	.52	374	.52	625	1.95		
27	.28	86 .31	148	.98	194	.61	275	1.95	375	.60	628	1.55		

74S00		30	.29	.86	.31	140	.57	175	.59	241	1.05	299	2.45
		32	.35	112	.49	151	.62	181	3.52	244	1.05	373	1.05
		37	.69	113	.49	157	.79	182	.85	251	.84	374	1.05
00	.29	09	.39	38	.69	114	.49	158	.79	189	1.88	257	.62
02	.29	10	.29	40	.69	132	.65	161	.59	194	1.12	258	.69
03	.39	11	.39	51	.36	133	.40	162	.65	195	1.12	260	.63
04	.29	15	.39	64	.39	135	.90	163	1.15	200	3.00	273	.75
05	.29	20	.29	74	.48	138	.49	169	1.15	214	2.50	280	1.24
08	.35	22	.39	85	.69	139	.49	174	.59	240	1.15	283	.95

74C00				42	1.42	93	1.32	157	2.49	173	.55	240	2.15	904	.71
				73	.90	95	1.45	161	.89	174	.79	244	1.95	907	.95
				83	1.45	107	.99	162	.79	175	.79	373	1.89	910	6.25
00	.75	14	.69	85	.69	150	3.75	163	.89	193	1.25	901	.71	914	2.10
04	.21	30	.38	86	.33	151	2.69	164	1.25	200	7.95	902	.71	915	1.95
08	.38	32	.79	89	4.49	154	3.99	165	1.61	221	2.50	903	.71		

74HC00				113	.50	158	.47	194	.69	266	.56	540	.59	4050	.48
				123	.68	160	.72	195	.69	273	.45	541	.59	4051	.59
				125	.47	161	.63	221	.69	279	.58	573	.99	4060	.66
00	21	32	.35	126	.47	163	.63	237	.49	280	1.17	574	.99	4066	.52
02	28	42	.49	132	.59	164	.49	240	.65	298	1.15	595	1.62	4075	.29
03	.55	73	.41	133	.36	165	.54	241	.65	299	1.35	688	1.39	4078	.29
04	24	74	.29	137	.59	166	.71	242	.65	365	.65			4094	.79
08	69	75	.45	138	.45	173	.81	243	.65	367	.52			4511	.90
09	25	80	1.46	139	.45	174	.46	244	.45	368	.52			4514	2.79
10	25	82	1.46	147	.67	175	.49	245	.45	373	.45	4002	.29	4538	.65
11	49	85	.45	148	.90	176	1.49	251	.59	374	.45	4017	.59	4543	1.08
14	28	86	.45	151	.54	177	1.49	253	.59	390	.71	4020	.72		
20	29	107	.41	153	.54	182	1.44	257	.50	393	.63	4024	.84		
27	30	109	.49	154	1.80	191	.59	258	.59	533	1.08	4040	.62		
30	33	112	.45	157	.47	193	.59	259	.63	534	1.08	4049	.43		

74HCT00				86	.35	158	.49	238	.89	273	.45	533	.95	648	10.36
				93	.99	161	.58	239	.89	368	.51	534	.95	688	.99
				107	.39	163	.69	240	.55	373	.54	540	.65		
				109	.39	164	.52	241	.55	374	.54	541	.65	4016	.75
00	.22	11	.33	112	.39	173	.84	244	.45	390	.79	563	1.08		
02	.26	12	.37	126	.47	174	.41	245	.49	393	.76	573	.62		
03	.36	14	.28	132	.59	175	.41	251	.56	399	.76	574	.62		
04	.26	27	.38	138	.45	193	.89	257	.56			640	.99		
08	.26	32	.28	139	.39	210	2.36	258	.56		503 4.76	643	.99		
10	.29	74	.35	157	.41	237	.52	259	.76		504 6.60	646	10.36		

CD4000				4034	1.25	4053	.71	4094	.72	4511	.68	4556	.69
				4035	.74	4060	.61	4098	.66	4512	.64	4557	3.95
				4040	.53	4066	.38	4099	.84	4516	.63	4572	.75
4001	.36	4018	.55	4041	.65	4069	.38	40103	1.39	4518	.69	4585	.65
4002	.23	4019	.44	4042	.59	4070	.33	40106	.69	4519	.49	4724	1.05
4006	.45	4020	.64	4043	.73	4071	.28	40107	.79	4520	.73	45406	2.30
4008	.72	4021	.49	4044	.73	4072	.28	4116	.85	4522	.93		
4010	.43	4022	.54	4045	1.10	4073	.36	4160	.89	4526	.75		
4011	.38	4023	.23	4046	.64	4075	.33	4161	.89	4527	.90		
4012	.23	4024	.50	4047	.63	4076	.55	4175	.20	4528	.75		
4013	.31	4025	.33	4048	.69	4077	.33	4411	9.95	4529	1.06		
4014	.64	4027	.45	4049	.33	4078	.33	4502	.85	4532	1.05		
4015	.34	4028	.71	4050	.27	4081	.28	4503	.46	4538	.85		
4016	.38	4029	.64	4051	.49	4082	.28	4504	.95	4555	.65		
4017	.45	4030	.41	4052	.71	4093	.42	4508	1.06				

74ALS00					
00 .29	33 .28	163 .59	373 .69		
02 .28	74 .42	174 .60	374 .69		
04 .35	86 .38	175 .60	521 1.50		
05 .28	109 .42	191 1.35	534 1.75		
08 .28	133 .59	240 .68	540 1.15		
10 .28	137 .95	241 .68	573 1.15		
11 .28	139 .58	243 .68	574 1.15		
20 .28	151 .55	244 .68	580 2.75		
27 .35	153 .55	245 .75	642 1.25		
28 .28	157 .62	257 .45	841 2.50		
30 .38	158 .68	273 .75	1002 .50		
32 .38	162 .99	299 1.89			

74F00					
00	.38	157	.58	251	.79
02	.38	158	.58	253	.79
04	.48	160	1.36	257	.79
06	.68	161	1.36	258	.79
08	.36	162	1.36	273	.95
10	.28	163	1.25	280	.74
11	.28	164	1.25	283	1.65
14	.56	168	2.56	299	3.68
20	28	169	3.20	322	3.68
27	.36	174	.85	353	.65
32	.32	175	.85	367	1.42
38	.33	181	2.42	373	.72
51	.46	182	1.11	374	.72
64	.32	190	3.40	377	.79
74	.59	191	2.02	378	1.16
86	.48	192	2.40	379	1.13
109	.41	193	2.40	381	2.56
112	1.00	194	.97	398	.98
125	.65	195	1.50	399	1.13
132	.46	240	1.25	521	1.15
138	.58	241	.85	533	1.95
139	.58	242	1.28	543	2.95
148	.85	243	1.14	573	1.58
151	.58	244	.95	574	1.58
153	.58	245	.85		

74H00				
00 .44	21 .59	53 .44	103 .99	
01 .54	22 .59	54 .44	108 1.45	
08 .44	30 .59	71 .54	113 .99	
10 .44	40 .44	72 .54		
11 .44	50 .44	74 .69		
20 .44	51 .44			

74L00				
00 .40	26 .40	75 .95	151 1.50	
02 .40	30 .45	78 .60	157 1.10	
03 .50	42 .99	89 2.50	164 1.95	
04 .40	51 .40	90 1.25	165 1.99	
05 .50	54 .40	91 .99	192 1.50	
09 .45	55 .40	93 1.25	193 1.50	
10 .40	72 .45	95 1.25	195 1.50	
20 .40	73 .50	123 1.25		

74AS00					
158	.47	373	.89	576	1.75
174	.99	374	.89	645	1.95
240	1.50	534	1.38	867	2.99
244	.99	540	1.25		
257	.49	575	1.75		

74ACT00				
00	.44	138	.85	373 1.15
04	.44	175	.75	374 1.15
08	.45	240	1.25	541 1.45
86	.85	244	1.25	573 1.50
		245	1.45	574 1.50
74ACT4503				\$1.25

74SC00			
74SC244	.40	74SC573	.50
74SC541	.50		

N2500	
\$1.50 EACH	
2502	2521
2503	2522
2507	2525
2509	2527
2510	2528
2511	2529
2516	2530
2517	2532

DTL	
.59 EACH	
930	949
932	951
958	962
935	
936	1800
937	9093
946	9094
948	9099

VOLTAGE REGULATORS				
LM200H	ADJ.POS. 2V TO 30V		TO-5	\$2.50
LM304H	ADJ.NEG. -30V TO -.035V		TO-5	2.95
LM305AH	ADJ.POS. 4.5V to 40V		TO-5	2.75
LM309K	POS. 5V	1A	TO-3	.89
LM317K	ADJ.POS. 1.2V TO 37V	1.5A	TO-3	2.95
LM317L	ADJ.POS. 1.2V TO 37V	100mA	TO-92	.45
LM317T	ADJ.POS. 1.2V TO 37V	1.5A	TO-220	.65
LM320K-5	NEG. 5V	1.5A	TO-3	1.95
LM320K-12	NEG. 12V	1.5A	TO-3	1.95
LM320K-15	NEG. 15V	1.5A	TO-3	1.95
LM320MLP-5	NEG. 5V	250mA	TO-202	.25
LM320T-5	NEG. 5V	1.5A	TO-220	.39
LM320T-6	NEG. 6V	1.5A	TO-220	.52
LM320T-8	NEG. 8V	1.5A	TO-220	.49
LM320T-12	NEG. 12V	1.5A	TO-220	.45
LM320T-15	NEG. 15V	1.5A	TO-220	.49
LM320T-18	NEG. 18V	1.5A	TO-220	.49
LM320T-24	NEG. 24V	1.5A	TO-220	.49
LM323K	POS. 5V	3A	TO-3	8.95
LM323T	POS. 5V	3A	TO-220	3.95
LM337H	ADJ.NEG. 1.2V TO 37V	1.5A	TO-5	1.75
LM337K	ADJ.NEG. 1.2V TO 37V	1.5A	TO-3	3.50
LM337L	ADJ.NEG. 1.2V TO 37V	100mA	TO-92	1.25
LM337T	ADJ.NEG. 1.2V TO 37V	1.5A	TO-220	.75
LM340K-5	POS. 5V	1.5A	TO-3	1.95
LM340K-6	POS. 6V	1.5A	TO-3	1.95
LM340K-8	POS. 8V	1.5A	TO-3	1.95
LM340K-12	POS. 12V	1.5A	TO-3	1.15
LM340K-15	POS. 15V	1.5A	TO-3	1.95
LM340K-24	POS. 24V	1.5A	TO-3	2.35
LM340T-5	POS. 5V	1.5A	TO-220	.32
LM340T-6	POS. 6V	1.5A	TO-220	.45
LM340T-8	POS. 8V	1.5A	TO-220	.35
LM340T-9	POS. 9V	1.5A	TO-220	.39
LM340T-12	POS. 12V	1.5A	TO-220	.35
LM340T-15	POS. 15V	1.5A	TO-220	.45
LM340T-18	POS. 18V	1.5A	TO-220	.49
LM340T-24	POS. 24V	1.5A	TO-220	.49
LM341P-5	POS. 5V	.5A	TO-220	.20
LM341P-12	POS. 12V	.5A	TO-220	.20
LM350K	ADJ.POS. 1.2V TO 33V	3A	TO-3	5.55
LM350T	ADJ.POS. 1.2V TO 33V	3A	TO-220	2.35
TL431	ADJ.POS. 1.7V TO 36V	100mA	8-PIN OR TO-92	.65
TL494	COMPLETE PWM POWER CONTROL		16-PIN	1.95
TL497	SWITCHING REGULATOR		14-PIN	1.95
LM723	ADJ.POS. 2V TO 37V	150mA	14-PIN	.49
LT1005	POS. 5V/1A & POS. 5V/50mA		TO-220	2.49
EZ1084C	POS. FIXED/ADJ. LDO	5A	TO-220	1.95
LT1117	POS. 3.3V LDO	1A	TO-220	2.50
LM2925	POS. 5V 750mA LDO w/DELAY		TO-220	2.25
LM2931	ADJ.LoDROP-OUT	1A	TO-220	.95
LM2931-5	POS. 5V L0 DROP OUT		TO-92	1.10
LM2941	POS. 5V-20V LDO	1A	TO-220	.99
LP2950-3.3	Micropower LDO 3.3V	100mA	TO-92	.59
LT2951C	POS. 5V LDO	100mA	8-p DIP	.35
NE5553	DUAL 12V	200mA		2.95
ICL7660	VOLT.CONVERT.+5V TO DUAL 5V		8-p DIP	1.65
LMC7660	CMOS VERSION OF 7660		8-p DIP	.45
7805	POS. 5V	1.5A	TO-220	.32
7806	POS. 6V	1.5A	TO-220	.45
7808	POS. 8V	1.5A	TO-220	.35
7809	POS. 9V	1.5A	TO-220	.39
7812	POS. 12V	1.5A	TO-220	.35
7815	POS. 15V	1.5A	TO-220	.45
7818	POS. 18V	1.5A	TO-220	.49
7824	POS. 24V	1.5A	TO-220	.49
78L05	POS. 5V	100mA	TO-92	.29
78L06	POS. 6V	100mA	TO-92	.35
78L08	POS. 8V	100mA	TO-92	.35
78L09	POS. 9V	100mA	TO-92	.35
78L12	POS. 12V	100mA	TO-92	.35
78L15	POS. 15V	100mA	TO-92	.35
78L24	POS. 24V	100mA	TO-92	.35
78L33	POS. 3.3V	100mA	TO-92	.24
78M05	POS. 5V	500mA	TO-220	.25
78M12	POS. 12V	500mA	TO-220	.35
7905	NEG. 5V	1.5A	TO-220	.39
7906	NEG. 6V	1.5A	TO-220	.52
7908	NEG. 8V	1.5A	TO-220	.49
7912	NEG. 12V	1.5A	TO-220	.45
7915	NEG. 15V	1.5A	TO-220	.49
7918	NEG. 18V	1.5A	TO-220	.49
7924	NEG. 24V	1.5A	TO-220	.49
79L05	NEG. 5V	100mA	TO-92	.45
79L08	NEG. 8V	100mA	TO-92	.55
79L09	NEG 9V	100mA	TO-92	.45
79L12	NEG. 12V	100mA	TO-92	.48
79L15	NEG. 15V	100mA	TO-92	.48
79M05	NEG. 5V	500mA	TO-220	.25

NOTE: VOLTAGE REGULATORS ARE LISTED SEPARATELY.				LINEAR/PERIPHERAL				NOTE: VOLTAGE REGULATORS ARE LISTED SEPARATELY.			
CMP-04	4-CH. DIFFERENTIAL MUX	14-PIN DIP	3.95	567	TONE DEC./PHASE LOC. LOOP	8-PIN DIP	.89	IH5020	2xSPST ANALOG SWITCH	8-PIN DIP	2.95
H13-0509	QUAD. DIFFERENTIAL MUX	16-PIN DIP	1.95	MLD574	LAMP/LED FLASH DRIVER	TO-92	.39	NE5532	INTER. COMP. DUAL OP AMP	8-PIN DIP	.79
VIPer20	AC/DC CONVERTER 620V .5A	5-p TO-220	.49	NE592	VIDEO AMP	14-PIN DIP	.69	NE5534	HI-PERF. LO NOISE OP AMP	8-PIN DIP	.95
LM34	Fahrenheit TEMP. SENS.	TO-92	5.75	AD595	THERMOCOUPLE AMPLIFIER	14-PIN DIP	9.95	UDN5713	DUAL PERIPH. OR DRIVER	8-PIN DIP	1.48
LM35	CENTIGR. TEMP. SENS.	TO-92	1.75	MAX632	+12V/ADJ. CMOS STEP-UP SW. REG.	8-PIN	3.95	AM6301	POWER CONTROL	24-PIN DIP	3.95
TL064	LO PWR JFET-INPUT OP AMP	8-PIN DIP	.81	AD647H	ULTRALO DRIET. DUAL BIFET OP AMP	TO-5	2.95	LM6321	HI SPEED BUFFER	8-PIN DIP	1.95
TL061	LoPwr QUAD JFET-INPUT OP AMP	14-pin	.79	MAX690	MPU WATCHDOG / BATT.	8-PIN DIP	3.50	MPQ6502		14-PIN DIP	.99
TL071	LoNOISE JFET-IN OP AMP	8-PIN DIP	.61	LM709	GENERAL PURP. OP AMP	14-PIN DIP	.70	SI 7250	BUBBLE MEMORY PWR DRVR	16-PIN DIP	1.95
TL081	GEN. PURP. JFET-IN OP AMP	8-PIN DIP	.55	LM711H	DUAL DIFF. COMP.	TO-5	.69	7555	CMOS 555 TIMER	8-PIN DIP	.75
TL082	DUAL JFET-INPUT OP AMP	8-PIN DIP	.95	733	WIDEBAND VIDEO AMP	14-PIN DIP	.65	7556	CMOS 556 DUAL TIMER	14-PIN DIP	1.35
TL084	QUAD JFET-INPUT OP AMP	14-PIN DIP	.59	741	GENERAL PURP. OP AMP	8-PIN DIP	.48	TL7702	SUPPLY VOLTAGE SUPERVISOR	8-PIN DIP	.36
INA103	LO NOISE INSTR. AMP	16-PIN DIP	6.95	MAX743	DUAL-OUTPUT, SW.-MODE REGUL.	16-P DIP	3.95	TL7705A	supply voltage supervisor 4.55V	8-PIN DIP	.45
DG181	HI-SPEED DUAL SPST JFET	TO-5	7.50	LM747	DUAL OP AMP	14-PIN DIP	.79	TL7705	MicroPWR Supply Voltage Super.	8-PIN DIP	.95
DG186B	HI-SPEED SPDT JFET SWITCH	TO-5	5.95	748	FREQ. ADJUSTED 741	14-PIN DIP	.55	TEA7868	LINE INTERF. w/RING DETECT.	8-PIN DIP	.48
PGA202	PROGRAMMABLE GAIN AMPLIF.	14-PIN	7.95	LT1013	DUAL PRECISION OP AMP	8-PIN DIP	3.95	ICL8018	QUAD CURR. SW. for D-A CONV.	14-PIN DIP	1.50
PGA203	PROGRAMMABLE GAIN AMPLIF.	14-PIN	7.95	LM1203	RGB VIDEO AMP SYSTEM	28-PIN DIP	2.95	ICL8019	QUAD CURR. SW. for D-A CONV.	14-PIN DIP	.95
DG211	4xSPST CMOS ANALOG SWITCH	16-PIN	2.15	LM1205	RGB VIDEO AMP SYS. w/BLANKING	28-PIN	3.95	AD8184	VIDEO MULTIPLEXER	14-PIN DIP	1.95
MAX232	RS-232 XCVR w/VOLT.CONV.	16-PIN	1.75	MC1350	VIDEO IF AMP. 12V OPER.	8-PIN DIP	.99	MT8804A	CROSSPOINT ARRAY		
MAX233	IMPROVED MAX232	20-PIN DIP	4.49	MC1377	COLOR TV RGB TO PAL ENCODER	20 PIN	2.95		(8x4 SWITCH MATRIX)	24-PIN DIP	4.95
LM258	DUAL OP AMP	8-PIN DIP	.75	MC1439	HI-SLEW-RATE OP AMP	TO-5	1.75	AD9300K	4x1 WIDEBAND VIDEO MULTIPLEX	16-PIN	1.95
TS271	CMOS OP AMP	8-PIN DIP	.45	1458	GEN. PURP. DUAL OP AMP	8-PIN DIP	.45	STV9379	VERTICAL DEFLECTION	7-p TO-220	2.75
LM308	LO SLEW RATE OP AMP	8-PIN DIP	2.95	1488	QUAD LINE DRIVER (RS-232)	14-PIN DIP	.39	LF13007	PREC. DIGITAL GAIN SET	16-PIN DIP	4.95
LM310	VOLT. FOLLOWER OP AMP	TO-5 or 8-P DIP	1.95	14C88	CMOS 1488	14-PIN DIP	1.10	LMD18200T	3A 55V H-BRIDGE	TO-220-11	9.95
LM311	HI PERF. VOLT.COMPAR.	8-PIN DIP	.39	1489	QUAD LINE RECEIVER (RS-232)	14-PIN DIP	.39	CX20060	SONY VIDEO SIGNAL PROCES.	6-PIN DIP	1.25
LM316H	PREC. HI-IMP. OP AMP	TO-5	2.85	14C89	CMOS 1489	14-PIN DIP	1.10	CD22402	CMOS LSI SYNC GENERATOR	24-PIN DIP	8.35
LM318	PRECISION HI SPEED OP AMP	8-PIN DIP	1.25	MC1496	MOD/DEMOD	14-PIN DIP	.75	MC34051	DUAL LINE TRANSCEIVER	16-PIN DIP	2.95
		TO-5	1.95	MC1658	VOLT. CONTROL. MULTIVIB.	16-PIN DIP	2.95	MC34062	PIN-PROG.OVERVOLT.SENS.	8-PIN DIP	1.25
LM319	HI SPEED DUAL COMPAR.	14-PIN DIP	.39	ULN1881	VIDEO SYNC SEPARATOR	8-PIN DIP	4.15	MC34063	40V 1.5A DC/DC convert. control	8-PIN DIP	.48
LM324	LO PWR QUAD OP AMP	14-PIN DIP	.92	ULN2003	DARLINGTON XSISTR ARRAY	16-PIN DIP	.79	MC34064	UNDERVOLTAGE SENSING CIRC	TO-92	.75
LM327		14-PIN DIP	.99	IR2110	PWR MOSFET & IGBT DRIVER	14-PIN DIP	2.95	MC34071	HI-PERF. SNGL-SUPPLY OP AMP	8-PIN DIP	.99
LM334	CONSTANT CURR. SOURCE	TO-92	.79	LM2111		14-PIN DIP	1.95	MC34074	QUAD MC34071	14-PIN DIP	1.75
LM336	VOLT. REFER. (2.5 or 5V)	TO-92	1.10	IR2153	SELF-OSC. HALF-BRIDGE DVR	8-PIN DIP	1.58	75107	DUAL LINE RECEIVER	14-PIN DIP	.69
LM339	HI PERFORM. QUAD COMP.	14-PIN DIP	.39	XR2240	PROG. COUNTER/TIMER	16-PIN DIP	1.15	75108	DUAL LINE RECEIVER	14-PIN DIP	.69
3V339	CMOS version LM339	14-PIN DIP	.45	LM2406T	MONOLYTHIC CRT DRIVER	11-pin TO-220	1.95	75110	DUAL LINE DRIVER	14-PIN DIP	.55
LF347	QUAD JFET-INPUT OP AMP	14-PIN DIP	1.35	DM2502	8-BIT SUCC. APPROX. REGIS.	16-PIN DIP	2.95	75123	DUAL LINE DRIVER	16-PIN DIP	.99
LM348	QUAD 741 OP AMP	14-PIN DIP	.39	AM2504	12-BIT SUCC. APPROX. REG.	24-PIN DIP	4.95	75124	TRIPLE LINE RECEIVER	16-PIN DIP	.99
LM349	QUAD 741 OP AMP HI SPEED	14-PIN	.45	HA-7 2525-5	Hi-speed, Precision OP AMP	8-PIN DIP	3.95	75126	SNGL-ENDED LINE DRIVER	16-PIN DIP	2.95
LF351	JFET-INPUT OP AMP	8-PIN DIP	.45	26502	QUAD SCHOTTKY MULTIVIBR.	16-PIN DIP	1.25	75ALS126	ADVANCED 75126	16-PIN DIP	3.25
LF353	DUAL JFET-INPUT OP AMP	8-PIN DIP	.54	26LS30	DUAL DIF. 422 PARTY LINE QUAD	423 DRVR	1.75	75138	QUAD BUS TRANSCEIVER	16-PIN DIP	1.72
LF356	LOW OFFSET MONOLYTHIC JFET-INPUT OP AMP	8-PIN DIP	1.50	26LS31	QUAD DIF. LINE DRIVER	16-PIN DIP	.69	75150	DUAL LINE DRIVER	8-PIN DIP	.89
		8-PIN DIP	.45	26LS32	QUAD DIF. LINE RECEIVER	16-PIN DIP	.69	75154	QUAD LINE RECEIVER	16-PIN DIP	.99
LM358	LO POWER DUAL OP AMP	8-PIN DIP	2.50	ULN2803	TTL/CMOS PERIPH. DRIVER	18-PIN DIP	.75	75176B	DIFF. BUS TRANSCEIVER	8-PIN DIP	.45
LM372		14-PIN DIP	1.50	ULN2804	CMOS/PMOS PERIPH. DRIVER	18-PIN DIP	.75	75188	QUAD LINE DRVR (1488)	14-PIN DIP	.39
LM375		14-PIN DIP	1.50	LM2904	GENERAL PURP. DUAL OP AMP	8-PIN DIP	.38	75189	QUAD LINE RCVR (1489)	14-PIN DIP	.39
LM377	DUAL 2-WATT AUDIO AMP	14-PIN DIP	1.95	PQ2907	PNP XSISTR ARRAY	14-PIN DIP	1.20	75402	DUAL PERIPH. NAND DRIVER	14-PIN DIP	1.52
LM380	AUDIO POWER AMP	14-P or 8-P DIP	1.25	CA3086	5 GEN. PURP. NPN XSTSRs	14-PIN DIP	.59	75451	DUAL PERIPH. AND DRIVER	8-PIN DIP	.59
LM381	LO NOISE DUAL PREAMP	14-PIN DIP	1.16	CA3127	HI-FREQ. NPN XSTR ARRAY	16-PIN DIP	.89	75452	DUAL PERIPH. NAND DRIVER	8-PIN DIP	.59
LM385	VOLT.REFER.(1.2 or 2.5V)	TO-92	1.75	CA3130	SUPER CMOS OP AMP	8-PIN DIP	1.15			14-PIN DIP	.75
LM386	LO VOLT. AUDIO PWR AMP	8-PIN DIP	.75	CA3183	5 HI-CURR. HI-VOLT. NPN XSTR	16-PIN DIP	1.20	75453	DUAL PERIPH. OR DRIVER	8-PIN DIP	.59
LM393	DUAL COMPARATOR	8-PIN DIP	.54	MC3436	QUAD BUS TRANS.	14-PIN DIP	1.17			14-PIN DIP	.75
		TO-5	.99	LM3401	QUAD AMP	14-PIN DIP	.76	75461	DUAL PERIPH. AND DRIVER	8-PIN DIP	.65
LF398	SAMPLE & HOLD AMP	8-PIN DIP	2.50	MC3403	QUAD DIFF.-INPUT OP AMP	14-PIN DIP	.98	75477	DUAL PERIPH. DRIVER	8-PIN DIP	.62
MAX402	Hi Speed Op Amp	8-PIN DIP	1.95	MC3405	DUAL OP AMP & DUAL COMP.	14-PIN DIP	1.25	79518		8-PIN DIP	.89
MAX403	Hi Speed Op Amp	8-PIN DIP	1.95	MC3423	OVERVOLT. PROTECTION UNIT	8-P DIP	.95	MC145157	SPI PLL Frequency Synth.	16-PIN DIP	1.95
UHP407	PERIPH. NAND DRIVER	14-PIN DIP	1.95	MC3437	HEX UNIFIED BUS RECEIVER	16-PIN DIP	2.48	CD145406	CMOS RS-232 DRV/RCVR	16-PIN DIP	2.30
LF411	WIDEBAND JFET OP AMP	8-PIN DIP	.75	MC3448	QUAD LINE TRANSCEIVER	16-PIN DIP	.89	754410	Quadruple Half-H Driver	16-PIN DIP	2.95
LF412	LO OFFSET DUAL BIFET OP AMP	8-PIN DIP	1.20	MC3470	FLOPPY READ AMP SYS.	18-PIN DIP	2.95				
LF442	LoPWR DUAL BIFET OP AMP	8-PIN DIP	1.50	MC3485	QUAD SINGL-END LINE DRVR	16-PIN DIP	3.95				
LF444	BI-FET QUAD OP AMP	14-PIN DIP	1.25	MC3486	QUAD LINE RCVR (RS-422/3)	16-PIN DIP	.96				
LT485	CMOS RS-485/RS-42 Xscvr	8-PIN DIP	2.50	MC3487	QUAD LINE DRIVER (RS-422/3)	16-PIN DIP	.96				
DG506	MONO. CMOS ANALOG MUX	28-PIN DIP	5.75	DS3605	HEX MOS SENSE AMP	14-PIN DIP	.99				
DG515	SPDT D/A CONVERT. SWITCH	14-PIN DIP	9.95	BB3606	PROGR. GAIN AMPLIFIER	32-PIN DIP	14.95				
ADG529	4-CH. DIFF. MUX	18-PIN DIP	3.95	DS3614	DUAL PERIPH. NOR DRIVER	8-PIN DIP	1.15				
NE532	DUAL OP AMP	8-PIN DIP	.64	LM3900	QUAD NORTON OP AMP	14-PIN DIP	.55				
555	TIMER	8-PIN DIP	.35	LM3905	PRECISION TIMER	8-PIN DIP	1.95				
		TO-5	.59	PQ3904	NPN XSISTR ARRAY	14-PIN DIP	1.25				
7555	CMOS TIMER	8-PIN DIP	.75	LM3914	DOT/BAR DISPLAY DRVR	18-PIN DIP	3.25				
556	DUAL TIMER	14-PIN DIP	.39	MCP4131	10K DIGITAL POT w/SPI interface	8-DIP or DFN	1.50				
7556	CMOS DUAL TIMER	14-PIN DIP	1.35	RC4191		8-PIN DIP	2.50				
NE558	QUAD TIMER (SINKS CURR.)	16-PIN DIP	1.25	HA4605	QUAD WIDEBAND OP AMP	14-PIN DIP	1.75				
NE559	QUAD TIMER (SOURCES CURR.)	16-PIN DIP	1.70	TDA4861	VERT. DEFLECT. PWR AMP	9-PIN SIP	2.95				

MIS C.	MC426	\$1.00	25LS2521	.99	74BCT374	1.25
	MC837	.75	25LS2569	2.50	74BCT756	2.95
	MC1010P	1.00	27S25	4.95	74BCT2827	2.75
	MC1048P	1.00	AM2964	5.50	74FCT244	1.25
	CD22402	8.35	AM2966	1.25	74FCT521	.95
	25LS09	1.25	AM29828	2.50	CD145406	2.30
	25S10	1.75	MC7242	1.00		
	25LS22	.99	63S1681	7.95	TMP47P206VP	
	25LS2518	1.11	74BCT125	.58	\$1.25	
	25LS2520	.99	74BCT245	1.12		

N8200		8263 1.50	8290 .75	8825 .95	8H21 1.00
		8267 2.95	8292 1.50	8848 .95	8H90 1.00
8223 2.49	8242 1.10	8271 1.25	8808 .95	8875 .55	
8230 1.10	8250 1.75	8275 1.25	8815 .95	8885 1.75	
8232 1.10	8251 1.75	8281 .80	8816 .95		
8233 1.10	8262 1.95	8288 1.10	8824 .95		

DM8000		8556 1.95	8822 2.50	8885 3.50	85L51 1.50
		8573 2.95	8831 1.90	8887 1.50	
		8574 2.95	8832 1.90		
8090 .75	8220 1.50	8577 1.90	8833 1.95	80C95 .69	
8091 .50	8223 1.95	8578 1.50	8837 1.50	80C97 .69	
8096 .77	8230 2.00	8599 1.95	8838 1.25		
8121 1.05	8281 .80	8640 .89	8844 .90	80L96 1.20	
8122 .70	8304 2.45	8802 1.10	8855 .75	80L97 1.20	
8123 1.50	8311 3.95	8810 .47	8856 2.75		
8124 1.50	8520 3.95	8811 .69	8858 .75	81L22 1.65	
8210 1.50	8553 2.50	8812 .50	8864 1.75	81L23 1.65	
8214 1.50	8554 3.95	8819 1.19	8867 1.75		

ECL				
10103 .59	10139 .95	10173 1.95	10524 3.95	
10121 .99	10141 3.95	10189 1.25		
10124 2.49	10161 1.95	10231 3.95		
10136 2.49	10162 1.95	10422 5.95		

8T00		
8T14 1.75	8T37 1.75	8T110 1.95
8T20 1.50	8T39 1.25	8T125 1.75
8T22 .69	8T80 1.75	8T245 1.59
8T24 1.75	8T93 1.30	
8T26 1.75	8T95 1.30	
8T28 1.75	8T96 1.30	
8T32 1.75	8T98 .95	

9000			
9003 .30	9317 .99	93S62 2.50	
9005 .30	9321 .99	9601 .89	
9008 .32	9322 .65	96LS02 1.75	
9009 .30	9324 2.50	93L415 3.50	
9016 .30	9334 2.50	93422 9.95	
9300 .50	9341 2.68	93425 4.95	
9312 .69	93S48 3.25	93L451 3.95	

MM 5000	
5025 1.50	
5262 .75	
5320 4.95	
5554 4.75	
5555 4.75	
5705	
5706	

MICRO-CONTROLLER	
Toshiba TMP47P206VP	
CMOS 4-bit w/16K PROM	
20-pin DIP	
\$1.25	

I.C. TEST CLIPS

OPTO ISOLATORS				
		\$.38 6-PIN	\$.75 8-PIN	\$1.50 16-PIN
PART#	DESCR.	VIO	CTR	RESP. FEATURES
4N25	SINGLE	2.5kV	20%	
4N26	SINGLE	2.5kV	20%	
4N27	SINGLE	6kV	10%	
4N28	SINGLE	6kV	10%	GEN. PURP.
4N31	SINGLE DARL.	1.5kV	50%	6us
4N32	SINGLE DARL.	6kV	500%	
4N33	SINGLE DARL.	1.5kV	500%	5us
4N35	SINGLE	6kV	100%	
6N136	SINGLE	8kV	19%	1Mb/s HI SPEED
6N137	SINGLE		20%	10Mb/s HI SPEED
CNY17-1	SINGLE	4kV	40%	HI RELIABIL.
CNY75B	SINGLE	5kV	100%	
FCD805	SINGLE			
FCD820	SINGLE	2.1kV	20%	2.5us
IL-1	SINGLE	2.5kV	20%	2us GEN. PURP.
IL-5	SINGLE	2.5kV	50%	2us GEN. PURP.
IL-10 **	SINGLE	8kV	50%	HI VOLTAGE
IL-12	SINGLE	1kV	2%	2us
IL-15	SINGLE	1.5kV	20%	2us
IL-16	SINGLE	1.5kV	14%	2us
IL-30	SINGLE DARL.	6kV	100%	HI GAIN
IL-74	SINGLE	1.5kV	12.5%	6us
IL-201	SINGLE	5kV	10%	LO INP CUR.
IL-202	SINGLE	5kV	30%	LO INP CUR.
IL-203	SINGLE	5kV	50%	LO INP CUR.
IL-505	SINGLE			
ILA-55	SINGLE DARL.	1.5kV	100%	10us
ILCA-230	SINGLE DARL.	1.5kV	100%	10us
ILCA-255	SINGLE DARL.	1.5kV	100%	
ILD-55	DUAL DARL.	6kV		
ILQ-74	QUAD	1.5kV	12.5%	6us
MCS2	SINGLE	1.5kV		2us THYRIS. OUT
MOC3010	SINGLE	7.5kV		15us TRIAC DRV
MCT66	DUAL	1.5kV	6%	15us
NCT200	SINGLE	1.5kV		
NCT260	SINGLE	1.5kV		
PS2501-1A	SINGLE	5.0kV	300%	HI-SPEED SW. 4-pin
SFH600-1	SINGLE	2.8kV	63%	3us HI RELIABIL.
SFH600-2	SINGLE	2.8kV	100%	3us HI RELIABIL.
SFH600-3	SINGLE	2.8kV	160%	4us HI RELIABIL.
SFH601-1	SINGLE	5.3kV	40%	2us HI RELIABIL.
SFH601-2	SINGLE	5.3kV	63%	3us HI RELIABIL.

special OPTO ISOLATORS 8-pin	
LOC110... \$1.95	IL300.... \$4.95

CRYSTALS			
	1	25	
15.750KHz	\$1.50	—	
19.060KHz	1.50	—	
20.030KHz	1.50	—	
32.768KHz	.75	.60	
100KHz	1.50	.95	
* 1MHz	.75	.65	
(these are big w/short lds)			
1.3008	1.95	1.49	
1.5078	1.95	1.49	
1.8432	1.95	1.49	
1.8432 (small)	\$2.49		
2.000 (small)	\$2.25		
2.448	1.00	.89	
2.4576	1.75	1.25	
2.4576 (small)	\$2.25		
2.881	1.95	1.59	
3.000	.95	.75	
* 3.563	.65	.55	
* 3.579545	.65	.55	
3.579545	.95	.75	
* 4.0000	.65	.55	
4.000	.95	.75	
4.024	.95	—	
4.096	.95	—	
4.345	.95	—	
4.433618	.95	—	
4.9152	.95	—	
5.000	.95	.75	
5.0688	.95	.75	
5.1172	.95	—	
6.000	.95	.75	
6.144	.95	.75	
6.176	.95	.75	
7.000	.95	.75	
* 8.0000	.65	.55	
8.000	.95	.75	
8.064MHz	.95	.85	
8.44800	.95	—	
9.8304	.95	.75	
10.000	.95	.75	
11.000	.95	.75	
11.0592	.95	.75	
12.000	.95	.75	
12.288	.95	.75	
13.4784	.95	.75	
14.31818	.95	.75	
15.000	.95	.75	
16.000	.95	.75	
18.000	1.19	.89	
18.19584	1.19	—	
18.432	1.19	.89	
18.87	1.19	.89	
19.6608	1.19	.89	
20.000	1.25	1.05	
24.0000	1.35	1.12	
24.576	1.35	—	
25.000	1.35	1.12	
27.0000	1.35	1.12	
30.0000	1.40	1.25	
32.000	1.35	1.12	
36.0000	1.35	1.12	
40.000	1.35	1.19	
48.000	1.35	1.19	
50.000	1.35	1.19	
100.000	1.49	1.23	
110.5000	1.35	1.19	
118.000	1.35	1.19	
160.000	1.49	1.23	
* HOUSE MARKED			

CRYSTAL CLOCK OSCILLATOR			
TTL		PIN 1: NC PIN 7: GND	PIN 8: OUT PIN 14: +5V
1	10	25	
\$2.95	2.55	2.30	
FULL SIZE		1/2 SIZE	
1.000 MHz	24.000	1.8432MHz	20.000MHz
1.8432	24.576	2.4576	24.000
2.0000	25.000	4.000	25.000
3.6864	32.000	5.000	32.000
4.0000	36.00000	8.000	32.768
5.000	38.880	10.000	33.333
5.0688	40.000	11.0592	36.000
6.144	48.0000	12.000	40.000
8.0000	50.000	14.31818	45.000
9.8304	60.000	16.000	50.000
10.000	64.0000	18.000	66.666
11.0592	66.666		
12.0000	70.0000		
15.000	80.000		
16.000			
18.432MHz			
19.6608			
19.98000			
20.000			
• 3.3V		ECL \$4.95 110.500MHz 135.000MHz	

LIGHT EMITTING DIODE	T1-3/4 (5mm) JUMBO			
		1	100	1K
	SUPER BRIGHT			
	RED (18K mcd)	\$.55	.48	—
	BLUE (12K mcd)	3/\$1	—	—
	WHITE (16K mcd)	3/\$1	—	—
	ORANGE (100K mcd)	\$1.50	—	—
	DIFFUSED LENS			
	RED	12/\$1	.08	.012
	GREEN	6/\$1	.11	—
	YELLOW	10/\$1	.08	—
	BLINKING (2 each red, grn, yel, blu)	\$1.75		
	CLEAR LENS			
	RED	2/\$1	.40	—
	GREEN	6/\$1	.10	—
	YELLOW	3/\$1	.30	—
	LED PANEL MOUNTS			
	BLACK PLASTIC			
	3mm	10/\$1	—	—
	5mm	10/\$1	—	—
	CHROME			
	3mm	1.26		
	5mm	.89		
	T1 (3mm) MINI			
	DIFFUSED LENS			
	RED	6/\$1	.10	—
	GREEN	6/\$1	.10	—
	YELLOW	6/\$1	.10	—
	SuperBright ORANGE	2/\$1		
	CLEAR LENS			
	RED	6/\$1	.05	—
	BLUE (18K mcd)	5/\$1	—	—
	GREEN (10K mcd)	5/\$1	.05	—
	YELLOW	5/\$1	—	—

SPECIAL SHAPES ALL HAVE DIFFUSED LENSES	
	ARROW
RED	3/\$1 —
GREEN	3/\$1 .25
YELLOW	3/\$1 .25
	CYLINDRICAL
RED	3/\$1 .19
GREEN	3/\$1 .19
YELLOW	3/\$1 .19
	RECTANGULAR
RED	3/\$1 .18
YELLOW	3/\$1 .18
	RECTANGULAR WITH WHITE BODY
GREEN	4/\$1 .15
YELLOW	4/\$1 .15
	RECTANGULAR (TOMBSTONE DESIGN FOR CLOSE SPACING)
RED	3/\$1 .18
GREEN	3/\$1 .19
YELLOW	3/\$1 .19
	SQUARE
RED	3/\$1 .18
GREEN	3/\$1 .19
YELLOW	3/\$1 .19
	TRIANGULAR
RED	3/\$1 .18
GREEN	3/\$1 .19
YELLOW	3/\$1 .19
TWO COLOR RED / GREEN	
2-lead	T1-3/4 3/\$1
2-lead	rectangular 4/\$1
3-lead	triangular 3/\$1

ULTRA MINIATURE (T3/4)	
AXIAL LEADS	
RED	8/\$1
CLEAR RED	6/\$1
ARRAYS	
YELLOW	
3 ELEMENT	.75
6 ELEMENT	1.50
10 ELEMENT	2.50
INFRARED MATCHED PAIR	
T1 30 Deg.	\$1/pair
SFH309: PHOTOTR 1mA	
SFH409: EMITTER 6mW/SR	
EMITTERS	
50c	
2 DIODE ULTRA MIN. ARRAY	
SINGLE DIODE 2/\$1	
10mm (GIANT)	
RED	clear 10,000mcd 2/\$1
RED	DIFF. 450mcd 3/\$1
BLU	clear 14,000mcd 2/\$1
GRN	DIFF. 300mcd 2/\$1
YEL	DIFF. 600mcd 2/\$1
WHT	15° view 15,000mcd \$1.95

DISPLAYS		7 SEGMENT	
R	.28" C.C.	DP RIGHT	HA1077R 75c
	.28" C.A.	DP RIGHT	HD1075R 75c
	.28" C.C.	DP RIGHT	HD1077R 75c
E	.3" C.A.	DP LEFT	DL707 85c
	.3" C.C.	DP RIGHT	DL704 85c
	.43" C.A.	DP LEFT	5082-7750 85c
	.43" C.A.	DP RIGHT	DL7751R 45c
	.43" C.C.	DP RIGHT	DL7760R 85c
	.5" C.C.	DP RIGHT	FND503 95c
	.53" C.A.	DP RIGHT	HD1131R 85c
	.56" C.A.	DP RIGHT	LT6760R 75c
D	.8" C.C.	DP LEFT	DL850 \$1.25
	.8" C.A.	DP RIGHT	FND807 \$1.25
	.8" C.C.	DP RIGHT	DL3403 \$1.25
HI EFF. RED	.39" C.A.	DP RIGHT	HD11050 75c
	.43" C.A.	DP RIGHT	DLO7651 95c
	.43" C.C.	DP RIGHT	DLO7653 95c
	.53" C.C.	DP RIGHT	HD11330 85c
	.8" C.A.	DP LEFT	DLO3400 \$1.35
	.8" C.C.	DP LEFT	DLO3905 \$1.35
GRN	.28" C.A.	DP RIGHT	HD1075G 75c
	.39" C.A.	DP RIGHT	HD1105G 75c
	.39" C.C.	DP RIGHT	HD1107G 75c
	.43" C.A.	DP LEFT	DL7670G 85c
YEL	.3" C.C.	DP RIGHT	MAN3640 85c
	.39" C.A.	DP RIGHT	HD1105Y 75c
	.43" C.C.	DP RIGHT	DLY7663 85c
	.53" C.A.	DP RIGHT	HD1131Y 85c
+/- OVERFLOW			
	.3" RED	C.A.	NO DP DL701 55c
	.4" H.E.R.	C.A.	DP RIGHT HD11060 69c
	.4" RED	C.A.	DP RIGHT HD1106R 69c
	.4" RED	C.C.	DP RIGHT HD1108R 69c
	.43" H.E.R.	UNIV. DP RHT	DL7650 79c
	.43" RED	UNIV. DP RHT	DL7756 75c
	.43" GRN	UNIV. DP RHT	DL7676G 75c
	.43" YEL	UNIV. DP RHT	DL7669Y 75c
	.53" RED	C.A.	DP RIGHT HD1132R 85c
	.53" RED	C.C.	DP RIGHT HD1134R 85c
	.63" RED	C.A.	NO DP DL746 35c
	.63" RED	C.C.	NO DP DL749 35c
	.8" RED	UNIV. DP RHT	DL3406 85c

BAR GRAPH	
10-element	
20-pin	
RED or GRN	
\$2.25	

GAP DETECTORS	
4-PIN 75c	4-PIN 2/\$1
5us	210mW 10us
CLAIREX CLI-810M	SPX1878-12

TWO DIGIT	
RED .5" C.C.	DP RIGHT DL528 1.10
RED .51" C.A.	DP RIGHT DL727 .85
RED .51" C.C.	DP RIGHT DL728 .65
POLARITY OVERFLOW	
RED .51" C.A.	DL721 35c

Photo Transistor	
NPN T-1	
MEL708	
2/\$1	

Cadmium Sulfide PHOTO CELLS	
125mW	2/\$1.08
400mW	\$1.59
	Cancer and/or Reproductive Harm
WARNING	www.P65Warnings.ca.gov/product

non-polarized CAPACITORS

CERAMIC DISC									
1 - 820PF 1 100 500									
.001 - .047µfd 8¢ 5¢ 4¢									
0.1µfd 11¢ 9¢ 5¢ 7¢									
SOLD IN MULTIPLES OF 10pcs									
1 PF	5.6	18	56	180	600	5000	.04		
1.2	6.8	20	62	220	620	5600	.047		
1.5	8	22	65	250	680	6800	.1		
1.8	8.2	27	68	270	820	.01µF			
2.2	10	33	75	330	1000	.015			
2.7	12	36	100	390	2200	.02			
4.7	13	39	120	470	3300	.022			
5.0	15	47	150	560	4700	.033			

HIGH VOLTAGE CERAMIC DISC									
5pf	1KV	8/\$1	200	1KV	8/\$1	1800	3KV	5/\$1	
10	1KV	6/\$1	220	1KV	8/\$1	2000	1KV	8/\$1	
15	1KV	8/\$1	220	2KV	8/\$1	2200	3KV	6/\$1	
27	500V	8/\$1	220	3KV	8/\$1	2700	500V	20/\$1	
27	1KV	8/\$1	250	1KV	10/\$1	4700	6KV	\$1.00	
27	3KV	8/\$1	300	1KV	6/\$1	4700	10kV	\$4.00	
47	1kV	8/\$1	330	1KV	6/\$1	4700	15kV	\$8.00	
47	3KV	8/\$1	470	1KV	6/\$1	5000	1.4KV	8/\$1	
68	1KV	8/\$1	1000	500V	6/\$1	6800	1KV	7/\$1	
100	1KV	8/\$1	1000	1KV	6/\$1	0.01uf	1KV	6/\$1	
150	1kV	8/\$1	1000	3KV	5/\$1				

DIPPED MONOLITHIC CERAMIC									
3.3PF	.082µfd	.15	.11	100	1K				
0.1µfd		.14	.12	.09					
0.15 - .68µfd		.25	.20	---					
1.0µfd		.32	.28	.22					
2.2 - 6.8µfd		.75	.65	---					
10 - 47µfd		.95	.85	---					
3.3PF	68	820	.033	2.2uf					
5.6	82	1000	.047	4.7uf					
6.8	100	1500	.056	6.8uf					
10	120	1800	.082	10uf					
12	150	2200	.1	22uf					
15	180	2700	.15	47uf					
18	220	3300	.18						
22	270	4700	.2						
27	300	6800	.22						
33	330	.01µF	.33						
39	390	.012	.47						
47	470	.015	.56						
56	560	.022	.68						
62	680	.027	1.0uf						

MOLDED MONOLITHIC CERAMIC									
CK05 25¢									
9.1PF	39	220	1500	.022					
10	47	270	2200	.033					
11	56	330	2700	.047					
12	68	390	3900	.056					
15	82	470	4700	.1					
20	100	560	6800						
22	120	680	8200						
27	150	820	.01µF						
33	180	1000	.015						
CK06 35¢									
.0033	.015	.22							
.0047	.047	.33							
.0068	.1	.47							
.01	.15	.56							

AXIAL CERAMIC									
1	9¢	100	8¢	1K	7¢				
1.8PF	12	56	330	2700	.056				
2.2	15	68	390	3300	.1				
2.7	18	75	470	3900	.22				
3.3	20	82	560	4700	.27				
3.9	22	100	680	6800	.33				
4.7	27	120	820	.01µF	.47				
5.6	30	150	1000	.015					
6.8	33	180	1200	.022	1µFD				
8.2	36	200	1500	.027	@ .48				
10	39	220	1800	.033					
11	47	270	2200	.047					

GLASS									
1	10¢	100	9¢	1K	8¢				
10PF	56	390	4700	.1					
15	62	470	6800	.22					
18	68	560	.01µF	.33					
22	82	680	.015	.47					
27	100	1000	.022						
36	130	1500	.033						
39	220	2200	.039						
47	330	3300	.047						

DIPPED SILVER MICA									
PRICING:									
1 - 200PF 25¢									
220 - 300PF 30¢									
330 - 470PF 40¢									
510 - 1000PF 50¢									
.0012 - .0089 60¢									
1PF	24	52	130	430	1300	6200			
3	27	53	150	470	1500	6800			
4	30	56	160	510	1800	7500			
5	33	59	180	560	2000	8900			
6	36	62	200	620	2400				
7	38	68	220	650	2700				
8	39	75	230	680	3300				
10	40	82	240	750	3600				
12	41	90	270	800	3900				
15	43	91	300	820	4300				
18	47	100	330	910	4700				
20	48	110	360	1000	5100				
22	51	120	390	1200	5600				

DIP .1" BODY THICKNESS .3" LEAD SPACING									
15¢									
100PF	1000	.01µF	.047	.33					
220	1500	.018	.1	.47					
330	1800	.022	.15						
470	4700	.033	.22						

CAP PACK									
100pfd									
16 pin									
8 caps									
50¢									
20µfd	20 pin	\$1.00							

MOLDED AXIAL MONOLITHIC									
1	50	100							
23¢	20¢	18¢							
3.9PF	120	470	.047	.27					
22	150	820	.1	.33					
27	180	1000	.12	.47					
33	220	6800	.15	1µF					
39	390	.01µF	.18						

PRECISION CAPS									
2% 50V RADIAL LEAD TEN/\$1									
.00116	.00183	.00357	.00732						
.00128	.0023	.00366	.00906						
.00145	.00251	.0041	.0135						
.0016	.00256	.00453	.0154						
.00167	.00316	.00725	.0178						

TRIMMER CAPACITORS									
.35 - 3.5PF	\$.95	9 - 35PF	.60						
1.8 - 6PF	.60	10 - 35PF	.60						
2.5 - 6PF	.60	5 - 55PF	.60						
2 - 8PF	.60	5 - 60PF	.60						
2.7 - 10PF	.60	9.8 - 60PF	.60						
4 - 15PF "NPO"	.60	15 - 60PF	.65						
5.5 - 18PF	.50	75 - 150PF	1.50						
3.5 - 20PF	.60	12 - 180PF	1.65						
4 - 20PF	.60								
5 - 30PF	.60								

POLY									
15¢									
300PF	820	2400	7500						
390	1200	3300	9100						
470	1600	4700	.01µF						
500	2000	5000	.016						
680	2200	6800							

MYLAR RADIAL LEAD																			
µFD/VOLT.	\$	.0022/250	.10	.0047/630	.16	.01/63	.09	.022/400	.16	.047/250	.15	.1/400	.24	.33/63	.17	.68/400	.45	4.7/450	.95
330PF/100	.08	.0022/400	.14	.0056/50	.08	.01/100	.10	.022/630	.18	.047/400	.16	.1/630	.39	.33/100	.18	.82/250	.31	6.8/63	.69
560/50	.08	.0022/600	.16	.0056/630	.16	.01/200	.11	.022/1000	.22	.047/630	.18	.1/1000	.46	.33/250	.20	1/100	.28	6.8/250	.79
.001/50	.08	.0022/1600	.20	.0056/1600	.40	.01/250	.11	.027/100	.10	.047/1600	.42	.12/50	.12	.33/400	.22	1/250	.31	6.8/400	.99
.001/63	.09	.0027/2kV	.22	.006/50	.08	.01/400	.12	.027/400	.16	.056/50	.10	.12/100	.13	.39/250	.21	1/400	.45	10/250	1.95
.001/100	.09	.003/400	.14	.0068/50	.08	.01/630	.13	.027/630	.18	.056/100	.11	.12/250	.14	.39/400	.23	1/450	.47		
.001/100	.09	.0033/63	.09	.0068/63	.09	.01/1600	.17	.03/50	.10	.056/250	.14	.12/400	.22	.47/50	.18	1.5/250	.31		
.001/630	.12	.0033/100	.09	.0068/100	.09	.012/400	.12	.033/50	.10	.056/630	.18	.15/63	.12	.47/63	.19	1.8/250	.33		
.001/1000	.14	.0033/400	.14	.0068/200	.12	.012/1000	.15	.033/100	.10	.068/63	.11	.15/100	.13	.47/100	.22	2.2/50	.32		
.0013/50	.08	.0033/630	.14	.0068/400	.16	.015/100	.09	.033/250	.14	.068/100	.11	.15/250	.18	.47/200	.24	2.2/100	.37		
.0015/100	.09	.0039/100	.09	.0068/630	.18	.015/400	.12	.033/1600	.20	.068/400	.17	.15/400	.22	.47/250	.25	2.2/250	.48		
.0015/1000	.14	.0039/630	.15	.0068/1250	.21	.015/1000	.15	.039/100	.10	.068/1600	.55	.18/100	.15	.47/400	.45	3/250	.59		
.0018/50	.08	.0039/2000	.20	.0068/1600	.25	.015/1250	.18	.039/630	.18	.082/100	.11	.22/50	.14	.68/50	.22	3.3/250	.55		
.0018/630	.13	.0047/63	.08	.0075/50	.08	.018/400	.12	.047/50	.10	.082/400	.20	.22/63	.15	.68/63	.23	3.3/400	.69		
.0018/1000	.15	.0047/100	.09	.0082/100	.11	.022/50	.09	.047/63	.11	.1/63	.11	.22/100	.18	.68/100	.24	4/250	.69		
.0022/100	.09	.0047/250	.11	.0082/400	.16	.022/100	.10	.047/100	.11	.1/100	.12	.22/250	.20	.68/200	.26	4.3/100	.59		
		.0047/400	.14	.0082/630	.18	.022/250	.14	.047/200	.14	.1/250	.14	.22/450	.22	.68/250	.28	4.7/100	.62		

polarized

TANTALUM  AXIAL LEAD											
μFD/VOLT. %	.22/20	.24	1.5/20	.28	6.8/15	.55	22/15	.20	68/15	.95	
	.22/35	.28	2.2/15	.27	6.8/20	.61	27/20	.55	82/10	.95	
.015/35	.25	.33/35	.28	2.2/20	.29	6.8/35	.29	33/10	.18	120/10	.92
.018/35	.25	47/35	.20	2.2/30	.30	10/20	.62	39/10	.20	120/15	.95
.022/35	.25	47/50	.32	2.2/50	.20	10/25	.68	39/35	.75	150/15	.99
.056/35	.27	.56/15	.28	2.7/30	.30	12/20	.64	47/10	.42	180/6	1.15
.068/35	.27	68/75	.38	2.7/35	.32	15/20	.64	47/35	.78	220/10	1.35
.082/20	.25	1/35	.15	3.3/15	.28	15/35	.72	56/10	.80		
.1/35	.28	1/50	.34	4/12	.18	15/50	.75	68/10	.85		

(408) 727-3693

5%
TOLERANCELEAD BENDER
1/4 & 1/2 WATT
\$4.35

1/8w

10/50¢
100/\$3
1000/\$235% CARBON
STANDARD VALUES
1 OHM - 1 MEG PLUS;
1.2M, 2.2M, 2.7M, 3.3M, 4.3M
4.7M, 5.6M, 6.2M, 6.8M

1/4w

CARBON
FILM
5%STANDARD VALUES
1 OHM - 10 MEG
PLUS ZERO OHM,
20M & 22M
10/35¢, 100/\$15
5K/\$59

1/2w

MOST
VALUES
IN STOCK10/55¢ 100/\$4
1K/\$32
plus: 0.33Ω & 0.75Ω

1 WATT

1 ---- 10¢
100 ---- 8¢

0.05Ω	5.1	100	1.2K	82K
0.10	5.6	110	1.5K	100K
0.18	10	120	1.8K	160K
0.22	12	130	2.0K	220K
0.25	15	150	2.2K	330K
0.27	16	160	2.4K	470K
0.33	18	180	2.7K	680K
0.39	20	200	3.3K	1.0M
0.47	22	220	3.9K	1.5M
0.50	24	240	4.7K	3.9M
0.56	27	270	5.6K	10M
0.62	33	330	6.8K	
0.68	36	360	7.5K	
0.75	39	370	10K	
0.82	43	390	11K	
1.0	47	470	12K	
1.5	51	510	15K	
2.2	56	560	22K	
2.7	62	680	33K	
3.9	68	750	39K	
4.7	75	820	47K	
	82	910	56K	
	91	1.0K	68K	

2 WATT

1 ---- 15¢
100 ---- 10¢

0.10Ω	22	220	3.0K	330K
0.15	24	240	3.3K	390K
0.20	27	270	3.6K	470K
0.22	30	300	3.9K	510K
0.27	33	330	4.7K	820K
0.30	36	390	5.6K	910K
0.33	39	430	6.8K	1.0M
0.39	43	470	7.5K	
0.50	47	510	8.2K	
0.51	51	560	10K	
0.56	56	680	15K	
1.0	62	750	20K	
1.5	68	820	22K	
2.2	75	910	24K	
2.7	82	1.0K	27K	
3.0	91	1.1K	30K	
3.9	100	1.2K	33K	
4.7	110	1.5K	36K	
6.8	120	1.8K	47K	
10	150	2.0K	51K	
12	160	2.2K	100K	
15	180	2.4K	220K	
20	200	2.7K	270K	

NOTE:

Bigger
than
2W are
listed
on the
next
page.

pricing per value: 10¢ each, \$5/100, \$30/1K

1% TOLERANCE

1/8 watt

4.75Ω	47.5	130	348	536	887	1.50K	2.61K	5.11K	9.09K	15.0K	20.5K	29.4K	38.3K	57.6K	90.9K	174K	255K	499K
7.68	49.9	162	365	549	909	1.62K	2.74K	6.19K	9.31K	15.8K	21.5K	30.1K	40.2K	59.0K	100K	182K	274K	511K
10.0	51.1	205	374	619	931	1.78K	3.48K	6.49K	9.53K	16.2K	22.1K	30.9K	42.2K	63.4K	107K	187K	287K	562K
16.2	56.2	215	383	634	976	1.82K	3.92K	6.65K	10.0K	16.5K	22.6K	31.6K	44.2K	66.5K	110K	191K	316K	619K
17.8	61.9	221	402	649	1.00K	1.96K	4.32K	6.81K	12.1K	16.9K	23.2K	32.4K	45.3K	71.5K	115K	196K	332K	665K
22.1	75.0	237	432	681	1.05K	2.00K	4.53K	7.32K	12.4K	17.4K	23.7K	32.4K	46.4K	73.2K	118K	200K	348K	750K
30.1	76.8	249	453	698	1.10K	2.15K	4.64K	8.06K	12.7K	17.8K	24.3K	33.2K	49.9K	78.7K	130K	210K	365K	909K
33.2	95.3	261	464	750	1.15K	2.2K	4.75K	8.16K	13.3K	18.2K	24.9K	34.0K	51.1K	80.6K	147K	221K	383K	1.33M
34.8	97.6	274	475	787	1.18K	2.21K	4.87K	8.25K	14.0K	19.6K	26.7K	34.8K	52.3K	82.5K	162K	226K	453K	2.74M
45.3	100	287	499	806	1.21K	2.37K	4.99K	8.45K	14.7K	20.0K	27.4K	37.4K	56.2K	88.7K	165K	237K	475K	
47.0	127	316	511	825	1.33K	2.45K												

1/4 watt

1.0Ω	16.5	30.1	54.9	97.6	178	324	590	1.02K	1.87K	3.40K	6.04K	11.0K	20.0K	35.9K	61.1K	107K	196K	357K	640K
1.47	16.9	30.9	56.2	100	182	332	604	1.05K	1.91K	3.48K	6.19K	11.3K	20.5K	36.5K	61.2K	110K	200K	365K	649K
4.99	17.4	31.6	57.2	102	187	340	619	1.07K	1.96K	3.57K	6.34K	11.5K	21.0K	37.4K	61.9K	113K	205K	374K	665K
5.62	17.8	32.4	57.6	105	191	348	634	1.10K	2.00K	3.65K	6.49K	11.8K	21.5K	38.3K	63.4K	115K	210K	383K	681K
10.0	18.2	33.2	59.0	107	196	357	649	1.13K	2.05K	3.74K	6.65K	12.1K	22.1K	39.2K	64.9K	118K	215K	392K	698K
10.2	18.7	34.0	60.4	110	200	365	665	1.15K	2.10K	3.83K	6.81K	12.4K	22.6K	40.0K	66.5K	121K	221K	402K	715K
10.5	19.1	34.8	61.9	113	205	374	681	1.18K	2.15K	3.92K	6.98K	12.7K	23.2K	40.2K	68.1K	124K	226K	412K	732K
10.7	19.6	35.7	63.4	115	210	383	698	1.21K	2.21K	4.02K	7.15K	13.0K	23.7K	41.2K	69.8K	127K	232K	422K	750K
11.0	20.0	36.5	64.9	118	215	392	715	1.24K	2.26K	4.12K	7.32K	13.3K	24.3K	42.2K	71.5K	130K	237K	432K	768K
11.3	20.5	37.4	66.5	121	221	402	732	1.27K	2.32K	4.22K	7.50K	13.7K	24.9K	43.2K	73.2K	133K	243K	442K	787K
11.5	21.0	38.3	68.1	124	226	412	750	1.30K	2.37K	4.32K	7.68K	14.0K	25.5K	44.2K	75.0K	137K	249K	453K	800K
11.8	21.5	39.2	69.8	127	232	422	757	1.33K	2.43K	4.42K	7.87K	14.3K	26.1K	45.3K	76.8K	140K	255K	464K	806K
12.1	22.1	40.2	71.5	130	237	432	768	1.37K	2.49K	4.53K	8.06K	14.7K	26.7K	46.4K	78.7K	143K	261K	475K	825K
12.4	22.6	41.2	73.2	133	243	442	787	1.40K	2.55K	4.64K	8.25K	15.0K	27.4K	47.5K	80.6K	147K	267K	487K	845K
12.7	23.2	42.2	75.0	137	249	453	806	1.43K	2.61K	4.75K	8.45K	15.4K	28.0K	48.7K	82.5K	150K	274K	499K	866K
13.0	23.7	43.2	76.8	140	255	464	825	1.47K	2.67K	4.87K	8.66K	15.8K	28.7K	49.9K	84.5K	154K	280K	511K	909K
13.3	24.3	44.2	78.7	143	261	475	845	1.50K	2.74K	4.99K	8.87K	16.2K	29.4K	51.0K	86.6K	158K	287K	523K	931K
13.7	24.9	45.3	80.6	147	267	487	866	1.54K	2.80K	5.11K	9.09K	16.5K	30.1K	51.1K	88.7K	162K	294K	536K	953K
14.0	25.5	46.4	82.5	150	274	499	887	1.58K	2.87K	5.23K	9.31K	16.9K	30.9K	52.3K	90.9K	165K	301K	549K	976K
14.3	26.1	47.5	84.5	154	280	511	909	1.62K	2.94K	5.36K	9.53K	17.4K	31.6K	53.6K	93.1K	169K	309K	562K	1M
14.7	26.7	48.7	86.6	158	287	523	910	1.65K	3.01K	5.49K	9.76K	17.8K	32.4K	54.9K	95.3K	174K	316K	576K	1.10M
15.0	27.4	49.9	88.7	162	294	536	931	1.69K	3.09K	5.6K	10.0K	18.2K	33.2K	56.2K	97.6K	178K	324K	590K	1.82M
15.4	28.0	51.1	90.9	165	301	549	953	1.74K	3.16K	5.62K	10.2K	18.7K	34.0K	57.6K	100K	182K	332K	604K	2M
15.8	28.7	52.3	93.1	169	309	562	976	1.78K	3.24K	5.76K	10.5K	19.1K	34.8K	59.0K	102K	187K	340K	619K	2.2M
16.2	29.4	53.6	95.3	174	316	576	1.00K	1.82K	3.32K	5.90K	10.7K	19.6K	35.7K	60.4K	105K	191K	348K	634K	3.92M


1/2 watt

39.2Ω	523	1.07K	1.58K	2.10K	3.01K	4.53K	6.49K	8.87K	11.8K	16.5K	23.7K	34.8K	51.1K	71.5K	102K	154K	255K	412K	715K
75.0	634	1.13K	1.62K	2.15K	3.09K	4.64K	6.65K	9.09K	12.1K	16.9K	24.3K	35.7K	52.3K	73.2K	107K	162K	280K	432K	787K
80.6	649	1.15K	1.65K	2.32K	3.16K	4.75K	6.81K	9.31K	12.4K	17.4K	24.9K	36.5K	53.6K	76.8K	110K	165K	301K	453K	887K
82.5	681	1.18K	1.69K	2.37K	3.24K	4.87K	6.98K	9.53K	12.7K	17.8K	25.5K	37.4K	54.9K	78.7K	113K	174K	316K	511K	909K
95.3	698	1.21K	1.74K	2.43K	3.40K	4.99K	7.15K	9.76K	13.0K	18.2K	26.1K	38.3K	56.2K	82.5K	118K	182K	324K	536K	931K
154	750	1.27K	1.78K	2.49K	3.48K	5.11K	7.32K	10.0K	13.3K	18.7K	26.7K	40.2K	57.6K	84.5K	121K	187K	332K	549K	976K
162	825	1.30K	1.82K	2.55K	3.65K	5.23K	7.68K	10.2K	13.7K	19.1K	27.4K	41.2K	59.0K	86.6K	124K	200K	340K	562K	1.00M
182	845	1.33K	1.87K	2.67K	3.74K	5.36K	7.87K	10.5K	14.0K	19.6K	28.0K	42.2K	61.9K	88.7K	127K	215K	357K	590K	
215	887	1.37K	1.91K	2.74K	4.12K	5.62K	8.06K	10.7K	14.3K	21.5K	28.7K	43.2K	63.4K	90.9K	130K	226K	374K	634K	
274	909	1.40K	1.96K	2.80K	4.22K	5.76K	8.25K	11.0K	14.7K	22.1K	29.4K	44.2K	64.9K	93.1K	133K	232K	383K	649K	
316	1.00K	1.43K	2.00K	2.87K	4.32K	6.19K	8.45K	11.3K	15.8K	22.6K	30.9K	45.3K	66.5K	95.3K	137K	237K	392K	665K	
464	1.02K	1.47K	2.05K	2.94K	4.42K	6.34K	8.66K	11.5K	16.2K	23.2K	31.6K	49.9K	69.8K	97.6K	143K	249K	402K	681K	

PRECISION

.05%
20¢ EACH151.2Ω
895
918

P O W E R R E S I S T O R S	Ohm W % \$ figure					Ohm W % \$ figure					Ohm W % \$ figure				
	0.01Ω	3W	1%	3/\$1	A	18	3W	5%	5/\$1	A	360	3W	5%	4/\$1	C
	0.01	15W	1%	\$2.50	C	22	5W	5%	4/\$1	C	390	5W	5%	4/\$1	C
	0.025	3W	3%	3/\$1	C	22	50W	5%	\$2.25	D	400	10W	5%	2/\$1	A
	0.10	10W	5%	2/\$1	C	30	10W	5%	2/\$1	C	430	3W	5%	4/\$1	C
	0.10	300W	10%	\$9.95	F	33	2W	5%	8/\$1	C	470	10W	5%	2/\$1	C
	0.121	5W	1%	\$1.00	C	33	5W	5%	4/\$1	C	470		ADJ.	\$2.50	F
	0.18	5W ???		2/\$1		33	50W	5%	\$2.25	D	500	75W?		95¢	
	0.20	25W	10%	\$1.50	F	36	5W	5%	4/\$1	C	510	3W	5%	4/\$1	C
	0.22	5W	5%	4/\$1		37	5W	1%	4/\$1	A	560	5W	5%	4/\$1	A
	0.22	10W	5%	2/\$1	C	40	9W	5%	3/\$1	C	620	4W	10% FP	4/\$1	A
	0.25	5W	1%	2/\$1		40.2	30W	1%	\$2.50	D	750	5W	5%	4/\$1	C
	0.33	5W		2/\$1	B	47	5W	1%	3/\$1	A	750	10W	5%	2/\$1	C
	0.39	3W	1%	3/\$1	A	47	10W	5%	2/\$1	C	800	7W	5%	3/\$1	
	0.75	25W	3%	\$1.95	D	47	50W	5%	\$2.25	D	800	10W		2/\$1	C
	1.0	5W	5%	2/\$1	C	50	3W	1%	4/\$1	A	820	10W	5%	2/\$1	C
	1.0	10W	5%	2/\$1	C	50	5W	5%	4/\$1	C	1K	5W	5%	4/\$1	C
	1.0	40W	5%	\$1.00		56	5W	5%	4/\$1	A	1K	10W	5%	2/\$1	C
	1.0	50W	5%	\$2.95	D	62	10W	5%	2/\$1	C	1K	25W	5%	\$1.95	D
	1.0	150W		\$4.95	F	68	5W	2%	75¢	D	1K	50W	5%	\$2.25	D
	1.25	10W	1%	\$1.75	D	70	20W	5%	\$1.35		1.5K	5W	5%	4/\$1	C
	1.5	5W	5%	3/\$1	C	75	5W	10%	5/\$1	C	1.8K	5W	5%	4/\$1	C
	1.5	10W	5%	2/\$1	C	75	10W		2/\$1	E	2.2K	6.5W	5%	3/\$1	A
	1.5	50W	5%	\$1.95	E	100	5W	5%	4/\$1	C	2.7K	5W	5%	4/\$1	A
	2.0	10W	5%	2/\$1	C	100	10W		2/\$1	E	3K	10W	ADJ.	\$1.00	E
	2.0	25W	5%	2/\$1.25	E	100	20W	5%	\$1.35		3.1K	7W	KOOLOHM	4/\$1	
	2.4	10W	5%	2/\$1	C	100	50W	5%	\$1.95	E	3.1K	10W	KOOLOHM	3/\$1	
	3.0	3W	2%	12/\$1		120	7W		3/\$1		3.3K	10W	5%	2/\$1	C
	3.0	10W	ADJ.	\$1.00	F	125	5W	5%	4/\$1	A	3.9K	10W	5%	2/\$1	B
	3.3	5W	5%	4/\$1	C	130	5W	5%	4/\$1	C	5K	5W	5%	4/\$1	A
	3.9	3W	5%	5/\$1	A	130	7W	5%	4/\$1		5K	10W		2/\$1	B
	4.0	5W	5%	4/\$1	C	150	5W	5%	4/\$1	C	10K	5W	5%	4/\$1	C
	4.7	3W	5%	4/\$1	C	150	10W	5%	2/\$1	C	10K	25W	5%	\$1.95	D
	4.7	5W	10%	4/\$1	C	150	25W	5%	\$1.95	D	15K	25W	ADJ.	\$2.95	E
	5.0	5W	5%	4/\$1	C	150	100W	ADJ.	\$5.95	F	20K	5W	5%	4/\$1	C
	5.0	10W	5%	3/\$1	A	200	3W	5%	5/\$1	C	20K	10W		2/\$1	E
	5.1	10W	5%	2/\$1	C	200	5W	5%	4/\$1	C	27K	10W		\$1.00	
	6.04	50W	1%	\$2.95	D	200	5W	10%	6/\$1	C	47K	5W	5%	4/\$1	C
	6.49	30W	1%	\$2.50	D	220	3W	5%	5/\$1	A					
	6.8	7W	5%	3/\$1	C	220	5W	5%	4/\$1	C					
	7.5	3W	5%	5/\$1	B	220	10W	5%	2/\$1	C					
	7.5	5W	5%	4/\$1	A	250	5W	5%	4/\$1	C					
	8.0	7W	5%	3/\$1	C	250	15W	10%	3/\$1	C					
	8.0	25W	5%	\$1.95	D	270	10W		2/\$1	C					
	8.0	50W	5%	\$2.25	D	270	25W	5%	2/\$1.25	C					
	10	5W	5%	4/\$1	C	300	5W	5%	4/\$1	E					
	10	10W	5%	2/\$1	C	300	25W	5%	2/\$1.25	C					
	10	25W	5%	2/\$1.25	E	310	10W?	5%	3/\$1						
	10	50W	5%	\$2.95	D	330	3W	5%	5/\$1	A					
	10	70W	5%	\$7.95		330	7W	5%	4/\$1	A					
	15	3W	5%	5/\$1		330	10W	5%	2/\$1	C					
	15	5W	5%	4/\$1	C	330	25W	5%	\$2.80	D					
	15	50W	5%	\$2.25	D										



NOTE:
These are examples, not exact representations.

MULTI-TURN TRIMPOTS

Top or Side Adjust

10 OHM - 1 MEG	1	25	50	100
2M	\$1.50	1.40	1.35	1.29
	1.88	1.78	---	---

Values Stocked:

10	200	5K *	47K	250K
20	500	10K *	50K *	500K
50	1K	20K	100K *	1M *
100	2K *	25K	200K	2M

* denotes NEW pricing of \$1.75

3/4" Long \$1.25

Type P \$1.50

SINGLE-TURN TRIMPOTS

TO-5 STYLE

20	5K	200K
*TOP ADJ.	50	10K 220K
*METAL	200	20K 250K
*1/4" DIA.	1K	25K 2M
	2.2K	50K
	2.5K	100K

75¢ ea. 50/\$25.

*TOP ADJ.

10	1K	20K	250K
*3/8" SQ.	20	2K	25K 2M
	100	2.2K	50K
	200	5K	100K
	500	10K	200K

95¢ ea. 50/\$35.

*3/8" SQ. *1" L/S

20	500	10K	100K
50	1K	20K	200K
100	2K	25K	
200	5K	50K	

75¢

10K DIGITAL POT

8-pin DIP or DFN w/SPI interface \$1.50

TRIMMER ADJUSTMENT (Tweezer) \$5.95

SLIDE POTS

5K 1-3/4" 75¢ 10K 5" \$1.50 10K 2" 95¢ 100K 1-3/8" 75¢

PANEL MOUNT POTS

* SMALL SELECTION IN STOCK
1/8" and 1/4" shafts
* SINGLE-TURN 75¢ - \$3.95

RESISTORS

6-PIN 20¢	8-PIN 22¢	10-PIN 25¢	14-PIN 58¢	16-PIN 62¢
-----------	-----------	------------	------------	------------

VALUES STOCKED:

22	68	220	560	1.8K	4.7K	15K	47K
27	82	270	680	2K	5.6K	18K	56K
33	100	330	820	2.2K	6.8K	22K	68K
39	120	390	1K	2.7K	8.2K	27K	82K
47	150	470	1.2K	3.3K	10K	33K	100K
56	180	510	1.5K	3.9K	12K	39K	


TERMINATORS 220/330

6 PIN	48¢
8 PIN	58¢
10 PIN	65¢
14 PIN	95¢
16 PIN	99¢


SOME VALUES WE JUST HAPPEN TO HAVE

5 PIN 4x100K	10/\$1	10 PIN 9x51	4/\$1
8 PIN 4x10	6/\$1	10 PIN 330/390	4/\$1
8 PIN 4x75	6/\$1	10 PIN 330/470	3/\$1
8 PIN 4x20K	8/\$1	11 PIN 10x4.7K	4/\$1
8 PIN 4x1M	6/\$1		
8 PIN 7x51	6/\$1		
8 PIN 7x220K	6/\$1	14 PIN 13x200	3/\$1
8 PIN 22/33	6/\$1	16 PIN 8x5.1K	2/\$1
9 PIN 8x1K	6/\$1	16 PIN 15x1M	2/\$1
9 PIN 8x1.5K	6/\$1	16 PIN 180/390	2/\$1
9 PIN 8x2.2K	6/\$1	16 PIN 220/270	3/\$1
9 PIN 8x10K	6/\$1	16 PIN 330/470	2/\$1
9 PIN 8x470K	4/\$1	16 PIN 620/910	3/\$1
10PIN 5x10	5/\$1		

   									TRANSISTORS    									
PART #	TYPE	P/N	P _D	V _{CEO}	I _C	h _{FE}	CASE	\$	PART #	TYPE	P/N	P _D	V _{CEO}	I _C	h _{FE}	CASE	\$	
2N918	RF	NPN	200mW	15V	50mA	20	TO-72	3/\$1	BUZ80	MOSFET	N-CHANNEL	62W				TO-220	1.45	
2N956	GP	NPN	500mW	50V		50	TO-18	3/\$1	D41D8	PWR	PNP	10W	60V	1A	10	TO-202	.50	
2N1131	GP	PNP	600mW	35V	600mA	15	TO-5	4/\$1	D43C1	PWR	PNP		30V	3A		TO-202	2/\$1	
2N1671	UJT	PN Bar-type	450mW	30V			TO-5	\$2.50	D45C3	PWR	PNP	1.6W	30V	4A	40-120	TO-220	2/\$1	
2N1702	PWR	NPN	75W	40V	5A	15-60	TO-3	\$1.95	D45VH10	PWR	PNP	83W	80V	15A	20	TO-220	.75	
2N2219	GP	NPN	800mW	30V	800mA	100-300	TO-5	3/\$1	FCU5N60	MOSFET	N-CHAN.		600V	4.6A		I-PAK	1.11	
2N2222A	GP	NPN	800mW	40V	800mA	100-300	TO-18	2/\$1	HGTG30N60A4	IGBT	N-ch	208W	600V	63A		TO-247	4.95	
2N2432		NPN	300mW	30V	100mA	50	TO-18	3/\$1	IRF520	MOSFET	N-CHAN.		100V	9A		TO-220	.85	
2N2484	LoPWR	NPN	360mW	60V	50mA	150	TO-218	4/\$1	IRF530N	MOSFET	N-CHAN.		100V	17A		TO-220	.85	
2N2605	GP	PNP	30mW	60V	10mA	100-400	TO-46	3/\$1	IRF540N	MOSFET	N-CHAN.	130W	100V	33A		TO-220	.94	
2N2845	SW	NPN	360mW	30V		30-120	TO-18	.75	IRF620	MOSFET	N-CHAN.	70W	200V	6A		TO-220	.75	
2N2896	LoPWR	NPN	500mW	90V	1A	50	TO-18	3/\$1	IRF644	MOSFET	N-CHAN.		250V	14A		TO-220	.85	
2N2905	SW	PNP	600mW	40V	600mA	100-300	TO-5	3/\$1	IRF720	MOSFET	N-CHAN.	50W	400V	3.3A		TO-220	.75	
2N2907A	SW	PNP	600mW	60V	600mA	100	TO-18	4/\$1	IRF730	MOSFET	N-CHAN.	100W	400V	5.5A		TO-220	.95	
2N3055	PWR	NPN	117W	60V	15A	20-70	TO-3	1.25	IRF830	MOSFET	N-CHAN.	75W	500V	4.5A		TO-220	1.25	
2N3251A	GP	PNP	360mW	60V	200mA	100-300	TO-18	4/\$1	IRF840	MOSFET	N-CHAN.	125W	500V	8A		TO-220	1.50	
2N3390	LoPwr	NPN	200mW	25V	100mA	400	TO-92	4/\$1	IRF4905	MOSFET	P-CHAN.	-200W	-55V	-74A		TO-220	1.95	
2N3439	HV	NPN	1W	350V	1A	40	TO-5	.75	IRF9Z20	MOSFET	P-CHAN.		-50V	-9A		TO-220	1.10	
2N3440	HV	NPN	1W	300V	1A	40	TO-39	.75	IRF9510	MOSFET	P-CHAN.		-100V	-4A		TO-220	.75	
2N3467	PWR	PNP	1W	40V	500mA	40-120	TO-5	.60	IRF9610	MOSFET	P-CHAN.	-20W	-200V	-2A		TO-220	1.49	
2N3497	HV	PNP	400mW	120V	100mA	40	TO-18	3/\$1	IRFBC40	MOSFET	N-CHAN.		600V	6.2A		TO-220	.75	
2N3563	RF	NPN	200mW	12V	50mA	20-200		4/\$1	IRFD9014	MOSFET	P-CHAN.	-1.3W	-60V	-1.1A		4-pinDIP	.89	
2N3567	GP	NPN	300mW	40V	500mA	40-120		5/\$1	IRFD9110	MOSFET	P-CHAN.	-1.3W	-100V	-0.7A		4-pinDIP	.59	
2N3568	GP	NPN	300mW	60V	500mA	40	TO-105	4/\$1	IRFP9140	MOSFET	P-CHAN.	-180W	-100V	-21A		TO-247	.95	
2N3569	GP	NPN	300mW	40V	500mA		TO-92	4/\$1	IRFU024	MOSFET	N-CHAN.	45W	60V	9A		TO-251	1.25	
2N3741	PWR	PNP	25W	80V	4A	40	TO-66	.50	IRFZ34N	MOSFET	N-CHAN.	68W	55V	29A		TO-220	1.10	
2N3771	PWR	NPN	150W	40V	30A	15-60	TO-3	2.95	IRLZ44N	MOSFET	N-CHAN.	110W	55V	47A		TO-220	2.50	
2N3773	PWR	NPN	150W	140V	16A	15-60	TO-3	1.95	J113	JFET	N-CHAN.	625mW				TO-92	2/\$1	
2N3904	SW	NPN	350mW	40V	200mA	100	TO-92	10/\$1	J305	JFET/RF	N-CHAN.	350mW	15V	8mA		TO-92	3/\$1	
2N3906	SW	PNP	350mW	40V	200mA	100	TO-92	10/\$1	JE9018		NPN		15V	50mA		TO-92	8/\$1	
2N3965	GP	PNP	360mW	60V	200mA	250	TO-18	4/\$1	MD2219A	DUAL	NPN		30V	500mA	100	TO-78	7.95	
2N4077	GePWR	NPN	7.5W	20V	1A	75-300	TO-66	.95	MEL708-5	PHOTO	NPN	200mW	30V	50mA		T-1 LED	2/\$1	
2N4078	GePWR	PNP	7.5W	20V	1A	75-300	TO-66	.95	MJ2500	DARL	PNP	150W	60V	10A	1k	TO-3	2.95	
2N4124	SW	NPN	350mW	25V	200mA	120	TO-92	5/\$1	MJ2955	PWR	PNP	115W	60V	15A	20-70	TO-3	.95	
2N4126	SW	PNP	350mW	25V	200mA	120	TO-92	5/\$1	MJ16006	PWR	NPN	150W	450V	8A	5	TO-3	3.50	
2N4259	LoPWR	NPN	175mW	30V		70	TO-18	.75	MJE210	PWR	PNP	15W	25V	5A	45-180	TO-126	.40	
2N4264	SW	NPN	310mW	15V	200mA		TO-92	4/\$1	MJE340	PWR	NPN	20W	300V	500mA	30-240	TO-126	.75	
2N4304	FET	N-CHANNEL	300mW					3/\$1	MJE350	PWR	PNP	20W	300V	500mA	30-240	TO-126	.75	
2N4401	SW	NPN	350mW	40V	600mA	40	TO-92	5/\$1	MJE370	PWR	PNP	25W	30V	3A	25	TO-126	.95	
2N4403	SW	PNP	350mW	40V	600mA	60	TO-92	5/\$1	MJE13007	PWR	NPN	80W	400V	8A	5-30	TO-220	1.75	
2N4410	HV	NPN	625mW	80V	250mA	60	TO-92	4/\$1	MPS2369		NPN	310mW	15V	500mA	40	TO-92	5/\$1	
2N4914	PWR	NPN	87W	60V	5A	25-100	TO-3	2.95	MPS3563	RF	NPN	310mW	12V		20		4/\$1	
2N4916	GP	PNP	200mW	30V	100mA	60		5/\$1	MPS3638A		PNP	310mW	25V	500mA	100	TO-92	5/\$1	
2N4919	PWR	PNP	30W	60V	1A	20-100	TO-126	.75	MPS5179	RF	NPN	350mW	12V	50mA	25-300	TO-92	5/\$1	
2N4965	GP	PNP	200mW	40V	100mA	100		5/\$1	MPS5771	LoPWR	PNP		15V	10mA	35	TO-92	4/\$1	
2N5003	PWR	PNP	2W	80V	5A		TO-59	19.95	MPS6515	GP	NPN	625mW	25V	200mA	250-500	TO-92	3/\$1	
2N5034	PWR	NPN	83W	45V	6A	20-80	TO-219	1.75	MPS6516	GP	PNP	350mW	40V	100mA		TO-92	3/\$1	
2N5035	PWR	NPN	83W	45V	6A	20-80	TO-219	1.75	MPS6530	GP	NPN	310mW	40V	600mA	85	TO-92	4/\$1	
2N5058	HV	NPN	1W	300V	150mA	35-150	TO-5	.75	MPS8098	GP	NPN	350mW	60V	200mA	100	TO-92	4/\$1	
2N5087	LoPWR	PNP	350mW	50V	50mA	250	TO-92	5/\$1	MPS8099	GP	NPN	350mW	80V	200mA	100	TO-92	5/\$1	
2N5137	LoPWR	NPN	300mW	20V	500mA	20	TO-106	4/\$1	MPSA05	GP	NPN	625mW	60V	500mA	50	TO-92	6/\$1	
2N5172	LoPWR	NPN	200mW	25V	100mA	100	TO-92	5/\$1	MPSA06	GP	NPN	625mW	80V	500mA	50	TO-92	5/\$1	
2N5189	SW	NPN	1W	35V	2A	15	TO-5	2/\$1	MPSA14	DARL	NPN	1W	30V	500mA	10k	TO-92	4/\$1	
2N5194	PWR	PNP	40W	60V	4A	25-100	TO-126	.75	MPSA18	LoNoise	NPN	625mW	45V	200mA	500-1500	TO-92	6/\$1	
2N5195	PWR	PNP	40W	80V	4A	25-100	TO-126	.85	MPSA42	HV	NPN	625mW	300V	500mA	40	TO-92	3/\$1	
2N5209	LoPWR	NPN	350mW	50V	50mA	150	TO-92	5/\$1	MPSA43	HV	NPN	625mW	200V	500mA	50	TO-92	3/\$1	
2N5210		NPN	350mW	50V	50mA	250	TO-92	5/\$1	MPSA55	GP	PNP	625mW	60V	500mA	50	TO-92	6/\$1	
2N5223	LoPWR	NPN	350mW	20V	100mA	50	TO-92	5/\$1	MPSA56	GP	PNP	625mW	80V	500mA	100	TO-92	6/\$1	
2N5225	GP	NPN	350mW	25V	500mA	30	TO-92	5/\$1	MPSA63	DARL	PNP	625mW	30V	500mA	5k	TO-92	5/\$1	
2N5226	GP	PNP	350mW	25V	500mA	30	TO-92	5/\$1	MPSA92	HV	PNP	625mW	300V	500mA	25	TO-92	5/\$1	
2N5323	PWR	PNP	10W	50V	2A	40-250	TO-5	2/\$1	MPSD54	DARL	PNP	12mW	25V	300mA	1k	TO-92	6/\$1	
2N5336	PWR	NPN	6W	80V	5A	30-120	TO-5	1.95	MPSH34	LoPWR	NPN	625mW	45V	100mA	40	TO-92	5/\$1	
2N5355	NPN		360mW	25V	500mA	80	TO-92	4/\$1	MPSW42	HV	NPN	1W	300V	500mA	40	TO-226	3/\$1	
2N5415	HV	PNP		200V	1A	30-50	TO-5	.75	MRF901	RF	NPN	300mW	25V	30mA		317-01	1.85	
2N5494	PWR	NPN	50W	50V	7A	20-100	TO-220	.65	MTP6N60	TMOS	N-CHAN.	125W	600V	6A		TO-220	.85	
2N5496	PWR	NPN	50W	80V	7A	20-100	TO-220	.75	MTP10N40	TMOS	N-CHAN.	125W	400V	10A		TO-220	.75	
2N5657	HV	NPN	20W	350V	500mA	30-250	TO-126	.95	MTW32N20	MOSFET	N-CHAN.	180W	200V	32A		TO-247	.95	
2N5770	RF	NPN	700mW	15V	50mA	40	TO-92	3/\$1	NP5138	GP	PNP	600mW	40V			TO-92	5/\$1	
2N5772	SW	NPN	625mW	15V	200mA	30	TO-92	3/\$1	NSD6179	PWR	NPN	10W	50V	2A	40-250	TO-202	.65	
2N5878	PWR	NPN	150W	80V	10A	20-100	TO-3	.85	NSDU02	PWR	NPN	10W	40V	2A	50-300	TO-202	.58	
2N6038	PWR	NPN	40W	60V	4A	750-18k	TO-126	.85	PMD19K120	PWR	DARL	PNP	240W	120V	30A	800-20k	TO-3	.95
2N6042	DARL	PNP	75W	100V	8A	1k	TO-220	.95	PN2222A	GP	NPN	600mW	40V	800mA	50	TO-92	8/\$1	
2N6045	DARL	NPN	75W	100V	8A	1k	TO-220	.95	PN2907A	GP	PNP	600mW	60V	600mA	100	TO-92	8/\$1	
2N6057	DARL	NPN	150W	60V	12A	750-18k	TO-3	1.25	PN3638A		PNP	600mW	25V	500mA	100	TO-92	5/\$1	
2N6111	PWR	PNP	40W	30V	7A	30-15	TO-220	.89	PN3642		NPN	600mW	45V	500mA	40	TO-92	5/\$1	
2N6124	PWR	PNP	40W	45V	4A	25-100	TO-220	.89	PN3645		PNP	600mW	60V	500mA	80	TO-92	5/\$1	
2N6258	PWR	NPN	250W	80V	30A	20-60	TO-3	3.50	PN3646	LoPWR	NPN	600mW	15V	200mA	30	TO-92	5/\$1	
2N6288	PWR	NPN	40W	30V	7A	30-150	TO-220	.89	PN4141		NPN	625mW	30V	200mA	300	TO-92	5/\$1	
2N6296	PWR	PNP																



TRANSISTORS (cont'd)



PART #	TYPE	P/N	P _D	V _{CEO}	I _C	h _{FE}	CASE	\$	PART #	TYPE	P/N	P _D	V _{CEO}	I _C	h _{FE}	CASE	\$
TIP29C	PWR	NPN	30W	100V	1A	15-75	TO-220	2/\$1	TIP110	DARL	NPN	50W	60V	2A	500	TO-220	2/\$1
TIP30C	PWR	PNP	30W	100V	1A	15-75	TO-220	.65	TIP111	DARL	NPN	50W	80V	2A	500	TO-220	2/\$1
TIP31C	PWR	NPN	40W	100V	3A	25	TO-220	.65	TIP112	DARL	NPN	50W	100V	2A	500	TO-220	2/\$1
TIP32C	PWR	PNP	40W	100V	3A	10-50	TO-220	.65	TIP115	DARL	PNP	50W	60V	2A	500	TO-220	2/\$1
TIP33C	PWR	NPN	80W	100V	10A	20	TO-218	.89	TIP117	DARL	PNP	50W	100V	2A	500	TO-220	.65
TIP34	PWR	PNP	80W	40V	10A	20	TO-218	.75	TIP120	DARL	NPN	65W	60V	5A	1k	TO-220	.65
TIP35C	PWR	NPN	125W	100V	25A	10-50	TO-218	1.15	TIP121	DARL	NPN	65W	80V	5A	1k	TO-220 (use TIP122)	
TIP42A	PWR	PNP	65W	60V	6A	15-75	TO-220	.65	TIP122	DARL	NPN	65W	100V	5A	1k	TO-220	.70
TIP49	PWR/HV	NPN	40W	350V	1A	30-150	TO-220	.85	TIP125	DARL	PNP	65W	60V	5A	1k	TO-220	.65
TIP50	PWR/HV	NPN	40W	400V	1A	30-150	TO-220	1.02	TIP140	DARL	NPN	125W	60V	10A	1k	TO-218	1.29
TIP51	PWR/HV	NPN	100W	250V	3A	30-150	TO-218	1.25	TIP142	DARL	NPN	125W	100V	10A	500	TO-218	1.45
TIP52	PWR/HV	NPN	100W	300V	3A	30-150	TO-218	1.40	TIP145	DARL	PNP	125W	60V	10A	1k	TO-218	1.29
TIP53	PWR/HV	NPN	100W	350V	3A	30-150	TO-218	1.49	TIP2955	PWR	PNP	80W	60V	15A	5	TO-218	.65
TIP62A	PWR	PNP	15W	60V	500mA	15-100	TO-220	2/\$1	TIS93B	GP	PNP	625mW	40V	400mA	160	TO-92	4/\$1
TIP73	PWR	NPN	80W	40V	15A	20-150	TO-220	.65	TIS93V	GP	PNP	625mW	40V	400mA	100-300	TO-92	4/\$1
TIP100	DARL	NPN	80W	60V	8A	1k-20k	TO-220	.75	VN10LM	MOSFET	N-CHAN.	1W	60V	300mA		TO-237	.60
TIP102	DARL	NPN	80W	100V	8A	1k-20k	TO-220	.95									
TIP105	DARL	PNP	80W	60V	8A	1k-20k	TO-220	.75									

SCR	2N4169	100V	8A	STUD	\$1.25	MCR67-2	50V	100A	STUD	.95	TRIAC	2N6071	200V	4A	TO-126	\$.55	Q2008L4	200V	8A	TO-220	.75
	2N4442	200V	4A	TO-225	1.30	MCR72-2	50V	8A	TO-220	1.50		2N6349	800V	12A	TO-220	1.95	Q6004L3	600V	4A	TO-220	.69
	2N6504	50V	25A	TO-220	1.95	MCR649	60V	20A	TO-3	1.95		MAC12M	600V	12A	TO-220	.84	Q6035RH5	600V	35A	TO-220	.99
	C106F	50V	4A	TO-126	.75	S1015L	100V	15A	TO-220	.99		MAC97A8	600V	0.8A	TO-92	5/\$1	Q8010R5	800V	10A	TO-220	.85
	C122F	50V	8A	TO-220	1.10	S2020L	200V	20A	TO-220	1.25		Q348	400V	6A	TO-220	.69	Q8012RH5	800V	12A	TO-220	.89
	IS08S	50V	8A	TO-220	1.25																



DIODES



Part#	Type	Info	\$	1	100	Part#	Type	Info	\$	1	100	Part#	Type	Info	\$	1	100	Part#	Type	Info	\$	
1N456	SIGNAL	25V 40mW	12/\$1	.07		1N4750	ZENER	27V 1W	.16	.11		1N5341	ZENER	6.2V 5W	.40	.35			MBR1545CT	SCHTKY. RECT.	15A	.95
1N749	ZENER	4.3V 400mW	.12	.07		1N4751	ZENER	30V 1W	.16	.11		1N5342	ZENER	6.8V 5W	.40	.35			MCL1301	CURRENT REGUL.		.50
1N752	ZENER	5.6V 400mW	.12	.07		1N4752	ZENER	33V 1W	.16	.11		1N5343	ZENER	7.5V 5W	.40	.35			MR501	RECT.	3A 100V	.25
1N753	ZENER	6.2V 400mW	.12	.07		1N4753	ZENER	36V 1W	.16	.11		1N5344	ZENER	8.2V 5W	.40	.35			MR754	RECT.	6A 400V	.75
1N755	ZENER	7.5V 400mW	.12	.07		1N4754	ZENER	39V 1W	.16	.11		1N5345	ZENER	8.7V 5W	.40	.35			MR824	RECT.	5A 400V 200ns	.70
1N759	ZENER	12V 400mW	.12	.07		1N4757	ZENER	51V 1W	.16	.11		1N5346	ZENER	9.1V 5W	.40	.35			MR850	RECT.	3A 50V 200ns	.33
1N821	ZENER	6.2V 250mW	.10			1N4758	ZENER	56V 1W	.16	.11		1N5347	ZENER	10V 5W	.40	.35			MR851	RECT.	3A 100V 200ns	.40
1N829	ZENER	6.2V 250mW	.10			1N4759	ZENER	62V 1W	.16	.11		1N5348	ZENER	11V 5W	.40	.35			MR854	RECT.	3A 400V 200ns	.45
1N914	SIGNAL	75V 10mA	15/\$1	.05		1N4760	ZENER	68V 1W	.16	.11		1N5349	ZENER	12V 5W	.40	.35			MR856	RECT.	3A 600V 300ns	.55
1N916	SIGNAL	FASTER 1N914	12/\$1	.06		1N4762	ZENER	82V 1W	.16	.11		1N5350	ZENER	13V 5W	.40	.35			MR918	RECT.	3A 1kV 750ns	.65
1N964	ZENER	13V 400mW	.12	.07		1N4763	ZENER	91V 1W	.16	.11		1N5351	ZENER	14V 5W	.40	.35			MUR860	RECT.	8A 600V ultrafast	.55
1N965	ZENER	15V 400mW	.12	.07		1N4933	FAST RECT.	1A 50V 200ns	.20			1N5352	ZENER	15V 5W	.40	.35			MUR1620	pair of RECT. w/CA	8A 200V	.95
1N968	ZENER	20V 400mW	.12	.07		1N4934	FAST RECT.	1A 100V 200ns	.22			1N5353	ZENER	16V 5W	.40	.35			P300B	RECT.	3A 100V	.25
1N969	ZENER	22V 400mW	.12	.07		1N4935	FAST RECT.	1A 200V 200ns	.25			1N5354	ZENER	17V 5W	.40	.35			S1A05F	FAST RECT.	1A 50V 100ns	.35
1N971	ZENER	27V 400mW	.12	.07		1N4936	FAST RECT.	1A 400V 200ns	.27			1N5355	ZENER	18V 5W	.40	.35			S1A3F	FAST RECT.	1A 300V 100ns	.40
1N972	ZENER	30V 400mW	.12	.07		1N4937	FAST RECT.	1A 600V 200ns	.28			1N5356	ZENER	19V 5W	.40	.35			S3A2F	FAST RECT.	3A 200V 100ns	.40
1N2070	RECTIFIER	.75A 400V	.35	---		1N5221	ZENER	2.4V 1/2W	.12	.07		1N5357	ZENER	20V 5W	.40	.35			SA10A	TVS	10V 500V	.25
1N2094	RECTIFIER	.75A 400V	.27	---		1N5222	ZENER	2.5V 1/2W	.12	.07		1N5358	ZENER	22V 5W	.40	.35			SB120	SCHTKY. RECT.	1A 40V	.25
1N2129	RECTIFIER	60A 100V	3.95	---		1N5223	ZENER	2.7V 1/2W	.12	.07		1N5359	ZENER	24V 5W	.40	.35			SCNA05F	RECT.	8.5A 50V	.75
1N2984	ZENER	20V 10W	.95	.75		1N5225	ZENER	3V 1/2W	.12	.07		1N5362	ZENER	28V 5W	.40	.35			SCPA1F	RECT.	15A 100V	.89
1N3016	ZENER	6.8V 1W	.15	---		1N5226	ZENER	3.3V 1/2W	.12	.07		1N5363	ZENER	30V 5W	.40	.35			STPS745	SCHTKY RECT	7.5A 45V	.45
1N3019	ZENER	9.1V 1W	.15	---		1N5227	ZENER	3.6V 1/2W	.12	.07		1N5365	ZENER	36V 5W	.40	.35			TSC9V	ZENER	9V	.20
1N3028	ZENER	22V 1W	.15	---		1N5228	ZENER	3.9V 1/2W	.12	.07		1N5366	ZENER	39V 5W	.40	.35			TSF61	RECT.	6A 50V 35ns	.38
1N3063	SIGNAL	75V 10mA	10/\$1			1N5229	ZENER	4.3V 1/2W	.12	.07		1N5378	ZENER	100V 5W	.40	.35			UF204	SIGNAL	2A 400V ultra fast	.15
1N3208	RECTIFIER	15A 50V	.68	---		1N5230	ZENER	4.7V 1/2W	.12	.07		1N5382	ZENER	140V 5W	.40	.35			VSK540	SCHTKY RECT.	5A 40V	.40
1N3595		150V 500mW	.15	.09		1N5231	ZENER	5.1V 1/2W	.12	.07		1N5383	ZENER	150V 5W	.45	.40			WZ280	ZENER	28V .5W 5%	.20
1N4001	RECTIFIER	1A 50V	10/\$1	.05		1N5232	ZENER	5.6V 1/2W	.12	.07		1N5385	ZENER	170V 5W	.45	.40			ZC20	REFERENCE	20V 5W	.50
1N4002	RECTIFIER	1A 100V	10/\$1	.05		1N5233	ZENER	6V 1/2W	.12	.07		1N5386	ZENER	180V 5W	.45	.40			ZPD5.6	ZENER	5.6V .5W 5%	.20
1N4003	RECTIFIER	1A 200V	10/\$1	.05		1N5234	ZENER	6.2V 1/2W	.12	.07		1N5388	ZENER	200V 5W	.55	.50			ZPD8.2	ZENER	8.2V .5W 5%	.20
1N4004	RECTIFIER	1A 400V	10/\$1	.06		1N5235	ZENER	6.8V 1/2W	.12	.07		1N5391	RECTIFIER	1.5A 50V	8/\$1							
1N4005	RECTIFIER	1A 600V	10/\$1	.06		1N5236	ZENER	7.5V 1/2W	.12	.07		1N5392	RECTIFIER	1.5A 100V	.13							
1N4006	RECTIFIER	1A 800V	10/\$1	.06		1N5237	ZENER	8.2V 1/2W	.12	.07		1N5393	RECTIFIER	1.5A 200V	.14							
1N4007	RECTIFIER	1A 1kV	10/\$1	.07		1N5238	ZENER	8.7V 1/2W	.12	.07		1N5395	RECTIFIER	1.5A 400V	.15							
1N4102	ZENER	8.7V 250mW	LoNOISE	.50		1N5239	ZENER	9.1V 1/2W	.12	.07		1N5401	RECTIFIER	3A 100V	.35							
1N4148	SIGNAL	75V 10mA	20/\$1	.04		1N5240	ZENER	10V 1/2W	.12	.07		1N5402	RECTIFIER	3A 200V	.40							
1N4150	SIGNAL	50V 1mA	15/\$1	.05		1N5241	ZENER	11V 1/2W	.12	.07		1N5406	RECTIFIER	3A 600V	.45							
1N4151	SIGNAL	75V 10mA	10/\$1	---		1N5242	ZENER	12V 1/2W	.12	.07		1N5408	RECTIFIER	3A 1kV	.50							
1N4152	SIGNAL	40V 20mA	20/\$1	.04		1N5243	ZENER	13V 1/2W	.12	.07		1N5525	LoNOISE ZENER	6.2V	.50							
1N4153	SIGNAL	75V 20mA	18/\$1	.045		1N5244	ZENER	14V 1/2W	.12	.07		1N5624	RECT.	3A 200V	.35							
1N4154	SIGNAL	35V 30mA	15/\$1	.05		1N5245	ZENER	15V 1/2W	.12	.07		1N5711	SCHOTTKY SIGNAL		.35	.21						
1N4446	SIGNAL	75V 10mA	10/\$1	---		1N5246	ZENER	16V 1/2W	.12	.07		1N5737	ZENER	11V .4W	.20							
1N4447	SIGNAL	75V 10mA	15/\$1			1N5247	ZENER	17V 1/2W	.12	.07		1N5817	SCHTKY. RECT.	1A 20V	.30	.14						
1N4448	SIGNAL	75V 5mA	15/\$1	.05		1N5248	ZENER	18V 1/2W	.12	.07		1N5818	SCHTKY. RECT.	1A 30V	.35	.16						
1N4454	SIGNAL	75V 10mA	15/\$1			1N5249	ZENER	19V 1/2W	.12	.07		1N5819	SCHTKY. RECT.	1A 40V	.40	.18						
1N4585	RECTIFIER	1A 800V	10/\$1			1N5250	ZENER	20V 1/2W	.12	.07		1N5820	SCHTKY. RECT.	3A 20V	.39	.23						
1N4728	ZENER	3.3V 1W	.16	.11		1N5251	ZENER	22V 1/2W	.12	.07		1N5821	SCHTKY. RECT.	3A 30V	.42	.26						
1N4729	ZENER	3.6V 1W	.16	.11		1N5252	ZENER	24V 1/2W	.12	.07		1N5822	SCHTKY. RECT.	3A 40V	.45	.28						
1N4730	ZENER	3.9V 1W	.16	.11		1N5253	ZENER	25V 1/2W	.12	.07		1N6282	TVS	27V 1500W	.55							
1N4731	ZENER	4.3V 1W	.16	.11		1N5254	ZENER	27V 1/2W	.12	.07		3SM2	RECT.	5A 200V	.45							
1N4732	ZENER	4.7V 1W	.16	.11		1N5256	ZENER	30V 1/2W	.12	.07		5KP15A	VOLT. SUPPR.	15V	1.80							
1N4733	ZENER	5.1V 1W	.16	.11		1N5257	ZENER	33V 1/2W	.12	.07		6A10	RECT.	6A 1kV	.55							
1N4734	ZENER	5.6V 1W	.16	.11		1N5258	ZENER	36V 1/2W	.12	.07		30CPQ080	SCHTKY.	30A 80V	1.25							
1N4735	ZENER	6.2V 1W	.16	.11		1N5259	ZENER	39V 1/2W	.12	.07		30CPQ100	SHTKY.	30A 100V	1.50							
1N4736	ZENER	6.8V 1W	.16	.11		1N5260	ZENER	43V 1/2W	.12	.07		32CTQ030.	SHTKY.	30A 30V	.75							
1N4737	ZENER	7.5V 1W	.16	.11		1N5265	ZENER	62V 1/2W	.12	.07		95HQ015	SHKTY.	95A 15V	3.95							
1N4738	ZENER	8.2V 1W	.16	.11		1N5266	ZENER	68V 1/2W	.12	.07		A15A	RECT.	3A 100V	.30							
1N4739	ZENER	9.1V 1W	.16	.11		1N5268	ZENER	82V 1/2W	.12	.07		BY500-800	RECT.	5A 800V	.50							
1N4740	ZENER	10V 1W	.16	.11		1N5282	SIGNAL	55V .5A	10/\$1	.08		BZX85C	ZENER	4.3V 1W	.18	.09						
1N4741	ZENER	11V 1W	.16	.11		1N5333	ZENER	3.3V 5W	.40	.35		CR3-040	RECT.	3A 400V	.40							
1N4742	ZENER	12V 1W	.16	.11		1N5334	ZENER	3.6V 5W	.40	.35		DS3E1	RECT.	3A 100V	.30							
1N4743	ZENER	13V 1W	.16	.11		1N5335	ZENER	3.9V 5W	.40	.35		FDH666	SWITCH.	100mA 40V	.06							
1N4744	ZENER	15V 1W	.16	.11		1N5336	ZENER	4.3V 5W	.40	.35		G31-48			.15							
1N4745	ZENER	16V 1W	.16	.11		1N5337	ZENER	4.7V 5W	.40	.35		G1750	RECT.	6A 50V	.40	.30						
1N4746	ZENER	18V 1W	.16	.11		1N5338	ZENER	5.1V 5W	.40	.35		KSV1404	VARACTOR Si hyperabrupt		\$1.75							
1N4747	ZENER	20V 1W	.16	.11		1N5339	ZENER	5.6V 5W	.40	.35		MBD101	7V 280mW SCHTKY. BARR.		.55							
1N4749	ZENER	24V 1W	.16	.11		1N5340	ZENER	6V 5W	.40	.35		MBD501	HOT - CARRIER 500mW		.75							



BRIDGES

INFO		PART #	\$
1A	100V	DF01	.38
1A	200V	DF02	.39
1A	400V	DB104	.40
1A	600V	DB105	.42
1.5A	50V	PF05	.45
1.5A	100V	PF10 or RB151	.47
1.5A	400V	KBP04	.49
1.5A	600V	KBP06M	.65
2A	100V	2KBP01M	.58
2A	600V	S3BR6 (3 PHASE)	.65
2A	1000V	RS207	.85
3A	200V	KBPC02	.68
4A	200V	KBLO2 or KBU4D	.75
4A	800V	GBL08	.95
6A	400V	PP40A	.55
8A	600V	GBU8J	1.45
10A	200V	VJ248 or BR102	1.10
15A	600V	D15XB60	

COAXIAL ADAPTERS

In-Series

BNC	male	to	male	\$2.67	
	female	to	female	.91	
	female	to	female	5.92	panel mount
	male	to	(2) female	1.25	'T'
	male	to	female	2.34	right angle
	male	to	(3) female	3.00	'T'

SMA	male	to	male	2.67	
	female	to	female	2.39	
	female	to	female	3.11	panel mount
	male	to	female	4.95	right angle
	male	to	(2) female	3.84	'T'
	male	to	male	1.42	'F'
	female	to	female	2/\$1	'F'
	female	to	female	2.51	UHF
	male	to	male	3.92	'N'
	female	to	female	2.30	'N'

Between-Series

male	BNC	to	male	SMA	\$4.26
female	BNC	to	female	SMA	3.42
female	BNC	to	male	SMA	3.59
male	BNC	to	female	SMA	4.16
male	BNC	to	female	RCA	1.00
female	BNC	to	male	RCA	1.00
male	BNC	to	female	'F'	1.00
female	BNC	to	male	'F'	1.00
male	BNC	to	1/8" phone plug		4.26
female	BNC	to	female	UHF	1.60
female	BNC	to	male mini	UHF	4.17
female	BNC	to	male	TNC	3.51
female	BNC	to	male	UHF	2.92
male	'F'	to	female	BNC	1.00
male	'F'	to	female	RCA	1.00
female	'F'	to	3.5mm mono plug		1.00
female	'F'	to	male	RCA	1.00
female	'N'	to	male	UHF	2.82
male	'N'	to	female	UHF	4.17
male	'N'	to	female	SMA	4.67
female	'N'	to	male	SMA	3.41
male	'N'	to	female	BNC	4.67
female	TNC	to	male	SMA	3.01
female	TNC	to	female	SMA	4.09
female	TNC	to	male	UHF	2.42
male	UHF	to	female	SMA	3.54



BNC CONNECTORS

	1	50	100
MALE SOLDER:			
FOR RG-58	\$2.09	---	---
FOR RG-59	1.00	.90	.80
MALE CRIMP:			
FOR RG-6	1.50	---	---
FOR RG-58	1.00	.87	.75
FOR RG-59	1.00	.84	.72
FOR RG-174	2.12	---	---
CHASSIS MOUNT JACK:			
(FEMALE)	3.76	---	---
T ADAPTORS:			
2-FEM., 1-MALE	1.25	.95	---
3-FEMALE	3.00	2.70	---
SPLICES:			
DOUBLE MALE	1.64	---	---
DOUBLE FEMALE	.91	---	---
THRU PANEL DOUBLE FEMALE	4.32		
P.C.B. RT/ANGLE FEMALE	1.66		
75 OHM 1% TERMINATOR	1.25		

Ratcheting CRIMPER FRAME



Cancer and/or Reproductive Harm
www.P65Warnings.ca.gov/product
uses
INTERCHANGABLE DIES
\$33.13 (frame only)

Dies in stock:	
BNC / TNC	\$17.36
D-sub / Molex	18.23
RG174 Thinnet	17.36
R, B, Y, Insul. Term.	18.23
wire Ferrule #22-12	17.36
Broadcast Applic.	17.36
Open Barrel Cont.	18.93

SMA

Female;	
Str. PCB	\$3.29
R/A PCB	4.95

Male / Crimp;	
RG-58	2.24
RG-59	2.24
RG-174	2.24

BNC CABLES

RG-58	
MALE TO MALE	
3 FT.	\$2.95
6 FT.	\$3.75
10 FT.	\$4.75
25 FT.	\$6.95

SMA CABLES

RG-316	
male to male	
6 in.	\$9.95
12 in.	\$10.75
24 in.	\$12.50
36 in.	\$13.95

GORE MALE TO MALE

26GHz and	Made in USA
12 in.	\$17.95
20 in.	\$19.95

SMB

Female;	
Str. PCB	\$2.50
R/A PCB	4.50

SMZ

Female;	
Str. PCB	\$2.95

MCX

Female;	
Str. PCB	\$1.50

some SMC & MMCX also...

TEST LEADS



Cancer and/or Reproductive Harm
www.P65Warnings.ca.gov/product

One End	Length	Other End	Cost
EZ-Hook	16 inch	EZ-Hook	
1 each - blk, red, grn, yel, wht			\$13.95

1" Alligator	18 inch	1" Alligator	
2 each - blk, red, grn, yel, wht			\$8.95

1.5" Alligator	36 inch	1.5" Alligator	
2 each - blk, red, grn, yel, wht			\$14.50

BNC	36 inch / RG58	EZ Hook	
8" wire to RED & 8" wire to BLK hooks			\$9.95

* Banana	36 inch	EZ Hook	
1 each red & blk			\$9.95

* Banana	36 inch	* Banana	
1 each red & blk			\$9.95

0.013" Needle	48 inch	* Banana	
Spring-Loaded Tips, 1000V 10A			
1 each red & blk			\$47.00

* stackable

UNIVERSAL Test Lead Set

- * 30 inch Leads
 - * one Red & one Blk
 - * Heavily Insulated
 - * Screw-on attach
- Alligator Clips
 Large Spade Lugs
 Phono Tips
 Banana Plugs

\$9.01

JUMPER CABLE

.025" SQUARE
 Female to Female

*MATES WITH STANDARD HEADER PINS
 *PINS ARE FULLY INSULATED (NOT SHOWN)

10 Cables of same length/color for \$4.50

2" Blue 3" Red 5" Black, Red, Yellow
 Green, Blue, White

7" Black, Red, Yellow, Green, Blue, White

12" Black, Red, Yellow, Green, Blue, Violet, White

24" Black or Red 10/\$6

MALE to FEMALE JUMPER CABLE

5" Violet 7" Brown 12" Orange

10/\$6

DUAL Binding Posts

Dual 5-Way Binding Posts (one red & one blk)	\$4.37
One Red & One Blk Binding Post w/ One Male BNC	\$8.81
Dual Binding Posts w/ Dual Banana Plug	\$3.95
Stackable Dual Banana Plug (insul. Red or Blk)	\$2.67
Dual Banana Plug w/ One Female BNC (insul. Blk)	\$6.92

Insulated CRIMP LUGS

RING

3/8"	yel	6/\$1
#10	blu	15/\$1
#10	red	20/\$1
#8	yel	8/\$1
#8	blu	15/\$1
#8	red	20/\$1
#6	red	20/\$1

Many Others in Stock including
 Spade, Slip-on, Blade, Splice

BULLETS .156"

22 - 16 (Red) 10A or	
16 - 14 (Blu) 15A	
(6) Sets / \$1.00	
Male	14/\$1
Female	12/\$1

WIRE FERRULES

14awg. (Blu)	25/\$3.30
20awg. (Org)	25/\$2.75
24awg. (Yel)	25/\$2.50

Ferrule Assortment
 50pcs. ea. blu & org
 100 ea. wht, yel, red
 \$39.69

USB ADAPTERS



'A' fem.	to	'B' male	\$2.41
'A' male	to	'B' fem.	2.41
'A' fem.	to	'B' fem.	2.41
'A' male	to	'A' male	2.41
'A' fem.	to	'A' fem.	2.41
'B' male	to	'B' male	2.41
'B' fem.	to	'B' fem.	2.41
'A' male	to	mini-USB(5p-male)	1.32
'A' male	to	mini-USB(4p-male)	1.32

Micro USB	to	Type C	1.95
-----------	----	--------	------

SOLDERLESS BANANA PLUG



\$2.11 15A 16awg

INSULATED BANANA JACK



\$1.50 15A 16awg

USB 2.0 CABLES 'A' male to;

USB 'B' male	6 feet	\$2.81
9-pin RS232	3 feet	\$5.95
3.5mm stereo plug	4.5'	\$2.25
micro USB 'B'	6 feet	\$3.42
mini 5-pin USB 'B'	6 feet	\$1.95

USB 3.0 Superspeed

male 'A' to female 'A'	6 feet	\$5.95
------------------------	--------	--------



WARNING!

The product on this page can
 expose you to chemicals including
 DEHP &/or Lead which is [are]
 known to the state of California to
 cause cancer, birth defects or other
 reproductive harm. For more
 information go to

www.p65warnings.ca.gov


D-SUBMINIATURE CONNECTORS



HIGH DENSITY
(3-ROW)
solder cup P.C.B. right angle pin insert

SOLDER CUP/POT						FLAT CABLE	RIGHT ANGLE		P.C.B. DIP SOLDER (STRAIGHT)	WIRE WRAP (STRAIGHT)	PIN INSERT AMP STYLE	HIGH DENSITY (3-ROW)				
STAMPED		MACHINED		HOODS			FOOTPRINT: SHORT	LONG				solder cup	P.C.B.	right angle	pin insert	
DE9P .53 .25	DE9P .53 .45	DE9P 2.50 .25	DE9P 2.50 .45	-PLASTIC		DE9P 1.68	DE9P .70 1.08	DE9P .68	DA15P 2.95	DE9P .90	HDE15P .92	1.10	1.25	1.44		
DE9S .56 .47	DE9S 2.50 .47	DE9S 2.50 .47	DE9S 2.50 .47	-TWO PIECE		DE9S 1.68	DE9S .70 1.75	DE9S .68		DE9S .94	HDE15S .99	.92	1.50	1.10	1.50	
DA15P .65 .59	DA15P .65 .59	DA15P 3.75 .25	DA15P 3.75 .59	*SHIELDED		DA15P 1.85	DA15P .83 1.42	DA15P .84	DB25P 4.95	DA15P 1.19	HDA26P 1.44	1.75	2.95	3.10		
DA15S .69 .64	DA15S .69 .64	DA15S 3.75 .25	DA15S 3.75 .64			DA15S 1.85	DA15S .83 1.48	DA15S .84		DA15S 1.27	HDA26S 1.90	1.75	2.35	3.10	3.10	
DB25P .95 .83	DB25P .95 .83	DB25P 3.95 .25	DB25P 3.95 .83			DB25P 1.85	DB25P .99 1.90	DB25P 1.09	DD50P 7.45	DB25P 1.71	HDB44P 2.10	2.40	4.40	4.40		
DB25S .98 .87	DB25S .98 .87	DB25S 3.95 .25	DB25S 3.95 .87			DB25S 1.85	DB25S .99 1.95	DB25S 1.09		DB25S 1.83	HDB44S 3.20	2.40	3.50	4.51	4.51	
DC37P 1.14 .82	DC37P 1.14 .82	DC37P 3.28 2.95	DC37P 3.28 2.95	DA15 .45 .69		DC37P 4.15	DC37P 1.45 2.60	DC37P 1.60	DD50P 7.45	DC37P 2.87	HDC62P 2.40	3.10	6.50	5.50		
DC37S 1.24 .90	DC37S 1.24 .90	DC37S 3.56 2.98	DC37S 3.56 2.98	DB25 .49 .85		DC37S 4.15	DC37S 1.45 2.65	DC37S 1.60		DC37S 3.07	HDC62S 3.30	3.40	4.80	5.50	5.50	
DD50P 1.95 1.90	DD50P 1.95 1.90	DD50P 3.50 3.15	DD50P 3.50 3.15	DC37 .89 1.10		DD50P 9.95	DD50P 3.00	DD50P 3.00	DD50S 5.36	HDD78P 5.85	6.10	15.95	8.55	8.55		
DD50S 2.19 2.00	DD50S 2.19 2.00	DD50S 3.50 3.15	DD50S 3.50 3.15	DD50 1.25 1.36		DD50S 10.50	DD50P .---	DD50S 3.00	DD50P 7.45	HDD78S 3.75	---	11.25	8.90	8.90		

EDGEBOARD CONNECTORS



ALL CONNECTORS ARE DOUBLE ROW
PIN SIZE IS TOTAL NO. OF PINS
ST=SOLDERTAIL
WW=WIRE WRAP
EYE=SOLDER EYELET
RT=RIGHT ANGLE

.1" PIN SPACING		.125" SPACING		.156" SPACING	
6 PIN ST \$.91 12 PIN ST 1.95 20 PIN ST 2.25 24 PIN WW 2.69 30 PIN ST 2.40 RT 2.75 36 PIN EYE 3.25 38 PIN ST 2.62 40 PIN ST 3.06 44 PIN ST 3.32 EYE 3.95 50 PIN ST 2.45 RT 3.95 WW 3.48 56 PIN ST 3.78 WW 3.85 60 PIN ST 2.75 WW 3.95 62 PIN ST 1.95 WW 3.98 RT 3.98 70 PIN ST 8.40 70 PIN WW 4.84 72 PIN ST 4.75 WW 4.95	80 PIN ST 4.95 WW 5.36 82 PIN ST 4.95 86 PIN ST 5.50 WW 5.95 RT 5.95 100 PIN ST 3.95 EYE 5.95 WW 5.95 120 PIN ST 6.95 WW 7.95 125" SPACING 20 PIN ST 2.28 30 PIN ST 2.30 44 PIN ST 3.62 56 PIN ST 3.50 WW 3.95 EYE 3.95 60 PIN ST 4.50 WW 4.65	62 PIN ST 4.60 EYE 4.95 64 PIN ST 1.95 70 PIN ST 4.95 72 PIN ST 5.20 EYE 5.50 80 PIN ST 5.84 86 PIN WW 5.95 88 PIN ST 6.25 WW 6.50 98 PIN WW 3.95 100 PIN WW 9.95 156" SPACING 12 PIN ST 1.99 20 PIN ST 1.49 WW 1.95 RT 1.95 24 PIN EYE 2.50 30 PIN ST 2.25 EYE 1.96	36 PIN ST 2.25 EYE 3.25 WW 3.50 44 PIN ST 2.25 EYE 5.95 WW 5.75 48 PIN ST 6.65 WW 7.95 EYE 6.65 RT 5.95 50 PIN ST 2.88 56 PIN ST 1.50 86 PIN ST 4.95 WW 6.15 EYE 4.95		
SPECIALITY EDGE CONN.		IBM AT (98-PIN) ST \$1.80 PCI (120 PIN) \$2.25 VESA (112 PIN) \$1.95	WW \$5.80		

Lo-Profile GENDER CHANGERS

'D' Connector	male-to-male or female-to-female
9-PIN	\$2.34
15-PIN	4.01
HD 15-PIN	3.34
25-PIN	4.01
37-PIN	4.92



9 pin	
male to male 6'	\$3.95
male to female 6'	6.42
25 pin	
male to male 30'	9.95
male to female 10'	7.95


HDMI Cables all are 6' high speed

HDMI to;	
HDMI w/ethernet	\$6.95
mini HDMI	\$6.95
micro HDMI	\$6.95
VGA	\$7.95

96-PIN (VME) EURO-CARD CONNECTORS



STRAIGHT	1	25
FEMALE SOLDER	\$4.95	4.82
MALE SOLDER	2.35	1.95
FEMALE WIRE WRAP	5.25	—
MALE WIRE WRAP	4.75	4.36
RIGHT ANGLE		
FEMALE SOLDER	3.95	—
MALE SOLDER	2.50	2.35



SOLDER	
14 PIN FEMALE	\$1.75
14 PIN MALE w/hood	6.70
24 PIN FEMALE	3.95
24 PIN MALE w/hood	3.75
36 PIN FEMALE	1.89
36 PIN MALE w/hood	1.50
50 PIN FEMALE	3.00
50 PIN MALE w/hood	4.67
FLAT CABLE	
24 PIN FEMALE	3.95
24 PIN MALE	3.75
36 PIN FEMALE	2.35
36 PIN MALE	2.35
50 PIN FEMALE	4.40
50 PIN MALE	4.20
RIGHT ANGLE	
36 PIN FEMALE	2.50
50 PIN FEMALE	4.35

FLAT CABLE & IDC CONNECTORS

28 AWG FLAT CABLE			SOCKET	CARD EDGE	HEADER PLUG	DIP PLUG	FLAT CABLE CONN. CRIMPER HAND TOOL \$21.03
GRAY w/RED STRIPE	COLOR CODED						
CONDUCTORS PER FOOT PER 100'	CONDUCTORS PER FOOT PER 100'		1 25 50				
10 .30 19.95	10 .60 52.00		6 PIN \$.82 --- ---	10 PIN \$1.10	10 PIN \$1.04	14 PIN \$.67	
14 .42 27.75	14 .65 57.00		8 PIN .75 .71 ---	14 PIN 1.08	14 PIN 1.10	16 PIN .92	
16 .48 31.70	16 .79 65.00		10 PIN .35 .29 .24	16 PIN 1.12	16 PIN 1.12	18 PIN .84	
20 .60 39.60	20 1.20 104.00		14 PIN .45 .36 ---	16 PIN 1.28	20 PIN 1.28	20 PIN 1.01	
26 .78 61.50	26 1.28 107.95		16 PIN .45 .36 ---	20 PIN 1.49	26 PIN 1.49	24 PIN 1.01	
34 1.02 67.40	34 1.65 138.00		20 PIN .45 .36 ---	20 PIN 1.50	34 PIN 1.44	28 PIN 1.17	
40 1.20 79.20	40 1.95 163.00		26 PIN .45 .38 ---	26 PIN .86	40 PIN 2.95	40 PIN 2.17	
50 1.50 99.00	50 3.00 199.00		30 PIN .75 --- ---	34 PIN .86	50 PIN 3.10		
60 1.80 125.00	60 3.50 240.00		34 PIN .55 .45 .35	40 PIN 2.25	60 PIN 3.30		
64 2.50 189.95	64 3.95 265.00		40 PIN .65 .59 .55	50 PIN 2.85	64 PIN 2.10		
			50 PIN .75 .69 ---	60 PIN 2.20			
			60 PIN 1.35 1.05 ---	64 PIN 5.25			
			64 PIN 1.59 1.25 ---				

HEADER STRIPS



*.1" SPACING *GOLD
*CUT TO ANY LENGTH
ST=SOLDERTAIL WW=WIREWRAP

		STRAIGHT	
DIMEN.	IN mm	1 10 100	
1x40 ST	6x3	\$.70 .55 .38	
	6x5	.70 .55 .45	
1x40 WW	15x6	1.50 1.25 ---	
2x40 ST	6x3	1.22 1.04 .64	
2x40 ST	6x5	1.38 1.25 .99	
2x40 WW	15x6	2.00 1.90 1.55	

RIGHT ANGLE

1x40 ST	1.12	.95	.75
2x40 ST	1.75	1.60	1.15

SHORTING PLUGS



1 12c	50 10c	100 8c
1K 6c	5K 4c	
2mm		
10/\$1.45	100/\$12	
0.05"		
10/\$1.75	50/\$7.25	

1x40 \$1.50	2x40 \$3.75
0.05" HEADER STRIPS	

FEMALE HEADERS

.1" solder-tail	
1 x 40	\$1.10
2 x 40	2.50
wire-wrap	
1 x 36	4.75
2 x 36	6.50
2mm solder-tail	
1 x 40	2.50
2 x 40	4.75
0.05" solder-tail	
1 x 40	2.53



WARNING!

The product on this page can expose you to chemicals including DEHP &/or Lead which is [are] known to the state of California to cause cancer, birth defects or other reproductive harm. For more information go to www.p65warnings.ca.gov

www.anchor-electronics.com

(408)727-3693

1x40 80c
2mm
2x40 \$1.50
HEADER STRIPS

SUB MINI TOGGLE

SPST	ON-NONE-OFF	3A	\$1.31
DPDT	ON-NONE-ON	3A	1.85

MINI TOGGLE

SPDT	ON-NONE-ON	5A	\$1.42
SPDT	ON-OFF-ON	5A	1.66
SPDT	MOM.-OFF-MOM.	5A	1.50
SPDT	ON-NONE-MOM.	5A	1.95
DPDT	ON-NONE-ON	5A	1.86
DPDT	ON-OFF-ON	5A	1.75
TPDT	ON-OFF-MOM.	6A	2.95
4PDT	ON-NONE-ON	6A	2.95

STANDARD TOGGLE

SPST	ON-NONE-OFF	20A	5.01
SPDT	ON-NONE-ON	20A	2.50
SPDT	ON-OFF-ON	20A	4.17

MICROSWITCHES

	C-NO-NC	1AMP	\$1.00
	COM.-NO-NC	1AMP	2/\$1
SPDT	5A	\$1.34	

PUSHBUTTON

SPST	50mA	off-(on)
5/\$1.55		

SPST	3A	on-(off)
75¢		

SPDT	1A	snap-action mom.
\$3.51		

SPST off-(on)	0.45" dia round mount
3A 125VAC	black, red, or green
95¢ each	

...lots more in stock...

ROCKER

1/2" round mount, 30A	
12VDC red	\$3.42
12VDC green	\$3.42

SPDT PCB	
RIGHT ANGLE	10/\$1

ALCO MRL206N	
DPDT 6A ON-ON	
1" LONG ROCKER	\$1.95

TILT	
15°, 1/2A@24VAC	
SPST	
non-mercury	
Philmore 30-17072	\$1.26

...many different styles in stock...

	3V 46.7mA	AROMAT TQ2E-3V	\$1.95
	5V REED	CP Clare DSS41A05	.95
	5V SPDT	AZ2-1C-5D	1.95
	5V	FUJITSU 12ND05	1.95
	5V SPDT 2A	AROMAT HB2E-DC5V	2.50
	5V 40mW	AROMAT TQ2E-L2-5V	2.50
	5V DPDT 2A	FINDER 30.22.7.005.0010	2.95
	6V	HASCO HAS111SDC6	.95
	12V 16.7mW	AROMAT TQ2E-L2	2.50
	12V 2A	AROMAT DS2-ML-DC12V	2.50
	12V 8A 240mW	AROMAT ST2E-DC12V	2.50
	12V 40A	PHILMORE 64-1240	4.02
	24V	MAGNECRAFT W171DIP-5	1.00
	24V 15A	OMRON LY1 24VDC	3.95
	28V 2A	SIGMA 70R2	2.95
SOLID STATE	Crydom D1D40 40A SPST		39.95

	3AG	3/\$1
	3AG SLOW BLOW	4/\$2
1/4A	2.5A	10A
3/10A	3A	15A
1/2A	4A	20A
3/4A	5A	25A
1A	6A	30A
1.5A	7A	
2A	8A	
1/8A	3A	
1/4A	4A	
3/8A	5A	
1/2A	7.5A	
3/4A	8A	
1A	10A	
1.25A	15A	
1.6A	20A	
2A	25A	
2.5A		

	3AG PIGTAIL	4/\$2
100/\$18		
1/4A, 1A	3/4A, 1A	1.25A
2A & 5A	2A, 3A, 4A	5A
	10A, 20A	

	PICO	2/\$1.20
2/\$1.35		
1/8A, 1/2A	1A, 2.5A, 5A	15A
1/4A, 3/4A	1.5A, 3A, 7A	
3/8A	2A, 4A, 10A	

	TINY	5/\$1
	MICRO	5/\$1
1.5A		
3A		

	3AG FUSE BLOCK	2/\$1.02
Fast Blow	4/\$1	
1/4A	3.15A	
1/2A	4A	
.63A	5A	
0.8A	6A	
1A	8A	
1.5A	10A	
1.6A	15A	
2A	16A	
2.5A	20A	
3A		
Slow Blow	3/\$1	
1/16A	2.5A	
1/4A	3A	
1/2A	3.5A	
3/4A	4A	
0.8A	5A	
1A	6A	
1.5A	7A	
2A		
0.032A	2/\$1	

	FUSE CLIP	5x20mm 10/\$1
	PANEL MOUNT	5x20mm 75¢
	IN LINE	3AG \$2.17
		\$1.42

LINE CORDS

3 PRONG * SINGLE-ENDED	
BLK 18awg 6'	\$6.56
(water resistant)	

	for AC/DC power 'bricks' and cassette recorders
7A 125VAC 6ft.	\$3.50

	LAPTOP AC Pwr. (Universal) 6ft. Long
	\$3.95

HP TYPE EQUIPMENT CORD	
BLK 3' 18AWG	\$1.95
BLK 6', #18, B/A	\$7.92
BLK 6' 18AWG	\$3.25

LINE CORD RECEPTACLE

AS ABOVE	
6A	75¢
15A	\$1.79

w/FUSE & SPACE FOR SPARE	\$1.00
--------------------------	--------

IN-LINE 10A@250V	\$7.09
------------------	--------

FILTERS

110/220V	
50-60Hz	
1 AMP	\$2.95
3 AMP	3.25
6 AMP w/FUSE HLDR	3.95
8 AMP w/LEADS	3.95
10 AMP	3.95
15 AMP w/LEADS	2.95

DC Power, too!

good selection of plugs and jacks
1.3mm/ 2.1mm/ 2.5mm/ XLR
also stocking red/black 'ZIP' cord & multi-conductor cable



WARNING!

The product on this page can expose you to chemicals including DEHP &/or Lead which is [are] known to the state of California to cause cancer, birth defects or other reproductive harm. For more information go to www.p65warnings.ca.gov



WARNING!

HEAT SHRINK

2:1	
4FT.	100FT.
3/64" \$.83	10.95
1/16" .83	11.95
3/32" .88	12.95
1/8" .95	14.95
3/16" 1.15	16.95
1/4" 1.44	19.95
3/8" 1.61	24.95
1/2" 1.81	27.95
3/4" 2.95	49.95
1" 3.80	-----
1-1/2" 5.50	-----
2" 7.95	-----
3" 3.35 per foot	
4" 4.95 per foot	

KITS

6" lengths 10 pcs. mixed colors	
1/16" \$2.17	
1/8" \$2.17	
3/16" \$2.46	
1/4" \$2.66	

Blk/Red/Cir/Blu/Grn/Wht/Yel	
4" lengths 160 pieces	
(60) 1/16" (20) 3/16"	
(35) 3/32" (10) 1/4"	
(25) 1/8" (10) 3/8"	
\$14.95	

Colors Stocked:

	black	red	orange	yellow	green	blue	clear
3/64	•						•
1/16	✓	✓		✱	✓	✓	✓
3/32	✓	✓		✱	✓	✓	✓
1/8	✓	✓	✱	✱	✓	✱	✓
3/16	✓	✓	✱	✱	✓	✓	✓
1/4	✓	✓	✱	✱	✓	✱	✓
3/8	✓	✓	✱	✱	✓	✓	✓
1/2	✓	✓	✱	✱	✓	✓	✓
3/4	✓	✓	✱	✱	✓	✓	✓
1.0	✱	✱		✱			✱
1.5	✱	✱		✱			✱
2.0	✱	✱		✱			✱
3.0	✱	✱		✱			✱
4.0	✱	✱		✱			✱

✓ stock in 4' and 100'
✱ stock in 4' only
• stock in 100' only

CABLE TIES

4 INCH natural or black	50/\$.95 100/\$1.75 1K/\$9.95
6 INCH natural or black	50/\$1.80 100/\$3.50 1K/\$21.
8 INCH natural or black	50/\$3.50 100/\$5.95 1K/\$29
11 INCH natural or black	50/\$6.95 100/\$12.



CABLE TIE GUN

* Tie Width From: 3/32" - 11/32"
* Neatly Cuts End Off
* Adj. Tension
\$31.55

CABLE TIE/CORD CLIPS/MOUNTS

ADHESIVE BACKED

5/8" SQUARE 10/\$1	
6/8" SQ x 5/6" OPENING 10/\$1	
1/2" sq.	20/\$1.50 100/\$5.95
3/4" sq.	5/\$1 100/\$11.95
1" sq.	5/\$1 100/\$16.95

*STEEL
* 1" LONG PRONG
FLEXIBLE, PADDED
10/\$1 500/\$35

SCREW DOWN

3/4"x3/8" Tie Width to .184" 25/\$1	
#6 STUD Tie Width to .19"	
10/\$1 100/\$8	

The Ultimate in Hand Soldering

USING CURIE HEAT TECHNOLOGY by Thermaltronics

Interchangeable with **Metcal**, but better!!



- simpler power supply
- 4-year warranty (pwr supply)
- includes one tip (photo shows more...)
- tips are FAR superior (see below...)

\$414.75


50W Production-Line Soldering Station 470KHz

by Thermaltronics



Also uses Curie Heat Technology, but extremely compact, lightweight. Uses the tips shown at right.

\$241.50



\$12.95 each

EK75CH025	30° chisel	2.5mm tip
EK75CH015	30° chisel	1.5mm tip
EK75CH010	30° chisel	1.0mm tip
EK75SB005	30° sharp bent	.51mm tip
EK75SC010	conical sharp	1.0mm tip

OAL: 5-1/2"

Metcal replacement Tips

by Thermaltronics

increased plating = longer service life
gold plated conn. = better connectivity
faster point-to-point soldering

\$21.50 ea. (700°)



Thermaltronics No.	Metcal Number	Description
M7CH175	STTC-136	chisel 30° tip 2.5mm (0.10")
M7CH176	STTC-137	chisel 30° tip 1.78mm (0.07")
M7CH177	STTC-138	chisel 30° tip 1.5mm (0.06")
M7CH178	STTC-125	chisel 30° tip 1.0mm (0.04")
M7CH179	STTC-125P	chisel Hi-Thermal tip 1.0mm (0.04")
M7CH250	STTC-117	chisel extra large tip 5.0mm (0.20")
M8CH250	STTC-817	chisel extra large tip 5.0mm (0.20") 800°
M7SB275	STTC-126	sharp bent 30° tip 0.4mm (0.016")
M7SB276	STTC-144	sharp bent 30° tip 0.5mm (0.02")

TIP TINNER increase tip life • better heat 1oz. block **\$11.46**

DESOLDERING BRAID

available on spools in these widths;



size A = .025"
size B = .050"
size C = .075"
size D = .100"
size E = .125"

Resin flux	5'	25'
A	\$6.75	---
B	6.75	28.00
C	6.85	28.00
D	7.10	30.00
E	9.10	---

SOLDER WARNING



Cancer and/or Reproductive Harm
www.P65Warnings.ca.gov/product

.025"	ROSIN CORE 63/37	1lb.	\$49.39
.032"	NO-CLEAN 63/37	1lb.	\$42.07
		1/2lb.	\$26.30
.032"	LEAD-FREE NO-CLEAN	1/4lb.	\$40.97
.032"	LEAD-FREE NO-CLEAN	1/2lb.	\$74.48
PASTE	NO-CLEAN 63/37	35g Syringe	\$27.52

SPONGES (size in mm)

(55 x 35)	\$1.95
(68 x 68)	\$2.75
(70 x 70)	\$2.95

SOLDER SUCKERS PLUNGER STYLE

6.5"	ANTI-STATIC; RUGGED METAL; MINI-TIP	\$8.39	repl. tip \$3.18
8"	HI-VACUUM FORCE; PLASTIC; HI-QUALITY	\$5.33	repl. tip \$2.01
13"	HEAVY DUTY PLASTIC; TEFLON TIP	\$8.61	repl. tip \$2.58



Cancer and/or Reproductive Harm
www.P65Warnings.ca.gov/product

- * 410°C, 110VAC
- * Pencil-tip goes to 1.3mm
- * Ceramic Heater

\$17.54

WIRE WRAPPING

30 AWG 105°C KYNAR*

WIRE WRAP WIRE



SPOOLS

100' 19.95
ALL TEN COLORS IN STOCK

HAND TOOL
WRAP/UNWRAP & STRIP \$24.95

WIRE WRAP POSTS

3 Level Tin 0.025"sq.

Socket

4/\$1

Fork

2/\$1



WIRE WRAP ID TAGS

8 PIN	10/\$1.95
14 PIN	5/\$1.95
18 PIN	5/\$1.95
20 PIN	5/\$1.95
22 PIN	5/\$1.95
24 PIN	5/\$2.95
24 PIN (0.3')	5/\$2.95
28 PIN	5/\$2.95

TERMINAL BLOCKS

PCB



- 0.2" lead spacing
- blocks slide together
- 16A 120° C
- wire guards
- access holes for test probes

2 pos. 3 pos.
3/\$1 2/\$1


Euro-Mag



- 15A @300V
- 105° C

1 x 2 \$2.41
1 x 10 \$1.50

Euro Style Cut-able Nylon



105° C
2 x 12
20A \$2.04
30A \$2.54
@ 600V

Heavy Duty 30A



300V 130° C
2 x 2 \$2.46
2 x 3 \$3.42
2 x 4 \$4.46
2 x 6 \$6.42
2 x 8 \$8.52



2/\$1.30

SOLDER LUGS



15/\$1



20/\$1



20/\$1




Lever Connectors

- Accepts 28-14 AWG solid or stranded and 12 AWG solid wire.

- Simple and secure.
- 600V rating.

2 pole 3/\$1
3 pole 2/\$1
5 pole 2/\$1.30



Transparent polycarbonate housing (flame-retardant to UL92-V2 or UL92-V0) allows for quick and accurate visual inspection.


HEATSINKS

DIMENSIONS ARE IN INCHES (WxLxH)

TO-220




30¢



"WINGED"
1-3/4 x 11/16 x 1/2
15¢ 100/\$13
ALSO STYLES WITH;
CLOSED BACK and/or
OPEN WING TIPS



CLIP-ON
1 x 1/2 x 1-1/4
20¢ 100/\$17




2 x 1-5/8 x 1
95¢



3/4 x 3/8 x 1-3/8
20¢

TO-3



TWO PIECE
1-1/4 x 1-1/2 x 1/2
SET/75¢



1-3/4 x 1-3/4 x 1-1/4
75¢

TO-5



1/2" Diameter
3/8" High
15¢


Heat SinkCompound

4 gram Pouch \$2.00
2 oz. Jar \$16.42
5 oz. Tube \$25.63

Thermally Conductive
Adhesive (2-Part Epoxy)
\$26.46

- 1:1 • 14.6 grams
- MG Chemicals 8329TCM-6ml

PGA



CLIP-ON HEAT SINK
FOR 486, 586, 860, 960
\$3.50

Uses '357' Coin Cell

6" DIGITAL CALIPERS


\$59.52

5 year warranty!

* selectable inch/metric
* thumb wheel for accuracy
* 4 measurements; inside, outside, depth and step

www.eclipsetools.com

Visit our 'Shop Online' for a more complete selection of tools...



FANS

40mm	5VDC	\$9.95
40mm	12VDC	5.95
50mm	12VDC	5.95
60mm	12VDC	6.95
80mm	24VDC	3.95
80mm	115VAC	11.95
80mm	240VAC	9.95
120mm	12VDC	8.95
120mm	24VDC	7.95
120mm	115VAC	17.95

CPU COOLER
SNAP-ON 12VDC 7.95

40mm	GUARD	1.00
90mm	GUARD	1.50
120mm	GUARD	1.50
170mm	GUARD	1.25
180mm	GUARD	1.50

FAN CORD 75¢

Dual Switching Power Supply



5V 5A and 12V 4A

- NEW in box (old stock)
- measures roughly 7-1/2" x 3-1/2" x 1-3/4"
- Made in Japan

\$9.95

AC to DC WALL ADAPTORS

110VAC IN

5V	0.3A	\$3.95
5V	1A	\$4.95
5V	1.5A	\$4.95
5V	2A	\$7.25
5V	4A	\$9.95
9V	.66A	\$5.95
12V	.5A	\$4.95
12V	1A	\$6.95
12V	1.5A	\$6.95
12V	2A	\$7.95
12V	3.3A	\$8.95
48V	0.5A	\$6.95
48V	1.36A	\$19.95

Univ. 0.5A \$4.95

STEP UP/DOWN TRANSFORMER

110VAC to 220VAC
or
220VAC to 110VAC

300 watt \$57.70
500 watt \$87.02



500VA VARIABLE TRANSFORMER



INPUT: 110 to 120 VAC

OUTPUT: < 4VAC to
line voltage + 10%

- 4 foot line cord
- 5 amp fuse
- lighted switch

\$127.41



WARNING!

The product on this page can expose you to chemicals including DEHP &/or Lead which is [are] known to the state of California to cause cancer, birth defects or other reproductive harm. For more information go to www.p65warnings.ca.gov

CHEMICALS in stock at Anchor Electronics

Visit our 'Shop Online' for a more complete selection of chemicals...
www.anchor-electronics.com



ALCOHOL
 99.953% Pure
 34oz. Bottle
 \$12.56



Ozone Safe
SUPER DUSTER
 100% HFC Gas
 10oz.
 \$9.93



SUPER FREEZE
 chills to -60°F
 Zero Residue
 10oz.
 \$21.62



EPOXY
1:1 BLACK
 (potting compound)
 26.2 grams
 \$20.60

SUPER GLUE
 1gram tube \$2.50
 10 gr. tube \$5.95

DISPENSERS

Pump Bottle
 4 oz. \$6.39
 8 oz. \$10.00

Needle-tip
 Squeeze Bottle
 \$3.50 (2pcs)

ROSIN FLUX

Liquid
 4.2oz. \$12.90

Paste
 50gr jar \$11.83

FLUX REMOVER

Heavy Duty
 15oz. \$23.96
 Safe On Plastics
 14oz. \$19.23

CONTACT CLEANER

Zero Residue
 12oz. \$25.05
 w/ Silicones
 12oz. \$22.74
 w/ Poly Phenyl Ether
 4.4oz. \$30.03

SUPER WASH

Cleaner/
 Degreaser
 15oz.
 \$30.38



PENS

Flux (Kester 951) \$4.95
 Conductive \$22.09
 Overcoat \$20.72

THREAD-LOCKER

High Strength
 0.2oz.
 \$9.95

SILICONE GREASE

3oz.
 \$18.12
 Translucent
 Silicone
RTV
 2.8oz.
 \$16.46

CONFORMAL COATING

Silicone Spray
 12oz. \$39.29
 Conformal Coating
 Stripper Pen
 0.33oz. \$22.62

Thermally Conductive Adhesive

\$26.46
 • 1:1
 • 14.6 grams

Creating Your Own Printed Circuit Board

We stock:

Liquid Tin 4.2 fl. oz. \$37.85
 Ferric Chloride 34oz. \$18.01



RED VARNISH

For
 Insulating
 2oz.
 \$24.43



SUPER CORONA DOPE

2oz.
 \$21.78

TAPE

• Silicone • Bonds to itself
 • No adhesive • No residue
 • Insul. to 8kV • 500°
RED
 Made in U.S.A.
 10' roll
 \$4.95

ELECTRICAL

7mil 3/4" x 20yd.
 blk, red, org,
 yel, grn, gray, wht
 \$2.66

COPPER

2.6mil 18 yard rolls
 1/4" \$12.89
 1/2" \$16.95

POLYIMIDE

1mil 36 yard rolls
 1/4" \$8.00
 1/2" \$16.95
 3/4" \$18.75
 1" \$19.95
 2" \$44.00




WARNING

Some of the products on this page may contain
 Proposition 65 ingredients, please read the label
 carefully prior to purchase.

For more information go to www.P65Warnings.ca.gov.

P.C./PROTOTYPE BOARDS

BLANK BOARD HOLES ON .1" CENTERS 4x5 \$4.99 4.5x 6.5 \$7.50 10x10 \$22.50 10x20 \$45.00	LED Prototyping white soldermask common bus pwr traces locations for resistor/LED prototyping area for drivers 12-LED \$6.49 2" dia. circular board 24-LED \$10.49 4" dia. circular board 20-LED \$6.49 1" x 4" board 108-LED \$14.95 4" x 5" board	SOLDERLESS COMBINING TERMINAL & DISTR. BUILD. BLKS. .1"x.1" PLUG-IN 2.625 x 3.375 \$5.25 2 x 6.5 \$19.95 w/THREE BINDING POSTS 4.25 x 6.5 \$24.95 w/THREE BINDING POSTS JUMPER WIRE KIT \$6.95	GOOD SELECTION of ADAPTER Boards and BREAKOUT Boards for; SMT ICs SMIT Connectors USB Connectors D Connectors RJ45 Connectors
PAD-PER-HOLE HOLES ON .1" CENTERS 2x2 \$2.00 2x4 \$4.00 4x4 \$8.00 4x5 \$11.80 4.5x 6.5 \$21.24 4x10 \$23.60 10x10 \$63.75 w/GND PLANE ONE SIDE: 4x5 \$11.80 4.5x 6.5 \$19.67 4x10 \$23.60 w/GND PLANE BOTH SIDES: 4x5 \$11.80 4.5x 6.5 \$19.67 4x10 \$23.60	BUSBARS LAMINATED STRIPS 1/4" HIGH 3" LONG 25/\$4.95 PIN EVERY 5/16", THEN 3/16" 14" LONG 10/\$4.95 PIN EVERY 3/4"	IBM PC GENERAL PURPOSE WIRE WRAP PROTOBRD \$27.95 AS ABOVE w/ DECODING LAYOUT \$29.95 S-100 CCS2065 64K DYNAMIC RAM BRD. USES 4116's \$24.95 CCS2710 4 PORT SERIAL I/O BRD. USES 8255's \$2.95 CCS2718 2 SERIAL + 2 PARALLEL \$24.95	Test Points with Glass Insulator (Two Sizes)  Blue, Yellow, Green, White, Red, Black www.e-markinc.com 5/\$1 More test points In showroom...
2mm Spacing 6.3x3.9 \$22.50 (mimics 3U dimensions) 0.05" Spacing 3x4.5 \$14.95 (incl. 2x18 C/E fingers)	COPPER CLAD • 1-SIDE • 1oz. COPPER NO HOLES 2x4 \$1.51 4x6 \$3.02 12x12 \$14.61 • 2-SIDED • 1oz. COPPER NO HOLES 6x6 \$4.21 8x10 \$10.09		

Arduino Compatible

from China

Uno

r.3	\$8.95
Motor L293D Shield	\$5.25
Sensor Shield	\$3.95
Prototyping Shield ...	\$2.95

Mega 2560 Pro \$26.00

Nano 3.0 \$9.95

Pro Micro 32u4 \$10.95

modules (have I/O pins)

USB to UART TTL Converter	\$4.95
Bluetooth HC-05 Master/Slave	\$7.95
FT232H USB to JTAG	\$16.95
Passive Infrared Motion Detection	\$3.49
Multi-Function Expansion Shield	\$4.95
1.30" OLED LCD Display (white).....	\$9.95
Line Track Follower	\$7.95
Micro SD Storage Shield (SPI)	\$1.95
Voice Detection	\$1.25
Real Time Clock	\$4.95
Temperature & Humidity	\$2.95
BMP280 Temp & Pressure	\$6.95
BME680 T/H/P & Indoor Air Quality	\$11.95
2.4GHz Wireless Transceiver	\$2.50
IR Obstacle Avoidance	\$1.95
Ultrasonic Range Finder	\$2.40
Traffic Light Display	\$3.95
(4) 16-bit A/D channels	\$8.95

accessories

Mini Gear Micro Servo	\$3.49
3-wire Voltmeter	\$3.95
USB Voltmeter/Ammeter (4-30V)	\$5.95
Type C - as above Voltmeter/Ammeter	\$12.95
555 Square Wave Generator (adj.)	\$2.95
Hall-Effect Switch (speed counting)	\$2.95
DC-DC step-up Power Converter	\$4.95
Rotary Encoder 20-pos. switch	\$1.95

ENCLOSURES

JIFFY BOX CHASSIS by LMB

NO SCREWS - SNAPS TOGETHER
14ga. PLAIN ALUMINUM

J870	2-3/4"	2-1/8"	1-5/8"	\$7.83
J876	4	2	2-3/4"	\$10.68
J880	5-1/4	3	2-1/8"	\$12.57
J881	6	5	4	\$22.29
J882	7	5	3	\$22.58
J883	8	6	3-1/2	\$27.48
J884	10	6	3-1/2	\$32.48
.. 1411XU	12	7	4	\$38.00

Hi-Impact PLASTIC 2-piece

very shallow lid w/screw for each corner
by LMB

P100	1.51" x	.785" x	2.26"	\$3.39
P101	2.46	1	2.99	\$8.90
P103	2.49	1.6	2.99	\$9.42
P104	2.50	1.6	5	\$10.31

ABS PLASTIC INSTRUMENT CASES by ECLIPSE

7.87" x 6.29" x 2.51"	\$11.13
9.84" x 7.48" x 3.07"	\$14.03

DIECAST Aluminum

by HAMMOND Series 1590

• lap joint • unpainted

(dimensions in mm L/W/H)

1590LB	51	51	31	\$8.00
1590A	93	39	31	\$8.10
1590B	112	61	31	\$9.50
1590BB	120	94	34	\$12.30
1590C	120	94	57	\$14.75
1590DD	188	120	37	\$22.00
1590D	188	120	56	\$26.00

Trapezoid 112L \$12.15

95L \$14.15

Octagon 133L \$15.12

.. new mfg - uses screws

BUMPERS

adhesive-backed
polyurethane

CYLINDRICAL

12.7mm dia.
3.5mm high 50/\$2.99 black
50/\$2.99 clear

HEMISPHERICAL

11.1mm dia.
5.1mm high 44/\$1.79 black

9.5mm dia.
3.8mm high 36/\$1.52 black

9.5mm dia.
5.4mm high 60/\$2.75 black

SQUARE

19.8mm sq.
9.7mm high 6/95c black

TAPERED

20.6mm sq. base
7.6mm high
14/\$1.96 black

RECESSED

22.3mm dia.
10.2mm high
4/\$1 black

HARDWARE



We have a decent
selection of screws,
nuts, washers, and
standoffs.

Even some gears,
pulleys, and rods...

BATTERIES

Alkaline;

AA	4/\$2.75
AAA	4/\$2.95
9V	\$2.50

Lithium;

CR123 \$3.40

Coin Cells;

CR2032 3V 85c

GROMMETS

Many Different Sizes in Stock
From 1/8" x 1/4"
To 7/8" x 3/4"



WARNING

Cancer and/or Reproductive Harm
www.P65Warnings.ca.gov/product



BATTERY HOLDERS



P.C.B. 2-pin
AA 4/\$1

WARNING!
This product can
expose you to
chemicals
including DEHP &/
or Lead which is
[are] known to the
state of California
to cause cancer,
birth defects or
other reproductive
harm. For more
information go to
www.p65warnings.ca.gov

9V plastic tray w/screw-down
holes& solder lug conn. 57¢
snaps/clips w/4" leads, 5/\$1

(1) CR2032 coin cell P.C.B.	77c
(2) AAA w/switch & 6" wires	\$1.75
(4) AAA w/switch & 6" wires	\$1.76
(1) AA w/solder tabs	2/1.08
(2) AA w/switch & 6" wires	\$2.25
(3) AA w/switch & 6" wires	\$2.01
(4) AA w/switch & 6" wires	\$2.80
(2) C w/solder tabs	\$1.26
(2) D w/solder tabs	\$1.29
(1) 1865 w/6" wires	\$1.34
(2) 1865 w/6" wires	\$2.34

Anchor Electronics

(408) 727-3693 • fax 408-727-4424 2040 Walsh Ave., Santa Clara, CA 95050

Visit our showroom for the best selection, with one-of-a-kind goodies...
If you're unable to come in be sure to download our latest inventory from our website.
And enjoy browsing our online shop! Some examples are shown here...



Foot Strap
★★★★★
\$7.57
This has a dual-layered cup and resistivity of 1-2 Megohms.
WARNING: Cancer and Reproductive Harm
www.PCMaterials.com.gov
SKU: 980-687
Categories: Static Control, static control
ADD TO CART



Cigarette Lighter Adapters
★★★★★
\$0.95 - \$8.92
Select "style" to see variations...
style: plug or AC-to-USB
\$5.95
ADD TO CART




Powerstat 216CU
★★★★★
\$195.00
• Heavy Duty VARIAC
• 1-Phase
• 240VAC, 3.5A
• Clock-Wise Rotation
• Used, but good condition.
ADD TO CART
SKU: powerstat 216cu
Category: Just Happen to Have...



Test Lead Wire
★★★★★
\$1.65
• Super Flexible
• 38 AWG, shielded, stranded wire.
• Rubber insulation has an O.D. of 0.130"
• 2000V PIV
ADD TO CART



Wrench Set
★★★★★
\$19.95
• 4.5"
• Smooth black oxide finish jaws.
• Aluminum hex handles.
• 1 each: 3/32", 1/8", 5/32", 3/16", 1/4", 5/16"
• Made in India
ADD TO CART



Miniature Reamers
★★★★★
\$19.95
• 6-piece set
• These handy tools finish up the job when drills cannot deliver an exact size hole.
• Assorted sizes, drill gauge 42 to 73.
• Ergonomic handles shaped for easy gripping.
• Sturdy vinyl storage pouch included.
• Made in Taiwan

BARGAIN BOARD

PM Stepper Motor
24 Steps/Rotation
\$7.95
Minebea PM25L-024

Power Cord
3 Feet Long
\$1.95
Tripp-Lite P006-003

Miniature Microphone
10mm mic with 10" leads
\$1

SCOPE PROBE
100MHz
\$24.95
(pkg. of 2)

1N5817
T&R SPOOL OF 5,000
\$250.

1/4W
5% RESISTORS
5K/\$5.95
(5,000pcs.)

SOLD BY SPOOL ONLY
ANY VALUE(S) BELOW

1.2ohm	2.7K
47	4.3K
130	12K
15	15K
510	18K
680	30K
910	62K
2.4K	330K

I.C. BLOWOUT

50 PC. MINIMUM PER ITEM

7400			74LS00			74S00			4000		
02	.10	160 .30	10	.10	191 .25	40	.15	4002	.10		
10	.10	163 .30	42	.15	193 .35	64	.17	4008	.35		
14	.20	164 .30	90	.20	194 .30	112	.25	4023	.12		
27	.20	165 .37	96	.35	241 .30	113	.25	4025	.12		
30	.12	166 .35	107	.17	243 .30	114	.30	4028	.25		
54	.22	191 .35	132	.20	253 .20	132	.35	4050	.15		
75	.20	193 .35	151	.20	257 .20	161	.29	4051	.15		
79	.30	195 .40	156	.25	290 .40	163	.99	4077	.12		
92	.28	198 .80	158	.17	366 .20	373	.75	4099	.37		
116	.93	221 .45	160	.30	368 .20						
153	.20	366 .30	162	.30	377 .40						
155	.20	367 .27	166	.45	390 .40						
157	.25										

USED TEST EQUIPMENT

Bird Electronics TS-118A/AP, RF Wattmeter - \$125.
Fluke 721A, Lead Compensator - \$175.
General Radio 1412-BC, Decade Cap Box - \$275.
HP435B, Power Meter - \$65.
HP5328A, Universal Counter - \$95.
HP8702, Lightwave Component Analyzer - \$995.
Simco EA-2, Electrostatic Analyzer w/case and manual - \$225.
Schlumberger 1200, Signal Processor - \$395.
Systron Donner 1702, Synthesized Signal Generator - \$295.
TEAC AN-60, Noise Reduction Unit - \$95.
Teledyne LeCroy WaveAce 212, 2-ch 100MHz Dig. Scope - \$195.
Velonex V-2269, Isolation Network Plug-in - \$195.
Wavetek 802, Pulse Generator - \$75.

THERMISTORS

500 Ω	Dexter 3DC501 K		50c
5K	1DC502K		75c
10K	NTCLE350E4103JHBO		95c

TOTAL PHASE

the ABC's of
Host Adapters and Protocol Analyzers...



HOST ADAPTERS

<u>Aardvark</u>	I2C/SPI Host Adapter	TP240141	\$375.
<u>Cheetah</u>	SPI Host Adapter	TP280121	\$450.

PROTOCOL ANALYZERS

<u>Beagle</u>	I2C/SPI/MDIO Proto.Analyz.	TP320121	\$450.
---------------	----------------------------	----------	--------

CABLES

10-pin Split Cable	TP240212	\$30.
--------------------	----------	-------




TEST BOARDS

I2C/SPI Activity Board	TP240310	\$60.
Level Shifter Board	TP240610	\$150.

POLICY

- * Prices Subject To Change Without Notice.
- * All Sales Are Final.
- * We Only Label Parts That Are Unmarked.
- * CheckWriters Must Meet The Following;
 1. Have A Valid CA Driver's License.
 2. Have A Local Residence Address; (Within A Twenty Mile Radius.)
- * Anchor Reserves The Right To Refuse Any Check.
- * \$20. Fee On Returned Checks.
- * Any Discrepancy Or Shortage Must Be Reported The Same Day As The Order Is Received.
- * Any Claims Of Defective Parts Must Be Reported Within 14 Days Of Purchase And Are Subject To Approval By Management. Receipt Must Accompany Return. No Returns On Soldered Or Damaged Parts.
- * Mailorder/Phoneorder Payment; VISA, Mastercard, AmEx, Discover
- * No C.O.D.
- * We Ship Via FedEx or USPS.
- * We Ship To USA & Canada Addresses Only.



2040 Walsh Ave. Santa Clara, CA 95050 (almost the SW corner of Scott Blvd & Walsh)