

Write a multithreaded program that implements the **banker's algorithm** discussed in class and Section 7.5.3. Create n threads that request and release resources from the bank. The banker will grant the request only if it leaves the system in a safe state. This program should use Java threads.

The following programs are included in the package (You *only* need to complete **BankImpl** class):

1. class **SleepUtilities**: utilities for causing a thread to sleep.
2. interface **Bank**: This is the interface for BankImpl class.
3. class **BankImpl**: **This is the only program you need to complete.**
This class implements the Bank interface. It provides methods needed in Banker's algorithms.
You need to fill in the blanks in the following methods:

```
private boolean isSafeState (int threadNum, int[] request)
public synchronized boolean requestResources(int threadNum, int[]
request)
public synchronized void releaseResources(int threadNum, int[] release)
```

Note: need is always maximum **minus** allocation, including in the releaseResources method.

4. class **Customer**: In this implementation, customers are "processes" in the description of Banker's algorithm. A customer requests, uses, and then releases resources. From the field of this class, you can see that we assume 5 customers (threads).
5. class **Factory**: this is the main class that you should run from.

To run the application, use command:

```
java Factory <one or more resources>
e.g. java Factory 10 5 7
```

The package also includes an input file (infile.txt). It keeps a record the maximum resources that each customer demands. The Factory class reads from this file.