
Figure S2 | 10% noise, seed 101

Joint-library run, block 1; two held-out trajectories




Green = true positive; orange = false positive; rose = missed term. Numbers show coefficients.

Test NRMSE 0.0565; selected Hill exponent 9.26 (truth 9.5); exponential rate 9.2.

Figure S2 | 10% noise, seed 102

Joint-library run, block 2; two held-out trajectories




Green = true positive; orange = false positive; rose = missed term. Numbers show coefficients.

Test NRMSE 0.106; selected Hill exponent 8.51 (truth 9.5); exponential rate 5.3.

Figure S2 | 10% noise, seed 103

Joint-library run, block 3; two held-out trajectories




Green = true positive; orange = false positive; rose = missed term. Numbers show coefficients.

Test NRMSE 0.0578; selected Hill exponent 4.7 (truth 9.5); exponential rate 5.56.

Figure S2 | 10% noise, seed 104

Joint-library run, block 4; two held-out trajectories




Green = true positive; orange = false positive; rose = missed term. Numbers show coefficients.

Test NRMSE 0.0332; selected Hill exponent 11.6 (truth 9.5); exponential rate 6.15.

Figure S2 | 10% noise, seed 105

Joint-library run, block 5; two held-out trajectories




Green = true positive; orange = false positive; rose = missed term. Numbers show coefficients.

Test NRMSE 0.0621; selected Hill exponent 4.93 (truth 9.5); exponential rate 5.57.

Figure S2 | 10% noise, seed 106

Joint-library run, block 6; two held-out trajectories



Green = true positive; orange = false positive; rose = missed term. Numbers show coefficients.

Test NRMSE 0.0909; selected Hill exponent 8.98 (truth 9.5); exponential rate 7.8.

Figure S2 | 10% noise, seed 107

Joint-library run, block 7; two held-out trajectories

a


Truth

	$\dot{x}$	$\dot{y}$	$\dot{z}$
x	-0.2	1	
y		-0.15	1
z			-0.1
x^2			
y^2			
z^2			
$x\,y$			
$x\,z$			
$y\,z$			
$h(x)$			
$h(y)$			
$h(z)$	1		
$exp(-0.17\,x)$			
$exp(-0.17\,y)$			
$exp(-0.17\,z)$			

Selected model

	$\dot{x}$	$\dot{y}$	$\dot{z}$
x	-0.2	1	
y		-0.15	0.99
z			-0.098
x^2			
y^2			
z^2			
$x\,y$			
$x\,z$			
$y\,z$			
$h(x)$			
$h(y)$			
$h(z)$	1		
$exp(-0.17\,x)$			
$exp(-0.17\,y)$			
$exp(-0.17\,z)$			

b



Green = true positive; orange = false positive; rose = missed term. Numbers show coefficients.

Test NRMSE 0.0113; selected Hill exponent 9.61 (truth 9.5); exponential rate 0.167.


Figure S2 | 10% noise, seed 108

Joint-library run, block 8; two held-out trajectories

a

	Truth $\dot{x}$	Truth $\dot{y}$	Truth $\dot{z}$	Selected model $\dot{x}$	Selected model $\dot{y}$	Selected model $\dot{z}$
x	-0.2	1		-0.2	1	
y		-0.15	1		-0.15	0.99
z			-0.1			-0.099
x^2						
y^2						
z^2						
$x\,y$						
$x\,z$						
$y\,z$						
$h(x)$						
$h(y)$						
$h(z)$	1			0.82		
$exp(-9.00\,x)$						
$exp(-9.00\,y)$						
$exp(-9.00\,z)$						

b





Green = true positive; orange = false positive; rose = missed term. Numbers show coefficients.

Test NRMSE 0.0423; selected Hill exponent 9.44 (truth 9.5); exponential rate 9.

Figure S2 | 10% noise, seed 109

Joint-library run, block 9; two held-out trajectories






Green = true positive; orange = false positive; rose = missed term. Numbers show coefficients.

Test NRMSE 0.0202; selected Hill exponent 9.84 (truth 9.5); exponential rate 1.29.

Figure S2 | 10% noise, seed 110

Joint-library run, block 10; two held-out trajectories



Green = true positive; orange = false positive; rose = missed term. Numbers show coefficients.

Test NRMSE 0.0448; selected Hill exponent 8.63 (truth 9.5); exponential rate 1.98.