

Noise 0% | Seed 11








State *x* · State *z* · Noisy observation
State *y* · Clean reference · Selected-model rollout

Coefficient cells: green = true positive; orange = false positive; red = false negative.
A dash denotes a coefficient below the configured support tolerance.
Test data are shared across methods and used for reporting, not selection.
Pareto color: DW deviation (lower is better); star: validation-selected model.
Fit/DW references: noisy observations for Strong + SG/raw Weak; smoothed for Weak + SG.

Strong + SG










Selected coefficient table · FP=4, FN=1

	$\dot{x}$	$\dot{y}$	$\dot{z}$
x	—	1	—
y	-0.0254	-0.15	1
z	—	—	-0.1
x^2	—	—	—
y^2	0.021	—	—
z^2	—	—	—
xy	—	—	—
xz	-0.0733	—	—
yz	0.00346	—	—
Hill(x)	—	—	—
Hill(y)	—	—	—
Hill(z)	0.515	—	—

Weak, optimized









Selected coefficient table · FP=0, FN=0

	$\dot{x}$	$\dot{y}$	$\dot{z}$
x	-0.2	1	—
y	—	-0.15	1
z	—	—	-0.1
x^2	—	—	—
y^2	—	—	—
z^2	—	—	—
xy	—	—	—
xz	—	—	—
yz	—	—	—
Hill(x)	—	—	—
Hill(y)	—	—	—
Hill(z)	1	—	—

Weak, optimized + SG










Selected coefficient table · FP=0, FN=0

	$\dot{x}$	$\dot{y}$	$\dot{z}$
x	-0.2	1	—
y	—	-0.15	1
z	—	—	-0.1
x^2	—	—	—
y^2	—	—	—
z^2	—	—	—
xy	—	—	—
xz	—	—	—
yz	—	—	—
Hill(x)	—	—	—
Hill(y)	—	—	—
Hill(z)	1	—	—

Noise 0% | Seed 22










Coefficient cells: green = true positive; orange = false positive; red = false negative.
A dash denotes a coefficient below the configured support tolerance.
Test data are shared across methods and used for reporting, not selection.
Pareto color: DW deviation (lower is better); star: validation-selected model.
Fit/DW references: noisy observations for Strong + SG/raw Weak; smoothed for Weak + SG.

Strong + SG










Selected coefficient table · FP=4, FN=1

	$\dot{x}$	$\dot{y}$	$\dot{z}$
x	—	1	—
y	-0.0254	-0.15	1
z	—	—	-0.1
x^2	—	—	—
y^2	0.021	—	—
z^2	—	—	—
xy	—	—	—
xz	-0.0733	—	—
yz	0.00346	—	—
Hill(x)	—	—	—
Hill(y)	—	—	—
Hill(z)	0.515	—	—

Weak, optimized








Selected coefficient table · FP=3, FN=0

	$\dot{x}$	$\dot{y}$	$\dot{z}$
x	-0.2	1	—
y	—	-0.15	1
z	—	—	-0.1
x^2	—	—	—
y^2	—	7.9e-06	—
z^2	—	—	—
xy	—	—	—
xz	—	3.6e-05	—
yz	—	-4.3e-06	—
Hill(x)	—	—	—
Hill(y)	—	—	—
Hill(z)	1	—	—

Weak, optimized + SG









Selected coefficient table · FP=1, FN=0

	$\dot{x}$	$\dot{y}$	$\dot{z}$
x	-0.2	1	—
y	—	-0.15	1
z	—	—	-0.1
x^2	—	—	—
y^2	—	—	—
z^2	—	—	—
xy	—	—	—
xz	—	—	—
yz	—	—	9.7e-06
Hill(x)	—	—	—
Hill(y)	—	—	—
Hill(z)	1	—	—

Noise 0% | Seed 33








State *x* · State *z* · Noisy observation
State *y* · Clean reference · Selected-model rollout

Coefficient cells: green = true positive; orange = false positive; red = false negative.
A dash denotes a coefficient below the configured support tolerance.
Test data are shared across methods and used for reporting, not selection.
Pareto color: DW deviation (lower is better); star: validation-selected model.
Fit/DW references: noisy observations for Strong + SG/raw Weak; smoothed for Weak + SG.

Strong + SG










Selected coefficient table · FP=4, FN=1

	$\dot{x}$	$\dot{y}$	$\dot{z}$
x	—	1	—
y	-0.0254	-0.15	1
z	—	—	-0.1
x^2	—	—	—
y^2	0.021	—	—
z^2	—	—	—
xy	—	—	—
xz	-0.0733	—	—
yz	0.00346	—	—
Hill(x)	—	—	—
Hill(y)	—	—	—
Hill(z)	0.515	—	—

Weak, optimized










Selected coefficient table · FP=0, FN=0

	$\dot{x}$	$\dot{y}$	$\dot{z}$
x	-0.2	1	—
y	—	-0.15	1
z	—	—	-0.1
x^2	—	—	—
y^2	—	—	—
z^2	—	—	—
xy	—	—	—
xz	—	—	—
yz	—	—	—
Hill(x)	—	—	—
Hill(y)	—	—	—
Hill(z)	1	—	—

Weak, optimized + SG









Selected coefficient table · FP=0, FN=0

	$\dot{x}$	$\dot{y}$	$\dot{z}$
x	-0.2	1	—
y	—	-0.15	1
z	—	—	-0.1
x^2	—	—	—
y^2	—	—	—
z^2	—	—	—
xy	—	—	—
xz	—	—	—
yz	—	—	—
Hill(x)	—	—	—
Hill(y)	—	—	—
Hill(z)	1	—	—

Noise 0% | Seed 44








State x · State z · Noisy observation
State y · Clean reference · Selected-model rollout

Coefficient cells: green = true positive; orange = false positive; red = false negative.
A dash denotes a coefficient below the configured support tolerance.
Test data are shared across methods and used for reporting, not selection.
Pareto color: DW deviation (lower is better); star: validation-selected model.
Fit/DW references: noisy observations for Strong + SG/raw Weak; smoothed for Weak + SG.

Strong + SG










Selected coefficient table · FP=4, FN=1

	$\dot{x}$	$\dot{y}$	$\dot{z}$
x	—	1	—
y	-0.0254	-0.15	1
z	—	—	-0.1
x^2	—	—	—
y^2	0.021	—	—
z^2	—	—	—
xy	—	—	—
xz	-0.0733	—	—
yz	0.00346	—	—
Hill(x)	—	—	—
Hill(y)	—	—	—
Hill(z)	0.515	—	—

Weak, optimized









Selected coefficient table · FP=0, FN=0

	$\dot{x}$	$\dot{y}$	$\dot{z}$
x	-0.2	1	—
y	—	-0.15	1
z	—	—	-0.1
x^2	—	—	—
y^2	—	—	—
z^2	—	—	—
xy	—	—	—
xz	—	—	—
yz	—	—	—
Hill(x)	—	—	—
Hill(y)	—	—	—
Hill(z)	1	—	—

Weak, optimized + SG










Selected coefficient table · FP=1, FN=0

	$\dot{x}$	$\dot{y}$	$\dot{z}$
x	-0.2	1	—
y	—	-0.15	1
z	—	—	-0.1
x^2	—	—	—
y^2	—	—	—
z^2	—	—	—
xy	—	—	—
xz	—	—	—
yz	—	—	7.2e-06
Hill(x)	—	—	—
Hill(y)	—	—	—
Hill(z)	1	—	—

Noise 0% | Seed 55










Coefficient cells: green = true positive; orange = false positive; red = false negative.
A dash denotes a coefficient below the configured support tolerance.
Test data are shared across methods and used for reporting, not selection.
Pareto color: DW deviation (lower is better); star: validation-selected model.
Fit/DW references: noisy observations for Strong + SG/raw Weak; smoothed for Weak + SG.

Strong + SG










Selected coefficient table · FP=4, FN=1

	$\dot{x}$	$\dot{y}$	$\dot{z}$
x	—	1	—
y	-0.0254	-0.15	1
z	—	—	-0.1
x^2	—	—	—
y^2	0.021	—	—
z^2	—	—	—
xy	—	—	—
xz	-0.0733	—	—
yz	0.00346	—	—
Hill(x)	—	—	—
Hill(y)	—	—	—
Hill(z)	0.515	—	—

Weak, optimized









Selected coefficient table · FP=0, FN=0

	$\dot{x}$	$\dot{y}$	$\dot{z}$
x	-0.2	1	—
y	—	-0.15	1
z	—	—	-0.1
x^2	—	—	—
y^2	—	—	—
z^2	—	—	—
xy	—	—	—
xz	—	—	—
yz	—	—	—
Hill(x)	—	—	—
Hill(y)	—	—	—
Hill(z)	1	—	—

Weak, optimized + SG










Selected coefficient table · FP=0, FN=0

	$\dot{x}$	$\dot{y}$	$\dot{z}$
x	-0.2	1	—
y	—	-0.15	1
z	—	—	-0.1
x^2	—	—	—
y^2	—	—	—
z^2	—	—	—
xy	—	—	—
xz	—	—	—
yz	—	—	—
Hill(x)	—	—	—
Hill(y)	—	—	—
Hill(z)	1	—	—

Noise 5% | Seed 11










Coefficient cells: green = true positive; orange = false positive; red = false negative.
A dash denotes a coefficient below the configured support tolerance.
Test data are shared across methods and used for reporting, not selection.
Pareto color: DW deviation (lower is better); star: validation-selected model.
Fit/DW references: noisy observations for Strong + SG/raw Weak; smoothed for Weak + SG.

Strong + SG










Selected coefficient table · FP=11, FN=0

	$\dot{x}$	$\dot{y}$	$\dot{z}$
x	-0.104	1	—
y	-0.00858	-0.15	0.998
z	—	—	-0.103
x^2	-0.0564	—	1.2
y^2	0.00962	—	0.144
z^2	—	—	0.00169
xy	—	—	-1.17
xz	-0.0281	—	0.225
yz	8.6e-04	—	-0.0349
Hill(x)	—	—	—
Hill(y)	—	—	—
Hill(z)	0.799	—	—

Weak, optimized










Selected coefficient table · FP=0, FN=0

	$\dot{x}$	$\dot{y}$	$\dot{z}$
x	-0.196	0.987	—
y	—	-0.15	1.02
z	—	—	-0.0998
x^2	—	—	—
y^2	—	—	—
z^2	—	—	—
xy	—	—	—
xz	—	—	—
yz	—	—	—
Hill(x)	—	—	—
Hill(y)	—	—	—
Hill(z)	0.67	—	—

Weak, optimized + SG









Selected coefficient table · FP=0, FN=0

	$\dot{x}$	$\dot{y}$	$\dot{z}$
x	-0.2	0.993	—
y	—	-0.149	0.996
z	—	—	-0.1
x^2	—	—	—
y^2	—	—	—
z^2	—	—	—
xy	—	—	—
xz	—	—	—
yz	—	—	—
Hill(x)	—	—	—
Hill(y)	—	—	—
Hill(z)	0.963	—	—

Noise 5% | Seed 22










Coefficient cells: green = true positive; orange = false positive; red = false negative.
A dash denotes a coefficient below the configured support tolerance.
Test data are shared across methods and used for reporting, not selection.
Pareto color: DW deviation (lower is better); star: validation-selected model.
Fit/DW references: noisy observations for Strong + SG/raw Weak; smoothed for Weak + SG.

Strong + SG










Selected coefficient table · FP=7, FN=0

	$\dot{x}$	$\dot{y}$	$\dot{z}$
x	0.14	0.999	—
y	-0.0525	-0.151	1.01
z	0.00225	—	-0.101
x^2	-0.289	—	—
y^2	0.0211	—	—
z^2	-1.7e-04	—	—
xy	—	—	—
xz	-0.0551	—	—
yz	0.00367	—	—
Hill(x)	—	—	—
Hill(y)	—	—	—
Hill(z)	0.377	—	—

Weak, optimized










Selected coefficient table · FP=0, FN=0

	$\dot{x}$	$\dot{y}$	$\dot{z}$
x	-0.2	0.997	—
y	—	-0.148	1.02
z	—	—	-0.1
x^2	—	—	—
y^2	—	—	—
z^2	—	—	—
xy	—	—	—
xz	—	—	—
yz	—	—	—
Hill(x)	—	—	—
Hill(y)	—	—	—
Hill(z)	0.648	—	—

Weak, optimized + SG










Selected coefficient table · FP=0, FN=0

	$\dot{x}$	$\dot{y}$	$\dot{z}$
x	-0.199	1	—
y	—	-0.151	1
z	—	—	-0.0997
x^2	—	—	—
y^2	—	—	—
z^2	—	—	—
xy	—	—	—
xz	—	—	—
yz	—	—	—
Hill(x)	—	—	—
Hill(y)	—	—	—
Hill(z)	0.984	—	—

Noise 5% | Seed 33










Coefficient cells: green = true positive; orange = false positive; red = false negative.
A dash denotes a coefficient below the configured support tolerance.
Test data are shared across methods and used for reporting, not selection.
Pareto color: DW deviation (lower is better); star: validation-selected model.
Fit/DW references: noisy observations for Strong + SG/raw Weak; smoothed for Weak + SG.

Strong + SG










Selected coefficient table · FP=12, FN=0

	$\dot{x}$	$\dot{y}$	$\dot{z}$
x	0.114	1	-0.281
y	-0.0558	-0.15	1.06
z	0.00113	—	-0.103
x^2	-0.201	—	—
y^2	0.0248	—	—
z^2	-1.5e-04	—	6.5e-04
xy	—	—	—
xz	-0.0648	—	0.0646
yz	0.00498	—	-0.0112
Hill(x)	—	—	—
Hill(y)	0.00366	—	—
Hill(z)	0.476	—	—

Weak, optimized










Selected coefficient table · FP=0, FN=0

	$\dot{x}$	$\dot{y}$	$\dot{z}$
x	-0.195	1.02	—
y	—	-0.152	1
z	—	—	-0.0998
x^2	—	—	—
y^2	—	—	—
z^2	—	—	—
xy	—	—	—
xz	—	—	—
yz	—	—	—
Hill(x)	—	—	—
Hill(y)	—	—	—
Hill(z)	0.751	—	—

Weak, optimized + SG










Selected coefficient table · FP=0, FN=0

	$\dot{x}$	$\dot{y}$	$\dot{z}$
x	-0.199	1	—
y	—	-0.151	1.01
z	—	—	-0.1
x^2	—	—	—
y^2	—	—	—
z^2	—	—	—
xy	—	—	—
xz	—	—	—
yz	—	—	—
Hill(x)	—	—	—
Hill(y)	—	—	—
Hill(z)	0.961	—	—

Noise 5% | Seed 44










Coefficient cells: green = true positive; orange = false positive; red = false negative.
A dash denotes a coefficient below the configured support tolerance.
Test data are shared across methods and used for reporting, not selection.
Pareto color: DW deviation (lower is better); star: validation-selected model.
Fit/DW references: noisy observations for Strong + SG/raw Weak; smoothed for Weak + SG.

Strong + SG










Selected coefficient table · FP=4, FN=1

	$\dot{x}$	$\dot{y}$	$\dot{z}$
x	—	1.02	—
y	-0.026	-0.152	1
z	—	—	-0.1
x^2	—	—	—
y^2	0.0227	—	—
z^2	—	—	—
xy	—	—	—
xz	-0.076	—	—
yz	0.00345	—	—
Hill(x)	—	—	—
Hill(y)	—	—	—
Hill(z)	0.556	—	—

Weak, optimized









Selected coefficient table · FP=0, FN=0

	$\dot{x}$	$\dot{y}$	$\dot{z}$
x	-0.197	0.964	—
y	—	-0.143	1.02
z	—	—	-0.104
x^2	—	—	—
y^2	—	—	—
z^2	—	—	—
xy	—	—	—
xz	—	—	—
yz	—	—	—
Hill(x)	—	—	—
Hill(y)	—	—	—
Hill(z)	0.802	—	—

Weak, optimized + SG










Selected coefficient table · FP=0, FN=0

	$\dot{x}$	$\dot{y}$	$\dot{z}$
x	-0.2	1.02	—
y	—	-0.152	0.99
z	—	—	-0.0993
x^2	—	—	—
y^2	—	—	—
z^2	—	—	—
xy	—	—	—
xz	—	—	—
yz	—	—	—
Hill(x)	—	—	—
Hill(y)	—	—	—
Hill(z)	0.988	—	—

Noise 5% | Seed 55










Coefficient cells: green = true positive; orange = false positive; red = false negative.
A dash denotes a coefficient below the configured support tolerance.
Test data are shared across methods and used for reporting, not selection.
Pareto color: DW deviation (lower is better); star: validation-selected model.
Fit/DW references: noisy observations for Strong + SG/raw Weak; smoothed for Weak + SG.

Strong + SG










Selected coefficient table · FP=17, FN=1

	$\dot{x}$	$\dot{y}$	$\dot{z}$
x	—	1.06	—
y	-0.0299	-0.156	0.991
z	0.00142	—	-0.1
x^2	-0.209	-0.13	0.876
y^2	0.00987	-0.00804	0.0397
z^2	-1.4e-04	-1.4e-04	—
xy	0.0429	0.104	-0.399
xz	-0.0443	-0.0404	—
yz	0.00305	0.00426	—
Hill(x)	—	—	—
Hill(y)	—	—	—
Hill(z)	0.616	—	—

Weak, optimized










Selected coefficient table · FP=0, FN=0

	$\dot{x}$	$\dot{y}$	$\dot{z}$
x	-0.2	0.941	—
y	—	-0.143	1.01
z	—	—	-0.1
x^2	—	—	—
y^2	—	—	—
z^2	—	—	—
xy	—	—	—
xz	—	—	—
yz	—	—	—
Hill(x)	—	—	—
Hill(y)	—	—	—
Hill(z)	0.74	—	—

Weak, optimized + SG










Selected coefficient table · FP=0, FN=0

	$\dot{x}$	$\dot{y}$	$\dot{z}$
x	-0.2	0.995	—
y	—	-0.15	1.01
z	—	—	-0.1
x^2	—	—	—
y^2	—	—	—
z^2	—	—	—
xy	—	—	—
xz	—	—	—
yz	—	—	—
Hill(x)	—	—	—
Hill(y)	—	—	—
Hill(z)	1.01	—	—

Noise 10% | Seed 11










Coefficient cells: green = true positive; orange = false positive; red = false negative.
A dash denotes a coefficient below the configured support tolerance.
Test data are shared across methods and used for reporting, not selection.
Pareto color: DW deviation (lower is better); star: validation-selected model.
Fit/DW references: noisy observations for Strong + SG/raw Weak; smoothed for Weak + SG.

Strong + SG










Selected coefficient table · FP=8, FN=0

	$\dot{x}$	$\dot{y}$	$\dot{z}$
x	-0.136	1	—
y	—	-0.15	0.993
z	—	—	-0.107
x^2	—	—	2.43
y^2	0.0185	—	0.301
z^2	—	—	0.00331
xy	—	—	-2.32
xz	-0.0444	—	0.409
yz	—	—	-0.068
Hill(x)	—	—	—
Hill(y)	—	—	—
Hill(z)	0.777	—	—

Weak, optimized










Selected coefficient table · FP=0, FN=0

	$\dot{x}$	$\dot{y}$	$\dot{z}$
x	-0.181	0.971	—
y	—	-0.146	1
z	—	—	-0.102
x^2	—	—	—
y^2	—	—	—
z^2	—	—	—
xy	—	—	—
xz	—	—	—
yz	—	—	—
Hill(x)	—	—	—
Hill(y)	—	—	—
Hill(z)	0.219	—	—

Weak, optimized + SG










Selected coefficient table · FP=0, FN=0

	$\dot{x}$	$\dot{y}$	$\dot{z}$
x	-0.204	0.983	—
y	—	-0.148	1
z	—	—	-0.098
x^2	—	—	—
y^2	—	—	—
z^2	—	—	—
xy	—	—	—
xz	—	—	—
yz	—	—	—
Hill(x)	—	—	—
Hill(y)	—	—	—
Hill(z)	0.815	—	—

Noise 10% | Seed 22










Coefficient cells: green = true positive; orange = false positive; red = false negative.
A dash denotes a coefficient below the configured support tolerance.
Test data are shared across methods and used for reporting, not selection.
Pareto color: DW deviation (lower is better); star: validation-selected model.
Fit/DW references: noisy observations for Strong + SG/raw Weak; smoothed for Weak + SG.

Strong + SG










Selected coefficient table · FP=12, FN=0

	$\dot{x}$	$\dot{y}$	$\dot{z}$
x	0.165	0.995	0.644
y	-0.0547	-0.151	0.875
z	0.00229	—	-0.0919
x^2	-0.303	—	—
y^2	0.0251	—	—
z^2	-1.6e-04	—	-0.00252
xy	—	—	0.492
xz	-0.0636	—	-0.444
yz	0.00359	—	0.0495
Hill(x)	—	—	—
Hill(y)	—	—	—
Hill(z)	0.282	—	—

Weak, optimized










Selected coefficient table · FP=0, FN=0

	$\dot{x}$	$\dot{y}$	$\dot{z}$
x	-0.185	0.978	—
y	—	-0.148	1.02
z	—	—	-0.101
x^2	—	—	—
y^2	—	—	—
z^2	—	—	—
xy	—	—	—
xz	—	—	—
yz	—	—	—
Hill(x)	—	—	—
Hill(y)	—	—	—
Hill(z)	0.258	—	—

Weak, optimized + SG









Selected coefficient table · FP=0, FN=0

	$\dot{x}$	$\dot{y}$	$\dot{z}$
x	-0.197	1.01	—
y	—	-0.153	1.01
z	—	—	-0.0997
x^2	—	—	—
y^2	—	—	—
z^2	—	—	—
xy	—	—	—
xz	—	—	—
yz	—	—	—
Hill(x)	—	—	—
Hill(y)	—	—	—
Hill(z)	0.883	—	—

Noise 10% | Seed 33










Coefficient cells: green = true positive; orange = false positive; red = false negative.
A dash denotes a coefficient below the configured support tolerance.
Test data are shared across methods and used for reporting, not selection.
Pareto color: DW deviation (lower is better); star: validation-selected model.
Fit/DW references: noisy observations for Strong + SG/raw Weak; smoothed for Weak + SG.

Strong + SG










Selected coefficient table · FP=12, FN=0

	$\dot{x}$	$\dot{y}$	$\dot{z}$
x	0.174	1.01	-0.566
y	-0.0631	-0.151	1.11
z	0.00303	—	-0.107
x^2	-0.2	—	—
y^2	0.0299	—	—
z^2	-2.9e-04	—	0.00139
xy	-0.0361	—	—
xz	-0.0698	—	0.138
yz	0.00495	—	-0.0233
Hill(x)	—	—	—
Hill(y)	—	—	—
Hill(z)	0.387	—	—

Weak, optimized










Selected coefficient table · FP=0, FN=0

	$\dot{x}$	$\dot{y}$	$\dot{z}$
x	-0.195	0.993	—
y	—	-0.145	0.988
z	—	—	-0.0998
x^2	—	—	—
y^2	—	—	—
z^2	—	—	—
xy	—	—	—
xz	—	—	—
yz	—	—	—
Hill(x)	—	—	—
Hill(y)	—	—	—
Hill(z)	0.279	—	—

Weak, optimized + SG










Selected coefficient table · FP=0, FN=0

	$\dot{x}$	$\dot{y}$	$\dot{z}$
x	-0.195	1.01	—
y	—	-0.151	1.02
z	—	—	-0.101
x^2	—	—	—
y^2	—	—	—
z^2	—	—	—
xy	—	—	—
xz	—	—	—
yz	—	—	—
Hill(x)	—	—	—
Hill(y)	—	—	—
Hill(z)	0.789	—	—

Noise 10% | Seed 44










Coefficient cells: green = true positive; orange = false positive; red = false negative.
A dash denotes a coefficient below the configured support tolerance.
Test data are shared across methods and used for reporting, not selection.
Pareto color: DW deviation (lower is better); star: validation-selected model.
Fit/DW references: noisy observations for Strong + SG/raw Weak; smoothed for Weak + SG.

Strong + SG










Selected coefficient table · FP=16, FN=0

	$\dot{x}$	$\dot{y}$	$\dot{z}$
x	-0.0479	0.959	—
y	-0.0133	-0.155	0.96
z	—	—	-0.0955
x^2	-0.193	0.319	3.25
y^2	0.00276	0.028	0.261
z^2	—	—	—
xy	0.0503	-0.103	-1.95
xz	-0.0342	-0.029	0.0852
yz	0.00187	—	-0.0234
Hill(x)	—	—	—
Hill(y)	—	—	—
Hill(z)	0.555	0.209	—

Weak, optimized









Selected coefficient table · FP=0, FN=0

	$\dot{x}$	$\dot{y}$	$\dot{z}$
x	-0.195	0.967	—
y	—	-0.146	1.05
z	—	—	-0.102
x^2	—	—	—
y^2	—	—	—
z^2	—	—	—
xy	—	—	—
xz	—	—	—
yz	—	—	—
Hill(x)	—	—	—
Hill(y)	—	—	—
Hill(z)	0.36	—	—

Weak, optimized + SG









Selected coefficient table · FP=0, FN=0

	$\dot{x}$	$\dot{y}$	$\dot{z}$
x	-0.197	1.04	—
y	—	-0.156	0.993
z	—	—	-0.0995
x^2	—	—	—
y^2	—	—	—
z^2	—	—	—
xy	—	—	—
xz	—	—	—
yz	—	—	—
Hill(x)	—	—	—
Hill(y)	—	—	—
Hill(z)	0.941	—	—

Noise 10% | Seed 55










Coefficient cells: green = true positive; orange = false positive; red = false negative.
A dash denotes a coefficient below the configured support tolerance.
Test data are shared across methods and used for reporting, not selection.
Pareto color: DW deviation (lower is better); star: validation-selected model.
Fit/DW references: noisy observations for Strong + SG/raw Weak; smoothed for Weak + SG.

Strong + SG










Selected coefficient table · FP=18, FN=1

	$\dot{x}$	$\dot{y}$	$\dot{z}$
x	—	1.11	—
y	-0.0282	-0.16	0.977
z	-0.0015	—	-0.1
x^2	-0.233	-0.271	1.76
y^2	0.0231	-0.022	0.0814
z^2	1.6e-04	-3.1e-04	—
xy	0.0634	0.221	-0.8
xz	-0.0634	-0.0735	—
yz	0.00186	0.00889	—
Hill(x)	—	—	—
Hill(y)	0.00633	—	—
Hill(z)	0.509	—	—

Weak, optimized










Selected coefficient table · FP=2, FN=0

	$\dot{x}$	$\dot{y}$	$\dot{z}$
x	-0.183	0.979	—
y	—	-0.147	1.01
z	—	—	-0.102
x^2	—	—	—
y^2	—	—	—
z^2	—	—	3.0e-04
xy	—	—	—
xz	—	—	—
yz	—	—	-0.00191
Hill(x)	—	—	—
Hill(y)	—	—	—
Hill(z)	0.268	—	—

Weak, optimized + SG










Selected coefficient table · FP=0, FN=0

	$\dot{x}$	$\dot{y}$	$\dot{z}$
x	-0.201	0.98	—
y	—	-0.147	1.01
z	—	—	-0.101
x^2	—	—	—
y^2	—	—	—
z^2	—	—	—
xy	—	—	—
xz	—	—	—
yz	—	—	—
Hill(x)	—	—	—
Hill(y)	—	—	—
Hill(z)	0.924	—	—

Noise 15% | Seed 11










Coefficient cells: green = true positive; orange = false positive; red = false negative.
A dash denotes a coefficient below the configured support tolerance.
Test data are shared across methods and used for reporting, not selection.
Pareto color: DW deviation (lower is better); star: validation-selected model.
Fit/DW references: noisy observations for Strong + SG/raw Weak; smoothed for Weak + SG.

Strong + SG










Selected coefficient table · FP=21, FN=0

	$\dot{x}$	$\dot{y}$	$\dot{z}$
x	0.148	0.927	—
y	-0.0499	-0.114	0.985
z	—	-0.00338	-0.11
x^2	-0.188	0.36	3.69
y^2	0.0453	0.0434	0.469
z^2	1.3e-04	6.4e-04	0.0048
xy	-0.042	-0.315	-3.44
xz	-0.0776	0.043	0.552
yz	0.00106	-0.0116	-0.0988
Hill(x)	—	—	—
Hill(y)	0.00479	—	—
Hill(z)	0.254	—	—

Weak, optimized










Selected coefficient table · FP=0, FN=0

	$\dot{x}$	$\dot{y}$	$\dot{z}$
x	-0.188	0.963	—
y	—	-0.147	0.998
z	—	—	-0.0993
x^2	—	—	—
y^2	—	—	—
z^2	—	—	—
xy	—	—	—
xz	—	—	—
yz	—	—	—
Hill(x)	—	—	—
Hill(y)	—	—	—
Hill(z)	0.128	—	—

Weak, optimized + SG










Selected coefficient table · FP=0, FN=0

	$\dot{x}$	$\dot{y}$	$\dot{z}$
x	-0.186	0.976	—
y	—	-0.15	1.01
z	—	—	-0.103
x^2	—	—	—
y^2	—	—	—
z^2	—	—	—
xy	—	—	—
xz	—	—	—
yz	—	—	—
Hill(x)	—	—	—
Hill(y)	—	—	—
Hill(z)	0.605	—	—

Noise 15% | Seed 22










Coefficient cells: green = true positive; orange = false positive; red = false negative.
A dash denotes a coefficient below the configured support tolerance.
Test data are shared across methods and used for reporting, not selection.
Pareto color: DW deviation (lower is better); star: validation-selected model.
Fit/DW references: noisy observations for Strong + SG/raw Weak; smoothed for Weak + SG.

Strong + SG










Selected coefficient table · FP=24, FN=0

	$\dot{x}$	$\dot{y}$	$\dot{z}$
x	0.16	0.95	1.9
y	-0.0552	-0.145	0.632
z	-8.0e-04	—	-0.055
x^2	-0.259	—	-1.26
y^2	0.0402	-0.0346	0.0117
z^2	1.5e-04	-2.7e-04	-0.00572
xy	-0.00549	0.0766	0.708
xz	-0.0812	0.0164	-0.658
yz	0.0027	0.00489	0.0762
Hill(x)	—	—	—
Hill(y)	0.00719	—	-0.0662
Hill(z)	0.183	-0.118	0.402

Weak, optimized










Selected coefficient table · FP=10, FN=0

	$\dot{x}$	$\dot{y}$	$\dot{z}$
x	-0.15	0.777	0.342
y	—	-0.1	0.937
z	—	-0.00232	-0.0954
x^2	—	0.289	-1.73
y^2	—	-0.0153	0.00626
z^2	—	—	-0.00103
xy	-0.0285	—	—
xz	—	—	—
yz	—	—	0.0119
Hill(x)	—	—	—
Hill(y)	—	—	—
Hill(z)	0.131	0.0674	—

Weak, optimized + SG










Selected coefficient table · FP=0, FN=0

	$\dot{x}$	$\dot{y}$	$\dot{z}$
x	-0.188	0.995	—
y	—	-0.149	0.993
z	—	—	-0.101
x^2	—	—	—
y^2	—	—	—
z^2	—	—	—
xy	—	—	—
xz	—	—	—
yz	—	—	—
Hill(x)	—	—	—
Hill(y)	—	—	—
Hill(z)	0.637	—	—

Noise 15% | Seed 33










Coefficient cells: green = true positive; orange = false positive; red = false negative.
A dash denotes a coefficient below the configured support tolerance.
Test data are shared across methods and used for reporting, not selection.
Pareto color: DW deviation (lower is better); star: validation-selected model.
Fit/DW references: noisy observations for Strong + SG/raw Weak; smoothed for Weak + SG.

Strong + SG










Selected coefficient table · FP=17, FN=0

	$\dot{x}$	$\dot{y}$	$\dot{z}$
x	0.182	0.978	-0.849
y	-0.0635	-0.15	1.17
z	0.00101	—	-0.111
x^2	-0.114	—	—
y^2	0.0495	-0.00932	—
z^2	—	-1.8e-04	0.00219
xy	-0.112	0.0729	—
xz	-0.0692	-0.0207	0.213
yz	0.00211	0.0036	-0.0358
Hill(x)	—	—	—
Hill(y)	0.00437	—	—
Hill(z)	0.262	—	—

Weak, optimized










Selected coefficient table · FP=0, FN=0

	$\dot{x}$	$\dot{y}$	$\dot{z}$
x	-0.193	0.96	—
y	—	-0.144	1.04
z	—	—	-0.104
x^2	—	—	—
y^2	—	—	—
z^2	—	—	—
xy	—	—	—
xz	—	—	—
yz	—	—	—
Hill(x)	—	—	—
Hill(y)	—	—	—
Hill(z)	0.15	—	—

Weak, optimized + SG









Selected coefficient table · FP=9, FN=0

	$\dot{x}$	$\dot{y}$	$\dot{z}$
x	-0.0615	0.931	0.821
y	-0.00644	-0.146	0.754
z	—	—	-0.092
x^2	-0.0604	0.184	—
y^2	—	—	0.276
z^2	—	—	-4.0e-04
xy	-0.045	—	—
xz	—	—	-0.493
yz	—	—	0.0111
Hill(x)	—	—	—
Hill(y)	—	—	—
Hill(z)	0.336	—	—

Noise 15% | Seed 44









Coefficient cells: green = true positive; orange = false positive; red = false negative.
A dash denotes a coefficient below the configured support tolerance.
Test data are shared across methods and used for reporting, not selection.
Pareto color: DW deviation (lower is better); star: validation-selected model.
Fit/DW references: noisy observations for Strong + SG/raw Weak; smoothed for Weak + SG.

Strong + SG










Selected coefficient table · FP=17, FN=0

	$\dot{x}$	$\dot{y}$	$\dot{z}$
x	0.0463	0.917	—
y	-0.0195	-0.153	1.06
z	—	—	-0.112
x^2	-0.3	0.455	5.32
y^2	0.00531	0.0406	0.541
z^2	—	—	0.00443
xy	0.0661	-0.119	-3.9
xz	-0.0523	-0.0504	0.36
yz	0.00262	—	-0.095
Hill(x)	—	—	—
Hill(y)	—	—	—
Hill(z)	0.319	0.251	—

Weak, optimized










Selected coefficient table · FP=0, FN=0

	$\dot{x}$	$\dot{y}$	$\dot{z}$
x	-0.185	0.865	—
y	—	-0.131	1.08
z	—	—	-0.111
x^2	—	—	—
y^2	—	—	—
z^2	—	—	—
xy	—	—	—
xz	—	—	—
yz	—	—	—
Hill(x)	—	—	—
Hill(y)	—	—	—
Hill(z)	0.144	—	—

Weak, optimized + SG










Selected coefficient table · FP=0, FN=0

	$\dot{x}$	$\dot{y}$	$\dot{z}$
x	-0.197	0.98	—
y	—	-0.147	1.02
z	—	—	-0.102
x^2	—	—	—
y^2	—	—	—
z^2	—	—	—
xy	—	—	—
xz	—	—	—
yz	—	—	—
Hill(x)	—	—	—
Hill(y)	—	—	—
Hill(z)	0.786	—	—

Noise 15% | Seed 55










Coefficient cells: green = true positive; orange = false positive; red = false negative.
A dash denotes a coefficient below the configured support tolerance.
Test data are shared across methods and used for reporting, not selection.
Pareto color: DW deviation (lower is better); star: validation-selected model.
Fit/DW references: noisy observations for Strong + SG/raw Weak; smoothed for Weak + SG.

Strong + SG










Selected coefficient table · FP=18, FN=0

	$\dot{x}$	$\dot{y}$	$\dot{z}$
x	0.213	1.14	—
y	-0.0578	-0.163	0.958
z	-0.00114	—	-0.1
x^2	-0.401	-0.396	2.66
y^2	0.0401	-0.0357	0.125
z^2	2.1e-04	-4.6e-04	—
xy	0.0395	0.33	-1.2
xz	-0.0905	-0.101	—
yz	0.00253	0.0129	—
Hill(x)	—	—	—
Hill(y)	0.00769	—	—
Hill(z)	0.164	—	—

Weak, optimized










Selected coefficient table · FP=2, FN=0

	$\dot{x}$	$\dot{y}$	$\dot{z}$
x	-0.185	1.1	—
y	—	-0.16	1.01
z	—	—	-0.1
x^2	—	—	—
y^2	—	0.0429	—
z^2	—	—	—
xy	—	—	—
xz	—	-0.0829	—
yz	—	—	—
Hill(x)	—	—	—
Hill(y)	—	—	—
Hill(z)	0.148	—	—

Weak, optimized + SG










Selected coefficient table · FP=0, FN=0

	$\dot{x}$	$\dot{y}$	$\dot{z}$
x	-0.201	0.973	—
y	—	-0.148	0.933
z	—	—	-0.0944
x^2	—	—	—
y^2	—	—	—
z^2	—	—	—
xy	—	—	—
xz	—	—	—
yz	—	—	—
Hill(x)	—	—	—
Hill(y)	—	—	—
Hill(z)	0.914	—	—

Noise 20% | Seed 11










Coefficient cells: green = true positive; orange = false positive; red = false negative.
A dash denotes a coefficient below the configured support tolerance.
Test data are shared across methods and used for reporting, not selection.
Pareto color: DW deviation (lower is better); star: validation-selected model.
Fit/DW references: noisy observations for Strong + SG/raw Weak; smoothed for Weak + SG.

Strong + SG










Selected coefficient table · FP=25, FN=0

	$\dot{x}$	$\dot{y}$	$\dot{z}$
x	0.242	0.885	-0.55
y	-0.062	-0.0996	1.09
z	2.4e-04	-0.00451	-0.129
x^2	-0.271	0.478	5.61
y^2	0.0456	0.0535	0.652
z^2	1.4e-04	8.1e-04	0.00766
xy	-0.0568	-0.403	-4.68
xz	-0.0754	0.0582	0.753
yz	0.00135	-0.0147	-0.142
Hill(x)	—	—	—
Hill(y)	0.00524	—	0.0263
Hill(z)	0.0804	—	-0.534

Weak, optimized








Selected coefficient table · FP=0, FN=0

	$\dot{x}$	$\dot{y}$	$\dot{z}$
x	-0.189	1.06	—
y	—	-0.154	1.02
z	—	—	-0.101
x^2	—	—	—
y^2	—	—	—
z^2	—	—	—
xy	—	—	—
xz	—	—	—
yz	—	—	—
Hill(x)	—	—	—
Hill(y)	—	—	—
Hill(z)	0.0901	—	—

Weak, optimized + SG









Selected coefficient table · FP=0, FN=0

	$\dot{x}$	$\dot{y}$	$\dot{z}$
x	-0.187	1.01	—
y	—	-0.151	1
z	—	—	-0.101
x^2	—	—	—
y^2	—	—	—
z^2	—	—	—
xy	—	—	—
xz	—	—	—
yz	—	—	—
Hill(x)	—	—	—
Hill(y)	—	—	—
Hill(z)	0.419	—	—

Noise 20% | Seed 22








State x · State z · Noisy observation
State y · Clean reference · Selected-model rollout

Coefficient cells: green = true positive; orange = false positive; red = false negative.
A dash denotes a coefficient below the configured support tolerance.
Test data are shared across methods and used for reporting, not selection.
Pareto color: DW deviation (lower is better); star: validation-selected model.
Fit/DW references: noisy observations for Strong + SG/raw Weak; smoothed for Weak + SG.

Strong + SG










Selected coefficient table · FP=24, FN=0

	$\dot{x}$	$\dot{y}$	$\dot{z}$
x	0.207	0.864	2.32
y	-0.0607	-0.13	0.507
z	-9.8e-04	0.00191	-0.0795
x^2	-0.292	—	-1.19
y^2	0.0458	-0.0687	0.162
z^2	1.9e-04	-6.4e-04	-0.00359
xy	—	0.139	0.764
xz	-0.0954	0.0413	-0.925
yz	0.00286	0.00782	0.0848
Hill(x)	—	—	—
Hill(y)	0.00793	-0.00543	—
Hill(z)	0.113	-0.0752	0.173

Weak, optimized










Selected coefficient table · FP=0, FN=0

	$\dot{x}$	$\dot{y}$	$\dot{z}$
x	-0.185	0.939	—
y	—	-0.145	1.04
z	—	—	-0.103
x^2	—	—	—
y^2	—	—	—
z^2	—	—	—
xy	—	—	—
xz	—	—	—
yz	—	—	—
Hill(x)	—	—	—
Hill(y)	—	—	—
Hill(z)	0.116	—	—

Weak, optimized + SG










Selected coefficient table · FP=0, FN=0

	$\dot{x}$	$\dot{y}$	$\dot{z}$
x	-0.187	0.967	—
y	—	-0.149	0.955
z	—	—	-0.0953
x^2	—	—	—
y^2	—	—	—
z^2	—	—	—
xy	—	—	—
xz	—	—	—
yz	—	—	—
Hill(x)	—	—	—
Hill(y)	—	—	—
Hill(z)	0.406	—	—

Noise 20% | Seed 33










Coefficient cells: green = true positive; orange = false positive; red = false negative.
A dash denotes a coefficient below the configured support tolerance.
Test data are shared across methods and used for reporting, not selection.
Pareto color: DW deviation (lower is better); star: validation-selected model.
Fit/DW references: noisy observations for Strong + SG/raw Weak; smoothed for Weak + SG.

Strong + SG










Selected coefficient table · FP=20, FN=0

	$\dot{x}$	$\dot{y}$	$\dot{z}$
x	0.212	0.883	—
y	-0.0636	-0.14	1.06
z	—	—	-0.114
x^2	-0.0607	0.0984	-1.46
y^2	0.0659	-0.0162	0.0287
z^2	2.3e-04	-2.9e-04	0.00335
xy	-0.197	0.103	—
xz	-0.0626	-0.022	0.246
yz	-0.00103	0.00485	-0.0432
Hill(x)	—	—	—
Hill(y)	0.00593	—	—
Hill(z)	0.15	0.0571	—

Weak, optimized









Selected coefficient table · FP=1, FN=0

	$\dot{x}$	$\dot{y}$	$\dot{z}$
x	-0.195	0.913	—
y	—	-0.126	1.05
z	—	-0.00179	-0.0995
x^2	—	—	—
y^2	—	—	—
z^2	—	—	—
xy	—	—	—
xz	—	—	—
yz	—	—	—
Hill(x)	—	—	—
Hill(y)	—	—	—
Hill(z)	0.0994	—	—

Weak, optimized + SG










Selected coefficient table · FP=1, FN=1

	$\dot{x}$	$\dot{y}$	$\dot{z}$
x	—	1.02	—
y	—	-0.152	1.04
z	—	—	-0.105
x^2	—	—	—
y^2	—	—	—
z^2	—	—	—
xy	-0.12	—	—
xz	—	—	—
yz	—	—	—
Hill(x)	—	—	—
Hill(y)	—	—	—
Hill(z)	0.161	—	—

Noise 20% | Seed 44










Coefficient cells: green = true positive; orange = false positive; red = false negative.
A dash denotes a coefficient below the configured support tolerance.
Test data are shared across methods and used for reporting, not selection.
Pareto color: DW deviation (lower is better); star: validation-selected model.
Fit/DW references: noisy observations for Strong + SG/raw Weak; smoothed for Weak + SG.

Strong + SG









Selected coefficient table · FP=29, FN=0

	$\dot{x}$	$\dot{y}$	$\dot{z}$
x	0.165	0.824	1.48
y	-0.0459	-0.111	0.884
z	-5.7e-04	-0.00467	-0.0794
x^2	-0.275	0.822	6.1
y^2	0.0378	0.0921	0.809
z^2	2.4e-04	2.9e-04	5.5e-04
xy	-0.0301	-0.251	-4.62
xz	-0.0646	-0.0799	-0.0236
yz	1.6e-04	-0.00236	-0.0603
Hill(x)	—	-0.0775	-0.46
Hill(y)	0.00474	0.0814	0.393
Hill(z)	0.116	0.18	-0.805

Weak, optimized









Selected coefficient table · FP=2, FN=0

	$\dot{x}$	$\dot{y}$	$\dot{z}$
x	-0.198	1.17	—
y	—	-0.165	1.02
z	—	—	-0.103
x^2	—	—	—
y^2	—	0.0529	—
z^2	—	—	—
xy	—	—	—
xz	—	-0.103	—
yz	—	—	—
Hill(x)	—	—	—
Hill(y)	—	—	—
Hill(z)	0.115	—	—

Weak, optimized + SG










Selected coefficient table · FP=0, FN=0

	$\dot{x}$	$\dot{y}$	$\dot{z}$
x	-0.182	1.08	—
y	—	-0.163	0.985
z	—	—	-0.0989
x^2	—	—	—
y^2	—	—	—
z^2	—	—	—
xy	—	—	—
xz	—	—	—
yz	—	—	—
Hill(x)	—	—	—
Hill(y)	—	—	—
Hill(z)	0.57	—	—

Noise 20% | Seed 55










Coefficient cells: green = true positive; orange = false positive; red = false negative.
A dash denotes a coefficient below the configured support tolerance.
Test data are shared across methods and used for reporting, not selection.
Pareto color: DW deviation (lower is better); star: validation-selected model.
Fit/DW references: noisy observations for Strong + SG/raw Weak; smoothed for Weak + SG.

Strong + SG










Selected coefficient table · FP=17, FN=1

	$\dot{x}$	$\dot{y}$	$\dot{z}$
x	0.28	1.16	—
y	-0.0632	-0.163	0.928
z	-0.00227	—	-0.0996
x^2	-0.38	-0.491	3.58
y^2	0.054	-0.0475	0.173
z^2	4.3e-04	-5.6e-04	—
xy	-0.0436	0.415	-1.6
xz	-0.0823	-0.118	—
yz	—	0.0157	—
Hill(x)	—	—	—
Hill(y)	0.01	—	—
Hill(z)	—	—	—

Weak, optimized










Selected coefficient table · FP=0, FN=0

	$\dot{x}$	$\dot{y}$	$\dot{z}$
x	-0.182	0.962	—
y	—	-0.147	1.05
z	—	—	-0.104
x^2	—	—	—
y^2	—	—	—
z^2	—	—	—
xy	—	—	—
xz	—	—	—
yz	—	—	—
Hill(x)	—	—	—
Hill(y)	—	—	—
Hill(z)	0.108	—	—

Weak, optimized + SG







Selected coefficient table · FP=0, FN=0

	$\dot{x}$	$\dot{y}$	$\dot{z}$
x	-0.197	0.956	—
y	—	-0.145	0.976
z	—	—	-0.102
x^2	—	—	—
y^2	—	—	—
z^2	—	—	—
xy	—	—	—
xz	—	—	—
yz	—	—	—
Hill(x)	—	—	—
Hill(y)	—	—	—
Hill(z)	0.71	—	—