


NOT CONVERGED (core run C). Each curve adds more evidence. The orange curves are correct only if the Pléiades objects are aircraft debris. The lower row removes impacts faster than 212 m/s, because the model has no limit on structural speed. The sample did not settle, so the curves can change in a new run. Do not use them as a result.

Technical: Source: core run C (prior track 289.7 deg, 00:11 hand-off), strata free, Davey dynamics + radar, descent-climb, routes x 8 seeds, ~3.2 M impact rows per seed; core split-half mean 0.850-0.918 against floor 0.924: NOT CONVERGED. End of flight run C (binary 15ba1098; dive class (b); descents <= 6,500 ft/min; no structural limit, G13; residual roll P(left) 0.8 PROVISIONAL); log-on cause 'other', constraint +unpowered. Drift: GLORYS12V1 + ERA5 only, current 367 nodes, 50 km bandwidth, 9 finds; GlobCurrent excluded (F1); not-computed rows carried. Hydroacoustics: stand-in L_hyd scenario A with audit F8 (Blackman App. B noise), PREDICTIVE, NOT CALIBRATED (C6). Pléiades v2: rating 5, equal clusters, GLORYS12, given H. Searches: Phase 2 + Bluefin-21, rho 0.05. Strata mixed by core P(family) re-weighted by the 00:19 evidence. Holland H1/H2 not estimable, not shown. Curves: summary.rs latitude grid (0.05 deg, 0.1 deg Gaussian), summary.rs pooling(). Lower row: rows with contact speed > 212 m/s (1.25 VMO) given zero likelihood (ruling 8dbefed2), normaliser unchanged.