



Probability of finding the wreck against the area of a new search — NOT CONVERGED


00:19 Held Out



00:19 R600 BTO Only



00:19 R600 BTO + Raw BFO



Plain (ASD-STE100): The chart shows the probability that a new search finds the wreck, if the search starts with the most probable areas and continues to less probable areas. The dotted line ignores the earlier searches. The impacts come from the core run (b), four flight-path groups mixed with weights updated by the 00:19 data; the aircraft was transmitting at 00:19:37 and had no electrical power at 01:15:56. The core run is not converged. The order of single blocks is not reliable. Use the curve only.

Technical: Davey et al. (2016) eq. (11.2), p. 101: $P(\text{find} | A) = P_D \int_A p(x | Z) dx$, planning $P_D = 0.9$ (Stone et al. 2014 cap, not the module's q), on 0.5° blocks of a 0.1° weighted impact histogram, authalic sphere. Residual = after Phase 2 (q 0.945) + Bluefin-21 (q 0.9) at $p = 0.05$; no Ocean Infinity. Mixture of maps $\sum_f P_f$ re-weighted by EoF $\hat{Z}_{00:19}$ (dashed: fixed 0.697/0.152/0.141/0.010). EoF next-run, 51,200,096 impacts, option_posteriors, cause other, +unpowered. Holland H1/H2 not yet estimable - targeted sampler in progress. Rapid descents above 6,500 ft/min and unloading not reachable by the model. UNCONVERGED: core (b) split-half NOT converged; two-tank bookkeeping only; right-dry rows twin-engine continuation, left pool drained at doubled grid_inop (internal-v1); PROVISIONAL-OVERNIGHT; EoF sweep and this analysis run by architecture stand-ins, searched areas to review.