


R600 only, BFO as observed (no start-up offset), from the 00:11 hand-off: reference-289, 4 seeds. Panels use different data: never evidence-mixed.



Runs: eof-289-full-s1, eof-289-full-s2, eof-289-full-s3, eof-289-full-s4 (terminal stage on core run 'reference-289', hand-off m0011 from runs/snap289-m0011). Prior track 289.7° (sd 1.0°) from 2014-03-07T18:01:49Z. Configs: davey2016.toml + no-exhaustion-prior.toml + reference-snapshots.toml + reference-289.toml + snapshot-m0011.toml + terminal.toml + reference-289.toml. 4 seeds, 100,000 parents/seed x 8 children x 4 descents = 12,799,968 descents; BFO models inflated, no-offset, startup-offset; 24 module families (propulsion x control x profile shape). Panels: none_other; r600_no-offset_other; r600_no-offset_fuel-exhaustion; r600-bto_other (option_log-on cause). HPD from a 0.02° weighted histogram smoothed 0.1°, equal weight per seed. Code 55c4536-dirty. R600 'as observed' = BFO model no-offset (182 Hz at face value); R600 BTO corrected 18,400 us (sd 63 us). (d) derived from the run's BTO residuals (smoke/displacement_hist.py). Point-mass descent; PROVISIONAL dive class; Boeing-calibrated glide band (windmilling U[0, 0.0015]); fuel-exhaustion lag Erlang(8, 14.875 s). Descent idle-fuelfloor not applied (sweep predates it; measured effect <= ~1%).