


Arm V2: anticipatory + fuel-cue + flame-out-associated onset, from the 22:41 hand-off (SMOKE; uncorrected fuel; provisional sampler). Panels use different data: never evidence-mixed.



Runs: eof-2241-r14-v2-s1, eof-2241-r14-v2-s2 (terminal stage on core run 'reference-289', hand-off m2241 from runs/snap289-m2241). Prior track 289.7° (sd 1.0°) from 2014-03-07T18:01:49Z. Configs: davey2016.toml + no-exhaustion-prior.toml + reference-snapshots.toml + reference-289.toml + snapshot-m2241.toml + options-m2241.toml + children-2.toml + arm-v2.toml + descent-idlefloor.toml. 2 seeds, 100,000 parents/seed x 2 children x 4 descents = 1,600,000 descents; BFO models inflated, no-offset, startup-offset; 24 module families (propulsion x control x profile shape). Panels: none__other; m0011__other; m0011__fuel-exhaustion; m0011+r600_inflated__other (option__log-on cause). HPD from a 0.02° weighted histogram smoothed 0.1°, equal weight per seed. Code c959e690. Labels: SMOKE (100,000 parents x 2 children x 4 descents, seeds 1-2); UNCORRECTED FUEL (22:41 fuel state carries audit F1-F4); PROVISIONAL SAMPLER (22:41 population from a tempered epoch, before core request 17). Terminal stage scores m2315/m0011 BFO in-stage (core request 14, 34ef6bc). Descent burn: thrust-scaled core tables with the ICAO EEDB Trent 892 idle floor (0.30 kg/s/engine SLS, altitude scaling drawn between $\Delta \sqrt{\theta}$ and BFFM2). Point-mass descent; PROVISIONAL dive class; Boeing-calibrated glide band. Panels with < 1,000 effective impacts are stamped NOT ESTIMABLE; (b) rests on about 800-900 effective parents per seed.