

3.0 AIRPLANE PERFORMANCE

3.1 General Information

3.2 Payload/Range for 0.84 Mach Cruise

3.3 F.A.R. Takeoff Runway Length Requirements

3.4 F.A.R. Landing Runway Length Requirements

THIS PAGE INTENTIONALLY LEFT BLANK

3.0 AIRPLANE PERFORMANCE

3.1 General Information

The graphs in Section 3.2 provide information on operational empty weight (OEW) and payload, trip range, brake release gross weight, and fuel limits for airplane models with the different engine options. To use these graphs, if the trip range and zero fuel weight (OEW + payload) are known, the approximate brake release weight can be found.


The graphs in Section 3.3 provide information on F.A.R. takeoff runway length requirements with the different engines at different pressure altitudes. Maximum takeoff weights shown on the graphs are the heaviest for the particular airplane models with the corresponding engines. Standard day temperatures for pressure altitudes shown on the F.A.R. takeoff graphs are given below:

PRESSURE ALTITUDE		STANDARD DAY TEMP	
FEET	METERS	°F	°C
0	0	59.0	15.00
2,000	609	51.9	11.04
4,000	1,219	44.7	7.06
6,000	1,828	37.6	3.11
8,000	2,438	30.5	-0.85
9,000	2,743	26.9	-2.83

The graphs in Section 3.4 provide information on landing runway length requirements for different airplane weights and airport altitudes. The maximum landing weights shown are the heaviest for the particular airplane model.

NOTES:

- * STANDARD DAY, ZERO WIND
- * 0.84 MACH STEP CRUISE
- * TYPICAL MISSION RULES
- * NORMAL POWER EXTRACTION AND AIR CONDITIONING BLEED
- * CONSULT USING AIRLINE FOR SPECIFIC OPERATING PROCEDURE AND OEW PRIOR TO FACILITY DESIGN




3.2.1 PAYLOAD/RANGE FOR 0.84 MACH CRUISE

MODEL 777-200 (BASELINE AIRPLANE)

D6-58329

NOTES:


- * STANDARD DAY, ZERO WIND
- * 0.84 MACH STEP CRUISE
- * TYPICAL MISSION RULES
- * NORMAL POWER EXTRACTION AND AIR CONDITIONING BLEED
- * CONSULT USING AIRLINE FOR SPECIFIC OPERATING PROCEDURE AND OEW PRIOR TO FACILITY DESIGN



3.2.2 PAYLOAD/RANGE FOR 0.84 MACH CRUISE
 MODEL 777-200 (HIGH GROSS WEIGHT AIRPLANE)

NOTES:

- * STANDARD DAY, ZERO WIND
- * 0.84 MACH STEP CRUISE
- * TYPICAL MISSION RULES
- * NORMAL POWER EXTRACTION AND AIR CONDITIONING BLEED
- * CONSULT USING AIRLINE FOR SPECIFIC OPERATING PROCEDURE AND OEW PRIOR TO FACILITY DESIGN




3.2.3 PAYLOAD/RANGE FOR 0.84 MACH CRUISE

MODEL 777-300 (TYPICAL 90K ENGINE)

D6-58329

NOTES:

- * STANDARD DAY, ZERO WIND
- * 0.84 MACH STEP CRUISE
- * TYPICAL MISSION RULES
- * NORMAL POWER EXTRACTION AND AIR CONDITIONING BLEED
- * CONSULT USING AIRLINE FOR SPECIFIC OPERATING PROCEDURE AND OEW PRIOR TO FACILITY DESIGN




3.2.4 PAYLOAD/RANGE FOR 0.84 MACH CRUISE

MODEL 777-300 (TYPICAL 98K ENGINE)

D6-58329

NOTES:

- * CONSULT USING AIRLINE FOR SPECIFIC OPERATING PROCEDURE PRIOR TO FACILITY DESIGN
- * AIR CONDITIONING OFF
- * ZERO RUNWAY GRADIENT
- * ZERO WIND




3.3.1 FAA TAKEOFF RUNWAY LENGTH REQUIREMENTS - STANDARD DAY

MODEL 777-200 (BASELINE AIRPLANE)

D6-58329

NOTES:

- * CONSULT USING AIRLINE FOR SPECIFIC OPERATING PROCEDURE PRIOR TO FACILITY DESIGN
- * AIR CONDITIONING OFF
- * ZERO RUNWAY GRADIENT
- * ZERO WIND



3.3.2 FAA TAKEOFF RUNWAY LENGTH REQUIREMENTS


STANDARD DAY +27°F (STD + 15°C)

MODEL 777-200 (BASELINE AIRPLANE)

D6-58329

NOTES:

- * CONSULT USING AIRLINE FOR SPECIFIC OPERATING PROCEDURE PRIOR TO FACILITY DESIGN
- * AIR CONDITIONING OFF
- * ZERO RUNWAY GRADIENT
- * ZERO WIND




3.3.3 FAA TAKEOFF RUNWAY LENGTH REQUIREMENTS - STANDARD DAY

MODEL 777-200 (HIGH GROSS WEIGHT AIRPLANE)

NOTES:

- * CONSULT USING AIRLINE FOR SPECIFIC OPERATING PROCEDURE PRIOR TO FACILITY DESIGN
- * AIR CONDITIONING OFF
- * ZERO RUNWAY GRADIENT
- * ZERO WIND




3.3.4 FAA TAKEOFF RUNWAY LENGTH REQUIREMENTS

STANDARD DAY +27°F (STD + 15°C)

MODEL 777-200 (HIGH GROSS WEIGHT AIRPLANE)

D6-58329

- NOTES:
- * CONSULT USING AIRLINE FOR SPECIFIC OPERATING PROCEDURE PRIOR TO FACILITY DESIGN
 - * AIR CONDITIONING OFF
 - * ZERO RUNWAY GRADIENT
 - * ZERO WIND




3.3.5 FAA TAKEOFF RUNWAY LENGTH REQUIREMENTS - STANDARD DAY

MODEL 777-300 (TYPICAL 90K ENGINE)

D6-58329

NOTES:

- * CONSULT USING AIRLINE FOR SPECIFIC OPERATING PROCEDURE PRIOR TO FACILITY DESIGN
- * AIR CONDITIONING OFF
- * ZERO RUNWAY GRADIENT
- * ZERO WIND




3.3.6 FAA TAKEOFF RUNWAY LENGTH REQUIREMENTS

STANDARD DAY +27°F (STD + 15°C)

MODEL 777-300 (TYPICAL 90K ENGINE)

NOTES:

- * CONSULT USING AIRLINE FOR SPECIFIC OPERATING PROCEDURE PRIOR TO FACILITY DESIGN
- * AIR CONDITIONING OFF
- * ZERO RUNWAY GRADIENT
- * ZERO WIND




3.3.7 FAA TAKEOFF RUNWAY LENGTH REQUIREMENTS - STANDARD DAY

MODEL 777-300 (TYPICAL 98K ENGINE)

D6-58329

NOTES:

- * CONSULT USING AIRLINE FOR SPECIFIC OPERATING PROCEDURE PRIOR TO FACILITY DESIGN
- * AIR CONDITIONING OFF
- * ZERO RUNWAY GRADIENT
- * ZERO WIND



3.3.8 FAA TAKEOFF RUNWAY LENGTH REQUIREMENTS


STANDARD DAY +27°F (STD + 15°C)

MODEL 777-300 (TYPICAL 98K ENGINE)

D6-58329

NOTES:

- CONSULT USING AIRLINE FOR SPECIFIC OPERATING PROCEDURE PRIOR TO FACILITY DESIGN
- ZERO RUNWAY GRADIENT
- ZERO WIND




3.4.1 FAA LANDING RUNWAY LENGTH REQUIREMENTS

MODEL 777-200

D6-58329

NOTES:

- * CONSULT USING AIRLINE FOR SPECIFIC OPERATING PROCEDURE PRIOR TO FACILITY DESIGN
- * ZERO RUNWAY GRADIENT
- * ZERO WIND



3.4.2 FAA LANDING RUNWAY LENGTH REQUIREMENTS

MODEL 777-300

THIS PAGE INTENTIONALLY LEFT BLANK