


Ambient noise at the three IMS hydrophone stations, 2003, traced from Blackman et al. (2004)



What the chart shows: the level of background sound at the Cape Leeuwin and Diego Garcia listening stations. We traced the blue noise curves from the 2003 test-shot figures in Blackman et al. (2004, Appendix B) and converted them to pressure with each station's published calibration. Cape Leeuwin is about 5 dB louder than the stand-in used before; Diego Garcia South is about the same; Diego Garcia North is about 6 dB quieter. These are 2003 levels, not levels on 8 March 2014.

Technical: Blackman et al. 2004, UCRL-TR-207323, App. B pp. 27-33 (PDF), Figs B1-B11; blue = 3-sensor mean noise, 6 s window 20 s before predicted arrival. Route R: SAC amplitude spectrum (counts/Hz, inferred from file names) $\rightarrow$ one-sided PSD $2A^2/T$, $T = 6$ s, $+|R(f)|^2$ (FDSN IM.H01W1/H08S1/H08N1 EDH; 1,839/1,845 counts/Pa at 10 Hz). Panels: unique H01W 26, H08S 23, H08N 21; QC pass 23/19/14; 2 duplicates removed. Plausibility gate 55-105 dB passed; route R' (no Δt factor) 48 dB lower, implausible. 5-40 Hz SPL medians 101.7/95.6/90.2 dB re 1 μPa^2 vs proxy 96.2 (IMOS 3376 2b background median). Script prepare/blackman_noise.py, prereg e137521, two extraction bug fixes before results; residual QC vacuous (disclosed), replaced by visual overlay check.