
Ten strongest Cape Leeuwin and Diego Garcia South candidates with an implied source on the 7th arc

Rank	Station	Arrival (UTC)	Bearing	Found by	Envelope p	Arc latitude (° S)	Implied impact (UTC)	Steep dive fits	Catalogue label (4 Nov)
1	Cape Leeuwin	00:36:07	none	ours	0.003	any (no bearing)	00:19:38–00:22:23	yes	S4: EQ-EV081
2	Diego Garcia South	01:10:15	none	ours	0.009	any (no bearing)	00:19:38–00:34:15	yes	
3	Cape Leeuwin	00:54:30	306.2°	Kadri and ours	0.062	26	00:30:58–00:40:28	no	S4: EQ-ISC-606477922
4	Cape Leeuwin	00:39:53	256.8°	Kadri and ours	0.093	35	00:19:38–00:21:11	no	S2: EQ-EV077
5	Cape Leeuwin	00:51:50	320.4°	Kadri and ours	0.096	22; 23	00:25:15–00:36:52	yes	S4: EQ-ISC-606477922; S8: EQ-ISC-606477922
6	Cape Leeuwin	00:49:58	260.4°	Kadri	0.121	36	00:19:38–00:32:31	yes	
7	Cape Leeuwin	00:38:29	261.2°	Kadri	0.214	34	00:19:38–00:21:02	no	
8	Cape Leeuwin	00:55:07	314.1°	Kadri	0.237	24	00:30:01–00:40:42	no	
9	Cape Leeuwin	00:39:02	268.2°	Kadri	0.251	32; 33; 34	00:19:38–00:23:34	yes	
10	Cape Leeuwin	00:45:36	312.0°	Kadri	0.273	24; 25	00:21:07–00:31:11	yes	


Ranking: envelope evidence at the station itself (band energy and persistence on the digitised Kadri (2024) Figure 9 envelope, smallest p within ±15 s; within-trace null). This is weak evidence: the p floor is about 1/355 and the 19 Kadri times are not corrected for multiple looks. Sources: Kadri Table 1; ours = combined-detector best looks on the envelopes and 4 Nov screening picks (merged within 30 s of a Kadri time, or 45 s of each other). Not shown because the published bearing misses the arc within 150 NM: 00:47:04 at 343.2° (Kadri and ours, envelope p 0.006); 00:49:41 at 234.7° (Kadri and ours, envelope p 0.121). Implied impact: arc points within 3° of the bearing (any point if no bearing), sound speed 1.40 to 1.56 km/s, 5 % detour, inside 00:19:38 to 00:55:00. Steep dive: impact 00:19:38 to 00:29:44 within 25 NM. Catalogue labels are associations below 0.95 probability (label only, not removed).

Candidate 1: Cape Leeuwin 00:36:07 (ours; no bearing). Implied impact 00:19:38–00:22:23 UTC, any arc latitude (no bearing)




Window: earliest arrival at 1.56 km/s to latest at 1.40 km/s with 5 % path detour, over every impact point and time consistent with the candidate (bearing within 3° when one is published; impact 00:19:38 to 00:55:00 UTC; 7th arc 20° S to 41° S within 150 NM), then widened by 20 % of its length at each end (outer dotted lines mark the unwidened span). Shaded: span for the primary sound speed 1.465 to 1.520 km/s with 2 % detour. Sites shown: every site with an unblocked path (GEBCO 2026 screen) from at least one consistent point. IMOS loggers record 307 s in every 15 min; grey gaps have no data. Spectrogram: 2 s segments, power over the median of the same record at each frequency (dB). Lower panels: chance that noise alone scores this high at one 5 s look (−log10), from 14 days of noise (1 to 15 March 2014) or, for 3275 and 3315, 8 March records outside 00:15 to 02:00; band energy 8 to 40 Hz in 30 s; impact-pattern correlation from the whitened waveform; combined = Fisher sum of all five scores. Earthquake arrivals are NOT removed from the noise calibration in this version. Window p: chance that noise alone gives a maximum this high over the looks in the window (calibrated for the look count). Cape Leeuwin and Diego Garcia South: only the digitised Kadri (2024) Figure 9 envelopes (no waveform).

Candidate 1: Cape Leeuwin 00:36:07 (ours; no bearing). Implied impact 00:19:38–00:22:23 UTC, any arc latitude (no bearing)




Window: earliest arrival at 1.56 km/s to latest at 1.40 km/s with 5 % path detour, over every impact point and time consistent with the candidate (bearing within 3° when one is published; impact 00:19:38 to 00:55:00 UTC; 7th arc 20° S to 41° S within 150 NM), then widened by 20 % of its length at each end (outer dotted lines mark the unwidened span). Shaded: span for the primary sound speed 1.465 to 1.520 km/s with 2 % detour. Sites shown: every site with an unblocked path (GEBCO 2026 screen) from at least one consistent point. IMOS loggers record 307 s in every 15 min; grey gaps have no data. Spectrogram: 2 s segments, power over the median of the same record at each frequency (dB). Lower panels: chance that noise alone scores this high at one 5 s look (−log10), from 14 days of noise (1 to 15 March 2014) or, for 3275 and 3315, 8 March records outside 00:15 to 02:00; band energy 8 to 40 Hz in 30 s; impact-pattern correlation from the whitened waveform; combined = Fisher sum of all five scores. Earthquake arrivals are NOT removed from the noise calibration in this version. Window p: chance that noise alone gives a maximum this high over the looks in the window (calibrated for the look count). Cape Leeuwin and Diego Garcia South: only the digitised Kadri (2024) Figure 9 envelopes (no waveform).




Window: earliest arrival at 1.56 km/s to latest at 1.40 km/s with 5 % path detour, over every impact point and time consistent with the candidate (bearing within 3° when one is published; impact 00:19:38 to 00:55:00 UTC; 7th arc 20° S to 41° S within 150 NM), then widened by 20 % of its length at each end (outer dotted lines mark the unwidened span). Shaded: span for the primary sound speed 1.465 to 1.520 km/s with 2 % detour. Sites shown: every site with an unblocked path (GEBCO 2026 screen) from at least one consistent point. IMOS loggers record 307 s in every 15 min; grey gaps have no data. Spectrogram: 2 s segments, power over the median of the same record at each frequency (dB). Lower panels: chance that noise alone scores this high at one 5 s look (−log10), from 14 days of noise (1 to 15 March 2014) or, for 3275 and 3315, 8 March records outside 00:15 to 02:00; band energy 8 to 40 Hz in 30 s; impact-pattern correlation from the whitened waveform; combined = Fisher sum of all five scores. Earthquake arrivals are NOT removed from the noise calibration in this version. Window p: chance that noise alone gives a maximum this high over the looks in the window (calibrated for the look count). Cape Leeuwin and Diego Garcia South: only the digitised Kadri (2024) Figure 9 envelopes (no waveform).

Candidate 1: Cape Leeuwin 00:36:07 (ours; no bearing). Implied impact 00:19:38–00:22:23 UTC, any arc latitude (no bearing)




Window: earliest arrival at 1.56 km/s to latest at 1.40 km/s with 5 % path detour, over every impact point and time consistent with the candidate (bearing within 3° when one is published; impact 00:19:38 to 00:55:00 UTC; 7th arc 20° S to 41° S within 150 NM), then widened by 20 % of its length at each end (outer dotted lines mark the unwidened span). Shaded: span for the primary sound speed 1.465 to 1.520 km/s with 2 % detour. Sites shown: every site with an unblocked path (GEBCO 2026 screen) from at least one consistent point. IMOS loggers record 307 s in every 15 min; grey gaps have no data. Spectrogram: 2 s segments, power over the median of the same record at each frequency (dB). Lower panels: chance that noise alone scores this high at one 5 s look (−log10), from 14 days of noise (1 to 15 March 2014) or, for 3275 and 3315, 8 March records outside 00:15 to 02:00; band energy 8 to 40 Hz in 30 s; impact-pattern correlation from the whitened waveform; combined = Fisher sum of all five scores. Earthquake arrivals are NOT removed from the noise calibration in this version. Window p: chance that noise alone gives a maximum this high over the looks in the window (calibrated for the look count). Cape Leeuwin and Diego Garcia South: only the digitised Kadri (2024) Figure 9 envelopes (no waveform).




Window: earliest arrival at 1.56 km/s to latest at 1.40 km/s with 5 % path detour, over every impact point and time consistent with the candidate (bearing within 3° when one is published; impact 00:19:38 to 00:55:00 UTC; 7th arc 20° S to 41° S within 150 NM), then widened by 20 % of its length at each end (outer dotted lines mark the unwidened span). Shaded: span for the primary sound speed 1.465 to 1.520 km/s with 2 % detour. Sites shown: every site with an unblocked path (GEBCO 2026 screen) from at least one consistent point. IMOS loggers record 307 s in every 15 min; grey gaps have no data. Spectrogram: 2 s segments, power over the median of the same record at each frequency (dB). Lower panels: chance that noise alone scores this high at one 5 s look (−log10), from 14 days of noise (1 to 15 March 2014) or, for 3275 and 3315, 8 March records outside 00:15 to 02:00; band energy 8 to 40 Hz in 30 s; impact-pattern correlation from the whitened waveform; combined = Fisher sum of all five scores. Earthquake arrivals are NOT removed from the noise calibration in this version. Window p: chance that noise alone gives a maximum this high over the looks in the window (calibrated for the look count). Cape Leeuwin and Diego Garcia South: only the digitised Kadri (2024) Figure 9 envelopes (no waveform).

Candidate 1: Cape Leeuwin 00:36:07 (ours; no bearing). Implied impact 00:19:38–00:22:23 UTC, any arc latitude (no bearing)




Window: earliest arrival at 1.56 km/s to latest at 1.40 km/s with 5 % path detour, over every impact point and time consistent with the candidate (bearing within 3° when one is published; impact 00:19:38 to 00:55:00 UTC; 7th arc 20° S to 41° S within 150 NM), then widened by 20 % of its length at each end (outer dotted lines mark the unwidened span). Shaded: span for the primary sound speed 1.465 to 1.520 km/s with 2 % detour. Sites shown: every site with an unblocked path (GEBCO 2026 screen) from at least one consistent point. IMOS loggers record 307 s in every 15 min; grey gaps have no data. Spectrogram: 2 s segments, power over the median of the same record at each frequency (dB). Lower panels: chance that noise alone scores this high at one 5 s look (−log10), from 14 days of noise (1 to 15 March 2014) or, for 3275 and 3315, 8 March records outside 00:15 to 02:00; band energy 8 to 40 Hz in 30 s; impact-pattern correlation from the whitened waveform; combined = Fisher sum of all five scores. Earthquake arrivals are NOT removed from the noise calibration in this version. Window p: chance that noise alone gives a maximum this high over the looks in the window (calibrated for the look count). Cape Leeuwin and Diego Garcia South: only the digitised Kadri (2024) Figure 9 envelopes (no waveform).


Candidate 2: Diego Garcia South 01:10:15 (ours; no bearing). Implied impact 00:19:38–00:34:15 UTC, any arc latitude (no bearing)




Window: earliest arrival at 1.56 km/s to latest at 1.40 km/s with 5 % path detour, over every impact point and time consistent with the candidate (bearing within 3° when one is published; impact 00:19:38 to 00:55:00 UTC; 7th arc 20° S to 41° S within 150 NM), then widened by 20 % of its length at each end (outer dotted lines mark the unwidened span). Shaded: span for the primary sound speed 1.465 to 1.520 km/s with 2 % detour. Sites shown: every site with an unblocked path (GEBCO 2026 screen) from at least one consistent point. IMOS loggers record 307 s in every 15 min; grey gaps have no data. Spectrogram: 2 s segments, power over the median of the same record at each frequency (dB). Lower panels: chance that noise alone scores this high at one 5 s look (−log10), from 14 days of noise (1 to 15 March 2014) or, for 3275 and 3315, 8 March records outside 00:15 to 02:00; band energy 8 to 40 Hz in 30 s; impact-pattern correlation from the whitened waveform; combined = Fisher sum of all five scores. Earthquake arrivals are NOT removed from the noise calibration in this version. Window p: chance that noise alone gives a maximum this high over the looks in the window (calibrated for the look count). Cape Leeuwin and Diego Garcia South: only the digitised Kadri (2024) Figure 9 envelopes (no waveform).




Window: earliest arrival at 1.56 km/s to latest at 1.40 km/s with 5 % path detour, over every impact point and time consistent with the candidate (bearing within 3° when one is published; impact 00:19:38 to 00:55:00 UTC; 7th arc 20° S to 41° S within 150 NM), then widened by 20 % of its length at each end (outer dotted lines mark the unwidened span). Shaded: span for the primary sound speed 1.465 to 1.520 km/s with 2 % detour. Sites shown: every site with an unblocked path (GEBCO 2026 screen) from at least one consistent point. IMOS loggers record 307 s in every 15 min; grey gaps have no data. Spectrogram: 2 s segments, power over the median of the same record at each frequency (dB). Lower panels: chance that noise alone scores this high at one 5 s look (−log10), from 14 days of noise (1 to 15 March 2014) or, for 3275 and 3315, 8 March records outside 00:15 to 02:00; band energy 8 to 40 Hz in 30 s; impact-pattern correlation from the whitened waveform; combined = Fisher sum of all five scores. Earthquake arrivals are NOT removed from the noise calibration in this version. Window p: chance that noise alone gives a maximum this high over the looks in the window (calibrated for the look count). Cape Leeuwin and Diego Garcia South: only the digitised Kadri (2024) Figure 9 envelopes (no waveform).



Window: earliest arrival at 1.56 km/s to latest at 1.40 km/s with 5 % path detour, over every impact point and time consistent with the candidate (bearing within 3° when one is published; impact 00:19:38 to 00:55:00 UTC; 7th arc 20° S to 41° S within 150 NM), then widened by 20 % of its length at each end (outer dotted lines mark the unwidened span). Shaded: span for the primary sound speed 1.465 to 1.520 km/s with 2 % detour. Sites shown: every site with an unblocked path (GEBCO 2026 screen) from at least one consistent point. IMOS loggers record 307 s in every 15 min; grey gaps have no data. Spectrogram: 2 s segments, power over the median of the same record at each frequency (dB). Lower panels: chance that noise alone scores this high at one 5 s look (−log10), from 14 days of noise (1 to 15 March 2014) or, for 3275 and 3315, 8 March records outside 00:15 to 02:00; band energy 8 to 40 Hz in 30 s; impact-pattern correlation from the whitened waveform; combined = Fisher sum of all five scores. Earthquake arrivals are NOT removed from the noise calibration in this version. Window p: chance that noise alone gives a maximum this high over the looks in the window (calibrated for the look count). Cape Leeuwin and Diego Garcia South: only the digitised Kadri (2024) Figure 9 envelopes (no waveform).




Window: earliest arrival at 1.56 km/s to latest at 1.40 km/s with 5 % path detour, over every impact point and time consistent with the candidate (bearing within 3° when one is published; impact 00:19:38 to 00:55:00 UTC; 7th arc 20° S to 41° S within 150 NM), then widened by 20 % of its length at each end (outer dotted lines mark the unwidened span). Shaded: span for the primary sound speed 1.465 to 1.520 km/s with 2 % detour. Sites shown: every site with an unblocked path (GEBCO 2026 screen) from at least one consistent point. IMOS loggers record 307 s in every 15 min; grey gaps have no data. Spectrogram: 2 s segments, power over the median of the same record at each frequency (dB). Lower panels: chance that noise alone scores this high at one 5 s look (−log10), from 14 days of noise (1 to 15 March 2014) or, for 3275 and 3315, 8 March records outside 00:15 to 02:00; band energy 8 to 40 Hz in 30 s; impact-pattern correlation from the whitened waveform; combined = Fisher sum of all five scores. Earthquake arrivals are NOT removed from the noise calibration in this version. Window p: chance that noise alone gives a maximum this high over the looks in the window (calibrated for the look count). Cape Leeuwin and Diego Garcia South: only the digitised Kadri (2024) Figure 9 envelopes (no waveform).




Window: earliest arrival at 1.56 km/s to latest at 1.40 km/s with 5 % path detour, over every impact point and time consistent with the candidate (bearing within 3° when one is published; impact 00:19:38 to 00:55:00 UTC; 7th arc 20° S to 41° S within 150 NM), then widened by 20 % of its length at each end (outer dotted lines mark the unwidened span). Shaded: span for the primary sound speed 1.465 to 1.520 km/s with 2 % detour. Sites shown: every site with an unblocked path (GEBCO 2026 screen) from at least one consistent point. IMOS loggers record 307 s in every 15 min; grey gaps have no data. Spectrogram: 2 s segments, power over the median of the same record at each frequency (dB). Lower panels: chance that noise alone scores this high at one 5 s look (−log10), from 14 days of noise (1 to 15 March 2014) or, for 3275 and 3315, 8 March records outside 00:15 to 02:00; band energy 8 to 40 Hz in 30 s; impact-pattern correlation from the whitened waveform; combined = Fisher sum of all five scores. Earthquake arrivals are NOT removed from the noise calibration in this version. Window p: chance that noise alone gives a maximum this high over the looks in the window (calibrated for the look count). Cape Leeuwin and Diego Garcia South: only the digitised Kadri (2024) Figure 9 envelopes (no waveform).

Candidate 2: Diego Garcia South 01:10:15 (ours; no bearing). Implied impact 00:19:38–00:34:15 UTC, any arc latitude (no bearing)




Window: earliest arrival at 1.56 km/s to latest at 1.40 km/s with 5 % path detour, over every impact point and time consistent with the candidate (bearing within 3° when one is published; impact 00:19:38 to 00:55:00 UTC; 7th arc 20° S to 41° S within 150 NM), then widened by 20 % of its length at each end (outer dotted lines mark the unwidened span). Shaded: span for the primary sound speed 1.465 to 1.520 km/s with 2 % detour. Sites shown: every site with an unblocked path (GEBCO 2026 screen) from at least one consistent point. IMOS loggers record 307 s in every 15 min; grey gaps have no data. Spectrogram: 2 s segments, power over the median of the same record at each frequency (dB). Lower panels: chance that noise alone scores this high at one 5 s look (−log10), from 14 days of noise (1 to 15 March 2014) or, for 3275 and 3315, 8 March records outside 00:15 to 02:00; band energy 8 to 40 Hz in 30 s; impact-pattern correlation from the whitened waveform; combined = Fisher sum of all five scores. Earthquake arrivals are NOT removed from the noise calibration in this version. Window p: chance that noise alone gives a maximum this high over the looks in the window (calibrated for the look count). Cape Leeuwin and Diego Garcia South: only the digitised Kadri (2024) Figure 9 envelopes (no waveform).

Candidate 3: Cape Leeuwin 00:54:30 (Kadri and ours; bearing 306.2°). Implied impact 00:30:58–00:40:28 UTC, arc 26° S




Window: earliest arrival at 1.56 km/s to latest at 1.40 km/s with 5 % path detour, over every impact point and time consistent with the candidate (bearing within 3° when one is published; impact 00:19:38 to 00:55:00 UTC; 7th arc 20° S to 41° S within 150 NM), then widened by 20 % of its length at each end (outer dotted lines mark the unwidened span). Shaded: span for the primary sound speed 1.465 to 1.520 km/s with 2 % detour. Sites shown: every site with an unblocked path (GEBCO 2026 screen) from at least one consistent point. IMOS loggers record 307 s in every 15 min; grey gaps have no data. Spectrogram: 2 s segments, power over the median of the same record at each frequency (dB). Lower panels: chance that noise alone scores this high at one 5 s look (−log10), from 14 days of noise (1 to 15 March 2014) or, for 3275 and 3315, 8 March records outside 00:15 to 02:00; band energy 8 to 40 Hz in 30 s; impact-pattern correlation from the whitened waveform; combined = Fisher sum of all five scores. Earthquake arrivals are NOT removed from the noise calibration in this version. Window p: chance that noise alone gives a maximum this high over the looks in the window (calibrated for the look count). Cape Leeuwin and Diego Garcia South: only the digitised Kadri (2024) Figure 9 envelopes (no waveform).

Candidate 3: Cape Leeuwin 00:54:30 (Kadri and ours; bearing 306.2°). Implied impact 00:30:58–00:40:28 UTC, arc 26° S




Window: earliest arrival at 1.56 km/s to latest at 1.40 km/s with 5 % path detour, over every impact point and time consistent with the candidate (bearing within 3° when one is published; impact 00:19:38 to 00:55:00 UTC; 7th arc 20° S to 41° S within 150 NM), then widened by 20 % of its length at each end (outer dotted lines mark the unwidened span). Shaded: span for the primary sound speed 1.465 to 1.520 km/s with 2 % detour. Sites shown: every site with an unblocked path (GEBCO 2026 screen) from at least one consistent point. IMOS loggers record 307 s in every 15 min; grey gaps have no data. Spectrogram: 2 s segments, power over the median of the same record at each frequency (dB). Lower panels: chance that noise alone scores this high at one 5 s look (−log10), from 14 days of noise (1 to 15 March 2014) or, for 3275 and 3315, 8 March records outside 00:15 to 02:00; band energy 8 to 40 Hz in 30 s; impact-pattern correlation from the whitened waveform; combined = Fisher sum of all five scores. Earthquake arrivals are NOT removed from the noise calibration in this version. Window p: chance that noise alone gives a maximum this high over the looks in the window (calibrated for the look count). Cape Leeuwin and Diego Garcia South: only the digitised Kadri (2024) Figure 9 envelopes (no waveform).

Candidate 3: Cape Leeuwin 00:54:30 (Kadri and ours; bearing 306.2°). Implied impact 00:30:58–00:40:28 UTC, arc 26° S




Window: earliest arrival at 1.56 km/s to latest at 1.40 km/s with 5 % path detour, over every impact point and time consistent with the candidate (bearing within 3° when one is published; impact 00:19:38 to 00:55:00 UTC; 7th arc 20° S to 41° S within 150 NM), then widened by 20 % of its length at each end (outer dotted lines mark the unwidened span). Shaded: span for the primary sound speed 1.465 to 1.520 km/s with 2 % detour. Sites shown: every site with an unblocked path (GEBCO 2026 screen) from at least one consistent point. IMOS loggers record 307 s in every 15 min; grey gaps have no data. Spectrogram: 2 s segments, power over the median of the same record at each frequency (dB). Lower panels: chance that noise alone scores this high at one 5 s look (−log10), from 14 days of noise (1 to 15 March 2014) or, for 3275 and 3315, 8 March records outside 00:15 to 02:00; band energy 8 to 40 Hz in 30 s; impact-pattern correlation from the whitened waveform; combined = Fisher sum of all five scores. Earthquake arrivals are NOT removed from the noise calibration in this version. Window p: chance that noise alone gives a maximum this high over the looks in the window (calibrated for the look count). Cape Leeuwin and Diego Garcia South: only the digitised Kadri (2024) Figure 9 envelopes (no waveform).

Candidate 3: Cape Leeuwin 00:54:30 (Kadri and ours; bearing 306.2°). Implied impact 00:30:58–00:40:28 UTC, arc 26° S




Window: earliest arrival at 1.56 km/s to latest at 1.40 km/s with 5 % path detour, over every impact point and time consistent with the candidate (bearing within 3° when one is published; impact 00:19:38 to 00:55:00 UTC; 7th arc 20° S to 41° S within 150 NM), then widened by 20 % of its length at each end (outer dotted lines mark the unwidened span). Shaded: span for the primary sound speed 1.465 to 1.520 km/s with 2 % detour. Sites shown: every site with an unblocked path (GEBCO 2026 screen) from at least one consistent point. IMOS loggers record 307 s in every 15 min; grey gaps have no data. Spectrogram: 2 s segments, power over the median of the same record at each frequency (dB). Lower panels: chance that noise alone scores this high at one 5 s look (−log10), from 14 days of noise (1 to 15 March 2014) or, for 3275 and 3315, 8 March records outside 00:15 to 02:00; band energy 8 to 40 Hz in 30 s; impact-pattern correlation from the whitened waveform; combined = Fisher sum of all five scores. Earthquake arrivals are NOT removed from the noise calibration in this version. Window p: chance that noise alone gives a maximum this high over the looks in the window (calibrated for the look count). Cape Leeuwin and Diego Garcia South: only the digitised Kadri (2024) Figure 9 envelopes (no waveform).


Candidate 4: Cape Leeuwin 00:39:53 (Kadri and ours; bearing 256.8°). Implied impact 00:19:38–00:21:11 UTC, arc 35° S



Window: earliest arrival at 1.56 km/s to latest at 1.40 km/s with 5 % path detour, over every impact point and time consistent with the candidate (bearing within 3° when one is published; impact 00:19:38 to 00:55:00 UTC; 7th arc 20° S to 41° S within 150 NM), then widened by 20 % of its length at each end (outer dotted lines mark the unwidened span). Shaded: span for the primary sound speed 1.465 to 1.520 km/s with 2 % detour. Sites shown: every site with an unblocked path (GEBCO 2026 screen) from at least one consistent point. IMOS loggers record 307 s in every 15 min; grey gaps have no data. Spectrogram: 2 s segments, power over the median of the same record at each frequency (dB). Lower panels: chance that noise alone scores this high at one 5 s look (−log10), from 14 days of noise (1 to 15 March 2014) or, for 3275 and 3315, 8 March records outside 00:15 to 02:00; band energy 8 to 40 Hz in 30 s; impact-pattern correlation from the whitened waveform; combined = Fisher sum of all five scores. Earthquake arrivals are NOT removed from the noise calibration in this version. Window p: chance that noise alone gives a maximum this high over the looks in the window (calibrated for the look count). Cape Leeuwin and Diego Garcia South: only the digitised Kadri (2024) Figure 9 envelopes (no waveform).




Window: earliest arrival at 1.56 km/s to latest at 1.40 km/s with 5 % path detour, over every impact point and time consistent with the candidate (bearing within 3° when one is published; impact 00:19:38 to 00:55:00 UTC; 7th arc 20° S to 41° S within 150 NM), then widened by 20 % of its length at each end (outer dotted lines mark the unwidened span). Shaded: span for the primary sound speed 1.465 to 1.520 km/s with 2 % detour. Sites shown: every site with an unblocked path (GEBCO 2026 screen) from at least one consistent point. IMOS loggers record 307 s in every 15 min; grey gaps have no data. Spectrogram: 2 s segments, power over the median of the same record at each frequency (dB). Lower panels: chance that noise alone scores this high at one 5 s look (−log10), from 14 days of noise (1 to 15 March 2014) or, for 3275 and 3315, 8 March records outside 00:15 to 02:00; band energy 8 to 40 Hz in 30 s; impact-pattern correlation from the whitened waveform; combined = Fisher sum of all five scores. Earthquake arrivals are NOT removed from the noise calibration in this version. Window p: chance that noise alone gives a maximum this high over the looks in the window (calibrated for the look count). Cape Leeuwin and Diego Garcia South: only the digitised Kadri (2024) Figure 9 envelopes (no waveform).




Window: earliest arrival at 1.56 km/s to latest at 1.40 km/s with 5 % path detour, over every impact point and time consistent with the candidate (bearing within 3° when one is published; impact 00:19:38 to 00:55:00 UTC; 7th arc 20° S to 41° S within 150 NM), then widened by 20 % of its length at each end (outer dotted lines mark the unwidened span). Shaded: span for the primary sound speed 1.465 to 1.520 km/s with 2 % detour. Sites shown: every site with an unblocked path (GEBCO 2026 screen) from at least one consistent point. IMOS loggers record 307 s in every 15 min; grey gaps have no data. Spectrogram: 2 s segments, power over the median of the same record at each frequency (dB). Lower panels: chance that noise alone scores this high at one 5 s look (−log10), from 14 days of noise (1 to 15 March 2014) or, for 3275 and 3315, 8 March records outside 00:15 to 02:00; band energy 8 to 40 Hz in 30 s; impact-pattern correlation from the whitened waveform; combined = Fisher sum of all five scores. Earthquake arrivals are NOT removed from the noise calibration in this version. Window p: chance that noise alone gives a maximum this high over the looks in the window (calibrated for the look count). Cape Leeuwin and Diego Garcia South: only the digitised Kadri (2024) Figure 9 envelopes (no waveform).

Candidate 4: Cape Leeuwin 00:39:53 (Kadri and ours; bearing 256.8°). Implied impact 00:19:38–00:21:11 UTC, arc 35° S




Window: earliest arrival at 1.56 km/s to latest at 1.40 km/s with 5 % path detour, over every impact point and time consistent with the candidate (bearing within 3° when one is published; impact 00:19:38 to 00:55:00 UTC; 7th arc 20° S to 41° S within 150 NM), then widened by 20 % of its length at each end (outer dotted lines mark the unwidened span). Shaded: span for the primary sound speed 1.465 to 1.520 km/s with 2 % detour. Sites shown: every site with an unblocked path (GEBCO 2026 screen) from at least one consistent point. IMOS loggers record 307 s in every 15 min; grey gaps have no data. Spectrogram: 2 s segments, power over the median of the same record at each frequency (dB). Lower panels: chance that noise alone scores this high at one 5 s look (−log10), from 14 days of noise (1 to 15 March 2014) or, for 3275 and 3315, 8 March records outside 00:15 to 02:00; band energy 8 to 40 Hz in 30 s; impact-pattern correlation from the whitened waveform; combined = Fisher sum of all five scores. Earthquake arrivals are NOT removed from the noise calibration in this version. Window p: chance that noise alone gives a maximum this high over the looks in the window (calibrated for the look count). Cape Leeuwin and Diego Garcia South: only the digitised Kadri (2024) Figure 9 envelopes (no waveform).

Candidate 4: Cape Leeuwin 00:39:53 (Kadri and ours; bearing 256.8°). Implied impact 00:19:38–00:21:11 UTC, arc 35° S




Window: earliest arrival at 1.56 km/s to latest at 1.40 km/s with 5 % path detour, over every impact point and time consistent with the candidate (bearing within 3° when one is published; impact 00:19:38 to 00:55:00 UTC; 7th arc 20° S to 41° S within 150 NM), then widened by 20 % of its length at each end (outer dotted lines mark the unwidened span). Shaded: span for the primary sound speed 1.465 to 1.520 km/s with 2 % detour. Sites shown: every site with an unblocked path (GEBCO 2026 screen) from at least one consistent point. IMOS loggers record 307 s in every 15 min; grey gaps have no data. Spectrogram: 2 s segments, power over the median of the same record at each frequency (dB). Lower panels: chance that noise alone scores this high at one 5 s look (−log10), from 14 days of noise (1 to 15 March 2014) or, for 3275 and 3315, 8 March records outside 00:15 to 02:00; band energy 8 to 40 Hz in 30 s; impact-pattern correlation from the whitened waveform; combined = Fisher sum of all five scores. Earthquake arrivals are NOT removed from the noise calibration in this version. Window p: chance that noise alone gives a maximum this high over the looks in the window (calibrated for the look count). Cape Leeuwin and Diego Garcia South: only the digitised Kadri (2024) Figure 9 envelopes (no waveform).

Candidate 5: Cape Leeuwin 00:51:50 (Kadri and ours; bearing 320.4°). Implied impact 00:25:15–00:36:52 UTC, arc 22; 23° S




Window: earliest arrival at 1.56 km/s to latest at 1.40 km/s with 5 % path detour, over every impact point and time consistent with the candidate (bearing within 3° when one is published; impact 00:19:38 to 00:55:00 UTC; 7th arc 20° S to 41° S within 150 NM), then widened by 20 % of its length at each end (outer dotted lines mark the unwidened span). Shaded: span for the primary sound speed 1.465 to 1.520 km/s with 2 % detour. Sites shown: every site with an unblocked path (GEBCO 2026 screen) from at least one consistent point. IMOS loggers record 307 s in every 15 min; grey gaps have no data. Spectrogram: 2 s segments, power over the median of the same record at each frequency (dB). Lower panels: chance that noise alone scores this high at one 5 s look (−log10), from 14 days of noise (1 to 15 March 2014) or, for 3275 and 3315, 8 March records outside 00:15 to 02:00; band energy 8 to 40 Hz in 30 s; impact-pattern correlation from the whitened waveform; combined = Fisher sum of all five scores. Earthquake arrivals are NOT removed from the noise calibration in this version. Window p: chance that noise alone gives a maximum this high over the looks in the window (calibrated for the look count). Cape Leeuwin and Diego Garcia South: only the digitised Kadri (2024) Figure 9 envelopes (no waveform).

Candidate 5: Cape Leeuwin 00:51:50 (Kadri and ours; bearing 320.4°). Implied impact 00:25:15–00:36:52 UTC, arc 22; 23° S




Window: earliest arrival at 1.56 km/s to latest at 1.40 km/s with 5 % path detour, over every impact point and time consistent with the candidate (bearing within 3° when one is published; impact 00:19:38 to 00:55:00 UTC; 7th arc 20° S to 41° S within 150 NM), then widened by 20 % of its length at each end (outer dotted lines mark the unwidened span). Shaded: span for the primary sound speed 1.465 to 1.520 km/s with 2 % detour. Sites shown: every site with an unblocked path (GEBCO 2026 screen) from at least one consistent point. IMOS loggers record 307 s in every 15 min; grey gaps have no data. Spectrogram: 2 s segments, power over the median of the same record at each frequency (dB). Lower panels: chance that noise alone scores this high at one 5 s look (−log10), from 14 days of noise (1 to 15 March 2014) or, for 3275 and 3315, 8 March records outside 00:15 to 02:00; band energy 8 to 40 Hz in 30 s; impact-pattern correlation from the whitened waveform; combined = Fisher sum of all five scores. Earthquake arrivals are NOT removed from the noise calibration in this version. Window p: chance that noise alone gives a maximum this high over the looks in the window (calibrated for the look count). Cape Leeuwin and Diego Garcia South: only the digitised Kadri (2024) Figure 9 envelopes (no waveform).

Candidate 5: Cape Leeuwin 00:51:50 (Kadri and ours; bearing 320.4°). Implied impact 00:25:15–00:36:52 UTC, arc 22; 23° S




Window: earliest arrival at 1.56 km/s to latest at 1.40 km/s with 5 % path detour, over every impact point and time consistent with the candidate (bearing within 3° when one is published; impact 00:19:38 to 00:55:00 UTC; 7th arc 20° S to 41° S within 150 NM), then widened by 20 % of its length at each end (outer dotted lines mark the unwidened span). Shaded: span for the primary sound speed 1.465 to 1.520 km/s with 2 % detour. Sites shown: every site with an unblocked path (GEBCO 2026 screen) from at least one consistent point. IMOS loggers record 307 s in every 15 min; grey gaps have no data. Spectrogram: 2 s segments, power over the median of the same record at each frequency (dB). Lower panels: chance that noise alone scores this high at one 5 s look (−log10), from 14 days of noise (1 to 15 March 2014) or, for 3275 and 3315, 8 March records outside 00:15 to 02:00; band energy 8 to 40 Hz in 30 s; impact-pattern correlation from the whitened waveform; combined = Fisher sum of all five scores. Earthquake arrivals are NOT removed from the noise calibration in this version. Window p: chance that noise alone gives a maximum this high over the looks in the window (calibrated for the look count). Cape Leeuwin and Diego Garcia South: only the digitised Kadri (2024) Figure 9 envelopes (no waveform).

Candidate 5: Cape Leeuwin 00:51:50 (Kadri and ours; bearing 320.4°). Implied impact 00:25:15–00:36:52 UTC, arc 22; 23° S




Window: earliest arrival at 1.56 km/s to latest at 1.40 km/s with 5 % path detour, over every impact point and time consistent with the candidate (bearing within 3° when one is published; impact 00:19:38 to 00:55:00 UTC; 7th arc 20° S to 41° S within 150 NM), then widened by 20 % of its length at each end (outer dotted lines mark the unwidened span). Shaded: span for the primary sound speed 1.465 to 1.520 km/s with 2 % detour. Sites shown: every site with an unblocked path (GEBCO 2026 screen) from at least one consistent point. IMOS loggers record 307 s in every 15 min; grey gaps have no data. Spectrogram: 2 s segments, power over the median of the same record at each frequency (dB). Lower panels: chance that noise alone scores this high at one 5 s look (−log10), from 14 days of noise (1 to 15 March 2014) or, for 3275 and 3315, 8 March records outside 00:15 to 02:00; band energy 8 to 40 Hz in 30 s; impact-pattern correlation from the whitened waveform; combined = Fisher sum of all five scores. Earthquake arrivals are NOT removed from the noise calibration in this version. Window p: chance that noise alone gives a maximum this high over the looks in the window (calibrated for the look count). Cape Leeuwin and Diego Garcia South: only the digitised Kadri (2024) Figure 9 envelopes (no waveform).

Candidate 6: Cape Leeuwin 00:49:58 (Kadri; bearing 260.4°). Implied impact 00:19:38–00:32:31 UTC, arc 36° S




Window: earliest arrival at 1.56 km/s to latest at 1.40 km/s with 5 % path detour, over every impact point and time consistent with the candidate (bearing within 3° when one is published; impact 00:19:38 to 00:55:00 UTC; 7th arc 20° S to 41° S within 150 NM), then widened by 20 % of its length at each end (outer dotted lines mark the unwidened span). Shaded: span for the primary sound speed 1.465 to 1.520 km/s with 2 % detour. Sites shown: every site with an unblocked path (GEBCO 2026 screen) from at least one consistent point. IMOS loggers record 307 s in every 15 min; grey gaps have no data. Spectrogram: 2 s segments, power over the median of the same record at each frequency (dB). Lower panels: chance that noise alone scores this high at one 5 s look (−log10), from 14 days of noise (1 to 15 March 2014) or, for 3275 and 3315, 8 March records outside 00:15 to 02:00; band energy 8 to 40 Hz in 30 s; impact-pattern correlation from the whitened waveform; combined = Fisher sum of all five scores. Earthquake arrivals are NOT removed from the noise calibration in this version. Window p: chance that noise alone gives a maximum this high over the looks in the window (calibrated for the look count). Cape Leeuwin and Diego Garcia South: only the digitised Kadri (2024) Figure 9 envelopes (no waveform).

Candidate 6: Cape Leeuwin 00:49:58 (Kadri; bearing 260.4°). Implied impact 00:19:38–00:32:31 UTC, arc 36° S




Window: earliest arrival at 1.56 km/s to latest at 1.40 km/s with 5 % path detour, over every impact point and time consistent with the candidate (bearing within 3° when one is published; impact 00:19:38 to 00:55:00 UTC; 7th arc 20° S to 41° S within 150 NM), then widened by 20 % of its length at each end (outer dotted lines mark the unwidened span). Shaded: span for the primary sound speed 1.465 to 1.520 km/s with 2 % detour. Sites shown: every site with an unblocked path (GEBCO 2026 screen) from at least one consistent point. IMOS loggers record 307 s in every 15 min; grey gaps have no data. Spectrogram: 2 s segments, power over the median of the same record at each frequency (dB). Lower panels: chance that noise alone scores this high at one 5 s look (−log10), from 14 days of noise (1 to 15 March 2014) or, for 3275 and 3315, 8 March records outside 00:15 to 02:00; band energy 8 to 40 Hz in 30 s; impact-pattern correlation from the whitened waveform; combined = Fisher sum of all five scores. Earthquake arrivals are NOT removed from the noise calibration in this version. Window p: chance that noise alone gives a maximum this high over the looks in the window (calibrated for the look count). Cape Leeuwin and Diego Garcia South: only the digitised Kadri (2024) Figure 9 envelopes (no waveform).

Candidate 6: Cape Leeuwin 00:49:58 (Kadri; bearing 260.4°). Implied impact 00:19:38–00:32:31 UTC, arc 36° S




Window: earliest arrival at 1.56 km/s to latest at 1.40 km/s with 5 % path detour, over every impact point and time consistent with the candidate (bearing within 3° when one is published; impact 00:19:38 to 00:55:00 UTC; 7th arc 20° S to 41° S within 150 NM), then widened by 20 % of its length at each end (outer dotted lines mark the unwidened span). Shaded: span for the primary sound speed 1.465 to 1.520 km/s with 2 % detour. Sites shown: every site with an unblocked path (GEBCO 2026 screen) from at least one consistent point. IMOS loggers record 307 s in every 15 min; grey gaps have no data. Spectrogram: 2 s segments, power over the median of the same record at each frequency (dB). Lower panels: chance that noise alone scores this high at one 5 s look (−log10), from 14 days of noise (1 to 15 March 2014) or, for 3275 and 3315, 8 March records outside 00:15 to 02:00; band energy 8 to 40 Hz in 30 s; impact-pattern correlation from the whitened waveform; combined = Fisher sum of all five scores. Earthquake arrivals are NOT removed from the noise calibration in this version. Window p: chance that noise alone gives a maximum this high over the looks in the window (calibrated for the look count). Cape Leeuwin and Diego Garcia South: only the digitised Kadri (2024) Figure 9 envelopes (no waveform).

Candidate 6: Cape Leeuwin 00:49:58 (Kadri; bearing 260.4°). Implied impact 00:19:38–00:32:31 UTC, arc 36° S




Window: earliest arrival at 1.56 km/s to latest at 1.40 km/s with 5 % path detour, over every impact point and time consistent with the candidate (bearing within 3° when one is published; impact 00:19:38 to 00:55:00 UTC; 7th arc 20° S to 41° S within 150 NM), then widened by 20 % of its length at each end (outer dotted lines mark the unwidened span). Shaded: span for the primary sound speed 1.465 to 1.520 km/s with 2 % detour. Sites shown: every site with an unblocked path (GEBCO 2026 screen) from at least one consistent point. IMOS loggers record 307 s in every 15 min; grey gaps have no data. Spectrogram: 2 s segments, power over the median of the same record at each frequency (dB). Lower panels: chance that noise alone scores this high at one 5 s look (−log10), from 14 days of noise (1 to 15 March 2014) or, for 3275 and 3315, 8 March records outside 00:15 to 02:00; band energy 8 to 40 Hz in 30 s; impact-pattern correlation from the whitened waveform; combined = Fisher sum of all five scores. Earthquake arrivals are NOT removed from the noise calibration in this version. Window p: chance that noise alone gives a maximum this high over the looks in the window (calibrated for the look count). Cape Leeuwin and Diego Garcia South: only the digitised Kadri (2024) Figure 9 envelopes (no waveform).

Candidate 6: Cape Leeuwin 00:49:58 (Kadri; bearing 260.4°). Implied impact 00:19:38–00:32:31 UTC, arc 36° S




Window: earliest arrival at 1.56 km/s to latest at 1.40 km/s with 5 % path detour, over every impact point and time consistent with the candidate (bearing within 3° when one is published; impact 00:19:38 to 00:55:00 UTC; 7th arc 20° S to 41° S within 150 NM), then widened by 20 % of its length at each end (outer dotted lines mark the unwidened span). Shaded: span for the primary sound speed 1.465 to 1.520 km/s with 2 % detour. Sites shown: every site with an unblocked path (GEBCO 2026 screen) from at least one consistent point. IMOS loggers record 307 s in every 15 min; grey gaps have no data. Spectrogram: 2 s segments, power over the median of the same record at each frequency (dB). Lower panels: chance that noise alone scores this high at one 5 s look (−log10), from 14 days of noise (1 to 15 March 2014) or, for 3275 and 3315, 8 March records outside 00:15 to 02:00; band energy 8 to 40 Hz in 30 s; impact-pattern correlation from the whitened waveform; combined = Fisher sum of all five scores. Earthquake arrivals are NOT removed from the noise calibration in this version. Window p: chance that noise alone gives a maximum this high over the looks in the window (calibrated for the look count). Cape Leeuwin and Diego Garcia South: only the digitised Kadri (2024) Figure 9 envelopes (no waveform).

Candidate 7: Cape Leeuwin 00:38:29 (Kadri; bearing 261.2°). Implied impact 00:19:38–00:21:02 UTC, arc 34° S




Window: earliest arrival at 1.56 km/s to latest at 1.40 km/s with 5 % path detour, over every impact point and time consistent with the candidate (bearing within 3° when one is published; impact 00:19:38 to 00:55:00 UTC; 7th arc 20° S to 41° S within 150 NM), then widened by 20 % of its length at each end (outer dotted lines mark the unwidened span). Shaded: span for the primary sound speed 1.465 to 1.520 km/s with 2 % detour. Sites shown: every site with an unblocked path (GEBCO 2026 screen) from at least one consistent point. IMOS loggers record 307 s in every 15 min; grey gaps have no data. Spectrogram: 2 s segments, power over the median of the same record at each frequency (dB). Lower panels: chance that noise alone scores this high at one 5 s look (−log10), from 14 days of noise (1 to 15 March 2014) or, for 3275 and 3315, 8 March records outside 00:15 to 02:00; band energy 8 to 40 Hz in 30 s; impact-pattern correlation from the whitened waveform; combined = Fisher sum of all five scores. Earthquake arrivals are NOT removed from the noise calibration in this version. Window p: chance that noise alone gives a maximum this high over the looks in the window (calibrated for the look count). Cape Leeuwin and Diego Garcia South: only the digitised Kadri (2024) Figure 9 envelopes (no waveform).

Candidate 7: Cape Leeuwin 00:38:29 (Kadri; bearing 261.2°). Implied impact 00:19:38–00:21:02 UTC, arc 34° S




Window: earliest arrival at 1.56 km/s to latest at 1.40 km/s with 5 % path detour, over every impact point and time consistent with the candidate (bearing within 3° when one is published; impact 00:19:38 to 00:55:00 UTC; 7th arc 20° S to 41° S within 150 NM), then widened by 20 % of its length at each end (outer dotted lines mark the unwidened span). Shaded: span for the primary sound speed 1.465 to 1.520 km/s with 2 % detour. Sites shown: every site with an unblocked path (GEBCO 2026 screen) from at least one consistent point. IMOS loggers record 307 s in every 15 min; grey gaps have no data. Spectrogram: 2 s segments, power over the median of the same record at each frequency (dB). Lower panels: chance that noise alone scores this high at one 5 s look (−log10), from 14 days of noise (1 to 15 March 2014) or, for 3275 and 3315, 8 March records outside 00:15 to 02:00; band energy 8 to 40 Hz in 30 s; impact-pattern correlation from the whitened waveform; combined = Fisher sum of all five scores. Earthquake arrivals are NOT removed from the noise calibration in this version. Window p: chance that noise alone gives a maximum this high over the looks in the window (calibrated for the look count). Cape Leeuwin and Diego Garcia South: only the digitised Kadri (2024) Figure 9 envelopes (no waveform).




Window: earliest arrival at 1.56 km/s to latest at 1.40 km/s with 5 % path detour, over every impact point and time consistent with the candidate (bearing within 3° when one is published; impact 00:19:38 to 00:55:00 UTC; 7th arc 20° S to 41° S within 150 NM), then widened by 20 % of its length at each end (outer dotted lines mark the unwidened span). Shaded: span for the primary sound speed 1.465 to 1.520 km/s with 2 % detour. Sites shown: every site with an unblocked path (GEBCO 2026 screen) from at least one consistent point. IMOS loggers record 307 s in every 15 min; grey gaps have no data. Spectrogram: 2 s segments, power over the median of the same record at each frequency (dB). Lower panels: chance that noise alone scores this high at one 5 s look (−log10), from 14 days of noise (1 to 15 March 2014) or, for 3275 and 3315, 8 March records outside 00:15 to 02:00; band energy 8 to 40 Hz in 30 s; impact-pattern correlation from the whitened waveform; combined = Fisher sum of all five scores. Earthquake arrivals are NOT removed from the noise calibration in this version. Window p: chance that noise alone gives a maximum this high over the looks in the window (calibrated for the look count). Cape Leeuwin and Diego Garcia South: only the digitised Kadri (2024) Figure 9 envelopes (no waveform).

Candidate 7: Cape Leeuwin 00:38:29 (Kadri; bearing 261.2°). Implied impact 00:19:38–00:21:02 UTC, arc 34° S




Window: earliest arrival at 1.56 km/s to latest at 1.40 km/s with 5 % path detour, over every impact point and time consistent with the candidate (bearing within 3° when one is published; impact 00:19:38 to 00:55:00 UTC; 7th arc 20° S to 41° S within 150 NM), then widened by 20 % of its length at each end (outer dotted lines mark the unwidened span). Shaded: span for the primary sound speed 1.465 to 1.520 km/s with 2 % detour. Sites shown: every site with an unblocked path (GEBCO 2026 screen) from at least one consistent point. IMOS loggers record 307 s in every 15 min; grey gaps have no data. Spectrogram: 2 s segments, power over the median of the same record at each frequency (dB). Lower panels: chance that noise alone scores this high at one 5 s look (−log10), from 14 days of noise (1 to 15 March 2014) or, for 3275 and 3315, 8 March records outside 00:15 to 02:00; band energy 8 to 40 Hz in 30 s; impact-pattern correlation from the whitened waveform; combined = Fisher sum of all five scores. Earthquake arrivals are NOT removed from the noise calibration in this version. Window p: chance that noise alone gives a maximum this high over the looks in the window (calibrated for the look count). Cape Leeuwin and Diego Garcia South: only the digitised Kadri (2024) Figure 9 envelopes (no waveform).

Candidate 8: Cape Leeuwin 00:55:07 (Kadri; bearing 314.1°). Implied impact 00:30:01–00:40:42 UTC, arc 24° S




Window: earliest arrival at 1.56 km/s to latest at 1.40 km/s with 5 % path detour, over every impact point and time consistent with the candidate (bearing within 3° when one is published; impact 00:19:38 to 00:55:00 UTC; 7th arc 20° S to 41° S within 150 NM), then widened by 20 % of its length at each end (outer dotted lines mark the unwidened span). Shaded: span for the primary sound speed 1.465 to 1.520 km/s with 2 % detour. Sites shown: every site with an unblocked path (GEBCO 2026 screen) from at least one consistent point. IMOS loggers record 307 s in every 15 min; grey gaps have no data. Spectrogram: 2 s segments, power over the median of the same record at each frequency (dB). Lower panels: chance that noise alone scores this high at one 5 s look (−log10), from 14 days of noise (1 to 15 March 2014) or, for 3275 and 3315, 8 March records outside 00:15 to 02:00; band energy 8 to 40 Hz in 30 s; impact-pattern correlation from the whitened waveform; combined = Fisher sum of all five scores. Earthquake arrivals are NOT removed from the noise calibration in this version. Window p: chance that noise alone gives a maximum this high over the looks in the window (calibrated for the look count). Cape Leeuwin and Diego Garcia South: only the digitised Kadri (2024) Figure 9 envelopes (no waveform).

Candidate 8: Cape Leeuwin 00:55:07 (Kadri; bearing 314.1°). Implied impact 00:30:01–00:40:42 UTC, arc 24° S




Window: earliest arrival at 1.56 km/s to latest at 1.40 km/s with 5 % path detour, over every impact point and time consistent with the candidate (bearing within 3° when one is published; impact 00:19:38 to 00:55:00 UTC; 7th arc 20° S to 41° S within 150 NM), then widened by 20 % of its length at each end (outer dotted lines mark the unwidened span). Shaded: span for the primary sound speed 1.465 to 1.520 km/s with 2 % detour. Sites shown: every site with an unblocked path (GEBCO 2026 screen) from at least one consistent point. IMOS loggers record 307 s in every 15 min; grey gaps have no data. Spectrogram: 2 s segments, power over the median of the same record at each frequency (dB). Lower panels: chance that noise alone scores this high at one 5 s look (−log10), from 14 days of noise (1 to 15 March 2014) or, for 3275 and 3315, 8 March records outside 00:15 to 02:00; band energy 8 to 40 Hz in 30 s; impact-pattern correlation from the whitened waveform; combined = Fisher sum of all five scores. Earthquake arrivals are NOT removed from the noise calibration in this version. Window p: chance that noise alone gives a maximum this high over the looks in the window (calibrated for the look count). Cape Leeuwin and Diego Garcia South: only the digitised Kadri (2024) Figure 9 envelopes (no waveform).

Candidate 8: Cape Leeuwin 00:55:07 (Kadri; bearing 314.1°). Implied impact 00:30:01–00:40:42 UTC, arc 24° S




Window: earliest arrival at 1.56 km/s to latest at 1.40 km/s with 5 % path detour, over every impact point and time consistent with the candidate (bearing within 3° when one is published; impact 00:19:38 to 00:55:00 UTC; 7th arc 20° S to 41° S within 150 NM), then widened by 20 % of its length at each end (outer dotted lines mark the unwidened span). Shaded: span for the primary sound speed 1.465 to 1.520 km/s with 2 % detour. Sites shown: every site with an unblocked path (GEBCO 2026 screen) from at least one consistent point. IMOS loggers record 307 s in every 15 min; grey gaps have no data. Spectrogram: 2 s segments, power over the median of the same record at each frequency (dB). Lower panels: chance that noise alone scores this high at one 5 s look (−log10), from 14 days of noise (1 to 15 March 2014) or, for 3275 and 3315, 8 March records outside 00:15 to 02:00; band energy 8 to 40 Hz in 30 s; impact-pattern correlation from the whitened waveform; combined = Fisher sum of all five scores. Earthquake arrivals are NOT removed from the noise calibration in this version. Window p: chance that noise alone gives a maximum this high over the looks in the window (calibrated for the look count). Cape Leeuwin and Diego Garcia South: only the digitised Kadri (2024) Figure 9 envelopes (no waveform).

Candidate 8: Cape Leeuwin 00:55:07 (Kadri; bearing 314.1°). Implied impact 00:30:01–00:40:42 UTC, arc 24° S




Window: earliest arrival at 1.56 km/s to latest at 1.40 km/s with 5 % path detour, over every impact point and time consistent with the candidate (bearing within 3° when one is published; impact 00:19:38 to 00:55:00 UTC; 7th arc 20° S to 41° S within 150 NM), then widened by 20 % of its length at each end (outer dotted lines mark the unwidened span). Shaded: span for the primary sound speed 1.465 to 1.520 km/s with 2 % detour. Sites shown: every site with an unblocked path (GEBCO 2026 screen) from at least one consistent point. IMOS loggers record 307 s in every 15 min; grey gaps have no data. Spectrogram: 2 s segments, power over the median of the same record at each frequency (dB). Lower panels: chance that noise alone scores this high at one 5 s look (−log10), from 14 days of noise (1 to 15 March 2014) or, for 3275 and 3315, 8 March records outside 00:15 to 02:00; band energy 8 to 40 Hz in 30 s; impact-pattern correlation from the whitened waveform; combined = Fisher sum of all five scores. Earthquake arrivals are NOT removed from the noise calibration in this version. Window p: chance that noise alone gives a maximum this high over the looks in the window (calibrated for the look count). Cape Leeuwin and Diego Garcia South: only the digitised Kadri (2024) Figure 9 envelopes (no waveform).

Candidate 9: Cape Leeuwin 00:39:02 (Kadri; bearing 268.2°). Implied impact 00:19:38–00:23:34 UTC, arc 32; 33; 34° S




Window: earliest arrival at 1.56 km/s to latest at 1.40 km/s with 5 % path detour, over every impact point and time consistent with the candidate (bearing within 3° when one is published; impact 00:19:38 to 00:55:00 UTC; 7th arc 20° S to 41° S within 150 NM), then widened by 20 % of its length at each end (outer dotted lines mark the unwidened span). Shaded: span for the primary sound speed 1.465 to 1.520 km/s with 2 % detour. Sites shown: every site with an unblocked path (GEBCO 2026 screen) from at least one consistent point. IMOS loggers record 307 s in every 15 min; grey gaps have no data. Spectrogram: 2 s segments, power over the median of the same record at each frequency (dB). Lower panels: chance that noise alone scores this high at one 5 s look (−log10), from 14 days of noise (1 to 15 March 2014) or, for 3275 and 3315, 8 March records outside 00:15 to 02:00; band energy 8 to 40 Hz in 30 s; impact-pattern correlation from the whitened waveform; combined = Fisher sum of all five scores. Earthquake arrivals are NOT removed from the noise calibration in this version. Window p: chance that noise alone gives a maximum this high over the looks in the window (calibrated for the look count). Cape Leeuwin and Diego Garcia South: only the digitised Kadri (2024) Figure 9 envelopes (no waveform).

Candidate 9: Cape Leeuwin 00:39:02 (Kadri; bearing 268.2°). Implied impact 00:19:38–00:23:34 UTC, arc 32; 33; 34° S




Window: earliest arrival at 1.56 km/s to latest at 1.40 km/s with 5 % path detour, over every impact point and time consistent with the candidate (bearing within 3° when one is published; impact 00:19:38 to 00:55:00 UTC; 7th arc 20° S to 41° S within 150 NM), then widened by 20 % of its length at each end (outer dotted lines mark the unwidened span). Shaded: span for the primary sound speed 1.465 to 1.520 km/s with 2 % detour. Sites shown: every site with an unblocked path (GEBCO 2026 screen) from at least one consistent point. IMOS loggers record 307 s in every 15 min; grey gaps have no data. Spectrogram: 2 s segments, power over the median of the same record at each frequency (dB). Lower panels: chance that noise alone scores this high at one 5 s look (−log10), from 14 days of noise (1 to 15 March 2014) or, for 3275 and 3315, 8 March records outside 00:15 to 02:00; band energy 8 to 40 Hz in 30 s; impact-pattern correlation from the whitened waveform; combined = Fisher sum of all five scores. Earthquake arrivals are NOT removed from the noise calibration in this version. Window p: chance that noise alone gives a maximum this high over the looks in the window (calibrated for the look count). Cape Leeuwin and Diego Garcia South: only the digitised Kadri (2024) Figure 9 envelopes (no waveform).

Candidate 9: Cape Leeuwin 00:39:02 (Kadri; bearing 268.2°). Implied impact 00:19:38–00:23:34 UTC, arc 32; 33; 34° S




Window: earliest arrival at 1.56 km/s to latest at 1.40 km/s with 5 % path detour, over every impact point and time consistent with the candidate (bearing within 3° when one is published; impact 00:19:38 to 00:55:00 UTC; 7th arc 20° S to 41° S within 150 NM), then widened by 20 % of its length at each end (outer dotted lines mark the unwidened span). Shaded: span for the primary sound speed 1.465 to 1.520 km/s with 2 % detour. Sites shown: every site with an unblocked path (GEBCO 2026 screen) from at least one consistent point. IMOS loggers record 307 s in every 15 min; grey gaps have no data. Spectrogram: 2 s segments, power over the median of the same record at each frequency (dB). Lower panels: chance that noise alone scores this high at one 5 s look (−log10), from 14 days of noise (1 to 15 March 2014) or, for 3275 and 3315, 8 March records outside 00:15 to 02:00; band energy 8 to 40 Hz in 30 s; impact-pattern correlation from the whitened waveform; combined = Fisher sum of all five scores. Earthquake arrivals are NOT removed from the noise calibration in this version. Window p: chance that noise alone gives a maximum this high over the looks in the window (calibrated for the look count). Cape Leeuwin and Diego Garcia South: only the digitised Kadri (2024) Figure 9 envelopes (no waveform).

Candidate 9: Cape Leeuwin 00:39:02 (Kadri; bearing 268.2°). Implied impact 00:19:38–00:23:34 UTC, arc 32; 33; 34° S




Window: earliest arrival at 1.56 km/s to latest at 1.40 km/s with 5 % path detour, over every impact point and time consistent with the candidate (bearing within 3° when one is published; impact 00:19:38 to 00:55:00 UTC; 7th arc 20° S to 41° S within 150 NM), then widened by 20 % of its length at each end (outer dotted lines mark the unwidened span). Shaded: span for the primary sound speed 1.465 to 1.520 km/s with 2 % detour. Sites shown: every site with an unblocked path (GEBCO 2026 screen) from at least one consistent point. IMOS loggers record 307 s in every 15 min; grey gaps have no data. Spectrogram: 2 s segments, power over the median of the same record at each frequency (dB). Lower panels: chance that noise alone scores this high at one 5 s look (−log10), from 14 days of noise (1 to 15 March 2014) or, for 3275 and 3315, 8 March records outside 00:15 to 02:00; band energy 8 to 40 Hz in 30 s; impact-pattern correlation from the whitened waveform; combined = Fisher sum of all five scores. Earthquake arrivals are NOT removed from the noise calibration in this version. Window p: chance that noise alone gives a maximum this high over the looks in the window (calibrated for the look count). Cape Leeuwin and Diego Garcia South: only the digitised Kadri (2024) Figure 9 envelopes (no waveform).

Candidate 10: Cape Leeuwin 00:45:36 (Kadri; bearing 312.0°). Implied impact 00:21:07–00:31:11 UTC, arc 24; 25° S




Window: earliest arrival at 1.56 km/s to latest at 1.40 km/s with 5 % path detour, over every impact point and time consistent with the candidate (bearing within 3° when one is published; impact 00:19:38 to 00:55:00 UTC; 7th arc 20° S to 41° S within 150 NM), then widened by 20 % of its length at each end (outer dotted lines mark the unwidened span). Shaded: span for the primary sound speed 1.465 to 1.520 km/s with 2 % detour. Sites shown: every site with an unblocked path (GEBCO 2026 screen) from at least one consistent point. IMOS loggers record 307 s in every 15 min; grey gaps have no data. Spectrogram: 2 s segments, power over the median of the same record at each frequency (dB). Lower panels: chance that noise alone scores this high at one 5 s look (−log10), from 14 days of noise (1 to 15 March 2014) or, for 3275 and 3315, 8 March records outside 00:15 to 02:00; band energy 8 to 40 Hz in 30 s; impact-pattern correlation from the whitened waveform; combined = Fisher sum of all five scores. Earthquake arrivals are NOT removed from the noise calibration in this version. Window p: chance that noise alone gives a maximum this high over the looks in the window (calibrated for the look count). Cape Leeuwin and Diego Garcia South: only the digitised Kadri (2024) Figure 9 envelopes (no waveform).

Candidate 10: Cape Leeuwin 00:45:36 (Kadri; bearing 312.0°). Implied impact 00:21:07–00:31:11 UTC, arc 24; 25° S




Window: earliest arrival at 1.56 km/s to latest at 1.40 km/s with 5 % path detour, over every impact point and time consistent with the candidate (bearing within 3° when one is published; impact 00:19:38 to 00:55:00 UTC; 7th arc 20° S to 41° S within 150 NM), then widened by 20 % of its length at each end (outer dotted lines mark the unwidened span). Shaded: span for the primary sound speed 1.465 to 1.520 km/s with 2 % detour. Sites shown: every site with an unblocked path (GEBCO 2026 screen) from at least one consistent point. IMOS loggers record 307 s in every 15 min; grey gaps have no data. Spectrogram: 2 s segments, power over the median of the same record at each frequency (dB). Lower panels: chance that noise alone scores this high at one 5 s look (−log10), from 14 days of noise (1 to 15 March 2014) or, for 3275 and 3315, 8 March records outside 00:15 to 02:00; band energy 8 to 40 Hz in 30 s; impact-pattern correlation from the whitened waveform; combined = Fisher sum of all five scores. Earthquake arrivals are NOT removed from the noise calibration in this version. Window p: chance that noise alone gives a maximum this high over the looks in the window (calibrated for the look count). Cape Leeuwin and Diego Garcia South: only the digitised Kadri (2024) Figure 9 envelopes (no waveform).



Window: earliest arrival at 1.56 km/s to latest at 1.40 km/s with 5 % path detour, over every impact point and time consistent with the candidate (bearing within 3° when one is published; impact 00:19:38 to 00:55:00 UTC; 7th arc 20° S to 41° S within 150 NM), then widened by 20 % of its length at each end (outer dotted lines mark the unwidened span). Shaded: span for the primary sound speed 1.465 to 1.520 km/s with 2 % detour. Sites shown: every site with an unblocked path (GEBCO 2026 screen) from at least one consistent point. IMOS loggers record 307 s in every 15 min; grey gaps have no data. Spectrogram: 2 s segments, power over the median of the same record at each frequency (dB). Lower panels: chance that noise alone scores this high at one 5 s look (−log10), from 14 days of noise (1 to 15 March 2014) or, for 3275 and 3315, 8 March records outside 00:15 to 02:00; band energy 8 to 40 Hz in 30 s; impact-pattern correlation from the whitened waveform; combined = Fisher sum of all five scores. Earthquake arrivals are NOT removed from the noise calibration in this version. Window p: chance that noise alone gives a maximum this high over the looks in the window (calibrated for the look count). Cape Leeuwin and Diego Garcia South: only the digitised Kadri (2024) Figure 9 envelopes (no waveform).

Candidate 10: Cape Leeuwin 00:45:36 (Kadri; bearing 312.0°). Implied impact 00:21:07–00:31:11 UTC, arc 24; 25° S



Window: earliest arrival at 1.56 km/s to latest at 1.40 km/s with 5 % path detour, over every impact point and time consistent with the candidate (bearing within 3° when one is published; impact 00:19:38 to 00:55:00 UTC; 7th arc 20° S to 41° S within 150 NM), then widened by 20 % of its length at each end (outer dotted lines mark the unwidened span). Shaded: span for the primary sound speed 1.465 to 1.520 km/s with 2 % detour. Sites shown: every site with an unblocked path (GEBCO 2026 screen) from at least one consistent point. IMOS loggers record 307 s in every 15 min; grey gaps have no data. Spectrogram: 2 s segments, power over the median of the same record at each frequency (dB). Lower panels: chance that noise alone scores this high at one 5 s look (−log10), from 14 days of noise (1 to 15 March 2014) or, for 3275 and 3315, 8 March records outside 00:15 to 02:00; band energy 8 to 40 Hz in 30 s; impact-pattern correlation from the whitened waveform; combined = Fisher sum of all five scores. Earthquake arrivals are NOT removed from the noise calibration in this version. Window p: chance that noise alone gives a maximum this high over the looks in the window (calibrated for the look count). Cape Leeuwin and Diego Garcia South: only the digitised Kadri (2024) Figure 9 envelopes (no waveform).