

MH370 primary impact - GLORYS/WAVERYS PI?iades conditional sensitivity - conditional sensitivity

GLORYS12 0.494 m plus WAVERYS surface Stokes; ESS 1.0 (baseline 1930.3); not a central posterior update

Estimate at a glance

BRANCH	SURFACE FAMILY
pleiades-glorys12-waverys	glorys12_waverys
SUPPORTED PARENT MASS	MEAN SHIFT
99.896%	50.03 NM
ESS BASELINE / CONDITIONAL	
1930.3 / 1.0	




Probability is conditional on the named motion, SATCOM, and evidence configuration.
HPD contours use a fixed 5-cell display kernel; estimator weights and numerical summaries are unchanged.

Posterior geography

Highest-density regions are computed from the weighted particle population.

HPD contours use a fixed 5-cell display kernel; estimator weights and numerical summaries are unchanged.



Interpretation

The map is a probability density over the modelled impact state. It is not a searched-area elimination map, and structural model alternatives must be compared separately.

Numerical behaviour and conditions

Adaptive likelihood tempering, particle diversity, and declared evidence conditions.

Effective sample size

peak 1



Evidence conditions

- Application status: provisional_conditional_sensitivity
- Support policy: condition_on_native_support
- Central posterior updated: false

Material limitations

- The image-object identity, false-positive process, and image-selection process are uncalibrated; this is a conditional proxy, not core evidence.
- Alternative Pleiades transport families represent the same image hypothesis and are run separately, never multiplied.
- Arbitrary impact positions use a declared nearest 5-NM grid-node discretization after an explicit native-boundary check.
- Out-of-support parent mass 0.001040 is removed only by the explicit 'condition_on_native_support' sensitivity condition; it is not evidence against those particles.
- Relative scores are floored at 1.000e-300; this is a declared numerical sensitivity and not a physical false-positive calibration.
- This branch is deliberately separate from the parent SATCOM/impact posterior and cannot be stacked with another family representing the same observations.
- Conditional ESS 1.01 is too small for a stable narrow contour; interpret location and area only as a particle-resolution sensitivity warning.