data-subscriber

Public

Watch 17 Fork 39 Star 127

main 23 Branches 31 Tags Go to file Add file Code

vivian100 Merge pull request #192 from arpitjain099/chore/validate-d... 7ab24f2 · 2 months ago 186 Commits

.github/workflows	Deploy workflow: org-team-assignment.yml	4 months ago
cmr	added umm-t entry (#12)	5 years ago
img	Develop (#52)	4 years ago
subscriber	Reword date-range error to allow equal dates per review	2 months ago
tests	Validate that start date precedes end date	2 months ago
.flake8	Feature/ds flag improvements (#11)	5 years ago
.gitignore	issues/72: Fix package structure and switch to using poetr...	4 years ago
BUILD.md	issues/72: Fix package structure and switch to using poetr...	4 years ago
CHANGELOG.md	Validate that start date precedes end date	2 months ago
Downloader.md	Release/1.15.0 (#154)	2 years ago
Finding_shortname.pdf	initial Commit	5 years ago
LICENSE	Update LICENSE	5 years ago
README.md	Develop (#131)	3 years ago
Subscriber.md	Release/1.15.0 (#154)	2 years ago
conftest.py	Develop to master (#49)	4 years ago
poetry.lock	Release/1.15.1 (#166)	2 years ago
pyproject.toml	bump version	2 years ago


README Apache-2.0 license

Python Build failing PyPI release no status

Scripted Access to PODAAC data

Subscriber or Bulk Download?

There are 2 tools in this repository, the data subscriber and the data downloader. Which you use depends on your use case. If you're not sure, we'd recommend starting with the downloader.



Downloader - Documentation

The Downloader is useful if you need to download PO.DAAC data once in a while or prefer to do it "on-demand". The Downloader makes no assumptions about the last time run or what is new in the archive, it simply uses the provided requests and downloads all matching data.

Subscriber - Documentation

The subscriber is useful for users who need to continuously pull the latest data from the PO.DAAC archive. If you feed data into a model or real time process, the subscriber allows you to repeatedly run the script and only download the latest data.

Installation

Both subscriber and downloader require Python >= 3.7.

The subscriber and downloader scripts are available in the pypi python repository, it can be installed via pip:

```
pip install podaac-data-subscriber
```

you should now have access to the downloader and subscriber Command line interfaces:

```
$> usage: PO.DAAC data subscriber [-h] -c COLLECTION -d OUTPUTDIRECTORY [-f] [-sd STARTDAT
                                  [-e EXTENSIONS] [--process PROCESS_CMD] [--version] [--verb

...
```

```
$> usage: PO.DAAC bulk-data downloader [-h] -c COLLECTION -d OUTPUTDIRECTORY [--cycle SEAR
                                       [--offset OFFSET] [-e EXTENSIONS] [-gr GRANULENAME] [-

...
```

Note: If after installation, the `podaac-data-subscriber` or `podaac-data-downloader` commands are not available, you may need to add the script location to the PATH. This could be due to a *User Install* of the python package, which is common on shared systems where python packages are installed for the user (not the system). See Installing to the User Site and User Installs for more information on finding the location of installed scripts and adding them to the PATH.

Step 1: Get Earthdata Login

This step is needed only if you dont have an Earthdata login already. https://urs.earthdata.nasa.gov/

> The Earthdata Login provides a single mechanism for user registration and profile management for all EOSDIS system components (DAACs, Tools, Services). Your Earthdata login also helps the EOSDIS program better understand the usage of EOSDIS services to improve user experience through customization of tools and improvement of services. EOSDIS data are openly available to all and free of charge except where governed by international agreements.

For setting up your authentication, see the notes on the `netrc` file below.

Step 2: Setup your Earthdata Login

The netrc used within the script will allow Python scripts to log into any Earthdata Login without being prompted for credentials every time you run. The netrc file should be placed in your HOME directory. To find the location of your HOME directory

On UNIX you can use

```
echo $HOME
```

On Windows you can use

```
echo %HOMEDRIVE%%HOMEPATH%
```

The output location from the command above should be the location of the `.netrc` (`_netrc` on Windows) file.

The format of the `netrc` file is as follows:

```
machine urs.earthdata.nasa.gov
    login <your username>
    password <your password>
```

for example:

```
machine urs.earthdata.nasa.gov
    login podaacUser
    password podaacIsAwesome
```

If the script cannot find the netrc file, you will be prompted to enter the username and password and the script wont be able to generate the CMR token

Advanced Usage

Request data from another DAAC...

Use the 'provider' flag to point at a non-PO.DAAC provider. Be aware, the default data types (--extensions) may need to be specified if the desired data are not in the defaults.

```
podaac-data-subscriber -c SENTINEL-1A_SLC -d myData  -p ASF -sd 2014-06-01T00:46:02Z
```

Logging

For error troubleshooting, one can set an environment variable to gain more insight into errors:

```
export PODAAC_LOGLEVEL=DEBUG
```

And then run the script. This should give you more verbose output on URL requests to CMR, tokens, etc.

OTHER OPTIONS

The podaac downloader and subscriber make calls to github for checking recent releases. Unauthenticated requests are limited to 60 per hour. If you start seeing errors like:

```
releases_json = {'documentation_url': 'https://docs.github.com/rest/overview/resources-in-
```

You'll want to set the environment variable GITHUB_TOKEN to a github personal access token- this allows for up to 5000 calls per hour. This requires a free github account. Most users will not run in to this issue.

In need of Help?

The PO.DAAC User Services Office is the primary point of contact for answering your questions concerning data and information held by the PO.DAAC. User Services staff members are knowledgeable about both the data ordering system and the data products themselves. We answer questions about data, route requests to other DAACs, and direct questions we cannot answer to the appropriate information source.

Please contact us via email at podaac@podaac.jpl.nasa.gov

About

Subscribe and bulk download collections of data at PO.DAAC

data-access development python tva

Readme
Apache-2.0 license
Activity
Custom properties
127 stars
17 watching
39 forks
Report repository

Releases 15

Subscriber 1.15.0 Latest
2 years ago

+ 14 releases

Packages

No packages published

Contributors 15

Languages

Python 100%