


Most probable impact regions, primary case (00:19 transmission range used)

Dark: 50 % region. Light: 90 % region. +: highest density.



PIPELINE TEST - NOT CONVERGED (core (b) split-half). The dark area holds half the probability, and the dark and light areas together hold 90 %. The lower maps are correct only if the Pléiades objects are aircraft debris. The input sample did not settle. Do not use these maps for a search.

Technical: Source: core (b) filter, prior track 289.7 deg, 00:11 hand-off, 4 strata x 4 seeds (51.2 M impact rows); end of flight 3c6319f (dive class (b), descent rates <= 6,500 ft/min, PROVISIONAL); log-on cause 'other', +alive. Drift: GLORYS12V1 + ERA5 only, 50 km bandwidth, 9 finds (GlobCurrent excluded; audit F1). Hydroacoustics: stand-in L_hyd (IMOS 4 loggers + Kadri H01W list). Pléiades: rating 5, 6 clusters, equal weight, GLORYS12, COSMO excluded. Searches: Phase 2 + Bluefin-21, rho 0.05, OI excluded. Not-computed rows carried at the (seed, mode) mean likelihood ratio (drift 16-25 % of weight, Pléiades 1-3 %). Strata mixed by P(family) re-weighted by the 00:19 evidence. Holland H1/H2 not estimable and not shown. Regions: highest-density cells of the patch-B equal-area grid (0.25 deg lon x equal authalic-latitude steps, 769.3 km² cells), unsmoothed; peak from the map smoothed by 1 cell.