


Impact PDF by 00:19 interpretation (Pete's priorities 1-4), reference-289, 4 seeds. Each panel uses different data: shown side by side, never evidence-mixed.



Runs: eof-289-full-s1, eof-289-full-s2, eof-289-full-s3, eof-289-full-s4 (terminal stage on core run 'reference-289', hand-off m0011 from runs/snap289-m0011). Prior track 289.7° (sd 1.0°) from 2014-03-07T18:01:49Z. Configs: davey2016.toml + no-exhaustion-prior.toml + reference-snapshots.toml + reference-289.toml + snapshot-m0011.toml + terminal.toml + reference-289.toml. 4 seeds, 100,000 parents/seed x 8 children x 4 descents = 12,799,968 descents; BFO models inflated, no-offset, startup-offset; 24 module families (propulsion x control x profile shape). Panels: none_other; r600_no-offset_fuel-exhaustion; both_startup-offset_fuel-exhaustion; both_no-offset_other (option_log-on cause). HPD from a 0.02° weighted histogram smoothed 0.1°, equal weight per seed. Code 55c4536-dirty. Assumptions: point-mass descent; PROVISIONAL dive class (divergent-spiral weight, 90° bank cap) pending the Boeing-checked 6-DOF; Boeing-calibrated glide band (reference, Pete 9 Oct); fuel-exhaustion log-on lag Erlang(8, 14.875 s); two-burst panels unconverged (36 and 82 effective impacts), shapes not to be read; stopgap proposal off.