



Detection geometry and the Pléiades reference

Dashed line: FL400 seventh-arc reference only. Star: grid-cell mode. Contours: 50%, 90%, 95% source probability.

Observation coordinates, not impact origins




Reproduced Pléiades, expanded source support



Conditional on a selected detection being relevant debris and the stated transport/support model. No background false-detection likelihood.

Possible COSMO-SkyMed Radar | 21 March assumption


Possible COSMO-SkyMed Radar clock time assumed 04:00 UTC; Pléiades fixed at 23 March 04:00 UTC. Model weights fixed at 1/3.



Conditional on a selected detection being relevant debris and the stated transport/support model. No background false-detection likelihood.

Pléiades + Possible COSMO-SkyMed Radar: 50:50 mixture | 21 March assumption


Possible COSMO-SkyMed Radar clock time assumed 04:00 UTC; Pléiades fixed at 23 March 04:00 UTC. Model weights fixed at 1/3.



Conditional on a selected detection being relevant debris and the stated transport/support model. No background false-detection likelihood.

Possible COSMO-SkyMed Radar | 23 March assumption


Possible COSMO-SkyMed Radar clock time assumed 04:00 UTC; Pléiades fixed at 23 March 04:00 UTC. Model weights fixed at 1/3.



Conditional on a selected detection being relevant debris and the stated transport/support model. No background false-detection likelihood.

Pléiades + Possible COSMO-SkyMed Radar: 50:50 mixture | 23 March assumption





Possible COSMO-SkyMed Radar clock time assumed 04:00 UTC; Pléiades fixed at 23 March 04:00 UTC. Model weights fixed at 1/3.



Conditional on a selected detection being relevant debris and the stated transport/support model. No background false-detection likelihood.



Date and fourth-object sensitivities

Equal fixed mixture of the three transport families. Latitude histograms use 0.08° bins; no extra smoothing.



How much does the assumed date move the result?

Mean shifts summarize changes in location; total variation and HPD areas in the CSV tables also describe changes in shape.



Conditional on a selected detection being relevant debris and the stated transport/support model. No background false-detection likelihood.