
Kadri's six poster boxes on the published Cape Leeuwin traces, tested with our detectors



Lowest p-value in each of Kadri's six boxes, per detector

box	span, UTC	matched filter	STA/LTA	band 2–5 Hz	band 5–9 Hz	arrival in box	timing
a1	00:28:12–29:42	0.817	0.94	0.89	0.53	0 %	too early[1]
a2	00:30:24–31:54	0.720	0.82	0.71	0.75	0 %	too early[1]
a3	00:32:30–34:00	0.502	0.76	0.96	0.40	0 %	too early[1]
a4	00:35:24–36:54	0.327	0.49	0.84	0.25	< 0.001 %	at the edge[2]
c1 (text time)	00:51:10–52:50	0.043	0.42	0.62	0.77	3.9 %	possible
c2 (caption time)	00:53:50–55:20	0.123	0.60	0.83	0.47	4.6 %	possible

[1] ends 2.9–7.2 min before the earliest predicted arrival for an impact on the arc after 00:19:29: the source would be earlier or off the arc.
[2] ends at the earliest predicted arrival (share of arrival < 0.001 %).
p-values are per window, without correction for the 120 tests (30 windows x 4 detectors) at Cape Leeuwin; 6 values below 0.05 are expected by chance, 1 was found.
Arrival in box: share of the predicted arrival (00:19 data not used) that falls inside the box.

Plain note: This chart is our check of the six boxes that Kadri drew on his 2025 poster. The grey lines are the Cape Leeuwin pressure traces of his 2024 paper, read from the published figure. The orange boxes are his boxes. Under each trace is the output of our envelope matched filter. The table gives, for each box, the lowest p-value that each of our four detectors found in the box, and the part of the predicted arrival that falls in the box. A small p-value means that the noise alone seldom gives so strong a value. Only box c1 (Kadri's text time) reaches p below 0.05, and one value of 0.043 among many tests is expected by chance. The boxes in panel a are too early for an impact on the arc after 00:19:29.

Technical note: Traces: Kadri (2024) Fig. 9 panels a–c (H01W), vector-digitised (~19 samples/s, 8,706–8,721 vertices per 600 s), 'figure9-vector-traces'. Boxes: SnT 2025 poster P1.4-254 panels (a) and (c), positions read from the poster image (named/poster_boxes.csv). Detectors (block-5 panel search, pre-registered, searches_run_j): M1b = envelope matched filter against the KRAKEN dispersed template; D1 = STA/LTA; BE = band energy 2–5 and 5–9 Hz (the plot band is 1–9 Hz; 10–40 Hz is not recoverable from the figure). p = per-window p_A against an IMOS 3376 plot emulation (6,720 null windows); box p = minimum over the 55 s windows overlapping the box (panels/box_minima.csv). No multiplicity correction: 30 H01W windows x 4 detectors = 120 tests were scored; 6 report-level (p <= 0.05) rows are expected by chance and 1 was found (searches note, Table 2). Arrival share = run J D0′ (p 0.5) mass of the predicted H01W deep-channel arrival inside the box. Timing: the panel (a) boxes end 0–7.2 min before the earliest arc arrival, so their source is before 00:19:29 or off the arc (prior 0 under the 00:19 log-on). Kadri times: text time 00:52:03 (p. 9), caption time 00:54:30 (Table 1). DIGITISED DATA: amplitude +/- chart reading. PREDICTIVE, NOT CALIBRATED. C1: propagation slope misfit +10.4 / +7.4 dB per octave at H01W / H08S (after the EW0112 source result a source-term caveat; air9 verdict NOT EXPLAINED, gap G23). C2: coupling efficiency eta not calibrated; swept over four decades; F-35A upper anchor eta = 2.1e-4 is provisional (from Brown 2026's quote of Metz 2023; re-derivation from Metz pending). No detection is claimed.