Ttukttak Vibe Workshop Teacher's Guide

Running eight 40-minute lessons and using the student worksheets

Designed for grades 5–6: students describe the app they want, predict the result, then check and fix it themselves. Teachers look beyond the on-screen completion marks to predictions, observations, reasons for fixes, and explanations.

https://gmlduqzhd123-lab.github.io/Vibe-for-U/

Ground rules for the course

The basic practice room is about changing prepared code and rules. Writing a free-form request does not generate or run arbitrary code. Real AI building happens in Lesson 6, done by a teacher or adult in an external tool.

Lesson	Topic and main activity	Main work	Student worksheet
1	Small problems into apps	Quiz-1	pp. 1–2
2	Explaining precisely	Existing quiz	pp. 3–4
3	Inputs and conditions	Story-1	pp. 5–6
4	What the app remembers	Quiz-4	pp. 7–8
5	Becoming a bug detective	Quiz-3	pp. 9–10
6	Building with real AI	Quiz-1	pp. 11–12
7	A friend tries it	Story-4	pp. 13–14
8	Applying to a new problem	Timer-4	pp. 15–16

Each lesson is Opening 5 min · Activity 30 min · Wrap-up 5 min. Default is 2 students per device, but each student can fill in their own worksheet. For grades 3–4, add read-alouds, choice cards, and oral explanations, and reduce writing.

Based on the screens released October 25, 2026. There are 8 student worksheets, each 2 pages (front/back). The app records per work, so bundle paper worksheets with a representative work to build process records.

Preparing before class

Teacher pre-check

☐ Open the web app on a school device and confirm buttons, input, and on-device saving work.

☐ Select Kids mode and review the per-lesson mission guides in Teacher resources.

☐ Reproduce the duplicate-score bug in Quiz 3 and the reset bug in Quiz 4 yourself first.

☐ Prepare 2 students per device and one worksheet each; assign driver and observer.

☐ Give the class only the mission URL. A work URL does not open a work from another device.

☐ For Lesson 6, prepare the external AI tool, a teacher run environment, a prepared example, and screen printouts.

Agreements to share with students first

Never put real names, emails, contact info, or photos into the app or an AI request. Use group numbers or nicknames. Records stay on the current device and browser and do not move to other devices automatically.

Predict first, then press. Compare expected and actual rather than chasing right answers. Passing an auto check does not mean the student saw it themselves. Use a friend's work with permission and give feedback based on observed facts.

How to hand out materials

In Teacher resources, expand the lesson and use Copy student mission URL. If copying is blocked, follow the on-screen select-and-copy instructions. When printing worksheets, choose the lesson's two pages and print one page per side.

If time runs short, record prediction, actual result, and reason on paper first and continue next time. Do not make students enter the same long text in both the app and on paper.

The five-step method

1 Set a goal

Start from Make your first work or the Mission bench. Edit the sample user, problem, features, and done condition, then press Build with this promise.

2 Write the request

Write one sentence in My first request and press Tidy request from the promise. Both the original and the tidied request are kept. Changing the request alone does not change the run rules, so check the settings too.

3 Predict and run

Press Write prediction first and record your prediction before running. Check the settings and rules, then use the small app yourself. If you change the prediction, run again so the record matches that prediction.

4 Check and fix

Press Auto-check current settings to get the auto result and a hands-on check card. Write the actual result and choose a check status. After fixing a setting, re-check the same way and write what you want to change and why.

5 Explain and save

Write how it works, what you learned, and what help you received. Use Save as process version or Save in the versions panel. Collect and print records from the process portfolio.

What changes when you move around

Quiz scores and story scenes persist while moving between steps of the same work. Changing settings, reopening a work, or restoring a version resets the run screen. A timer stops when you change screens or steps and is stopped when reopened.

Do not make students erase unchanged hands-on observations and rewrite them. Re-checking refreshes the auto result for the current settings and keeps checks and saved versions from earlier settings.

Lesson 1 Small problems into apps

Goal Pick a small everyday problem, change one quiz message, and explain why.

Linked mission When a choice meets the answer

Setup Open Kids mode and Quiz 1. The first question's answer is Sunlight and water. Each pair needs 1 device and the 2-page Lesson 1 worksheet.

Time	Teacher and student activity	Worksheet use
0–5 min	Share an annoying moment and choose who the app is for.	Front, prep
5–12 min	Edit the sample promise and confirm it. Write one original sentence and tidy the request.	Front 1–2
12–22 min	Write the prediction first, then press the correct and a wrong answer to observe the message and score.	Front 3, back 4
22–35 min	Change one message and re-check with the same action. Write why you changed it.	Back 4–5
35–40 min	Explain the changed message and reason to a partner and confirm save status.	Back 6

Guiding questions “How can a friend tell they chose the right answer?” “What wording would tell them what to do next when they're wrong?”

Evidence to check One-sentence prediction, the message and score they saw, the before/after sentences, and the reason for the change. Not every step needs to be green in the first lesson.

Teacher reference A normal starting work gives 1 point for correct, 0 for wrong. To check wrong answers, restart and pick a different answer. Do not fill in the student's actual-observation box for them.

Differentiation If writing is hard, give the frame “I'm making a quiz for ___” and have the partner read aloud. Fast students change one more message.

No-device fallback Pick answers from screen cards and run with paper score tokens. Results not confirmed in the real app stay Not checked yet.

Wrap-up and save Save a version named Lesson 1 message fix. If short on time, keep prediction, actual, and reason on paper first.

Lesson 2 Explaining precisely

Goal Make the build request specific, including user, features, edge cases, and done condition.

Linked mission When a choice meets the answer

Setup Reopen the Lesson 1 work from My works. If none, start Quiz 1. Keep the original and compare the tidied request before and after.

Time	Teacher and student activity	Worksheet use
0–5 min	Find what is missing from “Make me a fun quiz.”	Front, prep
5–13 min	Read the current request and check user, problem, input, result, edge cases, and done condition.	Front 1–2
13–25 min	Make the promise specific, confirm it, and tidy the request again.	Front 3, back 4
25–35 min	Compare sentences before and after; design two checks for the new conditions.	Back 4–5
35–40 min	Read one added done condition aloud and save the request version.	Back 6

Guiding questions “Instead of ‘fun’, what has to appear for it to count as done?” “Did you say what happens when the same answer is pressed several times?”

Evidence to check Look for added conditions that can be checked. A longer sentence alone is not a higher level.

Teacher reference “Correct = 1 point, wrong = 0, and each question is scored only once” is easy to check because action and result are linked. Changing the request alone does not change the run rules.

Differentiation Start by answering two of the six questions aloud. Extension: add one more condition for empty input or restart.

No-device fallback Write the request on paper before editing; the partner acts as the runner. Find vague parts by asking follow-up questions.

Wrap-up and save First save a Before request edit version. After editing, save a new version named Request detail to keep the original for comparison.

Lesson 3 Inputs and conditions

Goal Predict how a choice links to the destination scene, then check both paths and explain.

Linked mission My choice makes the path

Setup Open Story 1. Use the normal work where the tree and sunlight choices lead to different endings.

Time	Teacher and student activity	Worksheet use
0–5 min	Read only one choice's text and predict the next scene.	Front, prep
5–13 min	Find the choice (input), the link rule, and the current scene (remembered value).	Front 1–2
13–25 min	Run both paths, return to start, and compare prediction with actual.	Front 3, back 4
25–35 min	Change one choice text or scene description, then re-check both paths.	Back 4–5
35–40 min	Tell a partner: choice → link rule → current scene → screen result.	Back 6

Guiding questions "If we only change the choice text, does the destination change too?" "If an ending exists but no path leads there, can we reach it?"

Evidence to check Can they tell choice text from link settings, and did they check both required endings?

Teacher reference Default links: Toward the big tree → Tree Library; Toward the sunlight → Sunny Garden. Back to start resets the opening scene and the path taken.

Differentiation Lay out three scene cards and trace the path with a finger. Fast students add a new ending and link a choice to it.

No-device fallback Move with paper scene cards and arrows. If the real app's links were not checked, mark it as a paper dry run.

Wrap-up and save Save versions before and after the path fix. Write the path a friend chose and the actual destination on the worksheet.

Lesson 4 What the app remembers

Goal Find score, question number, and answered state; compare before/after restart; fix the reset rule.

Linked mission A clean restart

Setup Quiz 4 contains a practice rule with score reset turned off. Keep 2 questions, 1 point each, and build up a score first.

Time	Teacher and student activity	Worksheet use
0–5 min	Name the values the app must keep remembering even when the screen changes.	Front, prep
5–15 min	Find score, question number, and Already answered; solve questions and record.	Front 1–2
15–27 min	Write a prediction before restart, compare with actual values, then turn on the score-reset rule.	Front 3, back 4
27–35 min	Run again after the fix and confirm score, question number, and answered state all reset.	Back 4–5
35–40 min	Explain the difference between the screen and remembered values; save a version.	Back 6

Guiding questions “What happens if we're on question 1 but the score is still there?” “If we clear only the score, what about Already answered?”

Evidence to check Do they separate input from remembered values, and explain the reset using all three states?

Teacher reference Getting both right gives 2 points · No. 2 · Already answered: Yes. Restarting with the starting rule gives 2 points · No. 1 · No. With score reset on, restart gives 0 points · No. 1 · No.

Differentiation Give a paper scoreboard with the three value names pre-written. Fast students also compare the timer's remaining time and running state.

No-device fallback Three students hold the score tokens, question-number card, and answered card and act out the reset.

Wrap-up and save Save checks and versions before and after the reset fix. Also confirm that reopening a work resets the run state.

Lesson 5 Becoming a bug detective

Goal Reproduce the duplicate score with the same action, fix one rule, re-check, and explain why.

Linked mission Huh? The score keeps going up!

Setup Open the Quiz 3 practice-bug work. New work with normal rules has no bug, so use Start this mission.

Time	Teacher and student activity	Worksheet use
0–5 min	Agree on what the score should be after pressing the same correct answer three times.	Front, prep
5–15 min	Press the first question's correct answer three times to reproduce and check the bug.	Front 1–2
15–25 min	Save a before-fix version and change the scoring rule to once per question.	Front 3, back 4
25–35 min	Repeat the three-press check, compare expected and actual, and record the reason.	Back 4–5
35–40 min	Explain what the app must remember and save an after-fix version.	Back 6

Guiding questions “Is the number of presses the same as the number of correct answers?” “What action must you repeat before saying it's fixed?”

Evidence to check A record of changing one setting and re-checking under the same conditions. Separate auto-check passes from hands-on observation.

Teacher reference At 1 point per question, the practice rule gives 3 points for three presses on the first correct answer. Set to once per question, the same action gives 1 point. The key explanation: checking the Already answered state blocks duplicate scoring.

Differentiation Assign a driver and a score observer. Provide the frame “Situation ___, expected ___, actual ___.” Extension: change points per question and set a new expected value.

No-device fallback Compare a rule that gives a token every try with one that gives a token once per question. Clearly mark when the app was not run.

Wrap-up and save Save separate versions: Before duplicate-score fix and After duplicate-score fix. Confirm the real save status before file backup.

Lesson 6 Building with real AI

Goal Students set the request, prediction, and checks; observe what the teacher builds with external AI; write a fix request.

Linked mission When a choice meets the answer

Setup The teacher prepares an external AI tool approved for school use and a separate run environment. Students do not sign up for accounts. Also prepare a prepared example and printed screens.

Time	Teacher and student activity	Worksheet use
0–5 min	Confirm the difference and roles between basic practice and real AI building.	Front, prep
5–15 min	Students write the request and three checks. No personal information.	Front 1–2
15–25 min	The teacher sends the request to the external tool, reviews the generated code, and runs it in a separate environment.	Front 3, back 4
25–35 min	Students check the actual result and write a fix request. The teacher makes one fix where possible.	Back 4–5
35–40 min	Record the tool used, help received, observed facts, and what was not run, separately.	Back 6

Guiding questions "How is 'I copied it' different from 'I saw it run'?" "What should stay as is, and what exactly should change?"

Evidence to check Tool name, prediction, checks, and the source of actual observations. Do not grade generation success or speed as student achievement.

Teacher reference The basic practice room does not run requests as arbitrary code. In the Real AI build record, write tool, prediction, criteria, observation, and verdict separately. This app does not auto-check external AI code.

Differentiation Students form the request orally or with sentence frames; the teacher operates the tool. Include score-once, result, and restart conditions in the request.

No-device fallback If generation is not done within 10 min, run the same checks on the prepared example. Mark New generation, Prepared example, or Not run; never record an example of unclear AI origin as a real AI completion.

Wrap-up and save Keep the work's Real AI build record and the Lesson 6 worksheet. If you only copied, leave the actual result as Not checked yet.

Lesson 7 A friend tries it

Goal Listen to a friend's observations, improve one message or link, and re-check with the same action.

Linked mission A better story from a friend's words

Setup Open Story 4 or the Lesson 3 story work. Two students share one device and each writes observed facts on their own worksheet.

Time	Teacher and student activity	Worksheet use
0–5 min	Practice describing observed actions and confusing moments instead of judging.	Front, prep
5–15 min	Driver A and observer B use it first. The observer predicts the next scene and writes what they saw.	Front 1–2
15–25 min	Swap roles and use the same work. Record observations on the friend/teacher feedback card.	Front 3, back 4
25–35 min	Pick one piece of feedback, fix a message or link, and use the same path again.	Back 4–5
35–40 min	Explain the feedback applied and the behavior kept, with reasons.	Back 6

Guiding questions "What did you see at the moment your friend hesitated?" "Should every opinion be applied as is? How do you decide?"

Evidence to check Do they separate opinions from auto-check results and use observed facts as the basis for the fix?

Teacher reference "I pressed the sunlight side but couldn't find the garden title I expected" helps more than "It's boring." Keep valid scene links even when changing choices or descriptions.

Differentiation Use the speaking frame "I pressed ___ and saw ___. ___ confused me." Fast pairs get one more check from another user.

No-device fallback Recreate the use case with scene and choice cards. With only one device, rotate driver, observer, and presenter roles.

Wrap-up and save Save versions Before friend feedback and After message fix. Write the work title and the feedback applied on the worksheet.

Lesson 8 Applying to a new problem

Goal Build a timer for a new user and conditions, explain the check evidence and principles, and bundle the process records.

Linked mission Start again, as many times as you like

Setup Open Timer 4. New task: a workout tool that announces a rest after 20 seconds and supports pause, resume, and reset. Do not submit the existing 30-second example as is.

Time	Teacher and student activity	Worksheet use
0–5 min	Confirm how the user, time, and message conditions differ from the example.	Front, prep
5–13 min	Set a new promise and request; write predictions and check items before running.	Front 1–2
13–27 min	Change the limit to 20 s, set the end message, then check start, pause, resume, and reset.	Front 3, back 4
27–35 min	Explain the new task's result and how it works. Organize the representative-work portfolio and the Lesson 8 worksheet.	Back 4–5
35–40 min	Describe a check method to apply to other apps and confirm the backup.	Back 6

Guiding questions “When 30 s becomes 20 s, how do the expected check values change?” “Why are pause and reset different?”

Evidence to check Did they adjust the done criteria for the new conditions and explain using actual results? Review the Lesson 8 paper record with the representative work.

Teacher reference At 20 s: reset gives 20 s · stopped, pause keeps the remaining time, resume continues from that point. The end message at 0 s appears once per run and never goes negative.

Differentiation Give three condition cards: user, time, end message. Extension: explain how to carry the same check method to a quiz or story.

No-device fallback Dry-run on paper by swapping time and running-state cards. Anything not checked in the real app stays Not checked yet.

Wrap-up and save Keep the completed new-task version and the JSON. The portfolio is per work, so bundle the Lesson 8 worksheet with the printed representative work to complete the process records.

Saving and shared devices

Autosave and version saves

Autosave keeps the current edits; look for Saved on device. Before and after a meaningful change, expand the Compare and restore versions panel, enter a name, and press Save current edit as version.

A version holds settings, request, prediction, checks, and reasons together. When restoring an older version, the pre-restore edit is also kept. Restoring settings does not keep a running timer going.

Continuing on another device

1. Press File backup in the workspace or List backup in My works.
2. Check the browser's download list for the new JSON file.
3. Move the file to the new device by an approved method and choose Import file in My works.
4. Open the imported copy and check the title, settings, prediction, and check records.

Files are schema version 1 JSON, up to 2 MB. Large lists are split into several files. A work holds up to 30 versions, 600 KB total. If you hit question, scene, check, or character limits, read the notice, back up, then tidy.

Save failures and shared devices

If a save fails, do a file backup first while the edits are still visible. Check storage space and browser permissions, then use Retry save. Do not close the window or clear data before confirming Saved.

Start next user only clears the recent-work link and collapses the previous list; it is not privacy protection or full deletion. The next user can still open shared records explicitly. Deleting a work, selected checks, or the whole app: confirm the scope and back up first.

There is no automatic class progress collection or real-time co-editing. Teachers check via worksheets, oral explanations, student-provided backup files, or printed representative works. Do not edit the same work in several tabs at once.

Process assessment and feedback

Do not judge by a single successful run. Look together at the problem the student chose, the prediction before running, hands-on observation, before/after fixes, and explanations to decide the next support.

Observed item	Beginning	Doing	Explaining & applying
Problem and requirements	Chooses a user and a pain point.	Links purpose, features, and done condition.	Adjusts conditions for a different user and explains.
Understanding how it works	Finds inputs and results.	Links rules to changes in remembered values.	Explains and applies state changes and edge cases.
Checking and fixing	Records prediction and observation.	Compares expected/actual, fixes, and re-checks.	Designs fix reasons and new checks from check evidence.
Explaining and applying to a new task	Says what was changed.	Explains help received and reasons for changes.	Transfers the method to new conditions and explains.

Questions that surface learning evidence

“What result did you expect before you pressed it?”

“Which record shows the result you actually saw?”

“Did you re-check with the same action as before the fix?”

“To use this method in another app, which conditions would you change?”

Teacher notes

Group or nickname _____ Lesson observed _____

Actions observed and student's explanation

_____

_____

Support for next time

_____

Do not assess understanding by prompt length, lines of code, or amount of decoration. Distinguish auto checks, student hands-on checks, friend/teacher feedback, and what is not checked yet.

Troubleshooting during class

Situation	Teacher support	Record to keep
A new work opens instead of the mission	Choose Start this mission in the mission guide. Distinguish a normal new work from a practice-bug work.	Title of the work actually opened
Auto check passed but a step remains	Check the hands-on card's actual result, check status, and fix reason.	Hands-on observation and reason
Prediction step shows incomplete again	Ask whether the prediction was edited, then run the current settings again.	Edited prediction and re-run
Score or scene went back to the start	Was a setting changed, the work reopened, or a version restored? Confirm records are kept.	Run conditions and whether records exist
Save failed or file rejected	Keep the edit window open and back up to JSON. Follow the notice to check file format, size, and version.	Failure details and backup location
AI generation slow or failed	Run the same checks on the prepared example or printed screens. Never mark Not run as success.	New generation · Prepared example · Not run
No device or internet	Dry-run with paper button, scene, score, and time cards.	Mark as paper dry run
Not finished in 40 min	Record one prediction, one actual result, and the fix reason first; continue next time.	One remaining task

Check together before ending

☐ Real save status ☐ Needed version names ☐ JSON download file ☐ Next steps

Rather than just “Nice work,” give feedback on the action you observed: “You pressed the same correct answer again to check the score stayed the same.”

Lesson materials and app screen names follow the October 25, 2026 release. If button names change later, look for the same flow: goal, request, prediction, check, explain.