

Web Services/API Document

for

E-warehouse

Submitted to



**WAREHOUSE
RECEIPT SYSTEM
COUNCIL**

Prepared by



CSM Technologies Private Limited

Level - 6, OCAC Tower, Acharya Vihar,
Bhubaneswar - 751013, Odisha, India

+91 (0)674-6635 900 | info@csm.co.in | www.csm.co.in

Contents

- 1.** INTRODUCTION 2
- 2.** PURPOSE OF THIS DOCUMENT..... 2
- 3.** HOW TO ACCESS THE API SERVICES 2
- 4.** LIST OF SERVICES 3
 - 4.1** API for: Get OAuth Token..... 3
 - 4.2** API for: Warehouse Receipt Transactions For KOMEX..... 4

1. INTRODUCTION

E-warehouse is a platform for managing warehouse operations, depositor registrations, loan sanctions, and auction processes. The APIs facilitate secure data transactions and ensure seamless integration with external systems.

2. PURPOSE OF THIS DOCUMENT

This This document serves as a reference guide for stakeholders to understand the API endpoints, their usage, and integration with the e-Warehouse system.

3. HOW TO ACCESS THE API SERVICES

- ❖ **Registration of Application & Whitelisting of IP Address**
- ❖ **Token-Based Authentication using OAuth2**
- ❖ **Secure Communication via HTTPS**

4. LIST OF SERVICES

4.1 API for: Get OAuth Token.

❖ **Use Cases:**

This API will be helpful to get the Token no. for authenticating the user. Stakeholder has to provide the specified User Name and Password to get the Token No. This token no will be valid for 30 minutes and expires automatically. This token no. to be passed in header in every APIs.

❖ **Service Request Name and URL**

URL	http://localhost:8888/oauth2/token
Method	POST

❖ **Authentication Details**

- **Auth Type:** Basic Auth
- **Username:** winnie gwada
- **Password:** winnie123

❖ **Request Header**

Header	Value
Authorization	*****
Cache-Control	no-cache
Postman-Token	<calculated when request is sent>
Content-Type	application/x-www-form-urlencoded
Content-Length	<calculated when request is sent>
Host	<calculated when request is sent>
User-Agent	PostmanRuntime/7.43.3
Accept	/
Accept-Encoding	gzip, deflate, br
Connection	keep-alive

❖ **Request Body (Form-Data/ x-www-form-urlencoded)**

Key	Value
grant_type	client_credentials

client_id	winnie_gwada
client_secret	winnie123
scope	read write

❖ **Sample Request (cURL Format):**

```
http://localhost:8888/api/
eyJhbGciOiJSUzI1NiJ9.eyJzdWUiOiJwcmI5YW5rYSIsImF1ZCI6ImByaXlhbmthliwibmJmIjoxNzQzNDkwNzQ5LCJzY29wZSI6WyJyZWFKliwid3JpdGUiXSwiaXNzIjoiaHR0cDovL2xvY2FsaG9zdDo4ODg4IiwiaXhwaWJjoxNzQzNDk0MzQ5LCJpYXQiOiJlNDM0OTA3NDksImp0aSI6IjU5MTkyZjRjLWI5OGUtNDJkOC1hYWU0LWFjZmMxODgxNDA2MCI9.gAf-rFXyIM2uJc4O-GFtazSSyZZEDHGFaLw_isNxy-_Ut_hau8MK7-6nguH5muVPm1OPU1LkKQwFQSBXghxyxrT4N-SkIVepAG4o_3N9Ro8sZ7hs8atyEM_38FxTD6Eb42tFfYcpM2-_j572mj__ibKPTy5SrnITXchK2TSwc_61IQSxESfyQsfD_i3iazE-sFDS3czrJ0RsKnDpHir_FAESfutn_Y7eoPUtFJgH1SivtnR4PD7PgKvklfMr31w2MdGSPimKxpHQLtTHglu_TIElcfQexx7EP9Y0wO41UcQE1t7WBpn6WqEoEyu_2dpC1IBB6KOWliP7oT-r8Tox9w
```

❖ **Sample Response Template:**

```
{
  "access_token": "
eyJhbGciOiJSUzI1NiJ9.eyJzdWUiOiJwcmI5YW5rYSIsImF1ZCI6ImByaXlhbmthliwibmJmIjoxNzQzNDkwNzQ5LCJzY29wZSI6WyJyZWFKliwid3JpdGUiXSwiaXNzIjoiaHR0cDovL2xvY2FsaG9zdDo4ODg4IiwiaXhwaWJjoxNzQzNDk0MzQ5LCJpYXQiOiJlNDM0OTA3NDksImp0aSI6IjU5MTkyZjRjLWI5OGUtNDJkOC1hYWU0LWFjZmMxODgxNDA2MCI9.gAf-rFXyIM2uJc4O-GFtazSSyZZEDHGFaLw_isNxy-_Ut_hau8MK7-6nguH5muVPm1OPU1LkKQwFQSBXghxyxrT4N-SkIVepAG4o_3N9Ro8sZ7hs8atyEM_38FxTD6Eb42tFfYcpM2-_j572mj__ibKPTy5SrnITXchK2TSwc_61IQSxESfyQsfD_i3iazE-sFDS3czrJ0RsKnDpHir_FAESfutn_Y7eoPUtFJgH1SivtnR4PD7PgKvklfMr31w2MdGSPimKxpHQLtTHglu_TIElcfQexx7EP9Y0wO41UcQE1t7WBpn6WqEoEyu_2dpC1IBB6KOWliP7oT-r8Tox9w",
  "token_type": "bearer",
  "expires_in": 3600,
  "scope": "read write"
}
```

4.2 API for: Warehouse Receipt Transactions For KOMEX

❖ **Use Cases**

This API allows users to submit warehouse receipt-related data for KOMEX processing and receive back detailed retirement and disbursement status information. It is

primarily designed for financial institutions, warehouse operators, or system integrator needing to validate and process retirement decisions, and calculate corresponding disbursements. Upon receiving a properly structured request containing receipt-related data (e.g., depositor info, commodity, weights, and financial), the API returns the retirement status along with disbursement breakdowns to involved parties (warehouse operator, council, depositor, financial institution) and enriched depositor details.

❖ **Service Request Name and URL**

URL	http://localhost:8888/api/komex/komexResponse
Method	POST

❖ **Header**

Token

```
eyJhbGciOiJSUzI1NiJ9.eyJzdWUiOiJwcmI5YW5rYSIsImF1ZCI6ImByaXlhbWthliwibmJmIjoxNzQzNDk5OTE4LCJzY29wZSI6WyJyZWFKliwid3JpdGUiXSwiaXNzIjoiaHR0cDovL2xvY2FsaG9zdDo4ODg4liwiZXhwljoxNzQzNTAzNTE4LCJpYXQiOiE3NDM0OTk5MTgsImp0aSI6ImVIZDkxZjQyLWlyMDQtNGJlYy04ZDFjLWM3NGI0ZWYyMTRhYyJ9.AwhcN6tVutxY7M1YLyQe6QtKUZZlep29x5wiOETljkjJ390w51RkpxlqJc8Z4uvRp0TJzxo4xOXDALCLzUus4eogHpmkq66HfxnQ-LDhKq1bnw-lgMtrvCJWrjwNiKCwh9F0LpzDkYPkV1UAAlaWVPBjP97XO-zNlvTnkgomslfkGgaTGab5bfXwukjgURf3zi1KW2JJKGNC5GXf72zYWB-PBSdjtH4J6YPCdSt4s9p3uDVBemV1WSq1ZnUeghYhEKMNm32k3VYiso8amfJE_ndaij8lHEOlBNXpq3dRjkiUFLfzfdhGVAcqdto6Wdxw-iWo44qSOPBueDV-Ee0rA
```

❖ **Sample Request Template**

```
{
  "whOperatorId": 194,
  "whOperatorName": "Ethan Wambua",
  "issuanceWhId": 7,
  "warehouseReceiptNumber": "WR-120-2025",
  "depositorName": "Depositor A",
  "commodityType": "Beans",
  "commodityInKG": 500,
  "paymentStatusForRegistration": "Payment Done",
  "operationalCost": 50000,
  "councilCharge": 0,
  "pledgedAmount": 0,
  "pledgedStatus": "No",
  "totalCost": 50000,
```

```
"listedStatus": "Yes",  
"retirementStatus": "Yes",  
  
}
```

❖ **Sample Response Template**

```
{  
  "tradeStatus": "Yes",  
  "tradeAmount": "60000",  
  "splittingRequired": "No",  
  "splittingRatio": " ",  
  "splittedReceipt": "",  
  "newDepositor": {  
    "typeOfDepositor": "Individual",  
    "nameOfDepositor": "John Doe",  
    "mobileNumber": "+254712345678",  
    "emailAddress": "john.doe@example.com",  
    "postalCode": "00100",  
    "postalAddress": "P.O. Box 12345 - 00100 Nairobi",  
    "county": "Nairobi",  
    "subCounty": "Westlands",  
    "ward": "Parklands",  
    "nationality": "Kenyan",  
    "entityRegistrationNumber": "BRN123456789",  
    "governmentIssuedID": "National ID",  
    "idNumber": "12345678"  
  },  
  "disbursementToWarehouseOperator": 50000.00,  
  "disbursementToCouncil": 0,  
  "disbursementToDepositor": 10000.00,  
  "disbursementToFinancialInstitution": 0  
}
```

Status Codes:

- 200 - OK
- 400 - Bad Request
- 401– Unauthorized (Invalid token)
- 404– Not Found (No data for provided ID)
- 500– Internal Server Error (Third-party service failure)