


Ruijie Reyee RG-NBS, NIS3100 Series Switches

ReyeeOS 2.380 Release Notes



Copyright

Copyright © 2025 Ruijie Networks

All rights are reserved in this document and this statement.

Without the prior written consent of Ruijie Networks, any organization or individual shall not reproduce, extract, back up, modify, or propagate the content of this document in any manner or in any form, or translate it into other languages or use some or all parts of the document for commercial purposes.



and other Ruijie networks logos are trademarks of Ruijie Networks.

All other trademarks or registered trademarks mentioned in this document are owned by their respective owners.

Disclaimer

The products, services, or features you purchase are subject to commercial contracts and terms. Some or all of the products, services or features described in this document may not be within the scope of your purchase or use. Unless otherwise agreed in the contract, Ruijie Networks does not make any express or implied statement or guarantee for the content of this document.

The names, links, descriptions, screenshots, and any other information regarding third-party software mentioned in this document are provided for your reference only. Ruijie Networks does not explicitly or implicitly endorse or recommend the use of any third-party software and does not make any assurances or guarantees concerning the applicability, security, or legality of such software. You should choose and use third-party software based on your business requirements and obtain proper authorization. Ruijie Networks assumes no liability for any risks or damages arising from your use of third-party software.

Due to product version upgrades or other reasons, the content of this document will be updated from time to time. Ruijie Networks reserves the right to modify the content of the document without any notice or prompt.

This manual is for reference only. Ruijie Networks endeavors to ensure content accuracy and will not shoulder any responsibility for losses and damages caused due to content omissions, inaccuracies or errors.

Preface

Intended Audience

This document is intended for:

- Network engineers
- Technical support and servicing engineers
- Network administrators

Technical Support

- The official website of Ruijie Reyee: <https://reyee.ruijie.com>
- Technical Support Website: <https://reyee.ruijie.com/en-global/support>
- Case Portal: <https://www.ruijienetworks.com/support/caseportal>
- Community: <https://community.ruijienetworks.com>
- Technical Support Email: service_rj@ruijienetworks.com
- Online Robot/Live Chat: <https://reyee.ruijie.com/en-global/rita>

Conventions

1. Signs

The signs used in this document are described as follows:

Warning

An alert that calls attention to important rules and information that if not understood or followed can result in data loss or equipment damage.

Caution

An alert that calls attention to essential information that if not understood or followed can result in function failure or performance degradation.

Note

An alert that contains additional or supplementary information that if not understood or followed will not lead to serious consequences.

Specification

An alert that contains a description of product or version support.

2. Note

This manual introduces the version information, revision history, features, resolved issues, open issues, supported platforms, software upgrading and related documentation.

Contents

Preface	I
1 Version Information	1
1.1 RG-NBS3100, NIS3100 Series	1
1.2 RG-NBS3100-EXTEND Series.....	1
1.3 RG-NBS3200 Series.....	2
1.4 RG-NBS5000 Series.....	3
1.5 RG-NBS6000 Series.....	4
1.6 RG-NBS7000 Series.....	5
1.7 Revision History	5
2 Features	7
2.1 New Features.....	7
3 Resolved Issues	8
4 Open Issues	9
5 Supported Platforms	10
5.1 Hardware Platform	10
5.2 Interoperability Information	12
6 Software Upgrading	13
6.1 Upgrade File	13
6.1.1 RG-NBS3100, NIS3100 Series.....	13
6.1.2 RG-NBS3100-EXTEND Series.....	14
6.1.3 RG-NBS3200 Series.....	15
6.1.4 RG-NBS5000 Series.....	16
6.1.5 RG-NBS6000 Series.....	17

6.1.6 RG-NBS7000 Series.....	18
6.2 Requirements.....	18
6.3 Important Points to Remember.....	19
6.4 Upgrade Procedure	19
6.4.1 Upgrade Device	19
6.4.2 Check Version	19
7 Related Documentation.....	21

1 Version Information

1.1 RG-NBS3100, NIS3100 Series

Version Number	ReyeeOS 2.380.0.2310;SWITCH_3.0(1)B11P380,Release(12231011)
Version Type	Official release
Applicable Products	RG-NBS3100 and NIS3100 Series Switches: RG-NBS3100-8GT2SFP: 1.0x, 1.1x, 1.2x, 1.3x, 1.4x, 1.5x, 1.6x RG-NBS3100-24GT4SFP-P-V2: 1.0x, 1.1x, 1.2x, 1.3x RG-NBS3100-24GT4SFP-V2: 1.0x, 1.1x, 1.2x RG-NBS3100-8GT2SFP-P-V2: 1.0x RG-NIS3100-8GT4SFP-HP: 1.0x, 1.1x, 1.2x, 1.3x, 1.4x RG-NIS3100-8GT2SFP-HP: 1.0x, 1.1x, 1.2x, 1.3x, 1.4x RG-NIS3100-4GT2SFP-HP: 1.0x, 1.1x, 1.2x, 1.3x, 1.4x
Applicable Clients	International customers
Release Type	Official Release
Release Date	2025-11-12
Based Version Number	ReyeeOS 2.380.0.2125;SWITCH_3.0(1)B11P380,Release(12212510)
Description	Version iteration

1.2 RG-NBS3100-EXTEND Series

Version Number	ReyeeOS 2.380.0.2310;SWITCH_3.0(1)B11P380,Release(12231011)
Version Type	Official release
Applicable Products	RG-NBS3100-EXTEND Series Switches: RG-NBS3100-48GT4SFP-P: 1.0x, 1.1x, 1.2x RG-NBS3100-48GT4SFP-P-V2: 1.0x, 1.1x
Applicable Clients	International customers
Release Type	Official Release
Release Date	2025-11-12
Based Version Number	ReyeeOS 2.380.0.2125;SWITCH_3.0(1)B11P380,Release(12212510)
Description	Version iteration

1.3 RG-NBS3200 Series

Version Number	ReyeeOS 2.380.0.2310;SWITCH_3.0(1)B11P380,Release(12231011)
Version Type	Official release
Applicable Products	RG-NBS3200 Series Switches: RG-NBS3200-24GT4XS: 1.0x, 1.1x, 1.2x, 1.3x, 1.4x, 1.5x, 1.6x, 1.7x, 2.0x, 2.1x, 2.2x, 2.3x, 2.4x, 2.5x RG-NBS3200-48GT4XS: 1.0x, 1.1x, 1.2x, 1.3x, 1.4x, 1.5x, 2.0x, 2.1x, 2.2x, 2.4x RG-NBS3200-24SFP/8GT4XS: 1.0x, 1.1x, 1.2x, 1.3x, 2.0x, 2.1x, 2.2x, 2.3x, 2.4x RG-NBS3200-24GT4XS-P: 1.0x, 1.1x, 1.2x, 1.3x, 1.4x, 1.5x, 1.6x, 2.0x, 2.1x, 2.2x, 2.3x RG-NBS3200-48GT4XS-P: 1.0x, 1.1x, 1.2x, 1.3x, 1.4x, 1.5x, 1.6x, 2.0x, 2.1x, 2.2x RG-NBS3200-24GT4XS-P-V2: 1.0x, 1.1x RG-NBS3200-48GT4XS-P-V2: 1.0x, 1.1x
Applicable Clients	International customers
Release Type	Official Release
Release Date	2025-11-12
Based Version Number	ReyeeOS 2.380.0.2125;SWITCH_3.0(1)B11P380,Release(12212510)
Description	Version iteration

1.4 RG-NBS5000 Series

Version Number	ReyeeOS 2.380.0.2310;SWITCH_3.0(1)B11P380,Release(12231011)
Version Type	Official release
Applicable Products	RG-NBS5000 Series Switches: RG-NBS5100-24GT4SFP: 1.0x, 1.1x, 1.2x, 1.3x, 1.4x, 1.5x, 2.0x, 2.1x, 2.2x, 2.3x, 2.4x, 2.5x, 2.6x RG-NBS5100-48GT4SFP: 1.0x, 1.1x, 1.2x, 1.3x, 1.4x, 1.5x, 2.0x, 2.1x, 2.2x, 2.4x RG-NBS5100-24GT4SFP-P: 1.0x, 1.1x, 1.2x, 1.3x, 1.4x RG-NBS5200-24GT4XS: 1.0x, 1.1x, 1.2x, 1.3x, 1.4x, 1.5x, 1.6x, 2.0x, 2.1x, 2.2x, 2.3x, 2.4x, 2.5x, 2.6x RG-NBS5200-48GT4XS: 1.0x, 1.1x, 1.2x, 1.3x, 1.4x, 1.5x, 2.0x, 2.1x, 2.2x, 2.4x RG-NBS5200-24SFP/8GT4XS: 1.0x, 1.1x, 1.2x, 1.3x, 2.0x, 2.1x, 2.2x, 2.3x, 2.4x RG-NBS5200-24GT4XS-P: 1.0x, 1.1x, 1.2x, 1.3x RG-NBS5200-48GT4XS-UP: 1.0x, 1.1x, 1.2x RG-NBS5300-8MG2XS-UP: 1.0x, 1.1x RG-NBS5200-24GT4XS-P-V2: 1.0x, 1.1x
Applicable Clients	International customers
Release Type	Official Release
Release Date	2025-11-12
Based Version Number	ReyeeOS 2.380.0.2125;SWITCH_3.0(1)B11P380,Release(12212510)
Description	Version iteration

1.5 RG-NBS6000 Series

Version Number	ReyeeOS 2.380.0.2310;SWITCH_3.0(1)B11P380,Release(12231011)
Version Type	Official release
Applicable Products	RG-NBS6000 series switches: Chassis: RG-NBS6002: 1.0x, 1.1x, 1.2x, 1.3x Line cards: M6000-16GT8SFP2XS: 1.0x M6000-16SFP8GT2XS: 1.0x M6000-24GT2XS: 1.0x M6000-24SFP2XS: 1.0x
Applicable Clients	International customers
Release Type	Official Release
Release Date	2025-11-12
Based Version Number	ReyeeOS 2.380.0.2125;SWITCH_3.0(1)B11P380,Release(12212510)
Description	Version iteration

1.6 RG-NBS7000 Series

Version Number	ReyeeOS 2.380.0.2310;SWITCH_3.0(1)B11P380,Release(12231011)
Version Type	Official release
Applicable Products	RG-NBS7000 series switches: Chassis: RG-NBS7003: 1.0x, 1.1x RG-NBS7006: 1.0x, 1.1x Line cards: M7006-CM (compatible with the NBS7006 chassis only): 1.0x, 1.1x, 2.0x, 2.1x M7000-24GT2XS-EA: 1.0x, 2.0x, 2.1x M7000-24SFP2XS-EA: 1.0x, 2.0x, 2.1x M7000-24GT24SFP2XS-EA: 1.0x, 2.0x, 2.1x M7000-48GT2XS-EA: 1.0x, 2.0x, 2.1x M7000-48SFP2XS-EA: 1.0x, 2.0x, 2.1x M7000-8XS-EA: 1.0x, 2.0x, 2.1x M7000-16XS-EA: 1.0x, 1.1x, 2.0x, 2.1x
Applicable Clients	International customers
Release Type	Official Release
Release Date	2025-11-12
Based Version Number	ReyeeOS 2.380.0.2125;SWITCH_3.0(1)B11P380,Release(12212510)
Description	Version iteration

1.7 Revision History

Release Date	Version Number	Status
2024-03-26	ReyeeOS 2.280.0.1524;SWITCH_3.0(1)B11P280,Release(11152401)	Available
2024-06-28	ReyeeOS 2.280.0.1709;SWITCH_3.0(1)B11P280,Release(11170901)	Available
2024-07-30	ReyeeOS 2.300.0.1927;SWITCH_3.0(1)B11P300,Release(11192700)	Available
2024-11-13	ReyeeOS 2.320.0.2222;SWITCH_3.0(1)B11P320,Release(11222200) ReyeeOS 2.320.0.2311;SWITCH_3.0(1)B11P320,Release(11231100)	Available
2024-12-02	ReyeeOS 2.324.0.2328;SWITCH_3.0(1)B11P324,Release(11232803) ReyeeOS 2.324.0.2328;SWITCH_3.0(1)B11P324,Release(11232805) ReyeeOS 2.324.0.2328;SWITCH_3.0(1)B11P324,Release(11232806)	Available

Release Date	Version Number	Status
2025-02-18	ReyeeOS 2.324.0.1317;SWITCH_3.0(1)B11P324,Release(12131700) ReyeeOS 2.324.0.1317;SWITCH_3.0(1)B11P324,Release(12131709) ReyeeOS 2.324.0.1317;SWITCH_3.0(1)B11P324,Release(12131700)	Available
2025-03-28	ReyeeOS 2.324.0.1521;SWITCH_3.0(1)B11P324,Release(12152100) ReyeeOS 2.324.0.1528;SWITCH_3.0(1)B11P324,Release(12152818)	Available
2025-06-03	ReyeeOS 2.360.0.1730;SWITCH_3.0(1)B11P360,Release(12173022)	Available
2025-07-28	ReyeeOS 2.360.0.1924;SWITCH_3.0(1)B11P360,Release(12192402)	Available
2025-09-10	ReyeeOS 2.380.0.2029;SWITCH_3.0(1)B11P380,Release(12202922) ReyeeOS 2.380.0.2104;SWITCH_3.0(1)B11P380,Release(12210403)	Available
2025-10-13	ReyeeOS 2.380.0.2125;SWITCH_3.0(1)B11P380,Release(12212510)	Available
2025-10-22	ReyeeOS 2.380.0.2222;SWITCH_3.0(1)B11P380,Release(12222214) ReyeeOS 2.380.0.2222;SWITCH_3.0(1)B11P380,Release(12222215)	Available

2 Features

2.1 New Features

Feature	Source	Description
Safety compliance	Compliance certification	Solve the RED security compliance issues

3 Resolved Issues

Bug ID	Description
N/A	N/A

4 Open Issues

N/A

5 Supported Platforms

5.1 Hardware Platform

Hardware Type	Model	Hardware Version Number
Switch	RG-NBS3100-8GT2SFP	1.0x, 1.1x, 1.2x, 1.3x, 1.4x, 1.5x, 1.6x
Switch	RG-NBS3100-24GT4SFP-P-V2	1.0x, 1.1x, 1.2x, 1.3x
Switch	RG-NBS3100-24GT4SFP-V2	1.0x, 1.1x, 1.2x
Switch	RG-NBS3100-8GT2SFP-P-V2	1.0x
Industrial Ethernet Switch	RG-NIS3100-8GT4SFP-HP	1.0x, 1.1x, 1.2x, 1.3x, 1.4x
Industrial Ethernet Switch	RG-NIS3100-8GT2SFP-HP	1.0x, 1.1x, 1.2x, 1.3x, 1.4x
Industrial Ethernet Switch	RG-NIS3100-4GT2SFP-HP	1.0x, 1.1x, 1.2x, 1.3x, 1.4x
Switch	RG-NBS3100-48GT4SFP-P	1.0x, 1.1x, 1.2x
Switch	RG-NBS3100-48GT4SFP-P-V2:	1.0x, 1.1x
Switch	RG-NBS3200-24GT4XS	1.0x, 1.1x, 1.2x, 1.3x, 1.4x, 1.5x, 1.6x, 1.7x, 2.0x, 2.1x, 2.2x, 2.3x, 2.4x, 2.5x
Switch	RG-NBS3200-48GT4XS	1.0x, 1.1x, 1.2x, 1.3x, 1.4x, 1.5x, 2.0x, 2.1x, 2.2x, 2.4x
Switch	RG-NBS3200-24SFP/8GT4XS	1.0x, 1.1x, 1.2x, 1.3x, 2.0x, 2.1x, 2.2x, 2.3x, 2.4x
Switch	RG-NBS3200-24GT4XS-P	1.0x, 1.1x, 1.2x, 1.3x, 1.4x, 1.5x, 1.6x, 2.0x, 2.1x, 2.2x, 2.3x
Switch	RG-NBS3200-48GT4XS-P	1.0x, 1.1x, 1.2x, 1.3x, 1.4x, 1.5x, 1.6x, 2.0x, 2.1x, 2.2x
Switch	RG-NBS3200-24GT4XS-P-V2	1.0x, 1.1x
Switch	RG-NBS3200-48GT4XS-P-V2	1.0x, 1.1x
Switch	RG-NBS5100-24GT4SFP	1.0x, 1.1x, 1.2x, 1.3x, 1.4x, 1.5x, 2.0x, 2.1x, 2.2x, 2.3x, 2.4x, 2.5x, 2.6x

Hardware Type	Model	Hardware Version Number
Switch	RG-NBS5100-48GT4SFP	1.0x, 1.1x, 1.2x, 1.3x, 1.4x, 1.5x, 2.0x, 2.1x, 2.2x, 2.4x
Switch	RG-NBS5100-24GT4SFP-P	1.0x, 1.1x, 1.2x, 1.3x, 1.4x
Switch	RG-NBS5200-24GT4XS	1.0x, 1.1x, 1.2x, 1.3x, 1.4x, 1.5x, 1.6x, 2.0x, 2.1x, 2.2x, 2.3x, 2.4x, 2.5x, 2.6x
Switch	RG-NBS5200-48GT4XS	1.0x, 1.1x, 1.2x, 1.3x, 1.4x, 1.5x, 2.0x, 2.1x, 2.2x, 2.4x
Switch	RG-NBS5200-24SFP/8GT4XS	1.0x, 1.1x, 1.2x, 1.3x, 2.0x, 2.1x, 2.2x, 2.3x, 2.4x
Switch	RG-NBS5200-24GT4XS-P	1.0x, 1.1x, 1.2x, 1.3x
Switch	RG-NBS5200-48GT4XS-UP	1.0x, 1.1x, 1.2x
Switch	RG-NBS5300-8MG2XS-UP	1.0x, 1.1x
Switch	RG-NBS5200-24GT4XS-P-V2	1.0x, 1.1x
Chassis	RG-NBS6002	1.0x, 1.1x, 1.2x, 1.3x
Line card	M6000-16GT8SFP2XS	1.0x
Line card	M6000-16SFP8GT2XS	1.0x
Line card	M6000-24GT2XS	1.0x
Line card	M6000-24SFP2XS	1.0x
Chassis	RG-NBS7003	1.0x, 1.1x
Chassis	RG-NBS7006	1.0x, 1.1x
Line card (compatible with the NBS7006 chassis only)	M7006-CM	1.0x, 1.1x, 2.0x, 2.1x
Line card (can be installed in the NBS7003 chassis as a supervisor module)	M7000-24GT2XS-EA	1.0x, 2.0x, 2.1x
Line card (can be installed in the NBS7003 chassis as a supervisor module)	M7000-24SFP2XS-EA	1.0x, 2.0x, 2.1x
Line card (can be installed in the NBS7003 chassis as a supervisor module)	M7000-24GT24SFP2XS-EA	1.0x, 2.0x, 2.1x

Hardware Type	Model	Hardware Version Number
Line card (can be installed in the NBS7003 chassis as a supervisor module)	M7000-48GT2XS-EA	1.0x, 2.0x, 2.1x
Line card (can be installed in the NBS7003 chassis as a supervisor module)	M7000-48SFP2XS-EA	1.0x, 2.0x, 2.1x
Line card (can be installed in the NBS7003 chassis as a supervisor module)	M7000-8XS-EA	1.0x, 2.0x, 2.1x
Line card (can be installed in the NBS7003 chassis as a supervisor module)	M7000-16XS-EA	1.0x, 1.1x, 2.0x, 2.1x

5.2 Interoperability Information

Product	Description	Chassis	Software Version Number
RG-PA150I-FS	Power supply module of NBS6002	RG-NBS6002	N/A
RG-PA300I-F	Power supply module of NBS7003	RG-NBS7003	N/A
RG-PA460I-F	Power supply module of NBS7003	RG-NBS7003	N/A
DS460S-3-002	Power supply module of NBS7003	RG-NBS7003	N/A
RG-PA300I-FS	Power supply module of NBS7003	RG-NBS7003	N/A
RG-PA460I-FS	Power supply module of NBS7003	RG-NBS7003	N/A
RG-PA600I-FS	Power supply module of NBS7006	RG-NBS7006	N/A
M7003-FAN	Fan module of NBS7003	RG-NBS7003	N/A
M7006-FAN	Fan module of NBS7006	RG-NBS7006	N/A

6 Software Upgrading

6.1 Upgrade File

6.1.1 RG-NBS3100, NIS3100 Series

File Title	MACC package: SWITCH_3.0(1)B11P380_NBS3100_12231011_with_boot_encrypto_v2.tar.gz (Uploaded to Ruijie Cloud by our technical support team, available for users to download) eWeb package: SWITCH_3.0(1)B11P380_NBS3100_12231011_with_boot_encrypto_v2.tar.gz (Uploaded to the official website by our technical support team, available for users to download)
Description	Upgrade file
File Size	MACC package: 15,962,639 bytes eWeb package: 15,962,639 bytes
Applicable Products	RG-NBS3100 and NIS3100 Series Switches: RG-NBS3100-8GT2SFP: 1.0x, 1.1x, 1.2x, 1.3x, 1.4x, 1.5x, 1.6x RG-NBS3100-24GT4SFP-P-V2: 1.0x, 1.1x, 1.2x, 1.3x RG-NBS3100-24GT4SFP-V2: 1.0x, 1.1x, 1.2x RG-NBS3100-8GT2SFP-P-V2: 1.0x RG-NIS3100-8GT4SFP-HP: 1.0x, 1.1x, 1.2x, 1.3x, 1.4x RG-NIS3100-8GT2SFP-HP: 1.0x, 1.1x, 1.2x, 1.3x, 1.4x RG-NIS3100-4GT2SFP-HP: 1.0x, 1.1x, 1.2x, 1.3x, 1.4x
MD5 Checksum	MACC package: 709C0CE7C233B11BB891D886729C6A4A eWeb package: 709C0CE7C233B11BB891D886729C6A4A
Software Version	ReyeeOS 2.380.0.2310;SWITCH_3.0(1)B11P380,Release(12231011)

6.1.2 RG-NBS3100-EXTEND Series

File Title	MACC package: SWITCH_3.0(1)B11P380_NBS3100-EXTEND_12231011_with_boot_encrypto_v2.tar.gz (Uploaded to Ruijie Cloud by our technical support team, available for users to download) eWeb package: SWITCH_3.0(1)B11P380_NBS3100-EXTEND_12231011_with_boot_encrypto_v2.tar.gz (Uploaded to the official website by our technical support team, available for users to download)
Description	Upgrade file
File Size	MACC package: 17,984,976 bytes eWeb package: 17,984,976 bytes
Applicable Products	RG-NBS3100-EXTEND Series Switches: RG-NBS3100-48GT4SFP-P: 1.0x, 1.1x, 1.2x RG-NBS3100-48GT4SFP-P-V2: 1.0x, 1.1x
MD5 Checksum	MACC package: A2C8FEF6B1202A2142E09FC75EA68D5E eWeb package: A2C8FEF6B1202A2142E09FC75EA68D5E
Software Version	ReyeeOS 2.380.0.2310;SWITCH_3.0(1)B11P380,Release(12231011)

6.1.3 RG-NBS3200 Series

File Title	MACC package: SWITCH_3.0(1)B11P380_NBS3200_12231011_with_boot_encrypto_v2.tar.gz (Uploaded to Ruijie Cloud by our technical support team, available for users to download) eWeb package: SWITCH_3.0(1)B11P380_NBS3200_12231011_with_boot_encrypto_v2.tar.gz (Uploaded to the official website by our technical support team, available for users to download)
Description	Upgrade file
File Size	MACC package: 17,985,243 bytes eWeb package: 17,985,243 bytes
Applicable Products	RG-NBS3200 Series Switches: RG-NBS3200-24GT4XS: 1.0x, 1.1x, 1.2x, 1.3x, 1.4x, 1.5x, 1.6x, 1.7x, 2.0x, 2.1x, 2.2x, 2.3x, 2.4x, 2.5x RG-NBS3200-48GT4XS: 1.0x, 1.1x, 1.2x, 1.3x, 1.4x, 1.5x, 2.0x, 2.1x, 2.2x, 2.4x RG-NBS3200-24SFP/8GT4XS: 1.0x, 1.1x, 1.2x, 1.3x, 2.0x, 2.1x, 2.2x, 2.3x, 2.4x RG-NBS3200-24GT4XS-P: 1.0x, 1.1x, 1.2x, 1.3x, 1.4x, 1.5x, 1.6x, 2.0x, 2.1x, 2.2x, 2.3x RG-NBS3200-48GT4XS-P: 1.0x, 1.1x, 1.2x, 1.3x, 1.4x, 1.5x, 1.6x, 2.0x, 2.1x, 2.2x RG-NBS3200-24GT4XS-P-V2: 1.0x, 1.1x RG-NBS3200-48GT4XS-P-V2: 1.0x, 1.1x
MD5 Checksum	MACC package: 9446C2D177BDFBAF2F991F3E0BA14099 eWeb package: 9446C2D177BDFBAF2F991F3E0BA14099
Software Version	ReyeeOS 2.380.0.2310;SWITCH_3.0(1)B11P380,Release(12231011)

6.1.4 RG-NBS5000 Series

File Title	MACC package: SWITCH_3.0(1)B11P380_NBS5000_12231011_with_boot_encrypto_v2.tar.gz (Uploaded to Ruijie Cloud by our technical support team, available for users to download) eWeb package: SWITCH_3.0(1)B11P380_NBS5000_12231011_with_boot_encrypto_v2.tar.gz (Uploaded to the official website by our technical support team, available for users to download)
Description	Upgrade file
File Size	MACC package: 20,788,889 bytes eWeb package: 20,788,889 bytes
Applicable Products	RG-NBS5000 Series Switches: RG-NBS5100-24GT4SFP: 1.0x, 1.1x, 1.2x, 1.3x, 1.4x, 1.5x, 2.0x, 2.1x, 2.2x, 2.3x, 2.4x, 2.5x, 2.6x RG-NBS5100-48GT4SFP: 1.0x, 1.1x, 1.2x, 1.3x, 1.4x, 1.5x, 2.0x, 2.1x, 2.2x, 2.4x RG-NBS5100-24GT4SFP-P: 1.0x, 1.1x, 1.2x, 1.3x, 1.4x RG-NBS5200-24GT4XS: 1.0x, 1.1x, 1.2x, 1.3x, 1.4x, 1.5x, 1.6x, 2.0x, 2.1x, 2.2x, 2.3x, 2.4x, 2.5x, 2.6x RG-NBS5200-48GT4XS: 1.0x, 1.1x, 1.2x, 1.3x, 1.4x, 1.5x, 2.0x, 2.1x, 2.2x, 2.4x RG-NBS5200-24SFP/8GT4XS: 1.0x, 1.1x, 1.2x, 1.3x, 2.0x, 2.1x, 2.2x, 2.3x, 2.4x RG-NBS5200-24GT4XS-P: 1.0x, 1.1x, 1.2x, 1.3x RG-NBS5200-48GT4XS-UP: 1.0x, 1.1x, 1.2x RG-NBS5300-8MG2XS-UP: 1.0x, 1.1x RG-NBS5200-24GT4XS-P-V2: 1.0x, 1.1x
MD5 Checksum	MACC package: 88938A10447F22F7C2D52DFBD50460F1 eWeb package: 88938A10447F22F7C2D52DFBD50460F1
Software Version	ReyeeOS 2.380.0.2310;SWITCH_3.0(1)B11P380,Release(12231011)

6.1.5 RG-NBS6000 Series

File Title	MACC package: SWITCH_3.0(1)B11P380_NBS6000_12231011_with_boot_encrypto_v2.tar.gz (Uploaded to Ruijie Cloud by our technical support team, available for users to download) eWeb package: SWITCH_3.0(1)B11P380_NBS6000_12231011_with_boot_encrypto_v2.tar.gz (Uploaded to the official website by our technical support team, available for users to download)
Description	Upgrade file
File Size	MACC package: 20,276,158 bytes eWeb package: 20,276,158 bytes
Applicable Products	RG-NBS6000 series switches: Chassis: RG-NBS6002: 1.0x, 1.1x, 1.2x, 1.3x Line cards: M6000-16GT8SFP2XS: 1.0x M6000-16SFP8GT2XS: 1.0x M6000-24GT2XS: 1.0x M6000-24SFP2XS: 1.0x
MD5 Checksum	MACC package: 9859DC03E7A190D9B147632E78C99D6A eWeb package: 9859DC03E7A190D9B147632E78C99D6A
Software Version	ReyeeOS 2.380.0.2310;SWITCH_3.0(1)B11P380,Release(12231011)

6.1.6 RG-NBS7000 Series

File Title	MACC package: SWITCH_3.0(1)B11P380_NBS7000_12231011_with_boot_encrypto_v2.tar.gz (Uploaded to Ruijie Cloud by our technical support team, available for users to download) eWeb package: SWITCH_3.0(1)B11P380_NBS7000_12231011_with_boot_encrypto_v2.tar.gz (Uploaded to the official website by our technical support team, available for users to download)
Description	Upgrade file
File Size	MACC package: 20,286,763 bytes eWeb package: 20,286,763 bytes
Applicable Products	RG-NBS7000 series switches: Chassis: RG-NBS7003: 1.0x, 1.1x RG-NBS7006: 1.0x, 1.1x Line cards: M7006-CM (compatible with the NBS7006 chassis only): 1.0x, 1.1x, 2.0x, 2.1x M7000-24GT2XS-EA: 1.0x, 2.0x, 2.1x M7000-24SFP2XS-EA: 1.0x, 2.0x, 2.1x M7000-24GT24SFP2XS-EA: 1.0x, 2.0x, 2.1x M7000-48GT2XS-EA: 1.0x, 2.0x, 2.1x M7000-48SFP2XS-EA: 1.0x, 2.0x, 2.1x M7000-8XS-EA: 1.0x, 2.0x, 2.1x M7000-16XS-EA: 1.0x, 1.1x, 2.0x, 2.1x
MD5 Checksum	MACC package: 0F8DEA05645F23E32E207ED1B72FB7EE eWeb package: 0F8DEA05645F23E32E207ED1B72FB7EE
Software Version	ReyeeOS 2.380.0.2310;SWITCH_3.0(1)B11P380,Release(12231011)

6.2 Requirements

- The latest version ReyeeOS 2.380 adopts a more secure encryption technology. If a device is running an earlier version, upgrading the device directly to the latest version may occasionally result in an upgrade failure. You are advised to upgrade the device according to the rules below:
- If the device is running ReyeeOS 2.324 or an earlier version, you are advised to upgrade the device to ReyeeOS 2.324 first, and then to the latest version.
- If the device is running ReyeeOS 2.324 or a later version, you can upgrade the device directly to the latest version.

6.3 Important Points to Remember


- Upgrade can be performed in the field only after successful experimental verification.
- Please perform a database backup before upgrading the device.
- Please do not power off the device, reset the system or remove any modules if a failure prompt appears.
- After the upgrade is successful, log in to the web UI and choose **One Device > Device Overview > Basic Info** to verify the version information, including the software version number, device SN, and model. For details, see [6.4 Upgrade Procedure](#).

6.4 Upgrade Procedure


- Connect the device to a PC and configure the PC with an IP address in subnet 10.44.77.10/255.255.255.0.
- Power on the device. Once the system LED is solid on, open a browser, enter **10.44.77.200** into the address bar, and press **Enter**.
- Log into the web UI and complete the configuration.
- Choose **System > Upgrade > Local Upgrade**. Click **Browse**, select an upgrade file (e.g., SWITCH_3.0(1)B11P380_NBS7000_12231011_with_boot_encrypto_v2.tar.gz) and click **Upload**. After the upgrade is successful, verify the version information.

6.4.1 Upgrade Device

Choose **One Device > System > Upgrade > Local Upgrade**.



6.4.2 Check Version



** Note**

If you forget your password, press and hold the Reset button on the device panel for more than 5 seconds. This will reset the username and password and reboot the device. After the reboot, the message "There is a backup file on the device. Do you want to reset the device using the backup file? (Note: The device will reboot after being restored.)" will be displayed:

- Delete Backup: The username and password and the backup file will be restored to factory defaults.
 - Reset Backup: The username and password will be restored to factory defaults, and the configuration will be restored to the last backup before rebooting.
-

2 Related Documentation

Document Title	Description
Ruijie Reyee RG-NBS3100-24GT4SFP, NBS3100-24GT4SFP-IP, NBS3100-8GT2SFP, NBS3100-8GT2SFP-P Series Switches Installation Guide	Provides guidance, including installation steps, environmental requirements, and installation precautions.
Ruijie Reyee RG-NBS3100-48GT4SFP-P Switch Installation Guide	
Ruijie Reyee RG-NBS3100-48GT4SFP-P-V2 Switch Installation Guide	
Ruijie Reyee RG-NBS3100-24GT4SFP-P-V2 Switch Installation Guide	
Ruijie Reyee RG-NBS3100-24GT4SFP-V2 Switch Installation Guide	
Ruijie Reyee RG-NBS3100-8GT2SFP-P-V2 Switch Installation Guide	
Ruijie Reyee RG-NIS3100 Series Switches Installation Guide	
Ruijie Reyee RG-NBS3200-24GT4XS, NBS3200-24SFP8GT4XS, NBS3200-24GT4XS-P, NBS3200-48GT4XS, NBS3200-48GT4XS-P Series Switches Installation Guide	
Ruijie Reyee RG-NBS3200-24GT4XS-P-V2, NBS3200-48GT4XS-P-V2 Switches Installation Guide	
Ruijie Reyee RG-NBS5100-24GT4SFP-P Switch Installation Guide	
Ruijie Reyee RG-NBS5100-24GT4SFP, NBS5100-48GT4SFP Series Switches Installation Guide	
Ruijie Reyee RG-NBS5200-24GT4XS, NBS5200-24SFP8GT4XS, NBS5200-48GT4XS Series Switches Installation Guide	
Ruijie Reyee RG-NBS5200-24GT4XS-P Switch Installation Guide	
Ruijie Reyee RG-NBS5200-48GT4XS-UP Switch Installation Guide	
Ruijie Reyee RG-NBS5300-8MG2XS-UP Switch Installation Guide	
Ruijie Reyee RG-NBS5200-24GT4XS-P-V2 Switch Installation Guide	
Ruijie Reyee RG-NBS6002 Switch Installation Guide	
Ruijie Reyee RG-NBS7006 Switch Installation Guide	
Ruijie Reyee RG-NBS7003 Switch Installation Guide	
Ruijie Reyee RG-NBS, NIS3100 Series Switches ReyeeOS 2.380[360][340] Configuration Guide	Provides guidance on web-based configuration.

 Note

The documentation is subject to change without prior notification. Please access Ruijie Networks at <https://www.ruijienetworks.com/products/reyee> for the latest documentation.
