Data Management Systems
PostgreSQL

Matteo Devigili

June 2^{nd}, 2023

Constraints

- *Not Null*: specifies that a column must not assume the null value
- *Unique*: ensures that the data contained in a column, or a group of columns, is unique among all the rows in the table
- *Primary Key*: indicates that a column, or group of columns, can be used as a unique identifier for rows in the table
- *Check*: allows you to specify that the value in a certain column must satisfy a Boolean (truth-value) expression

Constraints - PostgreSQL

Import Data

psql

- *i*: reads input from the file and executes it as though it had been typed on the keyboard.
- *copy*: psql reads the file and routes the data between the server and the local file system

PostgreSQL

SQL

- *COPY FROM*: instructs the PostgreSQL server to directly read from a file

PostgreSQL

SQL - Basics

Part One

SELECT <attributes> FROM <one or more relations>;

1. * : to select all columns
2. *LIMIT < n >*: *n* rows will be returned
3. *OFFSET < n >*: to skip *n* rows before beginning to return rows
4. *WHERE <condition>*: to filter our data on a condition (such as gender = 'Female')
5. *OR, AND, NOT*: logical operators
6. *IS NULL*: to test for null (i.e. missing) values

SQL - Basics

Part Two

1. *DISTINCT*: eliminates duplicate rows from the result
2. *ORDER BY*: rows are sorted in a specified order (ASC or DESC)
3. *LIKE*: a case-sensitive test for pattern matching (where % stands for any sequence of characters and _ for any single character)
4. *iLIKE*: similar to LIKE but case-insensitive
5. *BETWEEN*: logical operator
6. *EXTRACT*: retrieves subfields such as year or hour from date/time values.
7. *AS*: to assign a temporary name

SQL - Aggregate Functions

ALL | *DISTINCT*:

- *COUNT*: returns the count of all or distinct values passed
- *SUM*: returns the sum of all or distinct values passed
- *AVG*: returns the average of all or distinct values passed

ALL:

- *MIN*: returns the minimum value among all values passed
- *MAX*: returns the maximum value among all values passed

We have seen also

- *ROUND*: to specify the length or precision of a numeric expression

SQL - GROUP BY

- *GROUP BY*: to group observations
- *HAVING*: to filter data on a condition

NB: WHERE applies the condition to rows *before* the GROUP BY, while HAVING *after*.

References

- Obe, Regina O., and Leo S. Hsu. PostgreSQL: Up and Running: a Practical Guide to the Advanced Open Source Database. "O'Reilly Media, Inc.", 2017.
- PostgreSQL 12.2 Documentation `https://www.postgresql.org/docs/12/index.html`