


System 6.9

system6point9.com

Endless shuttle · battery or hard-wired · community DIY

Open software + big-box builds; sell awkward bits (control board, Dyneema, traveler hardware); motor/pack sized per use case. At own risk. Not certified.



Product path

1 Bench

Keyed capstan grip
+ E-stop

2 Lake empty shuttle

A-frames + tension
+ endless loop

3 First rides

Carrier/handle →
foil then skim



A Adult ~100 kg

NEEDS

~200–250 kgf · ~8–12+ kW

KIT

~\$4.5–9k battery or ~\$4–7.5k AC

PHASE-1

Lean UNDERSIZED for final drive

Y Youth ~30 kg

NEEDS

~60–80 kgf · ~2–4 kW

KIT

~\$2.2–5.5k

PHASE-1

Lean OK with torque gearing + soft ramp

Shared kit (without powertrain ~\$2.1–5.1k)



Jacketed
Dyneema loop



Grooved
keyed drum



Two low
A-frames



Springs
+ straps



E-stop



Handle

Samson note — do not surge bare AmSteel-Blue; use jacketed line or grooved drum; grip-test first.

Sell

- Control box / board
- Dyneema kits
- Traveler / hardware
- Awkward bits only

DIY / buy 3rd-party


- Motor (per use case)
- ESC / pack or VFD
- Towers / A-frames
- Big-box BOM

Surfaces

- Skim / foil
- Snow
- Skate
- Sled & more...

Buy order

- 1 Power class
- 2 Jacketed line
- 3 Drum / sheaves
- 4 Pack / VFD
- 5 Towers
- 6 E-stop
- 7 Short-span proof
- 8 Deep-water trials



System 6.9

Research estimates · not certified · no checkout · Sep 2026

system6point9.com