



1.5

Generated by Doxygen 1.8.1.1

Sun Jul 22 2012 00:29:11

Contents

1	Data Structure Index	1
1.1	Data Structures	1
2	File Index	1
2.1	File List	1
3	PJFP Class Reference	1
3.0.1	Detailed Description	1
3.0.2	Constructor & Destructor Documentation	1
3.0.3	__construct	1
3.0.4	Member Function Documentation	2
3.0.5	get_config	2
3.0.6	get_data	2
3.0.7	set_conf	2
3.0.8	Field Documentation	2
3.0.9	ASSOC	2
3.0.10	BOTH	3
3.0.11	NUMERIC	3
4	File Documentation	3
4.1	PJFP.php File Reference	3
4.2	PJFP_config.php File Reference	3
4.2.1	Variable Documentation	3
4.2.2	\$pjfp_conf	3
4.2.3	\$pjfp_conf	3
4.2.4	\$pjfp_conf	3
4.2.5	\$pjfp_conf	3
4.2.6	\$pjfp_conf	4

1 Data Structure Index

1.1 Data Structures

Here are the data structures with brief descriptions:

PJFP	1
--------------------------------	---

2 File Index

2.1 File List

Here is a list of all files with brief descriptions:

PJFP.php	3
PJFP_config.php	3

3 PJFP Class Reference

Public Member Functions

- [__construct](#) (\$album_id, \$auth_key="", \$conf=NULL)
- [set_conf](#) (\$key, \$value)
- [get_data](#) (\$type=self::NUMERIC)
- [get_config](#) (\$index)

Data Fields

- const [NUMERIC](#) = 0x01
- const [ASSOC](#) = 0x02
- const [BOTH](#) = 0x03

3.0.1 Detailed Description

[Picasa](#) JSON Feed Parser ([PJFP](#)) Class: This class parses a given [Picasa](#) RSS feed in JSON format. It will get image URLs, width, height, and captions for a particular album.

Author

GneatGeek [Rory Hardy]

3.0.2 Constructor & Destructor Documentation

3.0.3 `__construct ($album_id, $auth_key = " ", $conf = NULL)`

Constructor

Parameters

string	<i>\$album_id</i>	- Picasa RSS album ID. Pass as a string on 32 bit systems to avoid potential issues.
string	<i>\$auth_key</i>	- Key that Picasa uses for limited/private galleries.
array	<i>\$conf</i>	- Associative array used to override default settings in PJFP_config.php . See PJFP_config.php for parameter details.

3.0.4 Member Function Documentation

3.0.5 `get_config ($index)`

Getter method to access the config array.

Parameters

string	<i>\$index</i>	- The config array index to return.
--------	----------------	-------------------------------------

Returns

mixed

3.0.6 `get_data ($type = self::NUMERIC)`

Retrieve the 2D array of data created by `json()`. Format is array(URL, width, height, caption). Default is numeric indicies. Calls `json()` if data array is not yet built.

Parameters

int	<i>\$type</i>	- What type of array to request. PJFP::ASSOC for associative, PJFP::BOTH for mixed
-----	---------------	--

Returns

array

3.0.7 `set_conf ($key, $value) [final]`

Sets a config variable

Parameters

string	<i>\$key</i>	- The key of the config array to set
mixed	<i>\$value</i>	- The config value to use

3.0.8 Field Documentation

3.0.9 `const ASSOC = 0x02`

Class constant for requesting an associative array as opposed to numeric.

3.0.10 `const BOTH = 0x03`

Class constant for requesting an associative array merged with a numeric array. NUMERIC = 0x01, ASSOC = 0x02 -> ASSOC|NUMERIC = 0x03

3.0.11 `const NUMERIC = 0x01`

Class constant for requesting a numeric array. This is selected by default.

The documentation for this class was generated from the following file:

- [PJFP.php](#)

4 File Documentation

4.1 PJFP.php File Reference

Data Structures

- class [PJFP](#)

Namespaces

- namespace [Picasa](#)

4.2 PJFP_config.php File Reference

Namespaces

- namespace [Picasa](#)

Variables

- [\\$pjfp_conf](#) ['user'] = "gneatgeek"
- [\\$pjfp_conf](#) ['max_width'] = 550
- [\\$pjfp_conf](#) ['max_height'] = 367
- [\\$pjfp_conf](#) ['use_HTTPS'] = FALSE
- [\\$pjfp_conf](#) ['use_curl'] = TRUE

4.2.1 Variable Documentation

4.2.2 `$pjfp_conf['user'] = "gneatgeek"`

4.2.3 `$pjfp_conf['max_width'] = 550`

4.2.4 `$pjfp_conf['max_height'] = 367`

4.2.5 `$pjfp_conf['use_HTTPS'] = FALSE`

4.2.6 `$pjfp_conf['use_curl'] = TRUE`

Index

\$pjfp_conf
PJFP_config.php, [3](#)

__construct
PJFP, [1](#)

ASSOC
PJFP, [2](#)

BOTH
PJFP, [2](#)

get_config
PJFP, [2](#)

get_data
PJFP, [2](#)

NUMERIC
PJFP, [3](#)

PJFP, [1](#)
 __construct, [1](#)
 ASSOC, [2](#)
 BOTH, [2](#)
 get_config, [2](#)
 get_data, [2](#)
 NUMERIC, [3](#)
 set_conf, [2](#)

PJFP.php, [3](#)
PJFP_config.php, [3](#)
 \$pjfp_conf, [3](#)

set_conf
PJFP, [2](#)