

Highway Litter Sampling

Mark Bennett

Addison Cartmell

Maddi Gao

Khloud Zamzani

I'll add some slides when they're done – Addison

Approach:

Approach:

- Determine areas (strata) to use to group all the highways and ramps

Approach:

- Determine areas (strata) to use to group all the highways and ramps
- Assumption: trash in a given area is relatively similar anywhere in the area, but possibly different from other areas

Approach:


- Determine areas (strata) to use to group all the highways and ramps
- Assumption: trash in a given area is relatively similar anywhere in the area, but possibly different from other areas
- Pick some number of segments from each area to use in the sample

West Side Areas



- 2 highway stretches (north/westbound, south/eastbound)
- 2 pairs of ramps

East Side Areas



- 3 highway stretches
- 1 pair of ramps

Approach:

Approach:

- 5 highway areas and 5 samples: take 1 sample from each

Approach:

- 5 highway areas and 5 samples: take 1 sample from each
- 3 ramp pairs and 3 samples: take 1 sample from each pair

Approach:

- 5 highway areas and 5 samples: take 1 sample from each
- 3 ramp pairs and 3 samples: take 1 sample from each pair
- Make sure at least 1 on-ramp and 1 off-ramp included

Sampling Execution

Idea

Do sampling entirely in software using geospatial data from WSDOT

Idea

Do sampling entirely in software using geospatial data from WSDOT

We use data from the **WSDOT Geospatial Open Data Portal**:

- Highway data: "WSDOT - State Route Linear Referencing System (LRS) Current"
- Ramp data: "WSDOT - State Route Ramp (1:24K) Current"

Approach:

Approach:

1. Load geospatial data for both sides of Highway 14

Approach:

1. Load geospatial data for both sides of Highway 14
2. Filter these into the 5 areas using the milepost boundaries for what ECCA cleans

Approach:

1. Load geospatial data for both sides of Highway 14
2. Filter these into the 5 areas using the milepost boundaries for what ECCA cleans
3. Divide each area into 600 foot segments

Approach:

1. Load geospatial data for both sides of Highway 14
2. Filter these into the 5 areas using the milepost boundaries for what ECCA cleans
3. Divide each area into 600 foot segments
4. Randomly select one of these segments in each area

Highway Sampling: Segments

area	area ID	start MP	end MP	total miles	total segments
Camas (north)	H1	10	11.99	1.99	17
Camas (south)	H2	10.09	10.58	0.49	4
Washougal “extra” (south)	H3	13.75	14.3	0.55	4
Washougal (north)	H4	15.05	17	1.95	17
Washgoual (south)	H5	15.05	17	1.95	17

Idea


Pick one ramp from each pair, but make sure at least one on-ramp and one off-ramp are selected

Sampling Results: West Side



- 2 highway samples
- 2 ramp samples

Sampling Results: East Side



- 3 highway samples
- 1 ramp sample