

# Xnee Manual

# **Xnee Manual**

---

Xnee is a suite of programs with,  
recording, replaying and 'distribution'  
capabilities for X Window System  
version 2.04.99 10 January 2006

## **Henrik Sandklef**

Copyright (C) 2002, 2003, 2004, 2005, 2006 Henrik Sandklef Permission is granted to copy, distribute and/or modify this document under the terms of the GNU Free Documentation License, Version 1.2 or any later version published by the Free Software Foundation; with no Invariant Sections, no Front-Cover Texts, and no Back-Cover Texts. A copy of the license is included in the section entitled "GNU Free Documentation License"

---

Copyright (C) 2002, 2003, 2004, 2005, 2006 Henrik Sandklef Permission is granted to copy, distribute and/or modify this document under the terms of the GNU Free Documentation License, Version 1.2 or any later version published by the Free Software Foundation; with no Invariant Sections, no Front-Cover Texts, and no Back-Cover Texts. A copy of the license is included in the section entitled "GNU Free Documentation License"

## Short Contents

1	Summary . . . . .	2
2	Getting started . . . . .	3
3	Functional overview . . . . .	5
4	Installation . . . . .	11
5	Examples . . . . .	13
6	File types and format . . . . .	21
7	Xnee Internals . . . . .	28
8	Xnee Requirements . . . . .	32
9	FAQ . . . . .	33
A	Copying This Manual . . . . .	36
10	Index . . . . .	42

# 1 Summary

## 1.1 Summary

Xnee is a suite of programs that can record, replay and distribute user actions under the X11 environment. Think of it as a robot that can imitate the job you just did.

Xnee consists of one library and two applications

**cnee** - command line program

**gnee** - graphical user interface program

**libxnee** - library used by xnee and gnee

## 1.2 Xnee features

Xnee can be used for multiple purposes, although it was initially designed as a test tool. The most used features are the following:

**Test tool** - Instead of performing test cases for a GUI (or CLI program) over and over again, the test cases can be automated. Simply record a user session and replay it later.

**Performance test tool** - If you want to simulate lots of simultaneous users in a network (or a local machine) you can use Xnee. Simply record a user session and start multiple instances of Xnee.

**Demonstration tool** - You can use Xnee to demonstrate the features of your program. Simply record a user session and replay it later.

**Distribution tool** - If you want to send over your mouse/keyboard actions to another display you can use the built-in distribution mechanism in Xnee.

**Macro recorder/replayer** - By binding a key and modifier combination (e.g using xkeymouse) to replay a recorded session you will have a Window Manager and application independent macro.

**File retyper** - Xnee can retype the contents of a file. This can be useful during tests or if you want xnee to answer some command session without having to record the session.

## 1.3 Background

In order to verify that a program does the job it's supposed to do, certain tests have to be made. These tests are, IMHO, perhaps the most boring things a programmer can do. XNee is designed to reduce the programmer from this burden.

Xnee started out as a command line program. During the development phase the main functionality was broken out to a library, called libxnee. The command line program was renamed cnee. The thought behind making the library was to enable the writing of other clients than just the command line. Today there is a GUI program, gnee, that uses the library.

By using xnee your testcase(s) can be recorded and later on replayed. Xnee comes with other features. For more information about these, read the Introduction.

## 2 Getting started

### 2.1 Getting started

To get the first feel of Xnee some simple examples are presented.

#### 2.1.1 Simple replay

Start a terminal emulator (e.g xterm) and then start Xnee,

```
cnee --replay --file example1.xnr &
```

....dont forget '&'. The file example1.xnr contains keyboard events recorded during development of this manual. When replayed you'll see what was typed and of course more important you'll get i first glimpse of Xnee and its capabilities. For information on where to find the example files, see below.

#### 2.1.2 Simple recording of Key presses

We move on to a (very) simple recording session. Start a terminal emulator (e.g xterm) and your favorite editor. Move the pointer to one of the terminal windows and start Xnee.

```
cnee --record -o example2.xnr --device-event-range 2-3 \
--time 5 --loops 20
```

Move the pointer to the editor and get focus (e.g click the window frame). After 5 seconds you can type whatever you want to record (20 press- and relase events of the keyboard are recorded). We are done and you have recorded your first session! Leave the desktop as it is and go forward to the next example.

#### 2.1.3 Simple replaying of your recorded file

Start one terminal emulator (e.g xterm). Let Xnee repeat the stuff you did in the example above. Undo all changes in the editor that was made in the previous example. Move the pointer to one of the terminal windows and start Xnee.

```
cnee --replay -f example2.xnr --time 5
```

Move the pointer to the editor and get focus (e.g click the window frame). After 5 seconds you will see your typings in the example above being repeated.

#### 2.1.4 Simple recording of mouse motions

We move on to another simple recording session. Start a terminal emulator (e.g xterm). Move the pointer to the terminal window and start Xnee.

```
cnee --record -o example3.xnr --device-event-range 5-6 \
--time 5 --loops 20
```

After 5 seconds you can move the pointer around (20 motion events are recorded).

#### 2.1.5 Simple replaying of your recorded file

Let Xnee repeat the stuff you did in the example above.. Move the pointer to the terminal window and start Xnee.

```
cnee --replay -f example3.xnr --time 5
```

After 5 seconds you will see your mouse motions in the example above being replayed.

### 2.1.6 Simple retyping of a text file

Let Xnee retype (type again) the text in a text file. Move the pointer to the terminal window and create a text file containing the command `ls -l`.

```
echo "ls -l" > ./mytext.txt
```

And after that you start Xnee.

```
cnee --retype-file ./mytext.txt --time 5
```

After 5 seconds you will see Xnee type `ls -l`, which probably will list the files in the current directory.

### 2.1.7 Example Xnee Session files

The example file above (example1.xnr) is a session file that has been delivered with the sources (although not installed), rpm and with the Xnee Documentation Package. The file(s) can be found:

Distribution	Location
RPM	/usr/lib/xnee/session
Source	./sessions/
Document Package	./sessions/


## 3 Functional overview

### 3.1 Functional overview

The Xnee applications (gnee and xnee) receives X11 protocol data (e.g. events) from an X server (using libxnee) and print them to a file, called Xnee Session File. These events are later read from the session file and replayed. Gnee and xnee can read its settings from a file, called Xnee Project File, or from command line (cnee) or via the GUI (gnee).

Events directly generated by the user (e.g KeyPress) can be replayed or faked. Requests, replies, errors and events not directly generated by the user (e.g MapNotify) can be recorded as well. By using these data Xnee can replay with synchronisation.

This picture gives an overview of Xnee and the files used.



In this section you will be given information about key concepts in X11 and Xnee. It is vital that you read through this chapter.

### 3.2 Modes

Xnee has four modes:

- record
- replay
- retype
- distribute


The distribution mechanism can be used together with the other three.



### 3.2.1 Record

When record mode is used Xnee receives a copy of the data sent to and from the X server. The copy is printed to a file. Xnee can record the whole X11 protocol, not just mouse and keyboard events.


This picture gives an overview of Xnee and the files used when recording.



### 3.2.2 Replay

When replay mode is used Xnee reads data from a file or stdin. These data is either sent to the server (if it is a keyboard or a mouse event) or used to synchronise with (if any of the other data).

This picture gives an overview of Xnee and the files used when replaying.



### 3.2.3 Retype

Xnee can retype the contents of a text file. This is useful when combining replaying of different recorded session. You can change the text written in for example an editor (e.g emacs) without having to re-record the complete sessions.

### 3.2.4 Distribution

Xnee can fake mouse and keyboard events on multiple displays. This distribution mechanism can be used when recording, replaying or retyping.

## 3.3 Ranges

What data to record is specified using ranges. Ranges has a start value and a stop value. The following data can be recorded:

<b>Xnee name</b>	<b>X Protocol Name</b>
core-requests	Request
device-event	Event
delivered-event	Event

<code>error</code>	Error
<code>reply</code>	Reply
<code>ext-requests.ext-major</code>	Extension Request
<code>ext-requests.ext-minor</code>	Extension Request
<code>ext-replies.ext-major</code>	Extension Reply
<code>ext-replies.ext-minor</code>	Extension Reply

When specifying the ranges when using xnee you can either type the integer value of the data or the name of the data. To find out what number belongs to what data name, you can use the `--print-data-name` option. For an explanation of the X protocol data, please read the "X Record Extension Library" or the "Record Extension Protocol Specification".

### 3.4 First and last motion event

Xnee has the ability to skip recording of successive motion events with no other data in between. This option is intended to reduce the number of data recorded by leaving out unnecessary data. This feature can be invoked with the `--first-last` flag.

### 3.5 Delay

Sometimes when Xnee starts recording data, the keyrelease (caused by pressing and releasing RETURN to execute the Xnee command line) is recorded. This single keyrelease (with no corresponding keypress) might confuse the X server. With the `--time <secs>` option Xnee can be paused for a number of seconds before recording/replaying/retyping starts.

### 3.6 Verbose

When enabling verbose mode (`--verbose`) Xnee prints a lot of information about it's state. This option is only intended for runtime debugging.

### 3.7 Human printouts

Sometimes it's hard to decide what data to use when synchronising. To do this you have to analyse what data is sent from the server when recording. Instead of reading the data number, a string representation of the data is printed out. To enable this option, use the `--human-printouts`.

## 3.8 Invoking Xnee

### 3.8.1 Command line syntax

To get information about how to use Xnee's command line options please use the man page(s).

### 3.8.2 Project file

To use a Project file use the `--project` option, e.g `cnee --project xnee/projects/netcape.xns`

### 3.8.3 Session file

To use a session file use the `--file` option, e.g `cnee --file user1_session.xns`

## 3.9 Interrupting Xnee

Interrupting Xnee when recording or replaying can be done as follows

- user specified modifier and key
- limit the number of data to record
- sending a SIGTERM signal (e.g pressing Control-c in a terminal window)

The preferred way to interrupt xnee is to use the modifier+key.

### 3.9.1 modifier and key

It is possible to specify a modifier (e.g Control button) and a key (e.g 'a') that will stop the Xnee session. When using this option make sure that the modifier/key is not used in any way by the applications you are recording. You can specify a key+modifier to stop, pause and resume xnee. You can also insert a mark in the recorded session file.

### 3.9.2 limit the number of data to record

By specifying the number of data to record (`--loops`) xnee stops when this number of data is received from the server. When replaying the same amount of data is replayed.

### 3.9.3 sending a SIGTERM signal

The easiest way to send a signal to a process is by launching Xnee from a terminal window (e.g xterm) and then press Control-c which will send the SIGTERM signal to Xnee. When replaying it can sometimes be hard to move the pointer into the terminal window (e.g if a lot of motion events were recorded that will let you compete with Xnee on where the mouse pointer shall be located. Believe me, you'll end up losing that battle).

### 3.9.4 Stop Xnee with key combination

Xnee stops its current action when the user presses the key combination as specified during setup. Xnee will be shut gracefully.

### 3.9.5 Pause Xnee with key combination

Xnee pause its current action when the user presses the key combination as specified during setup. Xnee will be in paused mode until the user stops or resumes Xnee.

### 3.9.6 Resume Xnee with key combination

Xnee resumes its current paused action when the user presses the key combination as specified during setup. Xnee will continue where it was paused.

### 3.9.7 Insert marks Xnee with key combination

When the user presses the key combination as specified during setup Xnee will print a mark in the session file containing a time stamp. This feature is intended be used when you want to mark an interesting time/event during recording. After recording has finished you can add Xnee scripting calls to Xnee which will be interpreted and executed as if they were recorded.

### 3.9.8 Limit number of data to record

There are a few ways to limit the number of data Xnee records.

- limit the events to record
- limit the data to record
- limit the time to record
- send a signal to xnee (SIGTERM)
- use a selfmade record callback function

### 3.9.9 Limit the events to record

When having received the specified amount of events from the server, Xnee stops the recording. For more information on how to use this option, read the man page for cnee or the user manual for gnee.

### 3.9.10 Limit the data to record

When having received the specified amount of data from the server, Xnee stops the recording. For more information on how to use this option, read the man page for cnee or the user manual for gnee.

### 3.9.11 Limit the time to record

When having recorded for the specified amount of time from the server, Xnee stops the recording. For more information on how to use this option, read the man page for cnee or the user manual for gnee.

### 3.9.12 Send SIGTERM to Xnee

The easiest way to send a signal to a process is by launching Xnee from a terminal window (e.g xterm). By pressing Control-c xterm sends the SIGTERM signal to Xnee. When replaying it can sometimes be hard to move the pointer into the terminal window (e.g if a lot of motion events were recorded that will let you compete with Xnee on where the mouse pointer shall be located. Believe me, you'll end up losing that battle).

## 3.10 Xnee plugins

Xnee supports plugins since version 1.07. For information about how to write plugins, download the source code and look at the plugin example which is delivered with Xnee.

## 4 Installation

### 4.1 Installation from source with the configure script

To build and install Xnee do the following: Download the following source files into a directory (version numbers given here are just examples)

- Xnee-1.0.tar.gz

Unzip the source file

```
gunzip Xnee-1.0.tar.gz
```

Untar the source file

```
tar xvf Xnee-1.0.tar
```

Enter the Xnee directory

```
cd Xnee-1.0
```

Generate the makefiles

```
./configure
```

or if you want to specify which directory to install xnee to

```
./configure --prefix=<PATH TO INSTALLATION DIR>
```

Build Xnee

```
make clean all
```

Install (as root) if you want libxnee to be installed. If not, skip the following command. Installation of libxnee is not needed to build cnee and gnee.

```
make install
```

### 4.2 Installation from source with default Makefile

To unpack, build and install Xnee from the sourcefiles do the following:

Download the source files into a directory

Unzip the source file

```
gunzip Xnee-1.0.tar.gz
```

Untar the source file

```
tar xvf Xnee-1.0.tar
```

Enter the Xnee directory

```
cd Xnee-1.0
```

Build Xnee

```
make -f Makefile.xnee clean all
```

Copy the Xnee binary (xnee/src/xnee) to a directory

```
cp xnee/src/xnee /usr/local/bin
```

### 4.3 Installation from CVS

Download the xnee source code from the CVS repository at <http://savannah.gnu.org>. Instructions on how to do this can be found there as well.

Build Xnee

```
cd xnee
make -f Makefile.cvs
./configure
make
make install (optional)
cd ..
```

Build Xnee Documentation

```
cd doc
make manual
make install (as root)
cd ..
```

## 5 Examples

### 5.1 Recorder

#### 5.1.1 Record mouse motions

Record mouse motions only and save the session to mouse-rec.xml.

```
cnee --record --mouse --out mouse-rec.xml
```

After having typed this you can move your mouse round for a while. After Xnee has exited you will be able to replay your motions. Xnee will stop after having record 100 events (this is the default behaviour).

#### 5.1.2 Record keyboard

Record keyboard events only and save log to kbd-rec.xml.

```
cnee --record --keyboard --out kbd-rec.xml
```

After having typed this Xnee records all your keyboard actions. After Xnee has exited you will be able to replay your keyboard actions. Xnee will stop after having record 100 events (this is the default behaviour).

#### 5.1.3 Record keyboard and mouse

Record keyboard and mouse and save log to km-rec.xml.

```
cnee --record --keyboard --mouse --out kbd-rec.xml
```

After having typed this Xnee records all your keyboard and mouse actions. So now move your pointer and write some stuff with your keyboard. After Xnee has exited you will be able to replay your keyboard and mouse actions. Xnee will stop after having record 100 events (this is the default behaviour).

#### 5.1.4 Record a gnumeric session

Record a gnumeric session. Record 400 events. Save output in file gnumeric.xml Start a terminal emulator (e.g xterm)

```
xterm&
```

Start Xnee

```
cnee --record --keyboard --mouse --events-to-record 400 \
--out gnumeric.xml&
```

Start gnumeric

```
gnumeric&
```

Start using gnumeric. Browse the menus above, reset the fonts etc.

#### 5.1.5 Record a gnumeric session with synchronisation data

Record a gnumeric session. Record 400 events. Save output in file gnumeric2.xml

Start a terminal emulator (e.g xterm) **xterm&**

Start Xnee



```
cnee --record --keyboard --mouse --events-to-record 400 \
  --out gnumeric2.xml\
  --delivered-event-range Expose,MapRequest,LeaveNotify,EnterNotify &
```

Start gnumeric `gnumeric&` Start using gnumeric. Browse the menus above, reset the fonts etc.

## 5.2 Replayer

### 5.2.1 Replay mouse motions

Replay mouse motions as found in the file `mouse-rec.xml`.

```
cnee --replay --file mouse-rec.xml
```

Xnee will now imitate exactly what you did when you recorded this file.

### 5.2.2 Replay mouse motions using with half speed

Replay mouse motions as found in the file `mouse-rec.xml` but with the speed set to 50% of the recorded.

```
cnee --replay --file mouse-rec.xml --speed-percent 50
```

Xnee will now imitate exactly what you did when you recorded this file, although it will be done in 50% of the recorded time.

### 5.2.3 Replay mouse motions using with double speed

Replay mouse motions as found in the file `mouse-rec.xml` but with the speed set to 200% of the recorded.

```
cnee --replay --file mouse-rec.xml --speed-percent 200
```

Xnee will now imitate exactly what you did when you recorded this file, although it will be done twice as fast as when recorded.

### 5.2.4 Replay keyboard actions

Replay keyboard events from file `kbd-rec.xml`.

```
cnee --replay --file kbd-rec.xml
```

After having typed this Xnee replays all your keyboard actions. After Xnee has exited you will be able to replay your keyboard actions.

### 5.2.5 Replay keyboard and mouse

Replay keyboard and mouse from the file `km-rec.xml`.

```
cnee --replay --keyboard --mouse --file kbd-rec.xml
```

After having typed this Xnee replays all your keyboard and mouse actions. Xnee moves your pointer and writes the the same stuff as you did when recording.

### 5.2.6 Replay a gnumeric session

Replay the gnumeric session above

Start a terminal emulator (e.g `xterm`) `xterm&` Start a new fresh gnumeric spreadsheet `gnumeric&`

Start Xnee

```
cnee --replay --file gnumeric.xml
```

Xnee will now do the same stuff you did when recording. It may happen that some user actions are replayed to early. This is so because Xnee has no way of knowing if it is in sync with the recorded session.

### 5.2.7 Replay a gnumeric session with synchronisation data

Replay the second gnumeric session above.

Start a terminal emulator (e.g xterm) **xterm**& Start a new fresh gnumeric spreadsheet **gnumeric**&

Start Xnee

```
cnee --replay --file gnumeric2.xml
```

Xnee will now do the same stuff you did when recording. It may happen that the replaying slows down. This is because Xnee is currently out of sync. When being out of sync Xnee slows down a bit and checks the thresholds if it is allowed to continue. Xnee will most probably find itself in sync after a short while. All recorded user actions should have occurred the same way as when recording.

### 5.2.8 Replay a gnumeric session with synchronisation data setting threshold

Replay the second gnumeric session above.

Start a terminal emulator (e.g xterm) **xterm**& Start a new fresh gnumeric spreadsheet **gnumeric**&

## 5.3 Retyper

### 5.3.1 Retype the help printout

If you want Xnee to fake a user typing the help printout from xnee you can use the **--type-help** option.

Start a terminal emulator (e.g xterm) and an editor (e.g emacs).

```
xterm &
```

```
emacs &
```

Retype the help printout by starting xnee with a 10 seconds delay delay.

```
cnee --time 10 --type-help
```

Move your mouse to the editor and make the editor have focus. Wait a few seconds and xnee will type the help. You will now also have a copy of help text.

### 5.3.2 Retype a file

If you want Xnee to fake a user typing the letters as found in a text file you can use the retype mode. Note that it isn't possible to retype all characters yet. This will be implemented as soon as possible. We'll give an example on how to use this mode.

Start a terminal emulator (e.g xterm)

```
xterm &
```

Create a text file

```
echo "Hi Xnee" > testfile.txt
```

Retype the contents of this file to another file by starting xnee with a 10 seconds delay.

```
xnee --time 10 --retype-file testfile.txt
```

Start the fabulous editor `cat`

```
cat > copiedfile.txt
```

Wait a few seconds and xnee will retype the letters in the file `testfile.txt`. You will now also have a copy of that file. The copy is called `copiedfile.txt`. This is a really a stupid way to copy a file but this option opens up a few possibilities.

## 5.4 Distributor

With the distribution mode Xnee can send your device events to multiple displays.

### 5.4.1 Distribute your mouse motions

You can distribute your mouse motions to the displays `frodo:0.0` and `sam:0.0`  
Start a terminal emulator (e.g `xterm`)

```
xterm &
```

Start xnee

```
xnee --distribute frodo:0,sam:0.0  
--record --mouse
```

If you have setup authority correct on `frodo` and `sam` you will see all you mouse motions being done on those displays as well.

### 5.4.2 Distribute the replaying of mouse motions

Replay and distribute mouse motions as found in the file `mouse-rec.xml`.

```
xnee --replay --file mouse-rec.xml  
--distribute frodo:0,sam:0.0
```

Xnee will now imitate exactly what you did when you recorded this file on your host as well on `frodo` and `sam`.

### 5.4.3 Distribute the retyping of a file

If you want Xnee to to distribute the fakeing of a user typing the letters as found in a text file you can use the retype mode together with the distribution mode.

Start a terminal emulator (e.g `xterm`) on each of the hosts

```
xterm &
```

Create a text file.

```
echo "Hi again Xnee" > distfile.txt
```

Retype the contents of this file to another file by starting xnee with a 10 seconds delay.

```
xnee --time 10 --retype-file distfile.txt  
--distribute frodo:0,sam:0.0
```

Start the fabulous editor `cat` on the terminal emulators on each the terminals.

```
cat > copiedfile.txt
```

If you have setup authority correct on frodo and sam you will, after a few seconds, see xnee retype the letters in the file `distfile.txt`. You will now also have three copies of that file. On copy on each host. The copy is called `copiedfile.txt`. This might seem like a stupid way to copy a file to three locations but this is just an example.

## 5.5 Key

### 5.5.1 Stop Xnee with key

You can stop xnee by specifying a key. Make sure that this key isn't grabbed by another X client (e.g by the Window Manager). Let's say that you want Xnee to stop recording if you press Control and h.

```
cnee --record --mouse --events-to-record -1 --stop-key h
```

This will make xnee record mouse events until you press h. All printouts are done to stdout so you can see that Xnee stops when you press the key.

Move your mouse for a while and you'll see xnee print out lots of lines.

Press h.

Xnee will now have stopped recording.

### 5.5.2 Pausing and resuming Xnee with key

You can pause and resum xnee by specifying a key. Make sure that this key isn't grabbed by another X client (e.g by the Window Manager). Let's say that you want Xnee to pause recording if you press p and to resume when pressing Control and r.

```
cnee --record --mouse --events-to-record -1 --pause-key p \  
--resume-key r
```

This will make xnee record mouse events until you press p. All printouts are done to stdout so you can see that Xnee stops when you press the key.

Move your mouse for a while and you'll see xnee print out lots of lines.

Press p.

Xnee will now have paused recording. Move your mouse for a while and note that nothing is printed.

Press r.

Xnee will now have resumed recording. Move your mouse for a while and note that xnee begins its printouts.

## 5.6 Using macro

Macors can be used in various applications although many applicaions have a macro functionality built in (e.g emacs).

### 5.6.1 Define a simple macro

There are plenty of tools that bind a key combination to different actions. For various reasons the author of this manual is familliar with xkeymouse so we will use xkeymouse in this example.

The first thing to do is to decide which key combination to tie to the wanted action. Let's say we want to use one of the function keys, F1. We then have to find out which keycode belongs to that key. The action we will bind to this key combination will be the replaying of a recorded session from the previous examples.

We use Xnee to find the keycode for F1. Start xnee.

```
cnee --record --keyboard --events-to-record 20
```

Press the F1 key and see what number was printed out. It will look something like this:

```
0,2,0,0,0,67,0,90300078
```

```
0,3,0,0,0,67,0,90300156
```

The interesting part here is the 6th column. In our example we find 67, which is the keycode for F1.

Now we move on to setup xkeymouse to grab F1 and bind that to replay the mouse motions from the file `mouse-rec.xnl`. Open or create a new file in your home directory called `.xkmrc` and add the lines.

```
keycode=67, 0, Exec, xnee, --replay --file mouse-rec.xnl, \
Fork, NoAutoRepeat
```

Let's try it. Start xkeymouse with verbose printouts.

```
xkeymouse --verbose
```

Press F1 and the recorded session from the previous example shall be replayed. You can also see in the verbose printouts that xkeymouse executes xnee.

## 5.6.2 Define another simple macro

Let's say we want to bind Control and e to execute the session as in the example above. This time setting up xkeymouse is a bit easier.

Setup xkeymouse to grab F1 and bind that to replay the mouse motions from the file `mouse-rec.xnl` by opening or create a new file in your home directory called `.xkmrc` and add the lines.

```
e, Control, Exec, xnee, --replay --file mouse-rec.xnl, \
Fork, NoAutoRepeat
```

Let's try it. Start xkeymouse with verbose printouts.

```
xkeymouse --verbose
```

Press Control and e and the recorded session from the previous example shall be replayed.

## 5.7 Various options

### 5.7.1 Using verbose mode

To enable verbose mode, start xnee like this

```
cnee --verbose --record --mouse
```

Move the mouse for a while and you'll lots of verbose printouts that usually isn't there.

### 5.7.2 Using human readable printouts

To enable human printout mode, start xnee like this

```
cnee --human-printout --record --mouse
```

Move the mouse for a while and you'll see the data printed out in an almost human friendly format.

### 5.7.3 Using a different screen resolution

If a session was recorded on a screen with another resolution than on the one where we replay the session xnee will translate all coordinates automatically. However, you can force xnee to use a specific resolution when replaying. To do this, start xnee like this

```
cnee --replay --file mouse-rec.xnl \
--replay-resolution 800x600
```

Xnee will now replay the events recorded in the sessions file `mouse-rec.xnl` as if the screen has a resolution of 800x600.

### 5.7.4 Using an offset when replaying

If a session was recording a centered window with a window manager and is to be replayed without a window manager (still centered) you can use the offset switch to make Xnee replay the events in order to get the coordinates right.

```
cnee --replay --file mouse-rec.xnl \
--replay-offset 12,-7
```

Xnee will now replay the events recorded in the sessions file `mouse-rec.xnl` and adding 12 to the x coordinate and subtract 7 from the y coordinate.

### 5.7.5 Using no resolution translation

If a session was recorded on a screen with another resolution than the one where we replay the session xnee will translate all coordinates automatically. However, you can force xnee not to use translation. To do this, start xnee like this

```
cnee --replay --file mouse-rec.xnl \
--no-resolution-adjustment
```

Xnee will now replay the events recorded in the sessions file `mouse-rec.xnl` as if the screen had the same resolution the recorded one.

### 5.7.6 Record another display than the default

If you want to record another display than the default, as set in the `DISPLAY` variable, you use the `--display` option.

```
cnee --record --mouse --display frodo:0.0
```

Xnee will now record the mouse events on the display `frodo:0.0`.

### 5.7.7 Replay to another display than the default

If you want to replay to another display than the default, as set in the `DISPLAY` variable, you use the `--display` option.

```
cnee --replay --display frodo:0.0 --file mouse-rec.xnl
```

Xnee will now replay the mouse events on the display `frodo:0.0`.

## 5.8 Shell scripts using Xnee

Instead of invoking Xnee for every time you need to fake events you can make use of the shell functions as delivered with Xnee. With these functions you can start one instance of Xnee and fake device events whenever you need.

```
#!/bin/bash

# Source in handy functions
. /usr/share/Xnee/xnee.sh

# Set up file for communication with Xnee
xnee_init_file

# Loop and press buttons
TMP=0
while [ $TMP -le 5]
do
    TMP=$((TMP+1))
    xnee_fake_button $TMP
done

# Just a simple example ....don't bother to understand
tar cvf /tmp/crap.tar *
sleep 2

# Fake ls and Enter
xnee_fake_key l
xnee_fake_key s
xnee_fake_key XK_Return

# Close down
xnee_close_down
```

This example will fake press and release of the mouse button and do fake press and release of `ls` followed by a press and release of `Enter`.... and of course, you'll get a tar file in `/tmp`.

Make sure that the path to the `xnee.sh` is correct.

## 6 File types and format

The files used by Xnee are

- Xnee Project File
- Xnee Session File

These files must follow the Xnee File Format.

### 6.1 Project file

Xnee can be set either using command line options (when using xnee) or by clicking the correct buttons etc in the GUI (using gnee). Instead of setting the same settings over and over again, you can use the Xnee Project File.

#### 6.1.1 Create a project file

You can create a project by yourself. This can be done using the `write-settings` option in `cnee` or the “save settings to file” when using `gnee` or you can use the Xnee GUI (`gnee`) to write one. You can also write one by yourself in your favorite editor. Just make sure you follow the Xnee format. For information and specification on this format read the Xnee format chapter.

The authors of Xnee suggests you start of with a generated project file. To get one such file, type the following `cnee --mouse --keyboard --write-settings new_proj.xnp`. You will now have a file `new_proj.xnp` with some useful values, which you can edit as you wish.

To use this file to record, simply type `cnee --record --project new_proj.xnp`

### 6.2 Xnee Session file

The Xnee session files are the printouts from a recorded session following the Xnee File Format. For information and specification on this format read the Xnee File Format chapter.

### 6.3 Xnee file format

The Xnee Format is divided into different directives. The format is line based, meaning that

- there is one directive per line
- one line contains one (and only one) directive

These directives are defined as follows.

### 6.4 Xnee directives

The following directives are used in Xnee:

Directives	Description
Comment	This is used to comment the various files
Project	These contains information about the session- or project file
Settings	Data used when recording and replaying



Replay data	Recorded replayable data (used when replaying)
Script replay data	Scriptable primitives
Mark	Lines inserted in the session file when a modifier+key was pressed
Execution	Lines that trigger the execution of an external program
Project information	Project

### 6.4.1 Comment

First token	Interpretation
-------------	----------------

#	The whole line is ignored.
---	----------------------------

As long as the first token is # the whole line is interpreted as a comment, just as in bash.

### 6.4.2 Settings

Settings directive	Argument	Interpretation
data-to-record	integer	Limits the number of data to record to the integer value
events-to-record	integer	Limits the number of events to record to the integer value
time-to-record	integer	Limits the number of seconds to record to the integer value
display	string	Sets the display to record or replay to the string
distribute	string	Distribute all recorded or replayed replayable events to the display given by the string
file	string	Read replay data from the file given by the string
out-file	string	Print recorded data to the file given by the string
plugin	string	Use the plugin given by the string
first-last	boolean	Print only first and last of successive MotionEvent events
verbose	boolean	Use verbose debugging printout
buffer-verbose	boolean	Use verbose buffer verbose printouts (not built default)
time	integer	Delay the start of the Xnee action
all-clients	boolean	Record all current and future clients (default)
future-clients	boolean	Record only future clients

human-printout	boolean	Prints the recorded data in a (quite) more friendly format
sync-mode	boolean	Sets recording mode
speed-percent	integer	Sets the replaying speed percentage to the integer value
stop-key	string,string	Sets the stop key combination to the strings
pause-key	string,string	Sets the pause key combination to the strings
resume-key	string,string	Sets the resume key combination to the strings
mark-key	string,string	Sets the mark key combination to the strings
exec-key	string,string	Sets the execute key combination to strings
replay-resolution	string	Sets the replay resolution to the string
replay-offset	int,int	Sets the replay offset to (x,y) during replay
resolution-adjustment	boolean	Use resolution adjustment, even if the recorded resolution differs from the one to replay to
event-range	range	Sets the events to record
error-range	range	Sets the errors to record to range*
request-range	range	Sets the request to record to range*
reply-range	range	Sets the replies to record to range*
extension-request-major-range	range	Sets the extension requests (major) to record to range*
extension-request-minor-range	range	Sets the extension requests (minor) to record to range*
extension-reply-major-range	range	Sets the extension replies (major) to record to range*
extension-reply-minor-range	range	Sets the extension replies (minor) to record to range*
force-replay	boolean	Continue to replay even if Xnee is out of sync
max-threshold	integer	Sets the maximum synchronisation threshold
min-threshold	integer	Sets the minimum synchronisation threshold
total-threshold	integer	Sets the total maximum synchronisation threshold
events-to-record	integer	Sets the number of events to record
data-to-record	integer	Sets the number of data to record
time-to-record	integer	Sets the number of seconds to record

store-mouse-position

If set, Xnee records the initial mouse position and makes sure that replaying starts from there

#### Xnee Settings Arguments

Settings argument	Description	Example
integer	is an integer value.	1
string	is a string.	localhost
boolean	is a boolean value given by true/1 or false/0	true, false, 0, 1
subrange	Subrange is gives a range of data by specifying a start and stop data. In the case of one data the stop data can be omitted.	2-5 or MapNotify
range	Ranges are a comma separated list of subranges.	2-3, MotionNotify-MapNotify, GravityNotify, PropertyNotify

### 6.4.3 Replay

#### Replay interpretation

##### directive

0,0not valid

0,1not valid

0,2KeyRelease on key with keycode, used to replay

0,3KeyRelease on key with keycode, used to replay

0,4ButtonPress on button nr, used to replay

0,5ButtonRelease on button nr, used to replay

0,6MotionNotify on poistion (x,y), used to replay

0,7MotionNotify on poistion (x,y), used to replay

1,Recorded request, used during synchronisation

2,Recorded reply, used during synchronisation

3,Recorded error, used during synchronisation

time is the time on the server the data was to the recording Xnee client. This time is used to keep the speed intact during replay.

6.4.4 Script replay data

Primitive Interpretation

fake-motion  
fake-button-press  
fake-button-release  
fake-button-press-and-release  
fake-key-press  
fake-key-release  
fake-key-press-and-release  
key

Primitive	Interpretation
<del>variables</del> x= <del>integer</del>	Sets the x position used in fake-motion to value
<del>x=integer</del>	Set the relative motion (x direction) used in fake-motion to value
<del>x=integer</del>	Set the relative motion (x direction) used in fake-motion to value
<del>Set the y position used in fake-motion to value</del> y= <del>integer</del>	

<del>value</del> y= <del>integer</del>	Set the relative motion (y direction) used in fake-motion to value
<del>value</del> y= <del>integer</del>	Set the relative motion (y direction) used in fake-motion to value
<del>button</del> button=value the button to fake with fake-button-press, fake-button-release and fake-button to value	
<del>key</del> key=value the key to fake with fake-key-press, fake-key-release and fake-key to value	

#### 6.4.5 Mark

Arguments	Interpretation
tokens	
Mark string	Ignored. This feature is intended to let the user do whatever he/she wants to. This will obviously lead to modifying the source code etc.

#### 6.4.6 Exec

Arguments	Interpretation
tokens	

**ExecCommand** This is used  
**string** during to  
 replay to  
 execute a given  
 command. If  
 no command  
 string is found  
 Xnee will try  
 to read the  
 command  
 from the  
 environment  
 variable `XNEE_`  
`EXEC_COMMAND`

### 6.4.7 Project information

#### Arguments

in-  
for-  
ma-  
tion

#### directives

**ProjectName** is the project name

**ProjectDescription** project description

**ProjectCreationDate** project creation date

**ProjectCreationProgram** program of the program  
that create the project file

**ProjectCreationVersion** version of the program  
that create the project file

**ProjectLastChangeDate** date of the last change  
of the project file

**ProjectLastChangeProgram** the program  
that last changed of the project file

**ProjectLastChangeVersion** version of the program  
that last changed of the project file

**ProjectCurrentChangeDate** the current  
change of the project file

**ProjectCurrentChangeProgram** the program  
that current changed of the project file

**ProjectCurrentChangeVersion** version of the program  
that current changed of the project file

## 7 Xnee Internals

This chapter is intended to explain the internal design of libxnee. Hopefully this will lead to a better understanding of how to use Xnee and why some features exist and why some don't.

### 7.1 Synchronisation

We will try to go through the basics of how Xnee implements synchronisation and try to tell you, by using examples, why synchronisation is important.

#### 7.1.1 Why synchronise

To understand why synchronisation during replay is needed an example is given.

In this example only mouse and keyboard events are recorded. Think of a session with a web browser.

During record the following is done:

- Start galeon (or another web browser) via the GNOME panel
- Press Ctrl-O which pops up a window
- Press the left button in the textfield of the popup window
- Enter the URL you want to enter (e.g <http://www.gnu.org>)
- Click on the OK button
- Then click on another URL (e.g GNU Documentation)
- Then click on another URL (e.g On-Line Documentation)

When replaying this session it is often to synchronise the recorded session with what's happening "right now" on the display since sometimes (or rather always) there can be different response times from the same URL.

During replay the following is done:

- Galeon is started
- Ctrl-O is typed which pops up a window
- Press the left button in the textfield of the popup window
- Enter the URL you want to enter (e.g <http://www.gnu.org>)
- Click on the OK button
- ... due to an enormous amount of visitors the GNU web server can't respond as quick as it did when recording. So when the next thing happens
- Then click on another URL (e.g GNU Documentation)
- ... the page hasn't been loaded and when the next event is replayed
- Then click on another URL (e.g On-Line Documentation)
- ... the link isn't there and we're really out of sync with the recorded session

### 7.1.2 How to synchronise

Instead we could record some more data than just the mouse and keyboard events.

During record the following is done:

- Start galeon (or another web browser) via the GNOME panel
- Record some X data that tells us that a window have been created
- Press Ctrl-O which pops up a window
- Record some X data that tells us that a window have been created
- Press the left button in the textfield of the popup window
- Enter the URL you want to enter (e.g `http://www.gnu.org`)
- Click on the OK button
- Record some X data that tells us that a window have been destroyed
- Then click on another URL (e.g GNU Documentation)
- Record some X data that tells us that a some text has been displayed in a window
- Then click on another URL (e.g On-Line Documentation)
- Record some X data that tells us that a some text has been displayed in a window

The non-mouse-or-keyboard events recorded (window created & text displayed) are record for synchronisation purposes.

During replay the following is done:

- Start galeon (or another web browser) via the GNOME panel
- wait for: the recorded X data to be sent again
- Press Ctrl-O which pops up a window
- wait for: the recorded X data to be sent again
- Press the left button in the textfield of the popup window
- Enter the URL you want to enter (e.g `http://www.gnu.org`)
- Click on the OK button
- wait for: the recorded X data to be sent again
- Then click on another URL (e.g GNU Documentation)
- wait for: the recorded X data to be sent again
- Then click on another URL (e.g On-Line Documentation)
- wait for: the recorded X data to be sent again

### 7.1.3 Synchronisation is needed

So by recording more data than just the events to be replayed we can synchornise what was recorded with what is going on when replaying. But the data has to be choosen with respect to that the data:

- differs from different sessions (Gimp and Xterm are really different)
- slows down the replay session if there are too many
- is hard to choose since the X protocol is rich
- differs (comparing record and replaying)
- can have different ordering (comparing record and replaying)



### 7.1.4 Different data for different kind of sessions

If we record an xterm session with all data being recorded and compare that to a recorded GIMP session with all data being recorded we can see that the data to use as synchronisation data differs. As an example there aren't so many windows created/destroyed during an xterm session.

The solve to the the problem of finding out what data to use as synchronisation data one can:

- use the project files delivered with Xnee
- analyse the application (using Xnee's `--human-prints` option) and do some "trial and error"

### 7.1.5 Slow replay session due to too many synchronise data

The synchronisation itself doesn't take much time but there are timeouts that makes Xnee pauses for a short while (see above). If there are many such timeouts it will lead to a slow or shaky replaying session.

### 7.1.6 X protocol is rich and asynchronous

For an end user (with no X expertise) it is hard to read the X protocol specification and make assumptions on what data to use.

### 7.1.7 Different data sent

Even if one starts up a machine from scratch (reboot) when recording and from scratch when replaying there is no guarantee that the data is sent in the same order or that exactly the same amount of data is sent.

### 7.1.8 Buffers and timeouts

To enable synchronisation Xnee buffers data:

- that was read in the session file but hasn't been sent during replay
- that was sent during replay but hasn't been seen in the session file being replayed

For every data read from session file (during replay) that isn't replayable (i.e. device event) Xnee stores the data in a buffer. Xnee also stores the data sent from the X server during playback. The data received from the server make the buffer entry for that specific data be decremented. If, on the other hand, the same data was read from file the buffer entry for that data is incremented. Before replaying any replayable event Xnee makes sure it is in sync. If Xnee is in sync the replaying continues. If Xnee is out of sync it will look for its thresholds and see if it is inside a user specified range. There are three thresholds:

- **positive maximum** nr data read from session file
- **negative minimum** nr of data sent from X server
- **absolute total maximum** sum of the absolute values above

If Xnee read one data from file (e.g. the event `MapNotify`) Xnee checks if the buffer entry for the specific data is bigger than the positive maximum value (after having incremented the buffer value).

If Xnee receives one data from the X server (e.g the event MapNotify) it checks if the buffer entry for the specific data is bigger than the negative minimum value (after having decremented the buffer value).

Xnee also checks if the absolute sum of the differences for every entry in the buffer is higher than a total threshold.

If Xnee is getting out of sync it slows down the speed a bit and tries to continue. However after a while it may happen that Xnee considers that it no use to continue since we are too much out of sync.

Xnee compensates for the delay during replay that is caused when being out of sync.

It is possible to tweak the thresholds using the `--maximum-threshold`, `--negative-threshold` and `--total-diff-threshold` options. It is also possible to turn off synchronisation completely using the `--no-sync` option.

## 8 Xnee Requirements

### 8.1 Runtime requirements

Xnee requirements:

- RECORD extension
- XTest extension

You can use Xnee in replaying mode without RECORD extension if synchronisation is turned off.

### 8.2 Development requirements

For development requirements, please look at the DEVELOPMENT file that is distributed with all packages and with CVS.

## 9 FAQ

‘Where do I send questions?’

`info-xnee@gnu.org`

‘Where and how do I report bugs?’

Turn on verbose mode `cnee --verbose` and save the printouts. Include all printouts and log files in the mail which is sent to `xnee-bug@gnu.org`

‘When setting ranges (integers), how do I know what numbers belong’

to X11 data? You can either type the data name directly (e.g `MotionNotify`) or you can use the `print-xxx-name` options.

- `--print-data-name`
- `--print-event-name`
- `--print-error-name`
- `--print-reply-name`
- `--print-request-name`

‘Can Xnee record more than one display?’

No, but we are considering adding the functionality (see the TODO file)

‘Where is the CVS repository?’

You can find a CVS tree at <http://savannah.gnu.org>. You are more than welcome to join

‘Is there a GUI frontend for Xnee ?’

Yes! Gnee.

‘What license is Xnee released under ?’

GPL. Which can be found at <http://www.gnu.org/copyleft/gpl.html>

‘Why the name Xnee?’

We wanted to use a recursive acronym, as GNU (“GNU’s Not Unix”). After having read the Wine documentation, we thought that Xnee is not an Event Emulator would work fine since Xnee is Not an Event Emulator but rather a event recorder and faker.

‘What does the name Gnee mean?’

Gnee’s not an Emulator Either

‘What doesn’t the name Gnee mean?’

Gnee’s not an Event Emulator

‘Can you add xxx functionality to Xnee’

Send an email to `xnee-devel@gnu.org` and we’ll consider it.

‘When starting Xnee I get noticed that I am missing RECORD extension’

Your X server doesn’t have the RECORD extension either loaded or compiled. To solve this you have to, depending on what Xserver you have do the following:

- XFree86 4.0 and higher Make sure that the RECORD extension is loaded. This is done by letting the Module section in the X config file (e.g /etc/X11/XF86Config-4) look something like:

Section "Module"

```
Load "dbe" # Double-buffering
Load "GLcore" # OpenGL support
Load "dri" # Direct rendering infrastructure
Load "glx" # OpenGL X protocol interface
Load "extmod" # Misc. required extensions
Load "v4l" # Video4Linux
# Load "pex5" # PHIGS for X 3D environment (obsolete)
Load "record" # X event recorder
# Load "xie" # X Image Extension (obsolete)
# You only need the following two modules if you do not use xfs.
# Load "freetype" # TrueType font handler
# Load "type1" # Adobe Type 1 font handler
```

EndSection

The important load directive (in this case) is the following line

```
Load "record" # X event recorder
```

- X.org, XFree86 (3.3 and lower) or any other Xserver Recompile and reinstall the Xserver and make sure that RECORD extension is built into the Xserver. Please look at the documentation from your Xserver "vendor" on how to do that.

'How do I build VNC so that I can use Xnee together with it?'

Download vnc source from:

<http://www.uk.research.att.com/vnc/xvnchistory.html>

In the file Xvnc/config/cf/vnc.def change NO on the following items to YES as below:

```
#define BuildRECORD YES
#define BuildRECORDlib YES
```

Download the Xfree86 distribution from <http://www.xfree86.org>. Specifically, the following dir, (currently in the file X430src-3.tgz file ):

```
tar zxvf \
X430src-3.tgz
xc/programs/Xserver/record/
xc/programs/Xserver/record/Imakefile
xc/programs/Xserver/record/record.c
xc/programs/Xserver/record/recordmod.c
xc/programs/Xserver/record/set.c
xc/programs/Xserver/record/set.h
xc/programs/Xserver/record/module/
xc/programs/Xserver/record/module/Imakefile
```

```
cp -rf \  
xc/programs/Xserver/record \  
vnc_unixsrc/Xvnc/programs/Xserver  
cd libvncauth/ xmkmf make all  
cd Xvnc make World |& tee LOG
```

Verify the build by running `xdpyinfo` in an xterm in the vncserver and verify that RECORD and XTEST extensions are loaded.

**'How do I ensure that the mouse, during replay, is at the same position (x,y) as when recorded?'**

Use the `--store-mouse-pos` option. This will cause Xnee to store the mouse position before starting to record. This position will be used to set the start position before replaying of recorded data starts.

**'How do I ensure that the same window is focused as when recorded?'**

It's simple, just make sure that you record the window get focus.

# Appendix A Copying This Manual

## A.1 GNU Free Documentation License

Version 1.2, November 2002

Copyright © 2000,2001,2002 Free Software Foundation, Inc.  
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301, USA

Everyone is permitted to copy and distribute verbatim copies  
of this license document, but changing it is not allowed.

### 0. PREAMBLE

The purpose of this License is to make a manual, textbook, or other functional and useful document *free* in the sense of freedom: to assure everyone the effective freedom to copy and redistribute it, with or without modifying it, either commercially or non-commercially. Secondly, this License preserves for the author and publisher a way to get credit for their work, while not being considered responsible for modifications made by others.

This License is a kind of “copyleft”, which means that derivative works of the document must themselves be free in the same sense. It complements the GNU General Public License, which is a copyleft license designed for free software.

We have designed this License in order to use it for manuals for free software, because free software needs free documentation: a free program should come with manuals providing the same freedoms that the software does. But this License is not limited to software manuals; it can be used for any textual work, regardless of subject matter or whether it is published as a printed book. We recommend this License principally for works whose purpose is instruction or reference.

### 1. APPLICABILITY AND DEFINITIONS

This License applies to any manual or other work, in any medium, that contains a notice placed by the copyright holder saying it can be distributed under the terms of this License. Such a notice grants a world-wide, royalty-free license, unlimited in duration, to use that work under the conditions stated herein. The “Document”, below, refers to any such manual or work. Any member of the public is a licensee, and is addressed as “you”. You accept the license if you copy, modify or distribute the work in a way requiring permission under copyright law.

A “Modified Version” of the Document means any work containing the Document or a portion of it, either copied verbatim, or with modifications and/or translated into another language.

A “Secondary Section” is a named appendix or a front-matter section of the Document that deals exclusively with the relationship of the publishers or authors of the Document to the Document’s overall subject (or to related matters) and contains nothing that could fall directly within that overall subject. (Thus, if the Document is in part a textbook of mathematics, a Secondary Section may not explain any mathematics.) The relationship could be a matter of historical connection with the subject or with related matters, or of legal, commercial, philosophical, ethical or political position regarding them.

The “Invariant Sections” are certain Secondary Sections whose titles are designated, as being those of Invariant Sections, in the notice that says that the Document is released under this License. If a section does not fit the above definition of Secondary then it is not allowed to be designated as Invariant. The Document may contain zero Invariant Sections. If the Document does not identify any Invariant Sections then there are none.

The “Cover Texts” are certain short passages of text that are listed, as Front-Cover Texts or Back-Cover Texts, in the notice that says that the Document is released under this License. A Front-Cover Text may be at most 5 words, and a Back-Cover Text may be at most 25 words.

A “Transparent” copy of the Document means a machine-readable copy, represented in a format whose specification is available to the general public, that is suitable for revising the document straightforwardly with generic text editors or (for images composed of pixels) generic paint programs or (for drawings) some widely available drawing editor, and that is suitable for input to text formatters or for automatic translation to a variety of formats suitable for input to text formatters. A copy made in an otherwise Transparent file format whose markup, or absence of markup, has been arranged to thwart or discourage subsequent modification by readers is not Transparent. An image format is not Transparent if used for any substantial amount of text. A copy that is not “Transparent” is called “Opaque”.

Examples of suitable formats for Transparent copies include plain ASCII without markup, Texinfo input format, LaTeX input format, SGML or XML using a publicly available DTD, and standard-conforming simple HTML, PostScript or PDF designed for human modification. Examples of transparent image formats include PNG, XCF and JPG. Opaque formats include proprietary formats that can be read and edited only by proprietary word processors, SGML or XML for which the DTD and/or processing tools are not generally available, and the machine-generated HTML, PostScript or PDF produced by some word processors for output purposes only.

The “Title Page” means, for a printed book, the title page itself, plus such following pages as are needed to hold, legibly, the material this License requires to appear in the title page. For works in formats which do not have any title page as such, “Title Page” means the text near the most prominent appearance of the work’s title, preceding the beginning of the body of the text.

A section “Entitled XYZ” means a named subunit of the Document whose title either is precisely XYZ or contains XYZ in parentheses following text that translates XYZ in another language. (Here XYZ stands for a specific section name mentioned below, such as “Acknowledgements”, “Dedications”, “Endorsements”, or “History”.) To “Preserve the Title” of such a section when you modify the Document means that it remains a section “Entitled XYZ” according to this definition.

The Document may include Warranty Disclaimers next to the notice which states that this License applies to the Document. These Warranty Disclaimers are considered to be included by reference in this License, but only as regards disclaiming warranties: any other implication that these Warranty Disclaimers may have is void and has no effect on the meaning of this License.

## 2. VERBATIM COPYING



You may copy and distribute the Document in any medium, either commercially or noncommercially, provided that this License, the copyright notices, and the license notice saying this License applies to the Document are reproduced in all copies, and that you add no other conditions whatsoever to those of this License. You may not use technical measures to obstruct or control the reading or further copying of the copies you make or distribute. However, you may accept compensation in exchange for copies. If you distribute a large enough number of copies you must also follow the conditions in section 3.

You may also lend copies, under the same conditions stated above, and you may publicly display copies.

### 3. COPYING IN QUANTITY

If you publish printed copies (or copies in media that commonly have printed covers) of the Document, numbering more than 100, and the Document's license notice requires Cover Texts, you must enclose the copies in covers that carry, clearly and legibly, all these Cover Texts: Front-Cover Texts on the front cover, and Back-Cover Texts on the back cover. Both covers must also clearly and legibly identify you as the publisher of these copies. The front cover must present the full title with all words of the title equally prominent and visible. You may add other material on the covers in addition. Copying with changes limited to the covers, as long as they preserve the title of the Document and satisfy these conditions, can be treated as verbatim copying in other respects.

If the required texts for either cover are too voluminous to fit legibly, you should put the first ones listed (as many as fit reasonably) on the actual cover, and continue the rest onto adjacent pages.

If you publish or distribute Opaque copies of the Document numbering more than 100, you must either include a machine-readable Transparent copy along with each Opaque copy, or state in or with each Opaque copy a computer-network location from which the general network-using public has access to download using public-standard network protocols a complete Transparent copy of the Document, free of added material. If you use the latter option, you must take reasonably prudent steps, when you begin distribution of Opaque copies in quantity, to ensure that this Transparent copy will remain thus accessible at the stated location until at least one year after the last time you distribute an Opaque copy (directly or through your agents or retailers) of that edition to the public.

It is requested, but not required, that you contact the authors of the Document well before redistributing any large number of copies, to give them a chance to provide you with an updated version of the Document.

### 4. MODIFICATIONS

You may copy and distribute a Modified Version of the Document under the conditions of sections 2 and 3 above, provided that you release the Modified Version under precisely this License, with the Modified Version filling the role of the Document, thus licensing distribution and modification of the Modified Version to whoever possesses a copy of it. In addition, you must do these things in the Modified Version:

- A. Use in the Title Page (and on the covers, if any) a title distinct from that of the Document, and from those of previous versions (which should, if there were any,

be listed in the History section of the Document). You may use the same title as a previous version if the original publisher of that version gives permission.

- B. List on the Title Page, as authors, one or more persons or entities responsible for authorship of the modifications in the Modified Version, together with at least five of the principal authors of the Document (all of its principal authors, if it has fewer than five), unless they release you from this requirement.
- C. State on the Title page the name of the publisher of the Modified Version, as the publisher.
- D. Preserve all the copyright notices of the Document.
- E. Add an appropriate copyright notice for your modifications adjacent to the other copyright notices.
- F. Include, immediately after the copyright notices, a license notice giving the public permission to use the Modified Version under the terms of this License, in the form shown in the Addendum below.
- G. Preserve in that license notice the full lists of Invariant Sections and required Cover Texts given in the Document's license notice.
- H. Include an unaltered copy of this License.
- I. Preserve the section Entitled "History", Preserve its Title, and add to it an item stating at least the title, year, new authors, and publisher of the Modified Version as given on the Title Page. If there is no section Entitled "History" in the Document, create one stating the title, year, authors, and publisher of the Document as given on its Title Page, then add an item describing the Modified Version as stated in the previous sentence.
- J. Preserve the network location, if any, given in the Document for public access to a Transparent copy of the Document, and likewise the network locations given in the Document for previous versions it was based on. These may be placed in the "History" section. You may omit a network location for a work that was published at least four years before the Document itself, or if the original publisher of the version it refers to gives permission.
- K. For any section Entitled "Acknowledgements" or "Dedications", Preserve the Title of the section, and preserve in the section all the substance and tone of each of the contributor acknowledgements and/or dedications given therein.
- L. Preserve all the Invariant Sections of the Document, unaltered in their text and in their titles. Section numbers or the equivalent are not considered part of the section titles.
- M. Delete any section Entitled "Endorsements". Such a section may not be included in the Modified Version.
- N. Do not retitling any existing section to be Entitled "Endorsements" or to conflict in title with any Invariant Section.
- O. Preserve any Warranty Disclaimers.

If the Modified Version includes new front-matter sections or appendices that qualify as Secondary Sections and contain no material copied from the Document, you may at your option designate some or all of these sections as invariant. To do this, add their

titles to the list of Invariant Sections in the Modified Version's license notice. These titles must be distinct from any other section titles.

You may add a section Entitled "Endorsements", provided it contains nothing but endorsements of your Modified Version by various parties—for example, statements of peer review or that the text has been approved by an organization as the authoritative definition of a standard.

You may add a passage of up to five words as a Front-Cover Text, and a passage of up to 25 words as a Back-Cover Text, to the end of the list of Cover Texts in the Modified Version. Only one passage of Front-Cover Text and one of Back-Cover Text may be added by (or through arrangements made by) any one entity. If the Document already includes a cover text for the same cover, previously added by you or by arrangement made by the same entity you are acting on behalf of, you may not add another; but you may replace the old one, on explicit permission from the previous publisher that added the old one.

The author(s) and publisher(s) of the Document do not by this License give permission to use their names for publicity for or to assert or imply endorsement of any Modified Version.

## 5. COMBINING DOCUMENTS

You may combine the Document with other documents released under this License, under the terms defined in section 4 above for modified versions, provided that you include in the combination all of the Invariant Sections of all of the original documents, unmodified, and list them all as Invariant Sections of your combined work in its license notice, and that you preserve all their Warranty Disclaimers.

The combined work need only contain one copy of this License, and multiple identical Invariant Sections may be replaced with a single copy. If there are multiple Invariant Sections with the same name but different contents, make the title of each such section unique by adding at the end of it, in parentheses, the name of the original author or publisher of that section if known, or else a unique number. Make the same adjustment to the section titles in the list of Invariant Sections in the license notice of the combined work.

In the combination, you must combine any sections Entitled "History" in the various original documents, forming one section Entitled "History"; likewise combine any sections Entitled "Acknowledgements", and any sections Entitled "Dedications". You must delete all sections Entitled "Endorsements."

## 6. COLLECTIONS OF DOCUMENTS

You may make a collection consisting of the Document and other documents released under this License, and replace the individual copies of this License in the various documents with a single copy that is included in the collection, provided that you follow the rules of this License for verbatim copying of each of the documents in all other respects.

You may extract a single document from such a collection, and distribute it individually under this License, provided you insert a copy of this License into the extracted document, and follow this License in all other respects regarding verbatim copying of that document.

## 7. AGGREGATION WITH INDEPENDENT WORKS

A compilation of the Document or its derivatives with other separate and independent documents or works, in or on a volume of a storage or distribution medium, is called an “aggregate” if the copyright resulting from the compilation is not used to limit the legal rights of the compilation’s users beyond what the individual works permit. When the Document is included in an aggregate, this License does not apply to the other works in the aggregate which are not themselves derivative works of the Document.

If the Cover Text requirement of section 3 is applicable to these copies of the Document, then if the Document is less than one half of the entire aggregate, the Document’s Cover Texts may be placed on covers that bracket the Document within the aggregate, or the electronic equivalent of covers if the Document is in electronic form. Otherwise they must appear on printed covers that bracket the whole aggregate.

## 8. TRANSLATION

Translation is considered a kind of modification, so you may distribute translations of the Document under the terms of section 4. Replacing Invariant Sections with translations requires special permission from their copyright holders, but you may include translations of some or all Invariant Sections in addition to the original versions of these Invariant Sections. You may include a translation of this License, and all the license notices in the Document, and any Warranty Disclaimers, provided that you also include the original English version of this License and the original versions of those notices and disclaimers. In case of a disagreement between the translation and the original version of this License or a notice or disclaimer, the original version will prevail.

If a section in the Document is Entitled “Acknowledgements”, “Dedications”, or “History”, the requirement (section 4) to Preserve its Title (section 1) will typically require changing the actual title.

## 9. TERMINATION

You may not copy, modify, sublicense, or distribute the Document except as expressly provided for under this License. Any other attempt to copy, modify, sublicense or distribute the Document is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

## 10. FUTURE REVISIONS OF THIS LICENSE

The Free Software Foundation may publish new, revised versions of the GNU Free Documentation License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns. See <http://www.gnu.org/copyleft/>.

Each version of the License is given a distinguishing version number. If the Document specifies that a particular numbered version of this License “or any later version” applies to it, you have the option of following the terms and conditions either of that specified version or of any later version that has been published (not as a draft) by the Free Software Foundation. If the Document does not specify a version number of this License, you may choose any version ever published (not as a draft) by the Free Software Foundation.

# 10 Index

## B

- background..... 2
- Build VNC to be used with Xnee..... 34

## C

- can Xnee record more than one display..... 33
- command line syntax..... 8
- Comment directives..... 22
- Create a project file..... 21

## D

- Define a simple macro..... 17
- Define another simple macro..... 18
- development requirements..... 32
- Distribute the replaying of mouse motions..... 16
- Distribute the retyping of a file..... 16
- Distribute your mouse motions..... 16
- distributing..... 7

## E

- Example Xnee Session files..... 4
- Exec directive..... 26

## F

- FDL, GNU Free Documentation License..... 36
- features..... 2
- Functional overview..... 5

## G

- Getting started..... 3
- GUI frontend for Xnee..... 33

## H

- how to synchronise..... 29

## I

- Insert marks Xnee with key combination..... 9
- Interrupting xnee..... 9

## K

- key..... 9

## L

- license..... 33
- limit the data..... 10
- limit the events..... 10

## M

- Mark directive..... 26
- missing RECORD extension..... 33
- modes..... 5
- modifier..... 9

## P

- Pause Xnee with key combination..... 9
- Pausing and resuming Xnee with key..... 17
- plugins..... 10
- Project file..... 21
- Project information directive..... 27

## Q

- questions is sent where?..... 33

## R

- ranges..... 7
- Record a gnumeric session..... 13
- Record a gnumeric session with synchronisation
  - data..... 13
- Record another display than the default..... 19
- Record keyboard..... 13
- Record keyboard and mouse..... 13
- Record mouse motions..... 13
- recording..... 6
- Replay a gnumeric session..... 14
- Replay a gnumeric session with synchronisation
  - data..... 15
- Replay a gnumeric session with synchronisation
  - data setting threshold..... 15
- Replay directive..... 24
- Replay keyboard actions..... 14
- Replay keyboard and mouse..... 14
- replay mouse motions..... 14
- Replay to another display than the default..... 19
- replay using double speed..... 14
- replay using half speed..... 14
- replaying..... 6
- Report bugs?..... 33
- requirements..... 32
- retype..... 7
- Retype a file..... 15
- Retype the help printout..... 15
- runtime requirements..... 32

**S**

Script replay data .....	25
Session file .....	21
Settings .....	22
Shell scripts using Xnee .....	20
SIGTERM .....	9, 10
Stop Xnee with key .....	17
Stop Xnee with key combination .....	9
Synchronisation .....	28

**U**

Using a differet screen resolution .....	19
Using a offset when replaying .....	19

Using human readable printouts .....	18
Using no resolution translation .....	19
Using verbose mode .....	18

**W**

What does the name Gnee mean? .....	33
what numbers belong to X11 data? .....	33
why name it Xnee .....	33
why synchronise .....	28

**X**

Xnee Internals .....	28
Xnee Settings Arguments .....	24

# Table of Contents

<b>1</b>	<b>Summary .....</b>	<b>2</b>
1.1	Summary .....	2
1.2	Xnee features .....	2
1.3	Background .....	2
<b>2</b>	<b>Getting started .....</b>	<b>3</b>
2.1	Getting started .....	3
2.1.1	Simple replay .....	3
2.1.2	Simple recording of Key presses .....	3
2.1.3	Simple replaying of your recorded file .....	3
2.1.4	Simple recording of mouse motions .....	3
2.1.5	Simple replaying of your recorded file .....	3
2.1.6	Simple retyping of a text file .....	4
2.1.7	Example Xnee Session files .....	4
<b>3</b>	<b>Functional overview .....</b>	<b>5</b>
3.1	Functional overview .....	5
3.2	Modes .....	5
3.2.1	Record .....	6
3.2.2	Replay .....	6
3.2.3	Retype .....	7
3.2.4	Distribution .....	7
3.3	Ranges .....	7
3.4	First and last motion event .....	8
3.5	Delay .....	8
3.6	Verbose .....	8
3.7	Human printouts .....	8
3.8	Invoking Xnee .....	8
3.8.1	Command line syntax .....	8
3.8.2	Project file .....	8
3.8.3	Session file .....	9
3.9	Interrupting Xnee .....	9
3.9.1	modifier and key .....	9
3.9.2	limit the number of data to record .....	9
3.9.3	sending a SIGTERM signal .....	9
3.9.4	Stop Xnee with key combination .....	9
3.9.5	Pause Xnee with key combination .....	9
3.9.6	Pause Xnee with key combination .....	9
3.9.7	Insert marks Xnee with key combination .....	9
3.9.8	Limit number of data to record .....	10
3.9.9	Limit the events to record .....	10
3.9.10	Limit the data to record .....	10

3.9.11	Limit the time to record.....	10
3.9.12	Send SIGTERM to Xnee.....	10
3.10	Xnee plugins.....	10
<b>4</b>	<b>Installation.....</b>	<b>11</b>
4.1	Installation from source with the configure script.....	11
4.2	Installation from source with default Makefile.....	11
4.3	Installation from CVS.....	12
<b>5</b>	<b>Examples.....</b>	<b>13</b>
5.1	Recorder.....	13
5.1.1	Record mouse motions.....	13
5.1.2	Record keyboard.....	13
5.1.3	Record keyboard and mouse.....	13
5.1.4	Record a gnumeric session.....	13
5.1.5	Record a gnumeric session with synchronisation data.....	13
5.2	Replayer.....	14
5.2.1	Replay mouse motions.....	14
5.2.2	Replay mouse motions using with half speed.....	14
5.2.3	Replay mouse motions using with double speed.....	14
5.2.4	Replay keyboard actions.....	14
5.2.5	Replay keyboard and mouse.....	14
5.2.6	Replay a gnumeric session.....	14
5.2.7	Replay a gnumeric session with synchronisation data.....	15
5.2.8	Replay a gnumeric session with synchronisation data setting threshold.....	15
5.3	Retyper.....	15
5.3.1	Retype the help printout.....	15
5.3.2	Retype a file.....	15
5.4	Distributor.....	16
5.4.1	Distribute your mouse motions.....	16
5.4.2	Distribute the replaying of mouse motions.....	16
5.4.3	Distribute the retyping of a file.....	16
5.5	Key.....	17
5.5.1	Stop Xnee with key.....	17
5.5.2	Pausing and resuming Xnee with key.....	17
5.6	Using macro.....	17
5.6.1	Define a simple macro.....	17
5.6.2	Define another simple macro.....	18
5.7	Various options.....	18
5.7.1	Using verbose mode.....	18
5.7.2	Using human readable printouts.....	18
5.7.3	Using a differet screen resolution.....	19
5.7.4	Using a offset when replaying.....	19
5.7.5	Using no resolution translation.....	19
5.7.6	Record another display than the default.....	19
5.7.7	Replay to another display than the default.....	19
5.8	Shell scripts using Xnee.....	20



<b>6</b>	<b>File types and format</b>	<b>21</b>
6.1	Project file	21
6.1.1	Create a project file	21
6.2	Xnee Session file	21
6.3	Xnee file format	21
6.4	Xnee directives	21
6.4.1	Comment	22
6.4.2	Settings	22
6.4.3	Replay	24
6.4.4	Script replay data	25
6.4.5	Mark	26
6.4.6	Exec	26
6.4.7	Project information	27
<b>7</b>	<b>Xnee Internals</b>	<b>28</b>
7.1	Synchronisation	28
7.1.1	Why synchronise	28
7.1.2	How to synchronise	29
7.1.3	Synchronisation is needed	29
7.1.4	Different data for different kind of sessions	30
7.1.5	Slow replay session due to too many synchronise data	30
7.1.6	X protocol is rich and asynchronous	30
7.1.7	Different data sent	30
7.1.8	Buffers and timeouts	30
<b>8</b>	<b>Xnee Requirements</b>	<b>32</b>
8.1	Runtime requirements	32
8.2	Development requirements	32
<b>9</b>	<b>FAQ</b>	<b>33</b>
	<b>Appendix A Copying This Manual</b>	<b>36</b>
A.1	GNU Free Documentation License	36
<b>10</b>	<b>Index</b>	<b>42</b>