



transitional_writes

Log out

Home Post Reading Settings Inbox (124)

You're viewing your journal

View Recent Comments Manage Entries Invite People

 Interest

Reload page in style: site light

TRANSITIONAL_WRITES

(NO SUBJECT)

(NO SUBJECT)

JUN. 9TH, 2026 06:27 AM



TRANSITIONAL_WRITES

What about the application of the Solomonoff induction to the RF sensing of human brain?

https://en.wikipedia.org/wiki/Talk:Solomonoff%27s_theory_of_inductive_inference

1. If we assume that the algorithmic complexity of neural processes is relatively small (you could take a look at the Potapov monography for some arguments)
2. As far as I know a lot of neural processes in human brain are electric (or electro-chemistry) in nature. They have a little power and a small frequency (~ 1-1000 Hz). So they emit very low frequency radio waves.
3. You can detect those radio waves on small antennas if the impedance of such antennas is matched. This is basically the citation from the book on electrodynamics. I uploaded one such book on Twirpix site.
4. So you can create a lot of such receivers
 - microstrip filter to filter very high frequencies
 - impedance matched microstrip antenna
 - resistor for noise for oversampling
 - very fast comparator to sample signal
 in a very large array on a chip using standard CMOS or some sort of full-custom process (maybe even with some new materials)
5. Beamforming and large arrays of digital correlators with sub-mm positioning accuracy could be achieved.

so it seems there is no theoretical obstacles to implement some sort of RF human brain sensing or even control if you can implement reverse structure

with array of a large amount of RF amplifiers
with sub-mm beam forming accuracy

BTW I wrote that remark:

https://en.wikipedia.org/wiki/Talk:Solomonoff%27s_theory_of_inductive_inference

What about the application of the Solomonoff induction to the person to person
information exchange?



1 COMMENT REPLY

Flat | Top-Level Comments Only

DATE: 2026-06-09 04:25 AM (UTC)

FROM: TRANSITIONAL_WRITES IP ADDRESS: (212.32.192.208)

It seems the minimum description length principle could be used to deduce
minimum ethics. At least you can compare ethics by the length. What about the
following question: how to shoot met-art girl in the dark underground?
~2026-24709-41 (talk) 16:43, 8 June 2026 (UTC)

at least we can ask a question: does russian met-art model from a pic want some
money?

and what obstacles do that guess so hard?

why it is so hard to contact her directly?

she lose money, interesting person lose opportunity to make some photos.

also, it seems the economy without coordination primitives based on physics or
mathematics

like gold or maybe Bitcoin or maybe some sort of other physical objects or
processes

is just a chaos.

Economic calculation based on fiat money is impossible just from scientific
methodology

https://en.wikipedia.org/wiki/Talk:Solomonoff%27s_theory_of_inductive_inference

Select: ☐



LINK REPLY



1 COMMENT REPLY

Mass action on selected comments: Perform Action

Flat | Top-Level Comments Only

PROFILE

TRANSITIONAL_WRITES

MY WEBSITE



RECENT ENTRIES

ARCHIVE

READING

TAGS

MEMORIES

PROFILE

JUNE 2026

S	M	T	W	T	F	S
	1	2	3	4	5	6
7	8	9	10	11	12	13
14	15	16	17	18	19	20
21	22	23	24	25	26	27
28	29	30				

MOST POPULAR TAGS

й - 0 uses

Manage Tags

PAGE SUMMARY

 transitional_writes - (no subject)

STYLE CREDIT

Style: Neutral Good for Practicality by  timeasmymeasure

EXPAND CUT TAGS

No cut tags

Page generated Jun. 9th, 2026 04:25 am

Powered by Dreamwidth Studios

[Top of page](#)