

types/scopes against the linked official page when implementing a service. The source inventory JSON points back to local source files and line numbers.

API family	References	Implementation focus
History and threads	conversations.history, conversations.replies	Cursor pagination, timestamp strings, access/token constraints.
Message mutation	chat.update, chat.delete, chat.postEphemeral	Ownership, ephemerality, delivery semantics.
Identity and groups	users.info, usergroups.users.update	Resolve identity; full group replacement is not append.
Channel operations	conversations.kick, conversations.setTopic	Channel permissions and actor authorization.
Pins	pins.add/remove/list	Channel/timestamp target; preserve posted reference.
Files	files.getUploadURLExternal, files.completeUploadExternal	Obtain URL, send bytes, complete and share.
Reactions	reactions.add; reaction_added event	Emoji name and message identity.
Administration	admin.users.remove	Enterprise/admin user credential requirements.
Shortcuts	implementing-shortcuts	Global vs message context and modal trigger.
Block Kit	block-elements reference	Per-element payload and allowed surface.

Full URLs and archived filenames are enumerated in `sources/index.json`. The public shortcuts guide distinguishes global shortcuts from message shortcuts. This is the basis for porting the message-context workflow without inventing a Discord interaction type in the Slack runtime.

8. Implementation tasks and acceptance gates

Work in dependency order. Each task ends with source, tests, documentation and a diary checkpoint. Commit a coherent capability or bot workflow; avoid one commit per cosmetic edit.

1. **Baseline and parity matrix.** Inspect all 156 indexed registrations and imported helpers. Add a row for each workflow with proposed Slack behavior, source file, scopes, test and status. The current bot-family matrix is the starting point, not the final acceptance checklist.
2. **Native UI correctness and controls.** Fix optional inputs and add required selects/confirmations/multiline controls. Prove nested payload shapes and snapshot behavior in Goja tests.
3. **Interaction completion.** Implement command-trigger modal opening, shortcuts, external options, response replacement and explicit modal result handling. Test deadlines and response-bearing ACKs with real SDK fixtures.
4. **Operational services.** Add message updates, identity/channel/history, pins/reactions and file upload. Tests assert HTTP request bodies, cursor propagation, token selection and permission failures.
5. **Persistent host capability.** Register the database module with lifecycle ownership and