


## Lab#3 Design web pages for mobile shopping application

### 1. Home Page

#### Final outcome:



#### Code Snippet:

```
<!doctype html>
<html lang="en">
  <head>
    <meta charset="utf-8">
    <meta name="viewport" content="width=device-width, initial-scale=1">
    <title>Home :: MobiworlD</title>
    <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.2.0/dist/css/bootstrap.min.css"
rel="stylesheet" integrity="sha384-
gH2yIJqKdNHPEq0n4MqA/HGKIhSkIHeL5AyhkYV8i59U5AR6csBvApHHNI/vI1Bx"
crossorigin="anonymous">
  </head>
  <body>
```

```
<!--nav bar-->
<nav class="navbar navbar-expand-lg fixed-top navbar-dark bg-dark">
  <div class="container-fluid">
    <a class="navbar-brand" href="index.html">Mobi World</a>
    <button class="navbar-toggler" type="button" data-bs-toggle="collapse" data-bs-
target="#navbarNavAltMarkup" aria-controls="navbarNavAltMarkup" aria-expanded="false"
aria-label="Toggle navigation">
      <span class="navbar-toggler-icon"></span>
    </button>
    <div class="collapse navbar-collapse" id="navbarNavAltMarkup">
      <div class="navbar-nav">
        <a class="nav-link" href="#">About Us</a>
        <a class="nav-link" href="#">Contact</a>
        <li class="nav-item dropdown">
          <a class="nav-link dropdown-toggle" href="categories.html" role="button" data-bs-
toggle="dropdown" aria-expanded="false">
            Categories
          </a>
          <ul class="dropdown-menu">
            <li><a class="dropdown-item" href="categories.html">Oppo</a></li>
            <li><a class="dropdown-item" href="categories.html">Vivo</a></li>
            <li><a class="dropdown-item" href="categories.html">Samsung</a></li>
            <li><a class="dropdown-item" href="categories.html">Iphone</a></li>
          </ul>
        </li>
        <a class="nav-link" href="login.html">Login</a>
        <a class="nav-link" href="signup.html">Sign Up</a>
      </div>
    </div>
  </div>
</nav>
<div id="carouselExampleIndicators" class="carousel slide" data-bs-ride="true">
  <div class="carousel-indicators">
    <button type="button" data-bs-target="#carouselExampleIndicators" data-bs-slide-to="0"
class="active" aria-current="true" aria-label="Slide 1"></button>
    <button type="button" data-bs-target="#carouselExampleIndicators" data-bs-slide-to="1"
aria-label="Slide 2"></button>
```

```
<button type="button" data-bs-target="#carouselExampleIndicators" data-bs-slide-to="2"
aria-label="Slide 3"></button>
</div>
<div class="carousel-inner">
  <div class="carousel-item active">
    
  </div>
  <div class="carousel-item">
    
  </div>
  <div class="carousel-item">
    
  </div>
</div>
<button class="carousel-control-prev" type="button" data-bs-
target="#carouselExampleIndicators" data-bs-slide="prev">
  <span class="carousel-control-prev-icon" aria-hidden="true"></span>
  <span class="visually-hidden">Previous</span>
</button>
<button class="carousel-control-next" type="button" data-bs-
target="#carouselExampleIndicators" data-bs-slide="next">
  <span class="carousel-control-next-icon" aria-hidden="true"></span>
  <span class="visually-hidden">Next</span>
</button>
</div>
<div class="container text-center">
  <div class="row">
    <div class="col-sm-8"> Research has shown that 91% of all mobile users have their mobile
devices within reach 24/7. That is a constant opportunity for your business to make a positive
impression on its prospects. In order to ensure your website is making a positive impact, make
sure you consider mobile functionality as you brainstorm desktop designs for it. Recognize the
most important information and what elements can be removed to lighten the experience
when browsing on mobile. Some experts even advocate for a mobile first approach but warn
that there are some pros and cons to the technique. The goal is to make your pages engaging
and user-friendly, without overstuffing them with too much functionality and information.
If you are looking for some ideas on how to develop <br> <br> An effective mobile web design,
consider taking a look at a few of these companies' mobile sites. Research has shown that 91%
```

of all mobile users have their mobile devices within reach 24/7. That is a constant opportunity for your business to make a positive impression on its prospects.

In order to ensure your website is making a positive impact, make sure you consider mobile functionality as you brainstorm desktop designs for it. Recognize the most important information and what elements can be removed to lighten the experience when browsing on mobile. Some experts even advocate for a mobile first approach but warn that there are some pros and cons to the technique. The goal is to make your pages engaging and user-friendly, without overstuffing them with too much functionality and information.


If you are looking for some ideas on how to develop an effective mobile web design, consider taking a look at a few of these companies' mobile sites.

```
<div class="col-sm-4"></div> </div>
<script src="https://cdn.jsdelivr.net/npm/bootstrap@5.2.0/dist/js/bootstrap.bundle.min.js"
integrity="sha384A3rJD856KowSb7dwlZdYEkO39Gagi7vlsF0jrRAoQmDKKtQBHUuLZ9AsSv4jD4X
a" crossorigin="anonymous"></script>
</body>
</html>
```

---

## 2. Categories page:

**Final outcome:**



**Code snippet:**

```
<!doctype html>
<html lang="en">
  <head>
    <meta charset="utf-8">
    <meta name="viewport" content="width=device-width, initial-scale=1">
    <title>Home :: Mobiworld</title>
    <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.2.0/dist/css/bootstrap.min.css"
rel="stylesheet" integrity="sha384-
gH2yIJqKdNHPEq0n4Mqa/HGKIhSkIHeL5AyhkYV8i59U5AR6csBvApHHNI/vI1Bx"
crossorigin="anonymous">
  </head>
  <body>
    <!--nav bar-->
    <nav class="navbar navbar-expand-lg fixed-top navbar-dark bg-dark">
      <div class="container-fluid">
        <a class="navbar-brand" href="index.html">Mobi World</a>
        <button class="navbar-toggler" type="button" data-bs-toggle="collapse" data-bs-
target="#navbarNavAltMarkup" aria-controls="navbarNavAltMarkup" aria-expanded="false"
aria-label="Toggle navigation">
          <span class="navbar-toggler-icon"></span>
        </button>
        <div class="collapse navbar-collapse" id="navbarNavAltMarkup">
          <div class="navbar-nav">
            <a class="nav-link" href="#">About Us</a>
            <a class="nav-link" href="#">Contact</a>
            <li class="nav-item dropdown">
              <a class="nav-link dropdown-toggle" href="#" role="button" data-bs-
toggle="dropdown" aria-expanded="false"> Categories </a>
              <ul class="dropdown-menu">
                <li><a class="dropdown-item" href="#">Oppo</a></li>
                <li><a class="dropdown-item" href="#">Vivo</a></li>
                <li><a class="dropdown-item" href="#">Samsung</a></li>
                <li><a class="dropdown-item" href="#">Iphone</a></li>
              </ul>
            </li>
            <a class="nav-link" href="login.html">Login</a>
            <a class="nav-link" href="signup.html">Sign Up</a>
```

```
</div> </div> </div> </nav>
<br><br><br><br>
<div class="row row-cols-1 row-cols-md-3 g-4">
  <div class="col">
    <div class="card">
      
      <div class="card-body">
        <h5 class="card-title text-center">Oppo Phones</h5>
        <p class="card-text">Explore the latest innovative OPPO smartphones and accessories
and leap into the future with OPPO Reno7 Series, OPPO Find X5 Series and OPPO Enco
Air2.</p>
      </div>
    </div>
  </div>
  <div class="col">
    <div class="card">
      
      <div class="card-body">
        <h5 class="card-title text-center">Vivo Phone</h5>
        <p class="card-text">vivo and ZEISS Enter Global Partnership for Mobile Imaging.
Brand News. vivo Joins UEFA to Present the EURO 2020 Closing Ceremony. Video. V23
Series.</p>
      </div>
    </div>
  </div>
  <div class="col">
    <div class="card">
      
      <div class="card-body">
        <h5 class="card-title text-center">Samsung Phone</h5>
        <p class="card-text">Simple, iconic, timeless · Our logo is composed of our English
brand name, "Samsung.", The lettermark, Lettermark colors · Samsung Blue · Black.</p>
      </div>
    </div>
  </div>
  <div class="col">
    <div class="card">
      
```

```
<div class="card-body">
  <h5 class="card-title text-center">Iphone Phone</h5>
  <p class="card-text">This Unicode character has no emoji version, meaning this is
intended to display only as a black and white glyph on most platforms</p>
</div>
</div>
</div>
<div class="col">
  <div class="card">
    
    <div class="card-body">
      <h5 class="card-title text-center">Micromax Phone</h5>
      <p class="card-text">Micromax is democratising technology by giving you access to the
best features at INforIndia pricing. Explore and Buy IN mobiles smartphone by Micromax.</p>
    </div>
  </div>
</div>
<div class="col">
  <div class="card">
    
    <div class="card-body">
      <h5 class="card-title text-center">Realme Phone</h5>
      <p class="card-text">Take a leap into realme online store. Buy everything right from
realme smartphones to smart TV, wearables, audios and smart home products.</p>
    </div>
  </div>
</div>
<script src="https://cdn.jsdelivr.net/npm/bootstrap@5.2.0/dist/js/bootstrap.bundle.min.js"
integrity="sha384-
A3rJD856KowSb7dwlZdYEkO39Gagi7vlsF0jrRAoQmDKKtQBHUuLZ9AsSv4jD4Xa"
crossorigin="anonymous"></script>
</body>
</html>
```

---

### 3. User registration web page

**Final outcome:**

[Mobi World](#) [About Us](#) [Contact](#) [Categories](#) [Login](#) [Sign Up](#)

## Mobi World User registration

Name :

Email :

Password :

Re-Password :

Register

### Code Snippet:

```
<!doctype html>
<html lang="en">
  <head>
    <meta charset="utf-8">
    <meta name="viewport" content="width=device-width, initial-scale=1">
    <title>Login :: Mobiworld</title>
    <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.2.0/dist/css/bootstrap.min.css"
rel="stylesheet" integrity="sha384-
gH2yIJqKdNHPEqOn4Mqa/HGKIhSkIHeL5AyhkyV8i59U5AR6csBvApHHNl/vl1Bx"
crossorigin="anonymous">
  </head>
  <body>
    <!--nav bar-->
    <nav class="navbar navbar-expand-lg fixed-top navbar-dark bg-dark">
      <div class="container-fluid">
        <a class="navbar-brand" href="index.html">Mobi World</a>
        <button class="navbar-toggler" type="button" data-bs-toggle="collapse" data-bs-
target="#navbarNavAltMarkup" aria-controls="navbarNavAltMarkup" aria-expanded="false"
aria-label="Toggle navigation">
          <span class="navbar-toggler-icon"></span>
        </button>
        <div class="collapse navbar-collapse" id="navbarNavAltMarkup">
          <div class="navbar-nav">
            <a class="nav-link" href="#">About Us</a>
            <a class="nav-link" href="#">Contact</a>
            <li class="nav-item dropdown">
```



```
<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-
toggle="dropdown" aria-expanded="false">
  Categories
</a>
<ul class="dropdown-menu">
  <li><a class="dropdown-item" href="#">Oppo</a></li>
  <li><a class="dropdown-item" href="#">Vivo</a></li>
  <li><a class="dropdown-item" href="#">Samsung</a></li>
  <li><a class="dropdown-item" href="#">Iphone</a></li>
</ul>
</li>
<a class="nav-link" href="#">Login</a>


<a class="nav-link" href="#">Sign Up</a>
</div>
</div>
</div>
</nav>
<!--Login -->
<br><br>
<div class="container text-center">
  <div class="row">
    <div class="col align-self-center ">
      <form action="" method="post" >
        <br> <br> <br>
        <h1 class="center">Mobi World User registration</h1>
        <br> <br> <br>
        <div class="input-group input-group-lg">
          <span class="input-group-text" id="inputGroup-sizing-lg">Name :</span>
          <input type="text" class="form-control" aria-label="Sizing example input" aria-
describedby="inputGroup-sizing-lg">
        </div>
        <br>
        <div class="input-group input-group-lg">
          <span class="input-group-text" id="inputGroup-sizing-lg">Email :</span>
          <input type="text" class="form-control" aria-label="Sizing example input" aria-
describedby="inputGroup-sizing-lg">
        </div>
        <br>
        <div class="input-group input-group-lg">
          <span class="input-group-text" id="inputGroup-sizing-lg">Password :</span>
          <input type="text" class="form-control" aria-label="Sizing example input" aria-
describedby="inputGroup-sizing-lg">
        </div>
      </form>
    </div>
  </div>
</div>
```

```
</div>
<br>
<div class="input-group input-group-lg">
  <span class="input-group-text" id="inputGroup-sizing-lg">Re-Password :</span>
  <input type="text" class="form-control" aria-label="Sizing example input" aria-
describedby="inputGroup-sizing-lg">
</div>
<div class="d-grid gap-2">
  <br> <br>
  <button type="button" class="btn btn-success">Register</button>
</div>
</form>
</div>
</div>
</div>
<script src="https://cdn.jsdelivr.net/npm/bootstrap@5.2.0/dist/js/bootstrap.bundle.min.js"
integrity="sha384-
A3rJD856KowSb7dwlZdYEkO39Gagi7vlsF0jrRAoQmDKKtQBHUuLZ9AsSv4jD4Xa"
crossorigin="anonymous"></script>
</body>
</html>
```

---

#### 4. Login page for User

##### Final Outcome:



The screenshot shows a web application interface for a mobile shopping app. At the top is a dark navigation bar with the text 'Mobi World' and links for 'About Us', 'Contact', 'Categories', 'Login', and 'Sign Up'. Below this is a white section titled 'User Login'. The login form consists of two input fields: 'Username' and 'Password', both with light blue labels. Below the password field is a prominent green button with the text 'Login' in white.

##### Code Snippet:


```
<!doctype html>
<html lang="en">
  <head>
    <meta charset="utf-8">
    <meta name="viewport" content="width=device-width, initial-scale=1">
    <title>Login :: Mobiworld</title>
    <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.2.0/dist/css/bootstrap.min.css"
rel="stylesheet" integrity="sha384-
gH2yIJqKdNHPEq0n4Mqa/HGKIhSkIHeL5AyhkYV8i59U5AR6csBvApHHNI/vI1Bx"
crossorigin="anonymous">
  </head>
  <body>
    <!--nav bar-->
    <nav class="navbar navbar-expand-lg fixed-top navbar-dark bg-dark">
      <div class="container-fluid">
        <a class="navbar-brand" href="index.html">Mobi World</a>
        <button class="navbar-toggler" type="button" data-bs-toggle="collapse" data-bs-
target="#navbarNavAltMarkup" aria-controls="navbarNavAltMarkup" aria-expanded="false"
aria-label="Toggle navigation">
          <span class="navbar-toggler-icon"></span>
        </button>
        <div class="collapse navbar-collapse" id="navbarNavAltMarkup">
          <div class="navbar-nav">
            <a class="nav-link" href="#">About Us</a>
            <a class="nav-link" href="#">Contact</a>
            <li class="nav-item dropdown">
              <a class="nav-link dropdown-toggle" href="#" role="button" data-bs-
toggle="dropdown" aria-expanded="false">
                Categories
              </a>
              <ul class="dropdown-menu">
                <li><a class="dropdown-item" href="#">Oppo</a></li>
                <li><a class="dropdown-item" href="#">Vivo</a></li>
                <li><a class="dropdown-item" href="#">Samsung</a></li>
                <li><a class="dropdown-item" href="#">Iphone</a></li>
              </ul>
            </li>
            <a class="nav-link" href="#">Login</a>
            <a class="nav-link" href="#">Sign Up</a>
          </div>
        </div>
      </div>
    </nav>
```

```
<!--Login -->
<br><br>
<div class="container text-center">
  <div class="row">
    <div class="col align-self-center ">
      <form action="" method="post" >
        <br> <br> <br>
        <h1 class="center">User Login </h1>
        <br> <br> <br>
        <div class="input-group input-group-lg">
          <span class="input-group-text" id="inputGroup-sizing-lg">Username</span>
          <input type="text" class="form-control" aria-label="Sizing example input" aria-
describedby="inputGroup-sizing-lg">
        </div>
        <br>
        <div class="input-group input-group-lg">
          <span class="input-group-text" id="inputGroup-sizing-lg">Password</span>
          <input type="text" class="form-control" aria-label="Sizing example input" aria-
describedby="inputGroup-sizing-lg">
        </div>
        <div class="d-grid gap-2">
          <br> <br>
          <button type="button" class="btn btn-success">Login</button>
        </div>
      </form>
    </div>
  </div>
</div>
<script src="https://cdn.jsdelivr.net/npm/bootstrap@5.2.0/dist/js/bootstrap.bundle.min.js"
integrity="sha384-
A3rJD856KowSb7dwlZdYEkO39Gagi7vlsF0jrRAoQmDKKtQBHUuLZ9AsSv4jD4Xa"
crossorigin="anonymous"></script>
</body>
</html>
```

---

## 5. Detailed product page

**Final outcome:**



### Code Snippet:

```
<!doctype html>
<html lang="en">
  <head>
    <meta charset="utf-8">
    <meta name="viewport" content="width=device-width, initial-scale=1">
    <title>Home :: Mobiworl</title>
    <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.2.0/dist/css/bootstrap.min.css"
rel="stylesheet" integrity="sha384-
gH2yIJqKdNHPEq0n4Mqa/HGKIhSkIHeL5AyhkYV8i59U5AR6csBvApHHNl/vl1Bx"
crossorigin="anonymous">
  </head>
  <body>
    <!--nav bar-->
    <nav class="navbar navbar-expand-lg fixed-top navbar-dark bg-dark">
      <div class="container-fluid">
        <a class="navbar-brand" href="index.html">Mobi World</a>
        <button class="navbar-toggler" type="button" data-bs-toggle="collapse" data-bs-
target="#navbarNavAltMarkup" aria-controls="navbarNavAltMarkup" aria-expanded="false"
aria-label="Toggle navigation">
          <span class="navbar-toggler-icon"></span>
        </button>
        <div class="collapse navbar-collapse" id="navbarNavAltMarkup">
          <div class="navbar-nav">
```


```
<a class="nav-link" href="#">About Us</a>
<a class="nav-link" href="#">Contact</a>
<li class="nav-item dropdown">
  <a class="nav-link dropdown-toggle" href="categories.html" role="button" data-bs-
toggle="dropdown" aria-expanded="false">
    Categories
  </a>
  <ul class="dropdown-menu">
    <li><a class="dropdown-item" href="categories.html">Oppo</a></li>
    <li><a class="dropdown-item" href="categories.html">Vivo</a></li>
    <li><a class="dropdown-item" href="categories.html">Samsung</a></li>
    <li><a class="dropdown-item" href="categories.html">Iphone</a></li>
  </ul>
</li>
<a class="nav-link" href="login.html">Login</a>
<a class="nav-link" href="signup.html">Sign Up</a>
</div>
</div>
</div>
</nav>
<br> <br> <br> <br> <br>
<div class="container text-center">
  <div class="row">
    <div class="col">
      
    </div>
    <div class="col">
      <br><br><br><br><br><br>
      <h1> Apple iPhone 11</h1>
      <h3>64GB, Green - Fully Unlocked</h3>
      <br><br>
      <h1>Rs. 60,000/- </h1>
      <p>The product is refurbished, fully functional, and in good condition. Backed by the 90-
day Amazon Renewed Guarantee.</p>
      <button class="btn btn-warning"> Buy Now</button>
    </div>
  </div>
</div>
```

```
<script src="https://cdn.jsdelivr.net/npm/bootstrap@5.2.0/dist/js/bootstrap.bundle.min.js"
integrity="sha384-
A3rJD856KowSb7dwlZdYEkO39Gagi7vlsF0jrRAoQmDKKtQBHUuLZ9AsSv4jD4Xa"
crossorigin="anonymous"></script>
</body>
</html>
```

---

## 6. Admin Login:

### Final outcome:



Mobi World Admin Panel

Login

Admin ID:

Password:

Login

### Code Snippet:

```
<!doctype html>
<html lang="en">
<head>
  <meta charset="utf-8">
  <meta name="viewport" content="width=device-width, initial-scale=1">
  <title>Login :: Mobiworl</title>
  <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.2.0/dist/css/bootstrap.min.css"
rel="stylesheet" integrity="sha384-
gH2yIJqKdNHPEq0n4Mqa/HGKIhSkIHeL5AyhkyV8i59U5AR6csBvApHHNI/vI1Bx"
crossorigin="anonymous">
</head>
<body>
  <nav class="navbar navbar-expand-lg fixed-top navbar-dark bg-dark">
```

```
<div class="container-fluid">
  <a class="navbar-brand" href="index.html">Mobi World</a>
  <button class="navbar-toggler" type="button" data-bs-toggle="collapse" data-bs-
target="#navbarNavAltMarkup" aria-controls="navbarNavAltMarkup" aria-expanded="false"
aria-label="Toggle navigation">
    <span class="navbar-toggler-icon"></span>
  </button>
  <div class="collapse navbar-collapse" id="navbarNavAltMarkup">
    <div class="navbar-nav">
      <a class="nav-link" href="#">About Us</a>
      <a class="nav-link" href="#">Contact</a>
      <li class="nav-item dropdown">
        <a class="nav-link dropdown-toggle" href="#" role="button" data-bs-
toggle="dropdown" aria-expanded="false">
          Categories
        </a>
        <ul class="dropdown-menu">
          <li><a class="dropdown-item" href="#">Oppo</a></li>
          <li><a class="dropdown-item" href="#">Vivo</a></li>
          <li><a class="dropdown-item" href="#">Samsung</a></li>
          <li><a class="dropdown-item" href="#">Iphone</a></li>
        </ul>
      </li>
      <a class="nav-link" href="#">Login</a>
      <a class="nav-link" href="#">Sign Up</a>
    </div>
  </div>
</div>
</nav>
<!--Login -->
<br><br>
<div class="container text-center">
  <div class="row">
    <div class="col align-self-center ">
      <form action="" method="post" >
        <br> <br> <br>
        <h1 class="center">Mobi World Admin Panel</h1>
        <h3 class="center">Login</h3>
      </form>
    </div>
  </div>
</div>
```



```
<br> <br> <br>
<div class="input-group input-group-lg">
  <span class="input-group-text" id="inputGroup-sizing-lg">Admin ID:</span>
  <input type="text" class="form-control" aria-label="Sizing example input" aria-
describedby="inputGroup-sizing-lg">
</div>
<br>
<div class="input-group input-group-lg">
  <span class="input-group-text" id="inputGroup-sizing-lg">Password :</span>
  <input type="text" class="form-control" aria-label="Sizing example input" aria-
describedby="inputGroup-sizing-lg">
</div>
<div class="d-grid gap-2">
  <br> <br>
  <button type="button" class="btn btn-success">Login</button>
</div>
</form>
</div>
</div>
</div>
<script src="https://cdn.jsdelivr.net/npm/bootstrap@5.2.0/dist/js/bootstrap.bundle.min.js"
integrity="sha384-
A3rJD856KowSb7dwlZdYEkO39Gagi7vIsF0jrRAoQmDCKtQBHUuLZ9AsSv4jD4Xa"
crossorigin="anonymous"></script>
</body>
</html>
```

---

## 7. Management of category & product

**Final outcome:**

Mobi World

About Us

Contact

Categories

Login

Sign Up

Add the Product

Product Name:

Product Price :

Product description:

Product Discount

Choose File

No file chosen

Submit

Dropdown

Add the Product

### Code Snippet:

```
<!doctype html>
<html lang="en">
  <head>
    <meta charset="utf-8">
    <meta name="viewport" content="width=device-width, initial-scale=1">
    <title>Login :: Mobiworl</title>
    <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.2.0/dist/css/bootstrap.min.css"
rel="stylesheet" integrity="sha384-
gH2yIjQdNHPEq0n4Mqa/HGKIhSkIHeL5AyhkYV8i59U5AR6csBvApHHNI/vI1Bx"
crossorigin="anonymous">
  </head>
  <body>
    <!--nav bar-->
    <nav class="navbar navbar-expand-lg fixed-top navbar-dark bg-dark">
      <div class="container-fluid">
        <a class="navbar-brand" href="index.html">Mobi World</a>
        <button class="navbar-toggler" type="button" data-bs-toggle="collapse" data-bs-
target="#navbarNavAltMarkup" aria-controls="navbarNavAltMarkup" aria-expanded="false"
aria-label="Toggle navigation">
          <span class="navbar-toggler-icon"></span>
```

```
</button>
<div class="collapse navbar-collapse" id="navbarNavAltMarkup">
  <div class="navbar-nav">
    <a class="nav-link" href="#">About Us</a>
    <a class="nav-link" href="#">Contact</a>
    <li class="nav-item dropdown">
      <a class="nav-link dropdown-toggle" href="#" role="button" data-bs-
toggle="dropdown" aria-expanded="false"> Categories </a>
      <ul class="dropdown-menu">
        <li><a class="dropdown-item" href="#">Oppo</a></li>
        <li><a class="dropdown-item" href="#">Vivo</a></li>
        <li><a class="dropdown-item" href="#">Samsung</a></li>
        <li><a class="dropdown-item" href="#">Iphone</a></li>
      </ul>
    </li>
    <a class="nav-link" href="#">Login</a>
    <a class="nav-link" href="#">Sign Up</a>
  </div>
</div>
</div>
</nav>
<br><br>
<div class="bg-success p-2" style="--bs-bg-opacity: .5;">
  <div class="container text-center">
    <div class="row">
      <div class="col align-self-center ">
        <form action="" method="post" >
          <h1 class="center"> Add the Product </h1>
          <div class="input-group input-group-lg">
            <span class="input-group-text" id="inputGroup-sizing-lg">Product Name:</span>
            <input type="text" class="form-control" aria-label="Sizing example input" aria-
describedby="inputGroup-sizing-lg">
          </div> <br>
          <div class="input-group input-group-lg">
            <span class="input-group-text" id="inputGroup-sizing-lg">Product Price :</span>
            <input type="text" class="form-control" aria-label="Sizing example input" aria-
describedby="inputGroup-sizing-lg">
          </div>          <div class="input-group input-group-lg">
```

```
<span class="input-group-text" id="inputGroup-sizing-lg">Product
description:</span>
<input type="text" class="form-control" aria-label="Sizing example input" aria-
describedby="inputGroup-sizing-lg">
</div>
<div class="input-group input-group-lg">
<span class="input-group-text" id="inputGroup-sizing-lg">Product Discount</span>
<input type="text" class="form-control" aria-label="Sizing example input" aria-
describedby="inputGroup-sizing-lg">
</div>
<div class="input-group input-group-lg">
<input type="file" class="form-control" id="inputGroupFile04" aria-
describedby="inputGroupFileAddon04" aria-label="Upload">
<button class="btn btn-secondary btn-alert" type="button"
id="inputGroupFileAddon04">Submit</button>
</div>
<div class="input-group input-group-lg mb-3">
<button class="btn btn-outline-secondary dropdown-toggle" type="button" data-bs-
toggle="dropdown" aria-expanded="false">Dropdown</button>
<ul class="dropdown-menu">
<li><a class="dropdown-item" href="#">oppo</a></li>
<li><a class="dropdown-item" href="#">Vivo</a></li>
<li><a class="dropdown-item" href="#">iphone</a></li>
</ul>
<input type="text" class="form-control" aria-label="Text input with dropdown button">
</div>
<div class="d-grid gap-2">
<button type="button" class="btn btn-success">Add the Product </button>
</div>
</form>
</div> </div> </div> </div>
<script src="https://cdn.jsdelivr.net/npm/bootstrap@5.2.0/dist/js/bootstrap.bundle.min.js"
integrity="sha384-
A3rJD856KowSb7dwlZdYEkO39Gagi7vlsF0jrRAoQmDKKtQBHUuLZ9AsSv4jD4Xa"
crossorigin="anonymous"></script>
</body>
</html>
```