Lab#12a. Implement Delete Operation with GUI to remove a book from Book Inventory.

OUTPUT:

Book_id	Book_name	Author	Publisher_date	Publisher	Genre	Language	Edition	Price	Stock	ISBN No.	Actions
1	Atomic Habits	James Clear	2020-06-16	Warner Books	Self-help book	English	6	399	22	46414546664578	⊙ ✎ ✕
2	Rich Dad Poor Dad	Robert Kiyosaki and Sharon Lechter	2020-05-22	Penguin Random House	FINANCE	English	5	500	33	5564619526176	⊙ ✎ ✕
3	Think Like a Monk	Jay Shetty	2021-06-08	Simon & Schuster.	Self-help book	English	2	249	50	81643664777761	⊙ ✎ ✕
4	It Ends with Us	Colleen Hoover	2022-10-14	Simon & Schuster	Romance novel	English, hindi	3	499	25	4314453236545	⊙ ✎ ✕

Book_id	Book_name	Author	Publisher_date	Publisher	Genre	Language	Edition	Price	Stock	ISBN No.	Actions
1	Atomic Habits	James Clear	2020-06-16	Warner Books	Self-help book	English	6	399	22	46414546664578	⊙ ✎ ✕
2	Rich Dad Poor Dad	Robert Kiyosaki and Sharon Lechter	2020-05-22	Penguin Random House	FINANCE	English	5	500	33	5564619526176	⊙ ✎ ✕
3	Think Like a Monk	Jay Shetty	2021-06-08	Simon & Schuster.	Self-help book	English	2	249	50	81643664777761	⊙ ✎ ✕

CODE:

```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>View</title>
    <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/6.2.0/css/all.min.css" integrity="sha512-
xh6O/CkQoPOWDdYTDqeRdPCVd1SpvCA9XXcUnZS2FmJNp1coAFzvtCN9BmamE+4aHK8yyUHUSCcJH
gXloTyT2A==" crossorigin="anonymous" referrerpolicy="no-referrer" />
    <link href="{{ URL::asset('css/view.css') }}" rel="stylesheet" type="text/css" >
    @include('link')
</head>
<body>
@include('navbar')
    <table style="margin-top: 30px">
      <tr>

        <td>Book_id</td>
        <td>Book_name</td>
        <td>Author</td>
        <td>Publisher_date</td>
        <td>Publisher</td>
        <td>Genre</td>
        <td>Language</td>
        <td>Edition</td>
        <td>Price</td>
```

```
        <td>Stock</td>
        <td>ISBN No.</td>
        <td>Actions</td>
      </tr>
      @foreach($data as $data)
      <tr>

        <td>{{$data->book_id}}</td>
        <td>{{$data->name}}</td>
        <td>{{$data->author}}</td>
        <td>{{$data->date}}</td>
        <td>{{$data->publisher}}</td>
        <td>{{$data->genre}}</td>
        <td>{{$data->language}}</td>
        <td>{{$data->edition}}</td>
        <td>{{$data->price}}</td>
        <td> {{$data->stock}}</td>
        <td>{{$data->isbn}}</td>
        <td> 
          <a href="{{'/details/'.$data->id}}"><i class="fa-solid fa-eye"></i></a>  
          <a href="{{'/edit/'.$data->id}}"><i class="fa-solid fa-pen-fancy"></i></a>  
          <a href="{{'/delete/'.$data->id}}" id="delete"><i class="fa-solid fa-close" style="font-size:
20px"></i></a>  
        </td>
      </tr>
      @endforeach
    </table>
@include('footer')
</body>
</html>

  public function delete(Request $request){
    $id = $request->id;
    $book = Book::where('id', $id)->delete();
    return redirect('view');
  }

Route::get('/delete/{id}',[BookController::class,'delete']);
```

Lab#12b. Implement Search Operation on Book Name and Author Name with GUI for Book Inventory.

OUTPUT:

CODE:

```
<nav class="navbar bg-light">

   <div class="container-fluid">

<a class="navbar-brand" href="#">

      <h1>BOOK INVENTORY</h1>

      <!-- <img src="{{asset('/images/logo.png')}}" alt="Logo" width="100" height="120"

         class="d-inline-block align-text-top"> -->

    </a>

   </div>


</nav>

<!-- Image and text -->


<nav class="navbar navbar-expand-lg navbar-dark bg-dark ml-mr-20">


   <button class="navbar-toggler" type="button" data-toggle="collapse" data-
target="#navbarSupportedContent" aria-controls="navbarSupportedContent" aria-expanded="false"
aria-label="Toggle navigation">

      <span class="navbar-toggler-icon"></span>

   </button>


   <div class="collapse navbar-collapse" id="navbarSupportedContent">

     <ul class="navbar-nav mr-auto">

       <li class="nav-item active">

         <a class="nav-link" href="{{'/'}}">Home <span class="sr-only">(current)</span></a>

       </li>

       <li class="nav-item active">

         <a class="nav-link" href="{{'/add'}}">Add <span class="sr-only">(current)</span></a>

       </li>

       <li class="nav-item active">
```

```html
        <a class="nav-link" href="{{'/view'}}">view <span class="sr-only">(current)</span></a>

      </li>

      <!-- <li class="nav-item active">

        <a class="nav-link" href="{{'logout'}}">Logout <span class="sr-only">(current)</span></a>

      </li> -->

    </ul>

    <form action="/search">

      <input type="text" placeholder="Search.." name="book">

      <button type="submit">Search</button>

    </form>

  </div>

</nav>
```

```php
function search(Request $req){

    $data = Book::where('name',$req->book)->get();

    return view('details',['book'=>$data]);


  }


Route::get('/search',[BookController::class,'search']);
```