## YouTube to Plex pipeline

## Requirements:

TubeSync - https://github.com/meeb/tubesync

TubeSync NFO Agent - https://github.com/go2tom42/TubeSync-NFO-Agent.bundle

Plex - https://www.plex.tv/

I run everything through Docker using **caddy-docker-proxy** for ssl, this is my config for TubeSync , drop the **network** & **labels** sections if you run a different proxy-

```
tubesync:
  image: ghcr.io/meeb/tubesync:v0.11.0
  container_name: tubesync
  restart: unless-stopped
  ports:
    - 4848: 4848
  volumes:
    - /docker/configs/tubesync/models.py:/app/sync/models.py #NOT Required
    - /docker/configs/tubesync/settings.py:/app/tubesync/settings.py #NOT Required
    - /docker/configs/tubesync:/config
    - /nas/Videos/YouTube:/downloads/video
  environment:
    - TUBESYNC WORKERS=8
   - TZ=Europe/London
    - PUID=1000
    - PGID=1000
  networks:
    - caddy
  labels:
    caddy: tubesync. XXXXX. pw
    caddy.reverse_proxy: "{{upstreams 4848}}"
    caddy.tls: "internal"
```

The two "NOT Required" entries are because I wanted larger thumbnails and to change the default settings for new video sources

```
prefer 60fps = models.BooleanField(
        ('prefer 60fps'),
        default=False,
        help_text=_('Where possible, prefer 60fps media for this source')
    prefer hdr = models.BooleanField(
        ('prefer hdr'),
        default=True,
        help text= ('Where possible, prefer HDR media for this source')
    fallback = models.CharField(
        ('fallback'),
        max_length=1,
        db index=True,
        choices=FALLBACK CHOICES,
        default=FALLBACK NEXT BEST,
        help_text=_('What do do when media in your source resolution and codecs is not
available')
   )
    copy thumbnails = models.BooleanField(
        ('copy thumbnails'),
        default=True,
        help text= ('Copy thumbnails with the media, these may be detected and used by some
media servers')
   )
    write_nfo = models.BooleanField(
        _('write nfo'),
        default=True,
        help_text=_('Write an NFO file in XML with the media info, these may be detected and
used by some media servers')
   )
```

For settings.py I changed. Currently lines 148-149 in hash 67a3998 (current as of 7-2-22)


```
MEDIA_THUMBNAIL_WIDTH = 1280  # Width in pixels to resize thumbnails to

MEDIA_THUMBNAIL_HEIGHT = 720  # Height in pixels to resize thumbnails to
```


AND Currently line 167 in hash 67a3998 (current as of 7-2-22)


```
MEDIA_FORMATSTR_DEFAULT = '{source_full} - {yyyy_mm_dd} - [{key}] - {resolution}.{ext}'
```

But like I said not required. Make sure you enable Local Media Assets (TV) in the plex server agents settings for TubeSync NFO Agent



My Plex library looks like





## LSnSBNInfrr7MDRuXmfk1LJ KjvaXt SOURCE TYPE: YouTube playlist Source type KEY: PL0-LSnSBNInfrr7MDRuXmfk1LJ\_KjvaXt Source key, such as exact YouTube channel name or playlist ID. NAME: Trek, Actually 1 Friendly name for the source, used locally in TubeSync only DIRECTORY: Trek, Actually Directory name to save the media into MEDIA FORMAT: {source\_full} - {yyyy\_mm\_dd} - [{key}] - {resolution}.{ext} File format to use for saving files, detailed options at bottom of page. INDEX SCHEDULE: Every 24 hours Schedule of how often to index the source for new media DOWNLOAD MEDIA 1 Download media from this source, if not selected the source will only be indexed DOWNLOAD CAP: No cap 1 Do not download media older than this capped date DELETE OLD MEDIA 1 Delete old media after "days to keep" days?

If "delete old media" is ticked the number of days after which to automatically

DAYS TO KEEP:

14

Revision #4 Created 28 February 2022 22:31:57 by tom42 Updated 2 July 2022 17:40:38 by tom42