


Quantitative

- Là các dạng cơ bản (inference, coe, ...) nhưng thay vì chỉ có đoạn text không, sẽ có thêm các biểu đồ.
- Thông tin rất nhiều và rất loạn.
- Cách làm tối ưu về mặt thời gian của bọn mình:
 - Đọc đoạn text trước, sau đó bắt đầu đi chọn đáp án theo các bước của các dạng cơ bản.
 - Loại các đáp án out of scope, bị POE là sai, ... mà chỉ sử dụng đoạn text.
 - Sau đó mới bắt đầu đi loại các đáp án chứa chi tiết sai với số liệu trong biểu đồ (bước này mới bắt đầu sử dụng biểu đồ).

Question

Which choice most effectively uses data from the graph to complete the example?

Many plants have leaves that are larger on one side of their long central axis than the other, a phenomenon known as asymmetrical orientation. University of California, Berkeley biologist Ciera Martinez and colleagues examined several species of grapevines and closely related plants, which have leaves that grow in pairs, to see if both leaves in a pair tend to be oriented toward the same side (that is, have more tissue on the same side) or not. They found that opposite-side orientation was much more common than same-side orientation: in the Amur grape, for example, approximately _____



- A. 150 leaf pairs show opposite-side orientation, whereas approximately 60 pairs show same-side orientation.
- B. 110 leaf pairs show opposite-side orientation, whereas approximately 49 pairs show same-side orientation.