# Assignment 11

Gautam Singh (CS21BTECH11018)

May 23, 2022

# Outline

1. Problem
2. Solution

# Problem Statement

**(Papoulis/Pillai Exercise 3-4)** A coin with $\Pr(h) = p = 1 - q$ is tossed n times. Show that the probability that the number of heads is even equals $0.5[1 + (q - p)^n]$.

# Solution

## PMF of Y

$$\Pr\left(Y = k\right) = \begin{cases} \binom{n}{k} p^{(n-k)} q^{k}, & 0 \le k \le n \\ 0, & \text{otherwise} \end{cases} \tag{1}$$

$$\implies \Pr\left(Y \equiv 0 \pmod 2\right) = \binom{n}{0} p^{n} + \binom{n}{2} p^{(n-2)} q^{2} + \dots \tag{2}$$

We have,

$$\Pr\left(Y \equiv 0 \pmod 2\right) = \binom{n}{0} p^n + \binom{n}{2} p^{(n-2)} q^2 + \dots \tag{3}$$

$$= \frac{1}{2}(2(\binom{n}{0} p^n + \binom{n}{2} p^{(n-2)} q^2 + \dots)) \tag{4}$$

$$= 0.5[\sum_{k=0}^{k=n} \binom{n}{k} q^{(n-k)} p^k + \sum_{k=0}^{k=n} \binom{n}{k} (-1)^k q^{(n-k)} p^k] \tag{5}$$

$$= 0.5[(q+p)^n + (q-p)^n] \tag{6}$$

$$= 0.5[1 + (q-p)^n] \tag{7}$$

as deisred. This is verified in `codes/11_1.py`.